

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
20 September 2001 (20.09.2001)

PCT

(10) International Publication Number
WO 01/68848 A2

- (51) International Patent Classification⁷: C12N 15/12, 15/62, C07K 14/47, 14/705, 16/18, G01N 33/53, C12Q 1/68
- (21) International Application Number: PCT/US01/06520
- (22) International Filing Date: 28 February 2001 (28.02.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
- | | | |
|----------------|-----------------------------|----|
| PCT/US00/05601 | 1 March 2000 (01.03.2000) | US |
| PCT/US00/05841 | 2 March 2000 (02.03.2000) | US |
| 60/187,202 | 3 March 2000 (03.03.2000) | US |
| 60/186,968 | 6 March 2000 (06.03.2000) | US |
| 60/189,328 | 14 March 2000 (14.03.2000) | US |
| 60/189,320 | 14 March 2000 (14.03.2000) | US |
| PCT/US00/06884 | 15 March 2000 (15.03.2000) | US |
| 60/191,048 | 21 March 2000 (21.03.2000) | US |
| 60/190,828 | 21 March 2000 (21.03.2000) | US |
| 60/191,314 | 21 March 2000 (21.03.2000) | US |
| 60/191,007 | 21 March 2000 (21.03.2000) | US |
| 60/192,655 | 28 March 2000 (28.03.2000) | US |
| 60/193,032 | 29 March 2000 (29.03.2000) | US |
| 60/193,053 | 29 March 2000 (29.03.2000) | US |
| PCT/US00/08439 | 30 March 2000 (30.03.2000) | US |
| 60/194,647 | 4 April 2000 (04.04.2000) | US |
| 60/194,449 | 4 April 2000 (04.04.2000) | US |
| 60/196,820 | 11 April 2000 (11.04.2000) | US |
| 60/195,975 | 11 April 2000 (11.04.2000) | US |
| 60/196,000 | 11 April 2000 (11.04.2000) | US |
| 60/196,187 | 11 April 2000 (11.04.2000) | US |
| 60/196,690 | 11 April 2000 (11.04.2000) | US |
| 60/198,121 | 18 April 2000 (18.04.2000) | US |
| 60/198,585 | 18 April 2000 (18.04.2000) | US |
| 60/199,654 | 25 April 2000 (25.04.2000) | US |
| 60/199,397 | 25 April 2000 (25.04.2000) | US |
| 60/199,550 | 25 April 2000 (25.04.2000) | US |
| 60/201,516 | 3 May 2000 (03.05.2000) | US |
| PCT/US00/13705 | 17 May 2000 (17.05.2000) | US |
| PCT/US00/14042 | 22 May 2000 (22.05.2000) | US |
| PCT/US00/14941 | 30 May 2000 (30.05.2000) | US |
| PCT/US00/15264 | 2 June 2000 (02.06.2000) | US |
| 60/209,832 | 5 June 2000 (05.06.2000) | US |
| PCT/US00/20710 | 28 July 2000 (28.07.2000) | US |
| 09/644,848 | 22 August 2000 (22.08.2000) | US |
| PCT/US00/23328 | 24 August 2000 (24.08.2000) | US |
- (60/000,000 15 September 2000 (15.09.2000) US
PCT/US00/30952
8 November 2000 (08.11.2000) US
PCT/US00/32678
1 December 2000 (01.12.2000) US
PCT/US00/34956
20 December 2000 (20.12.2000) US
- (71) Applicant (for all designated States except US): GENENTECH, INC. [US/US]; 1 DNA Way, South San Francisco, CA 94080-4990 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): BAKER, Kevin, P. [GB/US]; 14006 Indian Run Drive, Darnestown, MD 20878 (US). CHEN, Jian [CN/US]; 121 York Drive, Princeton, NJ 08540 (US). DESNOYERS, Luc [CA/US]; 2050 Stockton Street, San Francisco, CA 94133 (US). GODDARD, Audrey [CA/US]; 110 Congo Street, San Francisco, CA 94131 (US). GODOWSKI, Paul, J. [US/US]; 2627 Easton Drive, Burlingame, CA 94010 (US). GURNEY, Austin, L. [US/US]; 1 Debbie Lane, Belmont, CA 94002 (US). PAN, James [CA/US]; 2705 Coronet Boulevard, Belmont, CA 94002 (US). SMITH, Victoria [AU/US]; 19 Dwight Road, Burlingame, CA 94010 (US). WATANABE, Colin, K. [US/US]; 128 Corliss Drive, Moraga, CA 94556 (US). WOOD, William, I. [US/US]; 35 Southdown Court, Hillsborough, CA 94010 (US). ZHANG, Zemin [CN/US]; 876 Taurus Drive, Foster City, CA 94404 (US).
- (74) Agents: BARNES, Elizabeth, M. et al.; c/o Genentech, Inc., MS49, 1 DNA Way, South San Francisco, CA 94080-4990 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME

(57) Abstract: The present invention is directed to novel polypeptides and to nucleic acid molecules encoding those polypeptides. Also provided herein are vectors and host cells comprising those nucleic acid sequences, chimeric polypeptide molecules comprising the polypeptides of the present invention fused to heterologous polypeptide sequences, antibodies which bind to the polypeptides of the present invention and to methods for producing the polypeptides of the present invention.

WO 01/68848 A2



Published:

— without international search report and to be republished
upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME

FIELD OF THE INVENTION

5 The present invention relates generally to the identification and isolation of novel DNA and to the recombinant production of novel polypeptides.

BACKGROUND OF THE INVENTION

10 Extracellular proteins play important roles in, among other things, the formation, differentiation and maintenance of multicellular organisms. The fate of many individual cells, e.g., proliferation, migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins. These secreted polypeptides or signaling molecules normally pass through the cellular secretory pathway to reach their site of
15 action in the extracellular environment.

Secreted proteins have various industrial applications, including as pharmaceuticals, diagnostics, biosensors and bioreactors. Most protein drugs available at present, such as thrombolytic agents, interferons, interleukins, erythropoietins, colony stimulating factors, and various other cytokines, are secretory proteins. Their receptors, which are membrane proteins, also have potential as therapeutic or diagnostic agents. Efforts
20 are being undertaken by both industry and academia to identify new, native secreted proteins. Many efforts are focused on the screening of mammalian recombinant DNA libraries to identify the coding sequences for novel secreted proteins. Examples of screening methods and techniques are described in the literature [see, for example, Klein et al., *Proc. Natl. Acad. Sci.* 93:7108-7113 (1996); U.S. Patent No. 5,536,637].

Membrane-bound proteins and receptors can play important roles in, among other things, the formation, differentiation and maintenance of multicellular organisms. The fate of many individual cells, e.g., proliferation, migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins.
25 Such membrane-bound proteins and cell receptors include, but are not limited to, cytokine receptors, receptor kinases, receptor phosphatases, receptors involved in cell-cell interactions, and cellular adhesion molecules like selectins and integrins. For instance, transduction of signals that regulate cell growth and differentiation is regulated in part by phosphorylation of various cellular proteins. Protein tyrosine kinases, enzymes that catalyze that process, can also act as growth factor receptors. Examples include fibroblast growth factor receptor and
30

nerve growth factor receptor.

Membrane-bound proteins and receptor molecules have various industrial applications, including as pharmaceutical and diagnostic agents. Receptor immunoadhesins, for instance, can be employed as therapeutic agents to block receptor-ligand interactions. The membrane-bound proteins can also be employed for screening of potential peptide or small molecule inhibitors of the relevant receptor/ligand interaction.

5 Efforts are being undertaken by both industry and academia to identify new, native receptor or membrane-bound proteins. Many efforts are focused on the screening of mammalian recombinant DNA libraries to identify the coding sequences for novel receptor or membrane-bound proteins.

SUMMARY OF THE INVENTION

10 In one embodiment, the invention provides an isolated nucleic acid molecule comprising a nucleotide sequence that encodes a PRO polypeptide.

15 In one aspect, the isolated nucleic acid molecule comprises a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity to (a) a DNA molecule encoding a PRO polypeptide having a full-length amino acid sequence as disclosed herein, an amino acid sequence lacking the signal peptide as disclosed herein, an extracellular domain of a transmembrane protein, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of the full-length amino acid sequence as disclosed herein, or (b) the complement of the DNA molecule of (a).

20 In other aspects, the isolated nucleic acid molecule comprises a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94%

nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity to (a) a DNA molecule comprising the coding sequence of a full-length PRO polypeptide cDNA as disclosed herein, the coding sequence of a PRO polypeptide lacking the signal peptide as disclosed herein, the coding sequence of an extracellular domain of a transmembrane PRO polypeptide, with or without the signal peptide, as disclosed herein or the coding sequence of any other specifically defined fragment of the full-length amino acid sequence as disclosed herein, or (b) the complement of the DNA molecule of (a).

In a further aspect, the invention concerns an isolated nucleic acid molecule comprising a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity to (a) a DNA molecule that encodes the same mature polypeptide encoded by any of the human protein cDNAs deposited with the ATCC as disclosed herein, or (b) the complement of the DNA molecule of (a).

Another aspect the invention provides an isolated nucleic acid molecule comprising a nucleotide sequence encoding a PRO polypeptide which is either transmembrane domain-deleted or transmembrane domain-inactivated, or is complementary to such encoding nucleotide sequence, wherein the transmembrane domain(s) of such polypeptide are disclosed herein. Therefore, soluble extracellular domains of the herein described PRO polypeptides are contemplated.

Another embodiment is directed to fragments of a PRO polypeptide coding sequence, or the complement thereof, that may find use as, for example, hybridization probes, for encoding fragments of a PRO polypeptide that may optionally encode a polypeptide comprising a binding site for an anti-PRO antibody or as antisense oligonucleotide probes. Such nucleic acid fragments are usually at least about 10 nucleotides in length, alternatively at least about 15 nucleotides in length, alternatively at least about 20 nucleotides in length, alternatively at least about 30 nucleotides in length, alternatively at least about 40 nucleotides in length, alternatively at least about 50 nucleotides in length, alternatively at least about 60 nucleotides in length, alternatively at least about 70 nucleotides in length, alternatively at least about 80 nucleotides in length, alternatively at least about 90 nucleotides in length, alternatively at least about 100 nucleotides in length, alternatively at least about 110 nucleotides in length, alternatively at least about 120 nucleotides in length,

alternatively at least about 130 nucleotides in length, alternatively at least about 140 nucleotides in length, alternatively at least about 150 nucleotides in length, alternatively at least about 160 nucleotides in length, alternatively at least about 170 nucleotides in length, alternatively at least about 180 nucleotides in length, alternatively at least about 190 nucleotides in length, alternatively at least about 200 nucleotides in length, alternatively at least about 250 nucleotides in length, alternatively at least about 300 nucleotides in length, alternatively at least about 350 nucleotides in length, alternatively at least about 400 nucleotides in length, alternatively at least about 450 nucleotides in length, alternatively at least about 500 nucleotides in length, alternatively at least about 600 nucleotides in length, alternatively at least about 700 nucleotides in length, alternatively at least about 800 nucleotides in length, alternatively at least about 900 nucleotides in length and alternatively at least about 1000 nucleotides in length, wherein in this context the term "about" means the referenced nucleotide sequence length plus or minus 10% of that referenced length. It is noted that novel fragments of a PRO polypeptide-encoding nucleotide sequence may be determined in a routine manner by aligning the PRO polypeptide-encoding nucleotide sequence with other known nucleotide sequences using any of a number of well known sequence alignment programs and determining which PRO polypeptide-encoding nucleotide sequence fragment(s) are novel. All of such PRO polypeptide-encoding nucleotide sequences are contemplated herein. Also contemplated are the PRO polypeptide fragments encoded by these nucleotide molecule fragments, preferably those PRO polypeptide fragments that comprise a binding site for an anti-PRO antibody.

In another embodiment, the invention provides isolated PRO polypeptide encoded by any of the isolated nucleic acid sequences hereinabove identified.

In a certain aspect, the invention concerns an isolated PRO polypeptide, comprising an amino acid sequence having at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83% amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to a PRO polypeptide having a full-length amino acid sequence as disclosed herein, an amino acid sequence lacking the signal peptide as disclosed herein, an extracellular domain of a transmembrane protein, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of the full-length amino acid sequence as disclosed herein.

In a further aspect, the invention concerns an isolated PRO polypeptide comprising an amino acid sequence having at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83%

amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to an amino acid sequence encoded by any of the human protein cDNAs deposited with the ATCC as disclosed herein.

In a specific aspect, the invention provides an isolated PRO polypeptide without the N-terminal signal sequence and/or the initiating methionine and is encoded by a nucleotide sequence that encodes such an amino acid sequence as hereinbefore described. Processes for producing the same are also herein described, wherein those processes comprise culturing a host cell comprising a vector which comprises the appropriate encoding nucleic acid molecule under conditions suitable for expression of the PRO polypeptide and recovering the PRO polypeptide from the cell culture.

Another aspect the invention provides an isolated PRO polypeptide which is either transmembrane domain-deleted or transmembrane domain-inactivated. Processes for producing the same are also herein described, wherein those processes comprise culturing a host cell comprising a vector which comprises the appropriate encoding nucleic acid molecule under conditions suitable for expression of the PRO polypeptide and recovering the PRO polypeptide from the cell culture.

In yet another embodiment, the invention concerns agonists and antagonists of a native PRO polypeptide as defined herein. In a particular embodiment, the agonist or antagonist is an anti-PRO antibody or a small molecule.

In a further embodiment, the invention concerns a method of identifying agonists or antagonists to a PRO polypeptide which comprise contacting the PRO polypeptide with a candidate molecule and monitoring a biological activity mediated by said PRO polypeptide. Preferably, the PRO polypeptide is a native PRO polypeptide.

In a still further embodiment, the invention concerns a composition of matter comprising a PRO polypeptide, or an agonist or antagonist of a PRO polypeptide as herein described, or an anti-PRO antibody, in combination with a carrier. Optionally, the carrier is a pharmaceutically acceptable carrier.

Another embodiment of the present invention is directed to the use of a PRO polypeptide, or an agonist or antagonist thereof as hereinbefore described, or an anti-PRO antibody, for the preparation of a medicament useful in the treatment of a condition which is responsive to the PRO polypeptide, an agonist or antagonist thereof or an anti-PRO antibody.

In other embodiments of the present invention, the invention provides vectors comprising DNA encoding any of the herein described polypeptides. Host cell comprising any such vector are also provided. By way of example, the host cells may be CHO cells, *E. coli*, or yeast. A process for producing any of the herein described

polypeptides is further provided and comprises culturing host cells under conditions suitable for expression of the desired polypeptide and recovering the desired polypeptide from the cell culture.

In other embodiments, the invention provides chimeric molecules comprising any of the herein described polypeptides fused to a heterologous polypeptide or amino acid sequence. Example of such chimeric molecules comprise any of the herein described polypeptides fused to an epitope tag sequence or a Fc region of an immunoglobulin.

In another embodiment, the invention provides an antibody which binds, preferably specifically, to any of the above or below described polypeptides. Optionally, the antibody is a monoclonal antibody, humanized antibody, antibody fragment or single-chain antibody.

In yet other embodiments, the invention provides oligonucleotide probes which may be useful for isolating genomic and cDNA nucleotide sequences, measuring or detecting expression of an associated gene or as antisense probes, wherein those probes may be derived from any of the above or below described nucleotide sequences. Preferred probe lengths are described above.

In yet other embodiments, the present invention is directed to methods of using the PRO polypeptides of the present invention for a variety of uses based upon the functional biological assay data presented in the Examples below.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a nucleotide sequence (SEQ ID NO:1) of a native sequence PRO276 cDNA, wherein SEQ ID NO:1 is a clone designated herein as "DNA16435-1208".

Figure 2 shows the amino acid sequence (SEQ ID NO:2) derived from the coding sequence of SEQ ID NO:1 shown in Figure 1.

Figure 3 shows a nucleotide sequence (SEQ ID NO:3) of a native sequence PRO284 cDNA, wherein SEQ ID NO:3 is a clone designated herein as "DNA23318-1211".

Figure 4 shows the amino acid sequence (SEQ ID NO:4) derived from the coding sequence of SEQ ID NO:3 shown in Figure 3.

Figure 5 shows a nucleotide sequence (SEQ ID NO:5) of a native sequence PRO193 cDNA, wherein SEQ ID NO:5 is a clone designated herein as "DNA23322-1393".

Figure 6 shows the amino acid sequence (SEQ ID NO:6) derived from the coding sequence of SEQ ID NO:5 shown in Figure 5.

Figure 7 shows a nucleotide sequence (SEQ ID NO:7) of a native sequence PRO190 cDNA, wherein SEQ ID NO:7 is a clone designated herein as "DNA23334-1392".

Figure 8 shows the amino acid sequence (SEQ ID NO:8) derived from the coding sequence of SEQ ID NO:7 shown in Figure 7.

Figure 9 shows a nucleotide sequence (SEQ ID NO:9) of a native sequence PRO180 cDNA, wherein SEQ ID NO:9 is a clone designated herein as "DNA26843-1389".

Figure 10 shows the amino acid sequence (SEQ ID NO:10) derived from the coding sequence of SEQ ID NO:9 shown in Figure 9.

Figure 11 shows a nucleotide sequence (SEQ ID NO:11) of a native sequence PRO194 cDNA, wherein SEQ ID NO:11 is a clone designated herein as "DNA26844-1394".

Figure 12 shows the amino acid sequence (SEQ ID NO:12) derived from the coding sequence of SEQ ID NO:11 shown in Figure 11.

5 Figure 13 shows a nucleotide sequence (SEQ ID NO:13) of a native sequence PRO218 cDNA, wherein SEQ ID NO:13 is a clone designated herein as "DNA30867-1335".

Figure 14 shows the amino acid sequence (SEQ ID NO:14) derived from the coding sequence of SEQ ID NO:13 shown in Figure 13.

Figure 15 shows a nucleotide sequence (SEQ ID NO:15) of a native sequence PRO260 cDNA, wherein SEQ ID NO:15 is a clone designated herein as "DNA33470-1175".

10 Figure 16 shows the amino acid sequence (SEQ ID NO:16) derived from the coding sequence of SEQ ID NO:15 shown in Figure 15.

Figure 17 shows a nucleotide sequence (SEQ ID NO:17) of a native sequence PRO233 cDNA, wherein SEQ ID NO:17 is a clone designated herein as "DNA34436-1238".

15 Figure 18 shows the amino acid sequence (SEQ ID NO:18) derived from the coding sequence of SEQ ID NO:17 shown in Figure 17.

Figure 19 shows a nucleotide sequence (SEQ ID NO:19) of a native sequence PRO234 cDNA, wherein SEQ ID NO:19 is a clone designated herein as "DNA35557-1137".

Figure 20 shows the amino acid sequence (SEQ ID NO:20) derived from the coding sequence of SEQ ID NO:19 shown in Figure 19.

20 Figure 21 shows a nucleotide sequence (SEQ ID NO:21) of a native sequence PRO236 cDNA, wherein SEQ ID NO:21 is a clone designated herein as "DNA35599-1168".

Figure 22 shows the amino acid sequence (SEQ ID NO:22) derived from the coding sequence of SEQ ID NO:21 shown in Figure 21.

25 Figure 23 shows a nucleotide sequence (SEQ ID NO:23) of a native sequence PRO244 cDNA, wherein SEQ ID NO:23 is a clone designated herein as "DNA35668-1171".

Figure 24 shows the amino acid sequence (SEQ ID NO:24) derived from the coding sequence of SEQ ID NO:23 shown in Figure 23.

Figure 25 shows a nucleotide sequence (SEQ ID NO:25) of a native sequence PRO262 cDNA, wherein SEQ ID NO:25 is a clone designated herein as "DNA36992-1168".

30 Figure 26 shows the amino acid sequence (SEQ ID NO:26) derived from the coding sequence of SEQ ID NO:25 shown in Figure 25.

Figure 27 shows a nucleotide sequence (SEQ ID NO:27) of a native sequence PRO271 cDNA, wherein SEQ ID NO:27 is a clone designated herein as "DNA39423-1182".

35 Figure 28 shows the amino acid sequence (SEQ ID NO:28) derived from the coding sequence of SEQ ID NO:27 shown in Figure 27.

Figure 29 shows a nucleotide sequence (SEQ ID NO:29) of a native sequence PRO268 cDNA, wherein SEQ ID NO:29 is a clone designated herein as "DNA39427-1179".

Figure 30 shows the amino acid sequence (SEQ ID NO:30) derived from the coding sequence of SEQ ID NO:29 shown in Figure 29.

Figure 31 shows a nucleotide sequence (SEQ ID NO:31) of a native sequence PRO270 cDNA, wherein SEQ ID NO:31 is a clone designated herein as "DNA39510-1181".

5 Figure 32 shows the amino acid sequence (SEQ ID NO:32) derived from the coding sequence of SEQ ID NO:31 shown in Figure 31.

Figure 33 shows a nucleotide sequence (SEQ ID NO:33) of a native sequence PRO355 cDNA, wherein SEQ ID NO:33 is a clone designated herein as "DNA39518-1247".

Figure 34 shows the amino acid sequence (SEQ ID NO:34) derived from the coding sequence of SEQ ID NO:33 shown in Figure 33.

10 Figure 35 shows a nucleotide sequence (SEQ ID NO:35) of a native sequence PRO298 cDNA, wherein SEQ ID NO:35 is a clone designated herein as "DNA39975-1210".

Figure 36 shows the amino acid sequence (SEQ ID NO:36) derived from the coding sequence of SEQ ID NO:35 shown in Figure 35.

15 Figure 37 shows a nucleotide sequence (SEQ ID NO:37) of a native sequence PRO299 cDNA, wherein SEQ ID NO:37 is a clone designated herein as "DNA39976-1215".

Figure 38 shows the amino acid sequence (SEQ ID NO:38) derived from the coding sequence of SEQ ID NO:37 shown in Figure 37.

Figure 39 shows a nucleotide sequence (SEQ ID NO:39) of a native sequence PRO296 cDNA, wherein SEQ ID NO:39 is a clone designated herein as "DNA39979-1213".

20 Figure 40 shows the amino acid sequence (SEQ ID NO:40) derived from the coding sequence of SEQ ID NO:39 shown in Figure 39.

Figure 41 shows a nucleotide sequence (SEQ ID NO:41) of a native sequence PRO329 cDNA, wherein SEQ ID NO:41 is a clone designated herein as "DNA40594-1233".

25 Figure 42 shows the amino acid sequence (SEQ ID NO:42) derived from the coding sequence of SEQ ID NO:41 shown in Figure 41.

Figure 43 shows a nucleotide sequence (SEQ ID NO:43) of a native sequence PRO330 cDNA, wherein SEQ ID NO:43 is a clone designated herein as "DNA40603-1232".

Figure 44 shows the amino acid sequence (SEQ ID NO:44) derived from the coding sequence of SEQ ID NO:43 shown in Figure 43.

30 Figure 45 shows a nucleotide sequence (SEQ ID NO:45) of a native sequence PRO294 cDNA, wherein SEQ ID NO:45 is a clone designated herein as "DNA40604-1187".

Figure 46 shows the amino acid sequence (SEQ ID NO:46) derived from the coding sequence of SEQ ID NO:45 shown in Figure 45.

35 Figure 47 shows a nucleotide sequence (SEQ ID NO:47) of a native sequence PRO300 cDNA, wherein SEQ ID NO:47 is a clone designated herein as "DNA40625-1189".

Figure 48 shows the amino acid sequence (SEQ ID NO:48) derived from the coding sequence of SEQ ID NO:47 shown in Figure 47.

Figure 49 shows a nucleotide sequence (SEQ ID NO:49) of a native sequence PRO307 cDNA, wherein SEQ ID NO:49 is a clone designated herein as "DNA41225-1217".

Figure 50 shows the amino acid sequence (SEQ ID NO:50) derived from the coding sequence of SEQ ID NO:49 shown in Figure 49.

5 Figure 51 shows a nucleotide sequence (SEQ ID NO:51) of a native sequence PRO334 cDNA, wherein SEQ ID NO:51 is a clone designated herein as "DNA41379-1236".

Figure 52 shows the amino acid sequence (SEQ ID NO:52) derived from the coding sequence of SEQ ID NO:51 shown in Figure 51.

Figure 53 shows a nucleotide sequence (SEQ ID NO:53) of a native sequence PRO352 cDNA, wherein SEQ ID NO:53 is a clone designated herein as "DNA41386-1316".

10 Figure 54 shows the amino acid sequence (SEQ ID NO:54) derived from the coding sequence of SEQ ID NO:53 shown in Figure 53.

Figure 55 shows a nucleotide sequence (SEQ ID NO:55) of a native sequence PRO710 cDNA, wherein SEQ ID NO:55 is a clone designated herein as "DNA44161-1434".

15 Figure 56 shows the amino acid sequence (SEQ ID NO:56) derived from the coding sequence of SEQ ID NO:55 shown in Figure 55.

Figure 57 shows a nucleotide sequence (SEQ ID NO:57) of a native sequence PRO873 cDNA, wherein SEQ ID NO:57 is a clone designated herein as "DNA44179-1362".

Figure 58 shows the amino acid sequence (SEQ ID NO:58) derived from the coding sequence of SEQ ID NO:57 shown in Figure 57.

20 Figure 59 shows a nucleotide sequence (SEQ ID NO:59) of a native sequence PRO354 cDNA, wherein SEQ ID NO:59 is a clone designated herein as "DNA44192-1246".

Figure 60 shows the amino acid sequence (SEQ ID NO:60) derived from the coding sequence of SEQ ID NO:59 shown in Figure 59.

25 Figure 61 shows a nucleotide sequence (SEQ ID NO:61) of a native sequence PRO1151 cDNA, wherein SEQ ID NO:61 is a clone designated herein as "DNA44694-1500".

Figure 62 shows the amino acid sequence (SEQ ID NO:62) derived from the coding sequence of SEQ ID NO:61 shown in Figure 61.

Figure 63 shows a nucleotide sequence (SEQ ID NO:63) of a native sequence PRO382 cDNA, wherein SEQ ID NO:63 is a clone designated herein as "DNA45234-1277".

30 Figure 64 shows the amino acid sequence (SEQ ID NO:64) derived from the coding sequence of SEQ ID NO:63 shown in Figure 63.

Figure 65 shows a nucleotide sequence (SEQ ID NO:65) of a native sequence PRO1864 cDNA, wherein SEQ ID NO:65 is a clone designated herein as "DNA45409-2511".

35 Figure 66 shows the amino acid sequence (SEQ ID NO:66) derived from the coding sequence of SEQ ID NO:65 shown in Figure 65.

Figure 67 shows a nucleotide sequence (SEQ ID NO:67) of a native sequence PRO386 cDNA, wherein SEQ ID NO:67 is a clone designated herein as "DNA45415-1318".

Figure 68 shows the amino acid sequence (SEQ ID NO:68) derived from the coding sequence of SEQ ID NO:67 shown in Figure 67.

Figure 69 shows a nucleotide sequence (SEQ ID NO:69) of a native sequence PRO541 cDNA, wherein SEQ ID NO:69 is a clone designated herein as "DNA45417-1432".

5 Figure 70 shows the amino acid sequence (SEQ ID NO:70) derived from the coding sequence of SEQ ID NO:69 shown in Figure 69.

Figure 71 shows a nucleotide sequence (SEQ ID NO:71) of a native sequence PRO852 cDNA, wherein SEQ ID NO:71 is a clone designated herein as "DNA45493-1349".

Figure 72 shows the amino acid sequence (SEQ ID NO:72) derived from the coding sequence of SEQ ID NO:71 shown in Figure 71.

10 Figure 73 shows a nucleotide sequence (SEQ ID NO:73) of a native sequence PRO700 cDNA, wherein SEQ ID NO:73 is a clone designated herein as "DNA46776-1284".

Figure 74 shows the amino acid sequence (SEQ ID NO:74) derived from the coding sequence of SEQ ID NO:73 shown in Figure 73.

15 Figures 75A-75B show a nucleotide sequence (SEQ ID NO:75) of a native sequence PRO708 cDNA, wherein SEQ ID NO:75 is a clone designated herein as "DNA48296-1292".

Figure 76 shows the amino acid sequence (SEQ ID NO:76) derived from the coding sequence of SEQ ID NO:75 shown in Figures 75A-75B.

Figure 77 shows a nucleotide sequence (SEQ ID NO:77) of a native sequence PRO707 cDNA, wherein SEQ ID NO:77 is a clone designated herein as "DNA48306-1291".

20 Figure 78 shows the amino acid sequence (SEQ ID NO:78) derived from the coding sequence of SEQ ID NO:77 shown in Figure 77.

Figure 79 shows a nucleotide sequence (SEQ ID NO:79) of a native sequence PRO864 cDNA, wherein SEQ ID NO:79 is a clone designated herein as "DNA48328-1355".

25 Figure 80 shows the amino acid sequence (SEQ ID NO:80) derived from the coding sequence of SEQ ID NO:79 shown in Figure 79.

Figure 81 shows a nucleotide sequence (SEQ ID NO:81) of a native sequence PRO706 cDNA, wherein SEQ ID NO:81 is a clone designated herein as "DNA48329-1290".

Figure 82 shows the amino acid sequence (SEQ ID NO:82) derived from the coding sequence of SEQ ID NO:81 shown in Figure 81.

30 Figure 83 shows a nucleotide sequence (SEQ ID NO:83) of a native sequence PRO732 cDNA, wherein SEQ ID NO:83 is a clone designated herein as "DNA48334-1435".

Figure 84 shows the amino acid sequence (SEQ ID NO:84) derived from the coding sequence of SEQ ID NO:83 shown in Figure 83.

35 Figure 85 shows a nucleotide sequence (SEQ ID NO:85) of a native sequence PRO537 cDNA, wherein SEQ ID NO:85 is a clone designated herein as "DNA49141-1431".

Figure 86 shows the amino acid sequence (SEQ ID NO:86) derived from the coding sequence of SEQ ID NO:85 shown in Figure 85.

Figure 87 shows a nucleotide sequence (SEQ ID NO:87) of a native sequence PRO545 cDNA, wherein SEQ ID NO:87 is a clone designated herein as "DNA49624-1279".

Figure 88 shows the amino acid sequence (SEQ ID NO:88) derived from the coding sequence of SEQ ID NO:87 shown in Figure 87.

5 Figure 89 shows a nucleotide sequence (SEQ ID NO:89) of a native sequence PRO718 cDNA, wherein SEQ ID NO:89 is a clone designated herein as "DNA49647-1398".

Figure 90 shows the amino acid sequence (SEQ ID NO:90) derived from the coding sequence of SEQ ID NO:89 shown in Figure 89.

Figure 91 shows a nucleotide sequence (SEQ ID NO:91) of a native sequence PRO872 cDNA, wherein SEQ ID NO:91 is a clone designated herein as "DNA49819-1439".

10 Figure 92 shows the amino acid sequence (SEQ ID NO:92) derived from the coding sequence of SEQ ID NO:91 shown in Figure 91.

Figure 93 shows a nucleotide sequence (SEQ ID NO:93) of a native sequence PRO704 cDNA, wherein SEQ ID NO:93 is a clone designated herein as "DNA50911-1288".

15 Figure 94 shows the amino acid sequence (SEQ ID NO:94) derived from the coding sequence of SEQ ID NO:93 shown in Figure 93.

Figure 95 shows a nucleotide sequence (SEQ ID NO:95) of a native sequence PRO705 cDNA, wherein SEQ ID NO:95 is a clone designated herein as "DNA50914-1289".

Figure 96 shows the amino acid sequence (SEQ ID NO:96) derived from the coding sequence of SEQ ID NO:95 shown in Figure 95.

20 Figure 97 shows a nucleotide sequence (SEQ ID NO:97) of a native sequence PRO871 cDNA, wherein SEQ ID NO:97 is a clone designated herein as "DNA50919-1361".

Figure 98 shows the amino acid sequence (SEQ ID NO:98) derived from the coding sequence of SEQ ID NO:97 shown in Figure 97.

25 Figure 99 shows a nucleotide sequence (SEQ ID NO:99) of a native sequence PRO702 cDNA, wherein SEQ ID NO:99 is a clone designated herein as "DNA50980-1286".

Figure 100 shows the amino acid sequence (SEQ ID NO:100) derived from the coding sequence of SEQ ID NO:99 shown in Figure 99.

Figure 101 shows a nucleotide sequence (SEQ ID NO:101) of a native sequence PRO944 cDNA, wherein SEQ ID NO:101 is a clone designated herein as "DNA52185-1370".

30 Figure 102 shows the amino acid sequence (SEQ ID NO:102) derived from the coding sequence of SEQ ID NO:101 shown in Figure 101.

Figure 103 shows a nucleotide sequence (SEQ ID NO:103) of a native sequence PRO739 cDNA, wherein SEQ ID NO:103 is a clone designated herein as "DNA52756".

35 Figure 104 shows the amino acid sequence (SEQ ID NO:104) derived from the coding sequence of SEQ ID NO:103 shown in Figure 103.

Figure 105 shows a nucleotide sequence (SEQ ID NO:105) of a native sequence PRO941 cDNA, wherein SEQ ID NO:105 is a clone designated herein as "DNA53906-1368".

Figure 106 shows the amino acid sequence (SEQ ID NO:106) derived from the coding sequence of SEQ ID NO:105 shown in Figure 105.

Figure 107 shows a nucleotide sequence (SEQ ID NO:107) of a native sequence PRO1082 cDNA, wherein SEQ ID NO:107 is a clone designated herein as "DNA53912-1457".

5 Figure 108 shows the amino acid sequence (SEQ ID NO:108) derived from the coding sequence of SEQ ID NO:107 shown in Figure 107.

Figure 109 shows a nucleotide sequence (SEQ ID NO:109) of a native sequence PRO1133 cDNA, wherein SEQ ID NO:109 is a clone designated herein as "DNA53913-1490".

Figure 110 shows the amino acid sequence (SEQ ID NO:110) derived from the coding sequence of SEQ ID NO:109 shown in Figure 109.

10 Figure 111 shows a nucleotide sequence (SEQ ID NO:111) of a native sequence PRO983 cDNA, wherein SEQ ID NO:111 is a clone designated herein as "DNA53977-1371".

Figure 112 shows the amino acid sequence (SEQ ID NO:112) derived from the coding sequence of SEQ ID NO:111 shown in Figure 111.

15 Figure 113 shows a nucleotide sequence (SEQ ID NO:113) of a native sequence PRO784 cDNA, wherein SEQ ID NO:113 is a clone designated herein as "DNA53978-1443".

Figure 114 shows the amino acid sequence (SEQ ID NO:114) derived from the coding sequence of SEQ ID NO:113 shown in Figure 113.

Figure 115 shows a nucleotide sequence (SEQ ID NO:115) of a native sequence PRO783 cDNA, wherein SEQ ID NO:115 is a clone designated herein as "DNA53996-1442".

20 Figure 116 shows the amino acid sequence (SEQ ID NO:116) derived from the coding sequence of SEQ ID NO:115 shown in Figure 115.

Figure 117 shows a nucleotide sequence (SEQ ID NO:117) of a native sequence PRO940 cDNA, wherein SEQ ID NO:117 is a clone designated herein as "DNA54002-1367".

25 Figure 118 shows the amino acid sequence (SEQ ID NO:118) derived from the coding sequence of SEQ ID NO:117 shown in Figure 117.

Figure 119 shows a nucleotide sequence (SEQ ID NO:119) of a native sequence PRO768 cDNA, wherein SEQ ID NO:119 is a clone designated herein as "DNA55737-1345".

Figure 120 shows the amino acid sequence (SEQ ID NO:120) derived from the coding sequence of SEQ ID NO:119 shown in Figure 119.

30 Figure 121 shows a nucleotide sequence (SEQ ID NO:121) of a native sequence PRO1079 cDNA, wherein SEQ ID NO:121 is a clone designated herein as "DNA56050-1455".

Figure 122 shows the amino acid sequence (SEQ ID NO:122) derived from the coding sequence of SEQ ID NO:121 shown in Figure 121.

35 Figure 123 shows a nucleotide sequence (SEQ ID NO:123) of a native sequence PRO1078 cDNA, wherein SEQ ID NO:123 is a clone designated herein as "DNA56052-1454".

Figure 124 shows the amino acid sequence (SEQ ID NO:124) derived from the coding sequence of SEQ ID NO:123 shown in Figure 123.

Figure 125 shows a nucleotide sequence (SEQ ID NO:125) of a native sequence PRO1018 cDNA, wherein SEQ ID NO:125 is a clone designated herein as "DNA56107-1415".

Figure 126 shows the amino acid sequence (SEQ ID NO:126) derived from the coding sequence of SEQ ID NO:125 shown in Figure 125.

5 Figure 127 shows a nucleotide sequence (SEQ ID NO:127) of a native sequence PRO793 cDNA, wherein SEQ ID NO:127 is a clone designated herein as "DNA56110-1437".

Figure 128 shows the amino acid sequence (SEQ ID NO:128) derived from the coding sequence of SEQ ID NO:127 shown in Figure 127.

Figure 129 shows a nucleotide sequence (SEQ ID NO:129) of a native sequence PRO1773 cDNA, wherein SEQ ID NO:129 is a clone designated herein as "DNA56406-1704".

10 Figure 130 shows the amino acid sequence (SEQ ID NO:130) derived from the coding sequence of SEQ ID NO:129 shown in Figure 129.

Figure 131 shows a nucleotide sequence (SEQ ID NO:131) of a native sequence PRO1014 cDNA, wherein SEQ ID NO:131 is a clone designated herein as "DNA56409-1377".

15 Figure 132 shows the amino acid sequence (SEQ ID NO:132) derived from the coding sequence of SEQ ID NO:131 shown in Figure 131.

Figure 133 shows a nucleotide sequence (SEQ ID NO:133) of a native sequence PRO1013 cDNA, wherein SEQ ID NO:133 is a clone designated herein as "DNA56410-1414".

Figure 134 shows the amino acid sequence (SEQ ID NO:134) derived from the coding sequence of SEQ ID NO:133 shown in Figure 133.

20 Figure 135 shows a nucleotide sequence (SEQ ID NO:135) of a native sequence PRO937 cDNA, wherein SEQ ID NO:135 is a clone designated herein as "DNA56436-1448".

Figure 136 shows the amino acid sequence (SEQ ID NO:136) derived from the coding sequence of SEQ ID NO:135 shown in Figure 135.

25 Figure 137 shows a nucleotide sequence (SEQ ID NO:137) of a native sequence PRO1477 cDNA, wherein SEQ ID NO:137 is a clone designated herein as "DNA56529-1647".

Figure 138 shows the amino acid sequence (SEQ ID NO:138) derived from the coding sequence of SEQ ID NO:137 shown in Figure 137.

Figure 139 shows a nucleotide sequence (SEQ ID NO:139) of a native sequence PRO842 cDNA, wherein SEQ ID NO:139 is a clone designated herein as "DNA56855-1447".

30 Figure 140 shows the amino acid sequence (SEQ ID NO:140) derived from the coding sequence of SEQ ID NO:139 shown in Figure 139.

Figure 141 shows a nucleotide sequence (SEQ ID NO:141) of a native sequence PRO839 cDNA, wherein SEQ ID NO:141 is a clone designated herein as "DNA56859-1445".

35 Figure 142 shows the amino acid sequence (SEQ ID NO:142) derived from the coding sequence of SEQ ID NO:141 shown in Figure 141.

Figure 143 shows a nucleotide sequence (SEQ ID NO:143) of a native sequence PRO1180 cDNA, wherein SEQ ID NO:143 is a clone designated herein as "DNA56860-1510".

Figure 144 shows the amino acid sequence (SEQ ID NO:144) derived from the coding sequence of SEQ ID NO:143 shown in Figure 143.

Figure 145 shows a nucleotide sequence (SEQ ID NO:145) of a native sequence PRO1134 cDNA, wherein SEQ ID NO:145 is a clone designated herein as "DNA56865-1491".

5 Figure 146 shows the amino acid sequence (SEQ ID NO:146) derived from the coding sequence of SEQ ID NO:145 shown in Figure 145.

Figure 147 shows a nucleotide sequence (SEQ ID NO:147) of a native sequence PRO1115 cDNA, wherein SEQ ID NO:147 is a clone designated herein as "DNA56868-1478".

Figure 148 shows the amino acid sequence (SEQ ID NO:148) derived from the coding sequence of SEQ ID NO:147 shown in Figure 147.

10 Figure 149 shows a nucleotide sequence (SEQ ID NO:149) of a native sequence PRO1277 cDNA, wherein SEQ ID NO:149 is a clone designated herein as "DNA56869-1545".

Figure 150 shows the amino acid sequence (SEQ ID NO:150) derived from the coding sequence of SEQ ID NO:149 shown in Figure 149.

15 Figure 151 shows a nucleotide sequence (SEQ ID NO:151) of a native sequence PRO1135 cDNA, wherein SEQ ID NO:151 is a clone designated herein as "DNA56870-1492".

Figure 152 shows the amino acid sequence (SEQ ID NO:152) derived from the coding sequence of SEQ ID NO:151 shown in Figure 151.

Figure 153 shows a nucleotide sequence (SEQ ID NO:153) of a native sequence PRO827 cDNA, wherein SEQ ID NO:153 is a clone designated herein as "DNA57039-1402".

20 Figure 154 shows the amino acid sequence (SEQ ID NO:154) derived from the coding sequence of SEQ ID NO:153 shown in Figure 153.

Figure 155 shows a nucleotide sequence (SEQ ID NO:155) of a native sequence PRO1057 cDNA, wherein SEQ ID NO:155 is a clone designated herein as "DNA57253-1382".

25 Figure 156 shows the amino acid sequence (SEQ ID NO:156) derived from the coding sequence of SEQ ID NO:155 shown in Figure 155.

Figure 157 shows a nucleotide sequence (SEQ ID NO:157) of a native sequence PRO1113 cDNA, wherein SEQ ID NO:157 is a clone designated herein as "DNA57254-1477".

Figure 158 shows the amino acid sequence (SEQ ID NO:158) derived from the coding sequence of SEQ ID NO:157 shown in Figure 157.

30 Figure 159 shows a nucleotide sequence (SEQ ID NO:159) of a native sequence PRO1006 cDNA, wherein SEQ ID NO:159 is a clone designated herein as "DNA57699-1412".

Figure 160 shows the amino acid sequence (SEQ ID NO:160) derived from the coding sequence of SEQ ID NO:159 shown in Figure 159.

35 Figure 161 shows a nucleotide sequence (SEQ ID NO:161) of a native sequence PRO1074 cDNA, wherein SEQ ID NO:161 is a clone designated herein as "DNA57704-1452".

Figure 162 shows the amino acid sequence (SEQ ID NO:162) derived from the coding sequence of SEQ ID NO:161 shown in Figure 161.

Figure 163 shows a nucleotide sequence (SEQ ID NO:163) of a native sequence PRO1073 cDNA, wherein SEQ ID NO:163 is a clone designated herein as "DNA57710-1451".

Figure 164 shows the amino acid sequence (SEQ ID NO:164) derived from the coding sequence of SEQ ID NO:163 shown in Figure 163.

5 Figure 165 shows a nucleotide sequence (SEQ ID NO:165) of a native sequence PRO1136 cDNA, wherein SEQ ID NO:165 is a clone designated herein as "DNA57827-1493".

Figure 166 shows the amino acid sequence (SEQ ID NO:166) derived from the coding sequence of SEQ ID NO:165 shown in Figure 165.

Figure 167 shows a nucleotide sequence (SEQ ID NO:167) of a native sequence PRO1004 cDNA, wherein SEQ ID NO:167 is a clone designated herein as "DNA57844-1410".

10 Figure 168 shows the amino acid sequence (SEQ ID NO:168) derived from the coding sequence of SEQ ID NO:167 shown in Figure 167.

Figure 169 shows a nucleotide sequence (SEQ ID NO:169) of a native sequence PRO1344 cDNA, wherein SEQ ID NO:169 is a clone designated herein as "DNA58723-1588".

15 Figure 170 shows the amino acid sequence (SEQ ID NO:170) derived from the coding sequence of SEQ ID NO:169 shown in Figure 169.

Figure 171 shows a nucleotide sequence (SEQ ID NO:171) of a native sequence PRO1110 cDNA, wherein SEQ ID NO:171 is a clone designated herein as "DNA58727-1474".

Figure 172 shows the amino acid sequence (SEQ ID NO:172) derived from the coding sequence of SEQ ID NO:171 shown in Figure 171.

20 Figure 173 shows a nucleotide sequence (SEQ ID NO:173) of a native sequence PRO1378 cDNA, wherein SEQ ID NO:173 is a clone designated herein as "DNA58730-1607".

Figure 174 shows the amino acid sequence (SEQ ID NO:174) derived from the coding sequence of SEQ ID NO:173 shown in Figure 173.

25 Figure 175 shows a nucleotide sequence (SEQ ID NO:175) of a native sequence PRO1481 cDNA, wherein SEQ ID NO:175 is a clone designated herein as "DNA58732-1650".

Figure 176 shows the amino acid sequence (SEQ ID NO:176) derived from the coding sequence of SEQ ID NO:175 shown in Figure 175.

Figure 177 shows a nucleotide sequence (SEQ ID NO:177) of a native sequence PRO1109 cDNA, wherein SEQ ID NO:177 is a clone designated herein as "DNA58737-1473".

30 Figure 178 shows the amino acid sequence (SEQ ID NO:178) derived from the coding sequence of SEQ ID NO:177 shown in Figure 177.

Figure 179 shows a nucleotide sequence (SEQ ID NO:179) of a native sequence PRO1383 cDNA, wherein SEQ ID NO:179 is a clone designated herein as "DNA58743-1609".

35 Figure 180 shows the amino acid sequence (SEQ ID NO:180) derived from the coding sequence of SEQ ID NO:179 shown in Figure 179.

Figure 181 shows a nucleotide sequence (SEQ ID NO:181) of a native sequence PRO1072 cDNA, wherein SEQ ID NO:181 is a clone designated herein as "DNA58747-1384".

Figure 182 shows the amino acid sequence (SEQ ID NO:182) derived from the coding sequence of SEQ ID NO:181 shown in Figure 181.

Figure 183 shows a nucleotide sequence (SEQ ID NO:183) of a native sequence PRO1189 cDNA, wherein SEQ ID NO:183 is a clone designated herein as "DNA58828-1519".

5 Figure 184 shows the amino acid sequence (SEQ ID NO:184) derived from the coding sequence of SEQ ID NO:183 shown in Figure 183.

Figure 185 shows a nucleotide sequence (SEQ ID NO:185) of a native sequence PRO1003 cDNA, wherein SEQ ID NO:185 is a clone designated herein as "DNA58846-1409".

Figure 186 shows the amino acid sequence (SEQ ID NO:186) derived from the coding sequence of SEQ ID NO:185 shown in Figure 185.

10 Figure 187 shows a nucleotide sequence (SEQ ID NO:187) of a native sequence PRO1108 cDNA, wherein SEQ ID NO:187 is a clone designated herein as "DNA58848-1472".

Figure 188 shows the amino acid sequence (SEQ ID NO:188) derived from the coding sequence of SEQ ID NO:187 shown in Figure 187.

15 Figure 189 shows a nucleotide sequence (SEQ ID NO:189) of a native sequence PRO1137 cDNA, wherein SEQ ID NO:189 is a clone designated herein as "DNA58849-1494".

Figure 190 shows the amino acid sequence (SEQ ID NO:190) derived from the coding sequence of SEQ ID NO:189 shown in Figure 189.

Figure 191 shows a nucleotide sequence (SEQ ID NO:191) of a native sequence PRO1138 cDNA, wherein SEQ ID NO:191 is a clone designated herein as "DNA58850-1495".

20 Figure 192 shows the amino acid sequence (SEQ ID NO:192) derived from the coding sequence of SEQ ID NO:191 shown in Figure 191.

Figure 193 shows a nucleotide sequence (SEQ ID NO:193) of a native sequence PRO1415 cDNA, wherein SEQ ID NO:193 is a clone designated herein as "DNA58852-1637".

25 Figure 194 shows the amino acid sequence (SEQ ID NO:194) derived from the coding sequence of SEQ ID NO:193 shown in Figure 193.

Figure 195 shows a nucleotide sequence (SEQ ID NO:195) of a native sequence PRO1054 cDNA, wherein SEQ ID NO:195 is a clone designated herein as "DNA58853-1423".

Figure 196 shows the amino acid sequence (SEQ ID NO:196) derived from the coding sequence of SEQ ID NO:195 shown in Figure 195.

30 Figure 197 shows a nucleotide sequence (SEQ ID NO:197) of a native sequence PRO994 cDNA, wherein SEQ ID NO:197 is a clone designated herein as "DNA58855-1422".

Figure 198 shows the amino acid sequence (SEQ ID NO:198) derived from the coding sequence of SEQ ID NO:197 shown in Figure 197.

35 Figure 199 shows a nucleotide sequence (SEQ ID NO:199) of a native sequence PRO1069 cDNA, wherein SEQ ID NO:199 is a clone designated herein as "DNA59211-1450".

Figure 200 shows the amino acid sequence (SEQ ID NO:200) derived from the coding sequence of SEQ ID NO:199 shown in Figure 199.

Figure 201 shows a nucleotide sequence (SEQ ID NO:201) of a native sequence PRO1411 cDNA, wherein SEQ ID NO:201 is a clone designated herein as "DNA59212-1627".

Figure 202 shows the amino acid sequence (SEQ ID NO:202) derived from the coding sequence of SEQ ID NO:201 shown in Figure 201.

5 Figure 203 shows a nucleotide sequence (SEQ ID NO:203) of a native sequence PRO1129 cDNA, wherein SEQ ID NO:203 is a clone designated herein as "DNA59213-1487".

Figure 204 shows the amino acid sequence (SEQ ID NO:204) derived from the coding sequence of SEQ ID NO:203 shown in Figure 203.

Figure 205 shows a nucleotide sequence (SEQ ID NO:205) of a native sequence PRO1359 cDNA, wherein SEQ ID NO:205 is a clone designated herein as "DNA59219-1613".

10 Figure 206 shows the amino acid sequence (SEQ ID NO:206) derived from the coding sequence of SEQ ID NO:205 shown in Figure 205.

Figure 207 shows a nucleotide sequence (SEQ ID NO:207) of a native sequence PRO1139 cDNA, wherein SEQ ID NO:207 is a clone designated herein as "DNA59497-1496".

15 Figure 208 shows the amino acid sequence (SEQ ID NO:208) derived from the coding sequence of SEQ ID NO:207 shown in Figure 207.

Figure 209 shows a nucleotide sequence (SEQ ID NO:209) of a native sequence PRO1065 cDNA, wherein SEQ ID NO:209 is a clone designated herein as "DNA59602-1436".

Figure 210 shows the amino acid sequence (SEQ ID NO:210) derived from the coding sequence of SEQ ID NO:209 shown in Figure 209.

20 Figure 211 shows a nucleotide sequence (SEQ ID NO:211) of a native sequence PRO1028 cDNA, wherein SEQ ID NO:211 is a clone designated herein as "DNA59603-1419".

Figure 212 shows the amino acid sequence (SEQ ID NO:212) derived from the coding sequence of SEQ ID NO:211 shown in Figure 211.

25 Figure 213 shows a nucleotide sequence (SEQ ID NO:213) of a native sequence PRO1027 cDNA, wherein SEQ ID NO:213 is a clone designated herein as "DNA59605-1418".

Figure 214 shows the amino acid sequence (SEQ ID NO:214) derived from the coding sequence of SEQ ID NO:213 shown in Figure 213.

Figure 215 shows a nucleotide sequence (SEQ ID NO:215) of a native sequence PRO1140 cDNA, wherein SEQ ID NO:215 is a clone designated herein as "DNA59607-1497".

30 Figure 216 shows the amino acid sequence (SEQ ID NO:216) derived from the coding sequence of SEQ ID NO:215 shown in Figure 215.

Figure 217 shows a nucleotide sequence (SEQ ID NO:217) of a native sequence PRO1291 cDNA, wherein SEQ ID NO:217 is a clone designated herein as "DNA59610-1556".

35 Figure 218 shows the amino acid sequence (SEQ ID NO:218) derived from the coding sequence of SEQ ID NO:217 shown in Figure 217.

Figure 219 shows a nucleotide sequence (SEQ ID NO:219) of a native sequence PRO1105 cDNA, wherein SEQ ID NO:219 is a clone designated herein as "DNA59612-1466".

Figure 220 shows the amino acid sequence (SEQ ID NO:220) derived from the coding sequence of SEQ ID NO:219 shown in Figure 219.

Figure 221 shows a nucleotide sequence (SEQ ID NO:221) of a native sequence PRO1026 cDNA, wherein SEQ ID NO:221 is a clone designated herein as "DNA59613-1417".

5 Figure 222 shows the amino acid sequence (SEQ ID NO:222) derived from the coding sequence of SEQ ID NO:221 shown in Figure 221.

Figure 223 shows a nucleotide sequence (SEQ ID NO:223) of a native sequence PRO1104 cDNA, wherein SEQ ID NO:223 is a clone designated herein as "DNA59616-1465".

Figure 224 shows the amino acid sequence (SEQ ID NO:224) derived from the coding sequence of SEQ ID NO:223 shown in Figure 223.

10 Figure 225 shows a nucleotide sequence (SEQ ID NO:225) of a native sequence PRO1100 cDNA, wherein SEQ ID NO:225 is a clone designated herein as "DNA59619-1464".

Figure 226 shows the amino acid sequence (SEQ ID NO:226) derived from the coding sequence of SEQ ID NO:225 shown in Figure 225.

15 Figure 227 shows a nucleotide sequence (SEQ ID NO:227) of a native sequence PRO1141 cDNA, wherein SEQ ID NO:227 is a clone designated herein as "DNA59625-1498".

Figure 228 shows the amino acid sequence (SEQ ID NO:228) derived from the coding sequence of SEQ ID NO:227 shown in Figure 227.

Figure 229 shows a nucleotide sequence (SEQ ID NO:229) of a native sequence PRO1772 cDNA, wherein SEQ ID NO:229 is a clone designated herein as "DNA59817-1703".

20 Figure 230 shows the amino acid sequence (SEQ ID NO:230) derived from the coding sequence of SEQ ID NO:229 shown in Figure 229.

Figure 231 shows a nucleotide sequence (SEQ ID NO:231) of a native sequence PRO1064 cDNA, wherein SEQ ID NO:231 is a clone designated herein as "DNA59827-1426".

25 Figure 232 shows the amino acid sequence (SEQ ID NO:232) derived from the coding sequence of SEQ ID NO:231 shown in Figure 231.

Figure 233 shows a nucleotide sequence (SEQ ID NO:233) of a native sequence PRO1379 cDNA, wherein SEQ ID NO:233 is a clone designated herein as "DNA59828-1608".

Figure 234 shows the amino acid sequence (SEQ ID NO:234) derived from the coding sequence of SEQ ID NO:233 shown in Figure 233.

30 Figure 235 shows a nucleotide sequence (SEQ ID NO:235) of a native sequence PRO3573 cDNA, wherein SEQ ID NO:235 is a clone designated herein as "DNA59837-2545".

Figure 236 shows the amino acid sequence (SEQ ID NO:236) derived from the coding sequence of SEQ ID NO:235 shown in Figure 235.

35 Figure 237 shows a nucleotide sequence (SEQ ID NO:237) of a native sequence PRO3566 cDNA, wherein SEQ ID NO:237 is a clone designated herein as "DNA59844-2542".

Figure 238 shows the amino acid sequence (SEQ ID NO:238) derived from the coding sequence of SEQ ID NO:237 shown in Figure 237.

Figure 239 shows a nucleotide sequence (SEQ ID NO:239) of a native sequence PRO1156 cDNA, wherein SEQ ID NO:239 is a clone designated herein as "DNA59853-1505".

Figure 240 shows the amino acid sequence (SEQ ID NO:240) derived from the coding sequence of SEQ ID NO:239 shown in Figure 239.

5 Figure 241 shows a nucleotide sequence (SEQ ID NO:241) of a native sequence PRO1098 cDNA, wherein SEQ ID NO:241 is a clone designated herein as "DNA59854-1459".

Figure 242 shows the amino acid sequence (SEQ ID NO:242) derived from the coding sequence of SEQ ID NO:241 shown in Figure 241.

Figure 243 shows a nucleotide sequence (SEQ ID NO:243) of a native sequence PRO1128 cDNA, wherein SEQ ID NO:243 is a clone designated herein as "DNA59855-1485".

10 Figure 244 shows the amino acid sequence (SEQ ID NO:244) derived from the coding sequence of SEQ ID NO:243 shown in Figure 243.

Figure 245 shows a nucleotide sequence (SEQ ID NO:245) of a native sequence PRO1248 cDNA, wherein SEQ ID NO:245 is a clone designated herein as "DNA60278-1530".

15 Figure 246 shows the amino acid sequence (SEQ ID NO:246) derived from the coding sequence of SEQ ID NO:245 shown in Figure 245.

Figure 247 shows a nucleotide sequence (SEQ ID NO:247) of a native sequence PRO1127 cDNA, wherein SEQ ID NO:247 is a clone designated herein as "DNA60283-1484".

Figure 248 shows the amino acid sequence (SEQ ID NO:248) derived from the coding sequence of SEQ ID NO:247 shown in Figure 247.

20 Figure 249 shows a nucleotide sequence (SEQ ID NO:249) of a native sequence PRO1316 cDNA, wherein SEQ ID NO:249 is a clone designated herein as "DNA60608-1577".

Figure 250 shows the amino acid sequence (SEQ ID NO:250) derived from the coding sequence of SEQ ID NO:249 shown in Figure 249.

25 Figure 251 shows a nucleotide sequence (SEQ ID NO:251) of a native sequence PRO1197 cDNA, wherein SEQ ID NO:251 is a clone designated herein as "DNA60611-1524".

Figure 252 shows the amino acid sequence (SEQ ID NO:252) derived from the coding sequence of SEQ ID NO:251 shown in Figure 251.

Figure 253 shows a nucleotide sequence (SEQ ID NO:253) of a native sequence PRO1125 cDNA, wherein SEQ ID NO:253 is a clone designated herein as "DNA60619-1482".

30 Figure 254 shows the amino acid sequence (SEQ ID NO:254) derived from the coding sequence of SEQ ID NO:253 shown in Figure 253.

Figure 255 shows a nucleotide sequence (SEQ ID NO:255) of a native sequence PRO1158 cDNA, wherein SEQ ID NO:255 is a clone designated herein as "DNA60625-1507".

35 Figure 256 shows the amino acid sequence (SEQ ID NO:256) derived from the coding sequence of SEQ ID NO:255 shown in Figure 255.

Figure 257 shows a nucleotide sequence (SEQ ID NO:257) of a native sequence PRO1124 cDNA, wherein SEQ ID NO:257 is a clone designated herein as "DNA60629-1481".

Figure 258 shows the amino acid sequence (SEQ ID NO:258) derived from the coding sequence of SEQ ID NO:257 shown in Figure 257.

Figure 259 shows a nucleotide sequence (SEQ ID NO:259) of a native sequence PRO1380 cDNA, wherein SEQ ID NO:259 is a clone designated herein as "DNA60740-1615".

5 Figure 260 shows the amino acid sequence (SEQ ID NO:260) derived from the coding sequence of SEQ ID NO:259 shown in Figure 259.

Figure 261 shows a nucleotide sequence (SEQ ID NO:261) of a native sequence PRO1377 cDNA, wherein SEQ ID NO:261 is a clone designated herein as "DNA61608-1606".

Figure 262 shows the amino acid sequence (SEQ ID NO:262) derived from the coding sequence of SEQ ID NO:261 shown in Figure 261.

10 Figure 263 shows a nucleotide sequence (SEQ ID NO:263) of a native sequence PRO1287 cDNA, wherein SEQ ID NO:263 is a clone designated herein as "DNA61755-1554".

Figure 264 shows the amino acid sequence (SEQ ID NO:264) derived from the coding sequence of SEQ ID NO:263 shown in Figure 263.

15 Figure 265 shows a nucleotide sequence (SEQ ID NO:265) of a native sequence PRO1249 cDNA, wherein SEQ ID NO:265 is a clone designated herein as "DNA62809-1531".

Figure 266 shows the amino acid sequence (SEQ ID NO:266) derived from the coding sequence of SEQ ID NO:265 shown in Figure 265.

Figure 267 shows a nucleotide sequence (SEQ ID NO:267) of a native sequence PRO1335 cDNA, wherein SEQ ID NO:267 is a clone designated herein as "DNA62812-1594".

20 Figure 268 shows the amino acid sequence (SEQ ID NO:268) derived from the coding sequence of SEQ ID NO:267 shown in Figure 267.

Figure 269 shows a nucleotide sequence (SEQ ID NO:269) of a native sequence PRO3572 cDNA, wherein SEQ ID NO:269 is a clone designated herein as "DNA62813-2544".

25 Figure 270 shows the amino acid sequence (SEQ ID NO:270) derived from the coding sequence of SEQ ID NO:269 shown in Figure 269.

Figure 271 shows a nucleotide sequence (SEQ ID NO:271) of a native sequence PRO1599 cDNA, wherein SEQ ID NO:271 is a clone designated herein as "DNA62845-1684".

Figure 272 shows the amino acid sequence (SEQ ID NO:272) derived from the coding sequence of SEQ ID NO:271 shown in Figure 271.

30 Figure 273 shows a nucleotide sequence (SEQ ID NO:273) of a native sequence PRO1374 cDNA, wherein SEQ ID NO:273 is a clone designated herein as "DNA64849-1604".

Figure 274 shows the amino acid sequence (SEQ ID NO:274) derived from the coding sequence of SEQ ID NO:273 shown in Figure 273.

35 Figure 275 shows a nucleotide sequence (SEQ ID NO:275) of a native sequence PRO1345 cDNA, wherein SEQ ID NO:275 is a clone designated herein as "DNA64852-1589".

Figure 276 shows the amino acid sequence (SEQ ID NO:276) derived from the coding sequence of SEQ ID NO:275 shown in Figure 275.

Figure 277 shows a nucleotide sequence (SEQ ID NO:277) of a native sequence PRO1311 cDNA, wherein SEQ ID NO:277 is a clone designated herein as "DNA64863-1573".

Figure 278 shows the amino acid sequence (SEQ ID NO:278) derived from the coding sequence of SEQ ID NO:277 shown in Figure 277.

5 Figure 279 shows a nucleotide sequence (SEQ ID NO:279) of a native sequence PRO1357 cDNA, wherein SEQ ID NO:279 is a clone designated herein as "DNA64881-1602".

Figure 280 shows the amino acid sequence (SEQ ID NO:280) derived from the coding sequence of SEQ ID NO:279 shown in Figure 279.

Figure 281 shows a nucleotide sequence (SEQ ID NO:281) of a native sequence PRO1557 cDNA, wherein SEQ ID NO:281 is a clone designated herein as "DNA64902-1667".

10 Figure 282 shows the amino acid sequence (SEQ ID NO:282) derived from the coding sequence of SEQ ID NO:281 shown in Figure 281.

Figure 283 shows a nucleotide sequence (SEQ ID NO:283) of a native sequence PRO1305 cDNA, wherein SEQ ID NO:283 is a clone designated herein as "DNA64952-1568".

15 Figure 284 shows the amino acid sequence (SEQ ID NO:284) derived from the coding sequence of SEQ ID NO:283 shown in Figure 283.

Figure 285 shows a nucleotide sequence (SEQ ID NO:285) of a native sequence PRO1302 cDNA, wherein SEQ ID NO:285 is a clone designated herein as "DNA65403-1565".

Figure 286 shows the amino acid sequence (SEQ ID NO:286) derived from the coding sequence of SEQ ID NO:285 shown in Figure 285.

20 Figure 287 shows a nucleotide sequence (SEQ ID NO:287) of a native sequence PRO1266 cDNA, wherein SEQ ID NO:287 is a clone designated herein as "DNA65413-1534".

Figure 288 shows the amino acid sequence (SEQ ID NO:288) derived from the coding sequence of SEQ ID NO:287 shown in Figure 287.

25 Figures 289A-289B show a nucleotide sequence (SEQ ID NO:289) of a native sequence PRO1336 cDNA, wherein SEQ ID NO:289 is a clone designated herein as "DNA65423-1595".

Figure 290 shows the amino acid sequence (SEQ ID NO:290) derived from the coding sequence of SEQ ID NO:289 shown in Figures 289A-289B.

Figure 291 shows a nucleotide sequence (SEQ ID NO:291) of a native sequence PRO1278 cDNA, wherein SEQ ID NO:291 is a clone designated herein as "DNA66304-1546".

30 Figure 292 shows the amino acid sequence (SEQ ID NO:292) derived from the coding sequence of SEQ ID NO:291 shown in Figure 291.

Figure 293 shows a nucleotide sequence (SEQ ID NO:293) of a native sequence PRO1270 cDNA, wherein SEQ ID NO:293 is a clone designated herein as "DNA66308-1537".

35 Figure 294 shows the amino acid sequence (SEQ ID NO:294) derived from the coding sequence of SEQ ID NO:293 shown in Figure 293.

Figure 295 shows a nucleotide sequence (SEQ ID NO:295) of a native sequence PRO1298 cDNA, wherein SEQ ID NO:295 is a clone designated herein as "DNA66511-1563".

Figure 296 shows the amino acid sequence (SEQ ID NO:296) derived from the coding sequence of SEQ ID NO:295 shown in Figure 295.

Figure 297 shows a nucleotide sequence (SEQ ID NO:297) of a native sequence PRO1301 cDNA, wherein SEQ ID NO:297 is a clone designated herein as "DNA66512-1564".

5 Figure 298 shows the amino acid sequence (SEQ ID NO:298) derived from the coding sequence of SEQ ID NO:297 shown in Figure 297.

Figure 299 shows a nucleotide sequence (SEQ ID NO:299) of a native sequence PRO1268 cDNA, wherein SEQ ID NO:299 is a clone designated herein as "DNA66519-1535".

Figure 300 shows the amino acid sequence (SEQ ID NO:300) derived from the coding sequence of SEQ ID NO:299 shown in Figure 299.

10 Figure 301 shows a nucleotide sequence (SEQ ID NO:301) of a native sequence PRO1327 cDNA, wherein SEQ ID NO:301 is a clone designated herein as "DNA66521-1583".

Figure 302 shows the amino acid sequence (SEQ ID NO:302) derived from the coding sequence of SEQ ID NO:301 shown in Figure 301.

15 Figure 303 shows a nucleotide sequence (SEQ ID NO:303) of a native sequence PRO1328 cDNA, wherein SEQ ID NO:303 is a clone designated herein as "DNA66658-1584".

Figure 304 shows the amino acid sequence (SEQ ID NO:304) derived from the coding sequence of SEQ ID NO:303 shown in Figure 303.

Figure 305 shows a nucleotide sequence (SEQ ID NO:305) of a native sequence PRO1329 cDNA, wherein SEQ ID NO:305 is a clone designated herein as "DNA66660-1585".

20 Figure 306 shows the amino acid sequence (SEQ ID NO:306) derived from the coding sequence of SEQ ID NO:305 shown in Figure 305.

Figure 307 shows a nucleotide sequence (SEQ ID NO:307) of a native sequence PRO1339 cDNA, wherein SEQ ID NO:307 is a clone designated herein as "DNA66669-1597".

25 Figure 308 shows the amino acid sequence (SEQ ID NO:308) derived from the coding sequence of SEQ ID NO:307 shown in Figure 307.

Figure 309 shows a nucleotide sequence (SEQ ID NO:309) of a native sequence PRO1342 cDNA, wherein SEQ ID NO:309 is a clone designated herein as "DNA66674-1599".

Figure 310 shows the amino acid sequence (SEQ ID NO:310) derived from the coding sequence of SEQ ID NO:309 shown in Figure 309.

30 Figures 311A-311B show a nucleotide sequence (SEQ ID NO:311) of a native sequence PRO1487 cDNA, wherein SEQ ID NO:311 is a clone designated herein as "DNA68836-1656".

Figure 312 shows the amino acid sequence (SEQ ID NO:312) derived from the coding sequence of SEQ ID NO:311 shown in Figures 311A-311B.

35 Figure 313 shows a nucleotide sequence (SEQ ID NO:313) of a native sequence PRO3579 cDNA, wherein SEQ ID NO:313 is a clone designated herein as "DNA68862-2546".

Figure 314 shows the amino acid sequence (SEQ ID NO:314) derived from the coding sequence of SEQ ID NO:313 shown in Figure 313.

Figure 315 shows a nucleotide sequence (SEQ ID NO:315) of a native sequence PRO1472 cDNA, wherein SEQ ID NO:315 is a clone designated herein as "DNA68866-1644".

Figure 316 shows the amino acid sequence (SEQ ID NO:316) derived from the coding sequence of SEQ ID NO:315 shown in Figure 315.

5 Figure 317 shows a nucleotide sequence (SEQ ID NO:317) of a native sequence PRO1385 cDNA, wherein SEQ ID NO:317 is a clone designated herein as "DNA68869-1610".

Figure 318 shows the amino acid sequence (SEQ ID NO:318) derived from the coding sequence of SEQ ID NO:317 shown in Figure 317.

Figure 319 shows a nucleotide sequence (SEQ ID NO:319) of a native sequence PRO1461 cDNA, wherein SEQ ID NO:319 is a clone designated herein as "DNA68871-1638".

10 Figure 320 shows the amino acid sequence (SEQ ID NO:320) derived from the coding sequence of SEQ ID NO:319 shown in Figure 319.

Figure 321 shows a nucleotide sequence (SEQ ID NO:321) of a native sequence PRO1429 cDNA, wherein SEQ ID NO:321 is a clone designated herein as "DNA68879-1631".

15 Figure 322 shows the amino acid sequence (SEQ ID NO:322) derived from the coding sequence of SEQ ID NO:321 shown in Figure 321.

Figure 323 shows a nucleotide sequence (SEQ ID NO:323) of a native sequence PRO1568 cDNA, wherein SEQ ID NO:323 is a clone designated herein as "DNA68880-1676".

Figure 324 shows the amino acid sequence (SEQ ID NO:324) derived from the coding sequence of SEQ ID NO:323 shown in Figure 323.

20 Figure 325 shows a nucleotide sequence (SEQ ID NO:325) of a native sequence PRO1569 cDNA, wherein SEQ ID NO:325 is a clone designated herein as "DNA68882-1677".

Figure 326 shows the amino acid sequence (SEQ ID NO:326) derived from the coding sequence of SEQ ID NO:325 shown in Figure 325.

25 Figure 327 shows a nucleotide sequence (SEQ ID NO:327) of a native sequence PRO1753 cDNA, wherein SEQ ID NO:327 is a clone designated herein as "DNA68883-1691".

Figure 328 shows the amino acid sequence (SEQ ID NO:328) derived from the coding sequence of SEQ ID NO:327 shown in Figure 327.

Figure 329 shows a nucleotide sequence (SEQ ID NO:329) of a native sequence PRO1570 cDNA, wherein SEQ ID NO:329 is a clone designated herein as "DNA68885-1678".

30 Figure 330 shows the amino acid sequence (SEQ ID NO:330) derived from the coding sequence of SEQ ID NO:329 shown in Figure 329.

Figure 331 shows a nucleotide sequence (SEQ ID NO:331) of a native sequence PRO1559 cDNA, wherein SEQ ID NO:331 is a clone designated herein as "DNA68886".

35 Figure 332 shows the amino acid sequence (SEQ ID NO:332) derived from the coding sequence of SEQ ID NO:331 shown in Figure 331.

Figure 333 shows a nucleotide sequence (SEQ ID NO:333) of a native sequence PRO1486 cDNA, wherein SEQ ID NO:333 is a clone designated herein as "DNA71180-1655".

Figure 334 shows the amino acid sequence (SEQ ID NO:334) derived from the coding sequence of SEQ ID NO:333 shown in Figure 333.

Figure 335 shows a nucleotide sequence (SEQ ID NO:335) of a native sequence PRO1433 cDNA, wherein SEQ ID NO:335 is a clone designated herein as "DNA71184-1634".

5 Figure 336 shows the amino acid sequence (SEQ ID NO:336) derived from the coding sequence of SEQ ID NO:335 shown in Figure 335.

Figure 337 shows a nucleotide sequence (SEQ ID NO:337) of a native sequence PRO1490 cDNA, wherein SEQ ID NO:337 is a clone designated herein as "DNA71213-1659".

Figure 338 shows the amino acid sequence (SEQ ID NO:338) derived from the coding sequence of SEQ ID NO:337 shown in Figure 337.

10 Figure 339 shows a nucleotide sequence (SEQ ID NO:339) of a native sequence PRO1482 cDNA, wherein SEQ ID NO:339 is a clone designated herein as "DNA71234-1651".

Figure 340 shows the amino acid sequence (SEQ ID NO:340) derived from the coding sequence of SEQ ID NO:339 shown in Figure 339.

15 Figure 341 shows a nucleotide sequence (SEQ ID NO:341) of a native sequence PRO1409 cDNA, wherein SEQ ID NO:341 is a clone designated herein as "DNA71269-1621".

Figure 342 shows the amino acid sequence (SEQ ID NO:342) derived from the coding sequence of SEQ ID NO:341 shown in Figure 341.

Figure 343 shows a nucleotide sequence (SEQ ID NO:343) of a native sequence PRO1446 cDNA, wherein SEQ ID NO:343 is a clone designated herein as "DNA71277-1636".

20 Figure 344 shows the amino acid sequence (SEQ ID NO:344) derived from the coding sequence of SEQ ID NO:343 shown in Figure 343.

Figure 345 shows a nucleotide sequence (SEQ ID NO:345) of a native sequence PRO1604 cDNA, wherein SEQ ID NO:345 is a clone designated herein as "DNA71286-1687".

25 Figure 346 shows the amino acid sequence (SEQ ID NO:346) derived from the coding sequence of SEQ ID NO:345 shown in Figure 345.

Figure 347 shows a nucleotide sequence (SEQ ID NO:347) of a native sequence PRO1491 cDNA, wherein SEQ ID NO:347 is a clone designated herein as "DNA71883-1660".

Figure 348 shows the amino acid sequence (SEQ ID NO:348) derived from the coding sequence of SEQ ID NO:347 shown in Figure 347.

30 Figure 349 shows a nucleotide sequence (SEQ ID NO:349) of a native sequence PRO1431 cDNA, wherein SEQ ID NO:349 is a clone designated herein as "DNA73401-1633".

Figure 350 shows the amino acid sequence (SEQ ID NO:350) derived from the coding sequence of SEQ ID NO:349 shown in Figure 349.

35 Figures 351A-351B show a nucleotide sequence (SEQ ID NO:351) of a native sequence PRO1563 cDNA, wherein SEQ ID NO:351 is a clone designated herein as "DNA73492-1671".

Figure 352 shows the amino acid sequence (SEQ ID NO:352) derived from the coding sequence of SEQ ID NO:351 shown in Figures 351A-351B.

Figure 353 shows a nucleotide sequence (SEQ ID NO:353) of a native sequence PRO1571 cDNA, wherein SEQ ID NO:353 is a clone designated herein as "DNA73730-1679".

Figure 354 shows the amino acid sequence (SEQ ID NO:354) derived from the coding sequence of SEQ ID NO:353 shown in Figure 353.

5 Figure 355 shows a nucleotide sequence (SEQ ID NO:355) of a native sequence PRO1572 cDNA, wherein SEQ ID NO:355 is a clone designated herein as "DNA73734-1680".

Figure 356 shows the amino acid sequence (SEQ ID NO:356) derived from the coding sequence of SEQ ID NO:355 shown in Figure 355.

Figure 357 shows a nucleotide sequence (SEQ ID NO:357) of a native sequence PRO1573 cDNA, wherein SEQ ID NO:357 is a clone designated herein as "DNA73735-1681".

10 Figure 358 shows the amino acid sequence (SEQ ID NO:358) derived from the coding sequence of SEQ ID NO:357 shown in Figure 357.

Figure 359 shows a nucleotide sequence (SEQ ID NO:359) of a native sequence PRO1508 cDNA, wherein SEQ ID NO:359 is a clone designated herein as "DNA73742-1662".

15 Figure 360 shows the amino acid sequence (SEQ ID NO:360) derived from the coding sequence of SEQ ID NO:359 shown in Figure 359.

Figure 361 shows a nucleotide sequence (SEQ ID NO:361) of a native sequence PRO1485 cDNA, wherein SEQ ID NO:361 is a clone designated herein as "DNA73746-1654".

Figure 362 shows the amino acid sequence (SEQ ID NO:362) derived from the coding sequence of SEQ ID NO:361 shown in Figure 361.

20 Figure 363 shows a nucleotide sequence (SEQ ID NO:363) of a native sequence PRO1564 cDNA, wherein SEQ ID NO:363 is a clone designated herein as "DNA73760-1672".

Figure 364 shows the amino acid sequence (SEQ ID NO:364) derived from the coding sequence of SEQ ID NO:363 shown in Figure 363.

25 Figure 365 shows a nucleotide sequence (SEQ ID NO:365) of a native sequence PRO1550 cDNA, wherein SEQ ID NO:365 is a clone designated herein as "DNA76393-1664".

Figure 366 shows the amino acid sequence (SEQ ID NO:366) derived from the coding sequence of SEQ ID NO:365 shown in Figure 365.

Figure 367 shows a nucleotide sequence (SEQ ID NO:367) of a native sequence PRO1757 cDNA, wherein SEQ ID NO:367 is a clone designated herein as "DNA76398-1699".

30 Figure 368 shows the amino acid sequence (SEQ ID NO:368) derived from the coding sequence of SEQ ID NO:367 shown in Figure 367.

Figure 369 shows a nucleotide sequence (SEQ ID NO:369) of a native sequence PRO1758 cDNA, wherein SEQ ID NO:369 is a clone designated herein as "DNA76399-1700".

35 Figure 370 shows the amino acid sequence (SEQ ID NO:370) derived from the coding sequence of SEQ ID NO:369 shown in Figure 369.

Figure 371 shows a nucleotide sequence (SEQ ID NO:371) of a native sequence PRO1781 cDNA, wherein SEQ ID NO:371 is a clone designated herein as "DNA76522-2500".

Figure 372 shows the amino acid sequence (SEQ ID NO:372) derived from the coding sequence of SEQ ID NO:371 shown in Figure 371.

Figure 373 shows a nucleotide sequence (SEQ ID NO:373) of a native sequence PRO1606 cDNA, wherein SEQ ID NO:373 is a clone designated herein as "DNA76533-1689".

5 Figure 374 shows the amino acid sequence (SEQ ID NO:374) derived from the coding sequence of SEQ ID NO:373 shown in Figure 373.

Figure 375 shows a nucleotide sequence (SEQ ID NO:375) of a native sequence PRO1784 cDNA, wherein SEQ ID NO:375 is a clone designated herein as "DNA77303-2502".

Figure 376 shows the amino acid sequence (SEQ ID NO:376) derived from the coding sequence of SEQ ID NO:375 shown in Figure 375.

10 Figure 377 shows a nucleotide sequence (SEQ ID NO:377) of a native sequence PRO1774 cDNA, wherein SEQ ID NO:377 is a clone designated herein as "DNA77626-1705".

Figure 378 shows the amino acid sequence (SEQ ID NO:378) derived from the coding sequence of SEQ ID NO:377 shown in Figure 377.

15 Figure 379 shows a nucleotide sequence (SEQ ID NO:379) of a native sequence PRO1605 cDNA, wherein SEQ ID NO:379 is a clone designated herein as "DNA77648-1688".

Figure 380 shows the amino acid sequence (SEQ ID NO:380) derived from the coding sequence of SEQ ID NO:379 shown in Figure 379.

Figure 381 shows a nucleotide sequence (SEQ ID NO:381) of a native sequence PRO1928 cDNA, wherein SEQ ID NO:381 is a clone designated herein as "DNA81754-2532".

20 Figure 382 shows the amino acid sequence (SEQ ID NO:382) derived from the coding sequence of SEQ ID NO:381 shown in Figure 381.

Figure 383 shows a nucleotide sequence (SEQ ID NO:383) of a native sequence PRO1865 cDNA, wherein SEQ ID NO:383 is a clone designated herein as "DNA81757-2512".

25 Figure 384 shows the amino acid sequence (SEQ ID NO:384) derived from the coding sequence of SEQ ID NO:383 shown in Figure 383.

Figure 385 shows a nucleotide sequence (SEQ ID NO:385) of a native sequence PRO1925 cDNA, wherein SEQ ID NO:385 is a clone designated herein as "DNA82302-2529".

Figure 386 shows the amino acid sequence (SEQ ID NO:386) derived from the coding sequence of SEQ ID NO:385 shown in Figure 385.

30 Figure 387 shows a nucleotide sequence (SEQ ID NO:387) of a native sequence PRO1926 cDNA, wherein SEQ ID NO:387 is a clone designated herein as "DNA82340-2530".

Figure 388 shows the amino acid sequence (SEQ ID NO:388) derived from the coding sequence of SEQ ID NO:387 shown in Figure 387.

35 Figure 389 shows a nucleotide sequence (SEQ ID NO:389) of a native sequence PRO2630 cDNA, wherein SEQ ID NO:389 is a clone designated herein as "DNA83551".

Figure 390 shows the amino acid sequence (SEQ ID NO:390) derived from the coding sequence of SEQ ID NO:389 shown in Figure 389.

Figure 391 shows a nucleotide sequence (SEQ ID NO:391) of a native sequence PRO3443 cDNA, wherein SEQ ID NO:391 is a clone designated herein as "DNA87991-2540".

Figure 392 shows the amino acid sequence (SEQ ID NO:392) derived from the coding sequence of SEQ ID NO:391 shown in Figure 391.

5 Figure 393 shows a nucleotide sequence (SEQ ID NO:393) of a native sequence PRO3301 cDNA, wherein SEQ ID NO:393 is a clone designated herein as "DNA88002".

Figure 394 shows the amino acid sequence (SEQ ID NO:394) derived from the coding sequence of SEQ ID NO:393 shown in Figure 393.

Figure 395 shows a nucleotide sequence (SEQ ID NO:395) of a native sequence PRO3442 cDNA, wherein SEQ ID NO:395 is a clone designated herein as "DNA92238-2539".

10 Figure 396 shows the amino acid sequence (SEQ ID NO:396) derived from the coding sequence of SEQ ID NO:395 shown in Figure 395.

Figure 397 shows a nucleotide sequence (SEQ ID NO:397) of a native sequence PRO4978 cDNA, wherein SEQ ID NO:397 is a clone designated herein as "DNA95930".

15 Figure 398 shows the amino acid sequence (SEQ ID NO:398) derived from the coding sequence of SEQ ID NO:397 shown in Figure 397.

Figure 399 shows a nucleotide sequence (SEQ ID NO:399) of a native sequence PRO5801 cDNA, wherein SEQ ID NO:399 is a clone designated herein as "DNA115291-2681".

Figure 400 shows the amino acid sequence (SEQ ID NO:400) derived from the coding sequence of SEQ ID NO:399 shown in Figure 399.

20 Figure 401 shows a nucleotide sequence (SEQ ID NO:401) of a native sequence PRO19630 cDNA, wherein SEQ ID NO:401 is a clone designated herein as "DNA23336-2861".

Figure 402 shows the amino acid sequence (SEQ ID NO:402) derived from the coding sequence of SEQ ID NO:401 shown in Figure 401.

25 Figure 403 shows a nucleotide sequence (SEQ ID NO:403) of a native sequence PRO203 cDNA, wherein SEQ ID NO:403 is a clone designated herein as "DNA30862-1396".

Figure 404 shows the amino acid sequence (SEQ ID NO:404) derived from the coding sequence of SEQ ID NO:403 shown in Figure 403.

Figure 405 shows a nucleotide sequence (SEQ ID NO:405) of a native sequence PRO204 cDNA, wherein SEQ ID NO:405 is a clone designated herein as "DNA30871-1157".

30 Figure 406 shows the amino acid sequence (SEQ ID NO:406) derived from the coding sequence of SEQ ID NO:405 shown in Figure 405.

Figure 407 shows a nucleotide sequence (SEQ ID NO:407) of a native sequence PRO210 cDNA, wherein SEQ ID NO:407 is a clone designated herein as "DNA32279-1131".

35 Figure 408 shows the amino acid sequence (SEQ ID NO:408) derived from the coding sequence of SEQ ID NO:407 shown in Figure 407.

Figure 409 shows a nucleotide sequence (SEQ ID NO:409) of a native sequence PRO223 cDNA, wherein SEQ ID NO:409 is a clone designated herein as "DNA33206-1165".

Figure 410 shows the amino acid sequence (SEQ ID NO:410) derived from the coding sequence of SEQ ID NO:409 shown in Figure 409.

Figure 411 shows a nucleotide sequence (SEQ ID NO:411) of a native sequence PRO247 cDNA, wherein SEQ ID NO:411 is a clone designated herein as "DNA35673-1201".

5 Figure 412 shows the amino acid sequence (SEQ ID NO:412) derived from the coding sequence of SEQ ID NO:411 shown in Figure 411.

Figure 413 shows a nucleotide sequence (SEQ ID NO:413) of a native sequence PRO358 cDNA, wherein SEQ ID NO:413 is a clone designated herein as "DNA47361-1154-2".

Figure 414 shows the amino acid sequence (SEQ ID NO:414) derived from the coding sequence of SEQ ID NO:413 shown in Figure 413.

10 Figure 415 shows a nucleotide sequence (SEQ ID NO:415) of a native sequence PRO724 cDNA, wherein SEQ ID NO:415 is a clone designated herein as "DNA49631-1328".

Figure 416 shows the amino acid sequence (SEQ ID NO:416) derived from the coding sequence of SEQ ID NO:415 shown in Figure 415.

15 Figure 417 shows a nucleotide sequence (SEQ ID NO:417) of a native sequence PRO868 cDNA, wherein SEQ ID NO:417 is a clone designated herein as "DNA52594-1270".

Figure 418 shows the amino acid sequence (SEQ ID NO:418) derived from the coding sequence of SEQ ID NO:417 shown in Figure 417.

Figure 419 shows a nucleotide sequence (SEQ ID NO:419) of a native sequence PRO740 cDNA, wherein SEQ ID NO:419 is a clone designated herein as "DNA55800-1263".

20 Figure 420 shows the amino acid sequence (SEQ ID NO:420) derived from the coding sequence of SEQ ID NO:419 shown in Figure 419.

Figure 421 shows a nucleotide sequence (SEQ ID NO:421) of a native sequence PRO1478 cDNA, wherein SEQ ID NO:421 is a clone designated herein as "DNA56531-1648".

25 Figure 422 shows the amino acid sequence (SEQ ID NO:422) derived from the coding sequence of SEQ ID NO:421 shown in Figure 421.

Figure 423 shows a nucleotide sequence (SEQ ID NO:423) of a native sequence PRO162 cDNA, wherein SEQ ID NO:423 is a clone designated herein as "DNA56965-1356".

Figure 424 shows the amino acid sequence (SEQ ID NO:424) derived from the coding sequence of SEQ ID NO:423 shown in Figure 423.

30 Figure 425 shows a nucleotide sequence (SEQ ID NO:425) of a native sequence PRO828 cDNA, wherein SEQ ID NO:425 is a clone designated herein as "DNA57037-1444".

Figure 426 shows the amino acid sequence (SEQ ID NO:426) derived from the coding sequence of SEQ ID NO:425 shown in Figure 425.

35 Figure 427 shows a nucleotide sequence (SEQ ID NO:427) of a native sequence PRO819 cDNA, wherein SEQ ID NO:427 is a clone designated herein as "DNA57695-1340".

Figure 428 shows the amino acid sequence (SEQ ID NO:428) derived from the coding sequence of SEQ ID NO:427 shown in Figure 427.

Figure 429 shows a nucleotide sequence (SEQ ID NO:429) of a native sequence PRO813 cDNA, wherein SEQ ID NO:429 is a clone designated herein as "DNA57834-1339".

Figure 430 shows the amino acid sequence (SEQ ID NO:430) derived from the coding sequence of SEQ ID NO:429 shown in Figure 429.

5 Figure 431 shows a nucleotide sequence (SEQ ID NO:431) of a native sequence PRO1194 cDNA, wherein SEQ ID NO:431 is a clone designated herein as "DNA57841-1522".

Figure 432 shows the amino acid sequence (SEQ ID NO:432) derived from the coding sequence of SEQ ID NO:431 shown in Figure 431.

Figure 433 shows a nucleotide sequence (SEQ ID NO:433) of a native sequence PRO887 cDNA, wherein SEQ ID NO:433 is a clone designated herein as "DNA58130".

10 Figure 434 shows the amino acid sequence (SEQ ID NO:434) derived from the coding sequence of SEQ ID NO:433 shown in Figure 433.

Figure 435 shows a nucleotide sequence (SEQ ID NO:435) of a native sequence PRO1071 cDNA, wherein SEQ ID NO:435 is a clone designated herein as "DNA58847-1383".

15 Figure 436 shows the amino acid sequence (SEQ ID NO:436) derived from the coding sequence of SEQ ID NO:435 shown in Figure 435.

Figure 437 shows a nucleotide sequence (SEQ ID NO:437) of a native sequence PRO1029 cDNA, wherein SEQ ID NO:437 is a clone designated herein as "DNA59493-1420".

Figure 438 shows the amino acid sequence (SEQ ID NO:438) derived from the coding sequence of SEQ ID NO:437 shown in Figure 437.

20 Figure 439 shows a nucleotide sequence (SEQ ID NO:439) of a native sequence PRO1190 cDNA, wherein SEQ ID NO:439 is a clone designated herein as "DNA59586-1520".

Figure 440 shows the amino acid sequence (SEQ ID NO:440) derived from the coding sequence of SEQ ID NO:439 shown in Figure 439.

25 Figure 441 shows a nucleotide sequence (SEQ ID NO:441) of a native sequence PRO4334 cDNA, wherein SEQ ID NO:441 is a clone designated herein as "DNA59608-2577".

Figure 442 shows the amino acid sequence (SEQ ID NO:442) derived from the coding sequence of SEQ ID NO:441 shown in Figure 441.

Figure 443 shows a nucleotide sequence (SEQ ID NO:443) of a native sequence PRO1155 cDNA, wherein SEQ ID NO:443 is a clone designated herein as "DNA59849-1504".

30 Figure 444 shows the amino acid sequence (SEQ ID NO:444) derived from the coding sequence of SEQ ID NO:443 shown in Figure 443.

Figure 445 shows a nucleotide sequence (SEQ ID NO:445) of a native sequence PRO1157 cDNA, wherein SEQ ID NO:445 is a clone designated herein as "DNA60292-1506".

35 Figure 446 shows the amino acid sequence (SEQ ID NO:446) derived from the coding sequence of SEQ ID NO:445 shown in Figure 445.

Figure 447 shows a nucleotide sequence (SEQ ID NO:447) of a native sequence PRO1122 cDNA, wherein SEQ ID NO:447 is a clone designated herein as "DNA62377-1381-1".

Figure 448 shows the amino acid sequence (SEQ ID NO:448) derived from the coding sequence of SEQ ID NO:447 shown in Figure 447.

Figure 449 shows a nucleotide sequence (SEQ ID NO:449) of a native sequence PRO1183 cDNA, wherein SEQ ID NO:449 is a clone designated herein as "DNA62880-1513".

5 Figure 450 shows the amino acid sequence (SEQ ID NO:450) derived from the coding sequence of SEQ ID NO:449 shown in Figure 449.

Figure 451 shows a nucleotide sequence (SEQ ID NO:451) of a native sequence PRO1337 cDNA, wherein SEQ ID NO:451 is a clone designated herein as "DNA66672-1586".

Figure 452 shows the amino acid sequence (SEQ ID NO:452) derived from the coding sequence of SEQ ID NO:451 shown in Figure 451.

10 Figure 453 shows a nucleotide sequence (SEQ ID NO:453) of a native sequence PRO1480 cDNA, wherein SEQ ID NO:453 is a clone designated herein as "DNA67962-1649".

Figure 454 shows the amino acid sequence (SEQ ID NO:454) derived from the coding sequence of SEQ ID NO:453 shown in Figure 453.

15 Figure 455 shows a nucleotide sequence (SEQ ID NO:455) of a native sequence PRO19645 cDNA, wherein SEQ ID NO:455 is a clone designated herein as "DNA69555-2867".

Figure 456 shows the amino acid sequence (SEQ ID NO:456) derived from the coding sequence of SEQ ID NO:455 shown in Figure 455.

Figure 457 shows a nucleotide sequence (SEQ ID NO:457) of a native sequence PRO9782 cDNA, wherein SEQ ID NO:457 is a clone designated herein as "DNA71162-2764".

20 Figure 458 shows the amino acid sequence (SEQ ID NO:458) derived from the coding sequence of SEQ ID NO:457 shown in Figure 457.

Figure 459 shows a nucleotide sequence (SEQ ID NO:459) of a native sequence PRO1419 cDNA, wherein SEQ ID NO:459 is a clone designated herein as "DNA71290-1630".

25 Figure 460 shows the amino acid sequence (SEQ ID NO:460) derived from the coding sequence of SEQ ID NO:459 shown in Figure 459.

Figure 461 shows a nucleotide sequence (SEQ ID NO:461) of a native sequence PRO1575 cDNA, wherein SEQ ID NO:461 is a clone designated herein as "DNA76401-1683".

Figure 462 shows the amino acid sequence (SEQ ID NO:462) derived from the coding sequence of SEQ ID NO:461 shown in Figure 461.

30 Figure 463 shows a nucleotide sequence (SEQ ID NO:463) of a native sequence PRO1567 cDNA, wherein SEQ ID NO:463 is a clone designated herein as "DNA76541-1675".

Figure 464 shows the amino acid sequence (SEQ ID NO:464) derived from the coding sequence of SEQ ID NO:463 shown in Figure 463.

35 Figure 465 shows a nucleotide sequence (SEQ ID NO:465) of a native sequence PRO1891 cDNA, wherein SEQ ID NO:465 is a clone designated herein as "DNA76788-2526".

Figure 466 shows the amino acid sequence (SEQ ID NO:466) derived from the coding sequence of SEQ ID NO:465 shown in Figure 465.

Figure 467 shows a nucleotide sequence (SEQ ID NO:467) of a native sequence PRO1889 cDNA, wherein SEQ ID NO:467 is a clone designated herein as "DNA77623-2524".

Figure 468 shows the amino acid sequence (SEQ ID NO:468) derived from the coding sequence of SEQ ID NO:467 shown in Figure 467.

5 Figure 469 shows a nucleotide sequence (SEQ ID NO:469) of a native sequence PRO1785 cDNA, wherein SEQ ID NO:469 is a clone designated herein as "DNA80136-2503".

Figure 470 shows the amino acid sequence (SEQ ID NO:470) derived from the coding sequence of SEQ ID NO:469 shown in Figure 469.

Figure 471 shows a nucleotide sequence (SEQ ID NO:471) of a native sequence PRO6003 cDNA, wherein SEQ ID NO:471 is a clone designated herein as "DNA83568-2692".

10 Figure 472 shows the amino acid sequence (SEQ ID NO:472) derived from the coding sequence of SEQ ID NO:471 shown in Figure 471.

Figure 473 shows a nucleotide sequence (SEQ ID NO:473) of a native sequence PRO4333 cDNA, wherein SEQ ID NO:473 is a clone designated herein as "DNA84210-2576".

15 Figure 474 shows the amino acid sequence (SEQ ID NO:474) derived from the coding sequence of SEQ ID NO:473 shown in Figure 473.

Figure 475 shows a nucleotide sequence (SEQ ID NO:475) of a native sequence PRO4356 cDNA, wherein SEQ ID NO:475 is a clone designated herein as "DNA86576-2595".

Figure 476 shows the amino acid sequence (SEQ ID NO:476) derived from the coding sequence of SEQ ID NO:475 shown in Figure 475.

20 Figure 477 shows a nucleotide sequence (SEQ ID NO:477) of a native sequence PRO4352 cDNA, wherein SEQ ID NO:477 is a clone designated herein as "DNA87976-2593".

Figure 478 shows the amino acid sequence (SEQ ID NO:478) derived from the coding sequence of SEQ ID NO:477 shown in Figure 477.

25 Figure 479 shows a nucleotide sequence (SEQ ID NO:479) of a native sequence PRO4354 cDNA, wherein SEQ ID NO:479 is a clone designated herein as "DNA92256-2596".

Figure 480 shows the amino acid sequence (SEQ ID NO:480) derived from the coding sequence of SEQ ID NO:479 shown in Figure 479.

Figure 481 shows a nucleotide sequence (SEQ ID NO:481) of a native sequence PRO4369 cDNA, wherein SEQ ID NO:481 is a clone designated herein as "DNA92289-2598".

30 Figure 482 shows the amino acid sequence (SEQ ID NO:482) derived from the coding sequence of SEQ ID NO:481 shown in Figure 481.

Figure 483 shows a nucleotide sequence (SEQ ID NO:483) of a native sequence PRO6030 cDNA, wherein SEQ ID NO:483 is a clone designated herein as "DNA96850-2705".

35 Figure 484 shows the amino acid sequence (SEQ ID NO:484) derived from the coding sequence of SEQ ID NO:483 shown in Figure 483.

Figure 485 shows a nucleotide sequence (SEQ ID NO:485) of a native sequence PRO4433 cDNA, wherein SEQ ID NO:485 is a clone designated herein as "DNA96855-2629".

Figure 486 shows the amino acid sequence (SEQ ID NO:486) derived from the coding sequence of SEQ ID NO:485 shown in Figure 485.

Figure 487 shows a nucleotide sequence (SEQ ID NO:487) of a native sequence PRO4424 cDNA, wherein SEQ ID NO:487 is a clone designated herein as "DNA96857-2636".

5 Figure 488 shows the amino acid sequence (SEQ ID NO:488) derived from the coding sequence of SEQ ID NO:487 shown in Figure 487.

Figure 489 shows a nucleotide sequence (SEQ ID NO:489) of a native sequence PRO6017 cDNA, wherein SEQ ID NO:489 is a clone designated herein as "DNA96860-2700".

Figure 490 shows the amino acid sequence (SEQ ID NO:490) derived from the coding sequence of SEQ ID NO:489 shown in Figure 489.

10 Figure 491 shows a nucleotide sequence (SEQ ID NO:491) of a native sequence PRO19563 cDNA, wherein SEQ ID NO:491 is a clone designated herein as "DNA96861-2844".

Figure 492 shows the amino acid sequence (SEQ ID NO:492) derived from the coding sequence of SEQ ID NO:491 shown in Figure 491.

15 Figure 493 shows a nucleotide sequence (SEQ ID NO:493) of a native sequence PRO6015 cDNA, wherein SEQ ID NO:493 is a clone designated herein as "DNA96866-2698".

Figure 494 shows the amino acid sequence (SEQ ID NO:494) derived from the coding sequence of SEQ ID NO:493 shown in Figure 493.

Figure 495 shows a nucleotide sequence (SEQ ID NO:495) of a native sequence PRO5779 cDNA, wherein SEQ ID NO:495 is a clone designated herein as "DNA96870-2676".

20 Figure 496 shows the amino acid sequence (SEQ ID NO:496) derived from the coding sequence of SEQ ID NO:495 shown in Figure 495.

Figure 497 shows a nucleotide sequence (SEQ ID NO:497) of a native sequence PRO5776 cDNA, wherein SEQ ID NO:497 is a clone designated herein as "DNA96872-2674".

25 Figure 498 shows the amino acid sequence (SEQ ID NO:498) derived from the coding sequence of SEQ ID NO:497 shown in Figure 497.

Figure 499 shows a nucleotide sequence (SEQ ID NO:499) of a native sequence PRO4430 cDNA, wherein SEQ ID NO:499 is a clone designated herein as "DNA96878-2626".

Figure 500 shows the amino acid sequence (SEQ ID NO:500) derived from the coding sequence of SEQ ID NO:499 shown in Figure 499.

30 Figure 501 shows a nucleotide sequence (SEQ ID NO:501) of a native sequence PRO4421 cDNA, wherein SEQ ID NO:501 is a clone designated herein as "DNA96879-2619".

Figure 502 shows the amino acid sequence (SEQ ID NO:502) derived from the coding sequence of SEQ ID NO:501 shown in Figure 501.

35 Figure 503 shows a nucleotide sequence (SEQ ID NO:503) of a native sequence PRO4499 cDNA, wherein SEQ ID NO:503 is a clone designated herein as "DNA96889-2641".

Figure 504 shows the amino acid sequence (SEQ ID NO:504) derived from the coding sequence of SEQ ID NO:503 shown in Figure 503.

Figure 505 shows a nucleotide sequence (SEQ ID NO:505) of a native sequence PRO4423 cDNA, wherein SEQ ID NO:505 is a clone designated herein as "DNA96893-2621".

Figure 506 shows the amino acid sequence (SEQ ID NO:506) derived from the coding sequence of SEQ ID NO:505 shown in Figure 505.

5 Figure 507 shows a nucleotide sequence (SEQ ID NO:507) of a native sequence PRO5998 cDNA, wherein SEQ ID NO:507 is a clone designated herein as "DNA96897-2688".

Figure 508 shows the amino acid sequence (SEQ ID NO:508) derived from the coding sequence of SEQ ID NO:507 shown in Figure 507.

Figure 509 shows a nucleotide sequence (SEQ ID NO:509) of a native sequence PRO4501 cDNA, wherein SEQ ID NO:509 is a clone designated herein as "DNA98564-2643".

10 Figure 510 shows the amino acid sequence (SEQ ID NO:510) derived from the coding sequence of SEQ ID NO:509 shown in Figure 509.

Figure 511 shows a nucleotide sequence (SEQ ID NO:511) of a native sequence PRO6240 cDNA, wherein SEQ ID NO:511 is a clone designated herein as "DNA107443-2718".

15 Figure 512 shows the amino acid sequence (SEQ ID NO:512) derived from the coding sequence of SEQ ID NO:511 shown in Figure 511.

Figure 513 shows a nucleotide sequence (SEQ ID NO:513) of a native sequence PRO6245 cDNA, wherein SEQ ID NO:513 is a clone designated herein as "DNA107786-2723".

Figure 514 shows the amino acid sequence (SEQ ID NO:514) derived from the coding sequence of SEQ ID NO:513 shown in Figure 513.

20 Figure 515 shows a nucleotide sequence (SEQ ID NO:515) of a native sequence PRO6175 cDNA, wherein SEQ ID NO:515 is a clone designated herein as "DNA108682-2712".

Figure 516 shows the amino acid sequence (SEQ ID NO:516) derived from the coding sequence of SEQ ID NO:515 shown in Figure 515.

25 Figure 517 shows a nucleotide sequence (SEQ ID NO:517) of a native sequence PRO9742 cDNA, wherein SEQ ID NO:517 is a clone designated herein as "DNA108684-2761".

Figure 518 shows the amino acid sequence (SEQ ID NO:518) derived from the coding sequence of SEQ ID NO:517 shown in Figure 517.

Figure 519 shows a nucleotide sequence (SEQ ID NO:519) of a native sequence PRO7179 cDNA, wherein SEQ ID NO:519 is a clone designated herein as "DNA108701-2749".

30 Figure 520 shows the amino acid sequence (SEQ ID NO:520) derived from the coding sequence of SEQ ID NO:519 shown in Figure 519.

Figure 521 shows a nucleotide sequence (SEQ ID NO:521) of a native sequence PRO6239 cDNA, wherein SEQ ID NO:521 is a clone designated herein as "DNA108720-2717".

35 Figure 522 shows the amino acid sequence (SEQ ID NO:522) derived from the coding sequence of SEQ ID NO:521 shown in Figure 521.

Figure 523 shows a nucleotide sequence (SEQ ID NO:523) of a native sequence PRO6493 cDNA, wherein SEQ ID NO:523 is a clone designated herein as "DNA108726-2729".

Figure 524 shows the amino acid sequence (SEQ ID NO:524) derived from the coding sequence of SEQ ID NO:523 shown in Figure 523.

Figures 525A-525B show a nucleotide sequence (SEQ ID NO:525) of a native sequence PRO9741 cDNA, wherein SEQ ID NO:525 is a clone designated herein as "DNA108728-2760".

5 Figure 526 shows the amino acid sequence (SEQ ID NO:526) derived from the coding sequence of SEQ ID NO:525 shown in Figures 525A-525B.

Figure 527 shows a nucleotide sequence (SEQ ID NO:527) of a native sequence PRO9822 cDNA, wherein SEQ ID NO:527 is a clone designated herein as "DNA108738-2767".

Figure 528 shows the amino acid sequence (SEQ ID NO:528) derived from the coding sequence of SEQ ID NO:527 shown in Figure 527.

10 Figure 529 shows a nucleotide sequence (SEQ ID NO:529) of a native sequence PRO6244 cDNA, wherein SEQ ID NO:529 is a clone designated herein as "DNA108743-2722".

Figure 530 shows the amino acid sequence (SEQ ID NO:530) derived from the coding sequence of SEQ ID NO:529 shown in Figure 529.

15 Figure 531 shows a nucleotide sequence (SEQ ID NO:531) of a native sequence PRO9740 cDNA, wherein SEQ ID NO:531 is a clone designated herein as "DNA108758-2759".

Figure 532 shows the amino acid sequence (SEQ ID NO:532) derived from the coding sequence of SEQ ID NO:531 shown in Figure 531.

Figure 533 shows a nucleotide sequence (SEQ ID NO:533) of a native sequence PRO9739 cDNA, wherein SEQ ID NO:533 is a clone designated herein as "DNA108765-2758".

20 Figure 534 shows the amino acid sequence (SEQ ID NO:534) derived from the coding sequence of SEQ ID NO:533 shown in Figure 533.

Figure 535 shows a nucleotide sequence (SEQ ID NO:535) of a native sequence PRO7177 cDNA, wherein SEQ ID NO:535 is a clone designated herein as "DNA108783-2747".

25 Figure 536 shows the amino acid sequence (SEQ ID NO:536) derived from the coding sequence of SEQ ID NO:535 shown in Figure 535.

Figure 537 shows a nucleotide sequence (SEQ ID NO:537) of a native sequence PRO7178 cDNA, wherein SEQ ID NO:537 is a clone designated herein as "DNA108789-2748".

Figure 538 shows the amino acid sequence (SEQ ID NO:538) derived from the coding sequence of SEQ ID NO:537 shown in Figure 537.

30 Figure 539 shows a nucleotide sequence (SEQ ID NO:539) of a native sequence PRO6246 cDNA, wherein SEQ ID NO:539 is a clone designated herein as "DNA108806-2724".

Figure 540 shows the amino acid sequence (SEQ ID NO:540) derived from the coding sequence of SEQ ID NO:539 shown in Figure 539.

35 Figure 541 shows a nucleotide sequence (SEQ ID NO:541) of a native sequence PRO6241 cDNA, wherein SEQ ID NO:541 is a clone designated herein as "DNA108936-2719".

Figure 542 shows the amino acid sequence (SEQ ID NO:542) derived from the coding sequence of SEQ ID NO:541 shown in Figure 541.

Figure 543 shows a nucleotide sequence (SEQ ID NO:543) of a native sequence PRO9835 cDNA, wherein SEQ ID NO:543 is a clone designated herein as "DNA119510-2771".

Figure 544 shows the amino acid sequence (SEQ ID NO:544) derived from the coding sequence of SEQ ID NO:543 shown in Figure 543.

5 Figure 545 shows a nucleotide sequence (SEQ ID NO:545) of a native sequence PRO9857 cDNA, wherein SEQ ID NO:545 is a clone designated herein as "DNA119517-2778".

Figure 546 shows the amino acid sequence (SEQ ID NO:546) derived from the coding sequence of SEQ ID NO:545 shown in Figure 545.

Figure 547 shows a nucleotide sequence (SEQ ID NO:547) of a native sequence PRO7436 cDNA, wherein SEQ ID NO:547 is a clone designated herein as "DNA119535-2756".

10 Figure 548 shows the amino acid sequence (SEQ ID NO:548) derived from the coding sequence of SEQ ID NO:547 shown in Figure 547.

Figure 549 shows a nucleotide sequence (SEQ ID NO:549) of a native sequence PRO9856 cDNA, wherein SEQ ID NO:549 is a clone designated herein as "DNA119537-2777".

15 Figure 550 shows the amino acid sequence (SEQ ID NO:550) derived from the coding sequence of SEQ ID NO:549 shown in Figure 549.

Figure 551 shows a nucleotide sequence (SEQ ID NO:551) of a native sequence PRO19605 cDNA, wherein SEQ ID NO:551 is a clone designated herein as "DNA119714-2851".

Figure 552 shows the amino acid sequence (SEQ ID NO:552) derived from the coding sequence of SEQ ID NO:551 shown in Figure 551.

20 Figure 553 shows a nucleotide sequence (SEQ ID NO:553) of a native sequence PRO9859 cDNA, wherein SEQ ID NO:553 is a clone designated herein as "DNA125170-2780".

Figure 554 shows the amino acid sequence (SEQ ID NO:554) derived from the coding sequence of SEQ ID NO:553 shown in Figure 553.

25 Figure 555 shows a nucleotide sequence (SEQ ID NO:555) of a native sequence PRO12970 cDNA, wherein SEQ ID NO:555 is a clone designated herein as "DNA129594-2841".

Figure 556 shows the amino acid sequence (SEQ ID NO:556) derived from the coding sequence of SEQ ID NO:555 shown in Figure 555.

Figure 557 shows a nucleotide sequence (SEQ ID NO:557) of a native sequence PRO19626 cDNA, wherein SEQ ID NO:557 is a clone designated herein as "DNA129793-2857".

30 Figure 558 shows the amino acid sequence (SEQ ID NO:558) derived from the coding sequence of SEQ ID NO:557 shown in Figure 557.

Figure 559 shows a nucleotide sequence (SEQ ID NO:559) of a native sequence PRO9833 cDNA, wherein SEQ ID NO:559 is a clone designated herein as "DNA130809-2769".

35 Figure 560 shows the amino acid sequence (SEQ ID NO:560) derived from the coding sequence of SEQ ID NO:559 shown in Figure 559.

Figure 561 shows a nucleotide sequence (SEQ ID NO:561) of a native sequence PRO19670 cDNA, wherein SEQ ID NO:561 is a clone designated herein as "DNA131639-2874".

Figure 562 shows the amino acid sequence (SEQ ID NO:562) derived from the coding sequence of SEQ ID NO:561 shown in Figure 561.

Figure 563 shows a nucleotide sequence (SEQ ID NO:563) of a native sequence PRO19624 cDNA, wherein SEQ ID NO:563 is a clone designated herein as "DNA131649-2855".

5 Figure 564 shows the amino acid sequence (SEQ ID NO:564) derived from the coding sequence of SEQ ID NO:563 shown in Figure 563.

Figure 565 shows a nucleotide sequence (SEQ ID NO:565) of a native sequence PRO19680 cDNA, wherein SEQ ID NO:565 is a clone designated herein as "DNA131652-2876".

Figure 566 shows the amino acid sequence (SEQ ID NO:566) derived from the coding sequence of SEQ ID NO:565 shown in Figure 565.

10 Figure 567 shows a nucleotide sequence (SEQ ID NO:567) of a native sequence PRO19675 cDNA, wherein SEQ ID NO:567 is a clone designated herein as "DNA131658-2875".

Figure 568 shows the amino acid sequence (SEQ ID NO:568) derived from the coding sequence of SEQ ID NO:567 shown in Figure 567.

15 Figure 569 shows a nucleotide sequence (SEQ ID NO:569) of a native sequence PRO9834 cDNA, wherein SEQ ID NO:569 is a clone designated herein as "DNA132162-2770".

Figure 570 shows the amino acid sequence (SEQ ID NO:570) derived from the coding sequence of SEQ ID NO:569 shown in Figure 569.

Figure 571 shows a nucleotide sequence (SEQ ID NO:571) of a native sequence PRO9744 cDNA, wherein SEQ ID NO:571 is a clone designated herein as "DNA136110-2763".

20 Figure 572 shows the amino acid sequence (SEQ ID NO:572) derived from the coding sequence of SEQ ID NO:571 shown in Figure 571.

Figure 573 shows a nucleotide sequence (SEQ ID NO:573) of a native sequence PRO19644 cDNA, wherein SEQ ID NO:573 is a clone designated herein as "DNA139592-2866".

25 Figure 574 shows the amino acid sequence (SEQ ID NO:574) derived from the coding sequence of SEQ ID NO:573 shown in Figure 573.

Figure 575 shows a nucleotide sequence (SEQ ID NO:575) of a native sequence PRO19625 cDNA, wherein SEQ ID NO:575 is a clone designated herein as "DNA139608-2856".

Figure 576 shows the amino acid sequence (SEQ ID NO:576) derived from the coding sequence of SEQ ID NO:575 shown in Figure 575.

30 Figure 577 shows a nucleotide sequence (SEQ ID NO:577) of a native sequence PRO19597 cDNA, wherein SEQ ID NO:577 is a clone designated herein as "DNA143292-2848".

Figure 578 shows the amino acid sequence (SEQ ID NO:578) derived from the coding sequence of SEQ ID NO:577 shown in Figure 577.

35 Figure 579 shows a nucleotide sequence (SEQ ID NO:579) of a native sequence PRO16090 cDNA, wherein SEQ ID NO:579 is a clone designated herein as "DNA144844-2843".

Figure 580 shows the amino acid sequence (SEQ ID NO:580) derived from the coding sequence of SEQ ID NO:579 shown in Figure 579.

Figure 581 shows a nucleotide sequence (SEQ ID NO:581) of a native sequence PRO19576 cDNA, wherein SEQ ID NO:581 is a clone designated herein as "DNA144857-2845".

Figure 582 shows the amino acid sequence (SEQ ID NO:582) derived from the coding sequence of SEQ ID NO:581 shown in Figure 581.

5 Figure 583 shows a nucleotide sequence (SEQ ID NO:583) of a native sequence PRO19646 cDNA, wherein SEQ ID NO:583 is a clone designated herein as "DNA145841-2868".

Figure 584 shows the amino acid sequence (SEQ ID NO:584) derived from the coding sequence of SEQ ID NO:583 shown in Figure 583.

Figure 585 shows a nucleotide sequence (SEQ ID NO:585) of a native sequence PRO19814 cDNA, wherein SEQ ID NO:585 is a clone designated herein as "DNA148004-2882".

10 Figure 586 shows the amino acid sequence (SEQ ID NO:586) derived from the coding sequence of SEQ ID NO:585 shown in Figure 585.

Figure 587 shows a nucleotide sequence (SEQ ID NO:587) of a native sequence PRO19669 cDNA, wherein SEQ ID NO:587 is a clone designated herein as "DNA149893-2873".

15 Figure 588 shows the amino acid sequence (SEQ ID NO:588) derived from the coding sequence of SEQ ID NO:587 shown in Figure 587.

Figure 589 shows a nucleotide sequence (SEQ ID NO:589) of a native sequence PRO19818 cDNA, wherein SEQ ID NO:589 is a clone designated herein as "DNA149930-2884".

Figure 590 shows the amino acid sequence (SEQ ID NO:590) derived from the coding sequence of SEQ ID NO:589 shown in Figure 589.

20 Figure 591 shows a nucleotide sequence (SEQ ID NO:591) of a native sequence PRO20088 cDNA, wherein SEQ ID NO:591 is a clone designated herein as "DNA150157-2898".

Figure 592 shows the amino acid sequence (SEQ ID NO:592) derived from the coding sequence of SEQ ID NO:591 shown in Figure 591.

25 Figure 593 shows a nucleotide sequence (SEQ ID NO:593) of a native sequence PRO16089 cDNA, wherein SEQ ID NO:593 is a clone designated herein as "DNA150163-2842".

Figure 594 shows the amino acid sequence (SEQ ID NO:594) derived from the coding sequence of SEQ ID NO:593 shown in Figure 593.

Figure 595 shows a nucleotide sequence (SEQ ID NO:595) of a native sequence PRO20025 cDNA, wherein SEQ ID NO:595 is a clone designated herein as "DNA153579-2894".

30 Figure 596 shows the amino acid sequence (SEQ ID NO:596) derived from the coding sequence of SEQ ID NO:595 shown in Figure 595.

Figure 597 shows a nucleotide sequence (SEQ ID NO:597) of a native sequence PRO20040 cDNA, wherein SEQ ID NO:597 is a clone designated herein as "DNA164625-2890".

35 Figure 598 shows the amino acid sequence (SEQ ID NO:598) derived from the coding sequence of SEQ ID NO:597 shown in Figure 597.

Figure 599 shows a nucleotide sequence (SEQ ID NO:599) of a native sequence PRO791 cDNA, wherein SEQ ID NO:599 is a clone designated herein as "DNA57838-1337".

Figure 600 shows the amino acid sequence (SEQ ID NO:600) derived from the coding sequence of SEQ ID NO:599 shown in Figure 599.

Figure 601 shows a nucleotide sequence (SEQ ID NO:601) of a native sequence PRO1131 cDNA, wherein SEQ ID NO:601 is a clone designated herein as "DNA59777-1480".

5 Figure 602 shows the amino acid sequence (SEQ ID NO:602) derived from the coding sequence of SEQ ID NO:601 shown in Figure 601.

Figure 603 shows a nucleotide sequence (SEQ ID NO:603) of a native sequence PRO1343 cDNA, wherein SEQ ID NO:603 is a clone designated herein as "DNA66675-1587".

Figure 604 shows the amino acid sequence (SEQ ID NO:604) derived from the coding sequence of SEQ ID NO:603 shown in Figure 603.

10 Figure 605 shows a nucleotide sequence (SEQ ID NO:605) of a native sequence PRO1760 cDNA, wherein SEQ ID NO:605 is a clone designated herein as "DNA76532-1702".

Figure 606 shows the amino acid sequence (SEQ ID NO:606) derived from the coding sequence of SEQ ID NO:605 shown in Figure 605.

15 Figure 607 shows a nucleotide sequence (SEQ ID NO:607) of a native sequence PRO6029 cDNA, wherein SEQ ID NO:607 is a clone designated herein as "DNA105849-2704".

Figure 608 shows the amino acid sequence (SEQ ID NO:608) derived from the coding sequence of SEQ ID NO:607 shown in Figure 607.

Figure 609 shows a nucleotide sequence (SEQ ID NO:609) of a native sequence PRO1801 cDNA, wherein SEQ ID NO:609 is a clone designated herein as "DNA83500-2506".

20 Figure 610 shows the amino acid sequence (SEQ ID NO:610) derived from the coding sequence of SEQ ID NO:609 shown in Figure 609.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

I. Definitions

25 The terms "PRO polypeptide" and "PRO" as used herein and when immediately followed by a numerical designation refer to various polypeptides, wherein the complete designation (i.e., PRO/number) refers to specific polypeptide sequences as described herein. The terms "PRO/number polypeptide" and "PRO/number" wherein the term "number" is provided as an actual numerical designation as used herein encompass native sequence polypeptides and polypeptide variants (which are further defined herein). The PRO polypeptides described herein
30 may be isolated from a variety of sources, such as from human tissue types or from another source, or prepared by recombinant or synthetic methods. The term "PRO polypeptide" refers to each individual PRO/number polypeptide disclosed herein. All disclosures in this specification which refer to the "PRO polypeptide" refer to each of the polypeptides individually as well as jointly. For example, descriptions of the preparation of, purification of, derivation of, formation of antibodies to or against, administration of, compositions containing, treatment of a disease with, etc., pertain to each polypeptide of the invention individually. The term "PRO
35 polypeptide" also includes variants of the PRO/number polypeptides disclosed herein.

A "native sequence PRO polypeptide" comprises a polypeptide having the same amino acid sequence as

the corresponding PRO polypeptide derived from nature. Such native sequence PRO polypeptides can be isolated from nature or can be produced by recombinant or synthetic means. The term "native sequence PRO polypeptide" specifically encompasses naturally-occurring truncated or secreted forms of the specific PRO polypeptide (*e.g.*, an extracellular domain sequence), naturally-occurring variant forms (*e.g.*, alternatively spliced forms) and naturally-occurring allelic variants of the polypeptide. In various embodiments of the invention, the native sequence PRO polypeptides disclosed herein are mature or full-length native sequence polypeptides comprising the full-length amino acids sequences shown in the accompanying figures. Start and stop codons are shown in bold font and underlined in the figures. However, while the PRO polypeptide disclosed in the accompanying figures are shown to begin with methionine residues designated herein as amino acid position 1 in the figures, it is conceivable and possible that other methionine residues located either upstream or downstream from the amino acid position 1 in the figures may be employed as the starting amino acid residue for the PRO polypeptides.

The PRO polypeptide "extracellular domain" or "ECD" refers to a form of the PRO polypeptide which is essentially free of the transmembrane and cytoplasmic domains. Ordinarily, a PRO polypeptide ECD will have less than 1% of such transmembrane and/or cytoplasmic domains and preferably, will have less than 0.5% of such domains. It will be understood that any transmembrane domains identified for the PRO polypeptides of the present invention are identified pursuant to criteria routinely employed in the art for identifying that type of hydrophobic domain. The exact boundaries of a transmembrane domain may vary but most likely by no more than about 5 amino acids at either end of the domain as initially identified herein. Optionally, therefore, an extracellular domain of a PRO polypeptide may contain from about 5 or fewer amino acids on either side of the transmembrane domain/extracellular domain boundary as identified in the Examples or specification and such polypeptides, with or without the associated signal peptide, and nucleic acid encoding them, are contemplated by the present invention.

The approximate location of the "signal peptides" of the various PRO polypeptides disclosed herein are shown in the present specification and/or the accompanying figures. It is noted, however, that the C-terminal boundary of a signal peptide may vary, but most likely by no more than about 5 amino acids on either side of the signal peptide C-terminal boundary as initially identified herein, wherein the C-terminal boundary of the signal peptide may be identified pursuant to criteria routinely employed in the art for identifying that type of amino acid sequence element (*e.g.*, Nielsen et al., Prot. Eng. 10:1-6 (1997) and von Heinje et al., Nucl. Acids. Res. 14:4683-4690 (1986)). Moreover, it is also recognized that, in some cases, cleavage of a signal sequence from a secreted polypeptide is not entirely uniform, resulting in more than one secreted species. These mature polypeptides, where the signal peptide is cleaved within no more than about 5 amino acids on either side of the C-terminal boundary of the signal peptide as identified herein, and the polynucleotides encoding them, are contemplated by the present invention.

"PRO polypeptide variant" means an active PRO polypeptide as defined above or below having at least about 80% amino acid sequence identity with a full-length native sequence PRO polypeptide sequence as disclosed herein, a PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Such PRO polypeptide variants include, for instance, PRO

polypeptides wherein one or more amino acid residues are added, or deleted, at the N- or C-terminus of the full-length native amino acid sequence. Ordinarily, a PRO polypeptide variant will have at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83% amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to a full-length native sequence PRO polypeptide sequence as disclosed herein, a PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of a full-length PRO polypeptide sequence as disclosed herein. Ordinarily, PRO variant polypeptides are at least about 10 amino acids in length, alternatively at least about 20 amino acids in length, alternatively at least about 30 amino acids in length, alternatively at least about 40 amino acids in length, alternatively at least about 50 amino acids in length, alternatively at least about 60 amino acids in length, alternatively at least about 70 amino acids in length, alternatively at least about 80 amino acids in length, alternatively at least about 90 amino acids in length, alternatively at least about 100 amino acids in length, alternatively at least about 150 amino acids in length, alternatively at least about 200 amino acids in length, alternatively at least about 300 amino acids in length, or more.

"Percent (%) amino acid sequence identity" with respect to the PRO polypeptide sequences identified herein is defined as the percentage of amino acid residues in a candidate sequence that are identical with the amino acid residues in the specific PRO polypeptide sequence, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity, and not considering any conservative substitutions as part of the sequence identity. Alignment for purposes of determining percent amino acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN or Megalign (DNASTAR) software. Those skilled in the art can determine appropriate parameters for measuring alignment, including any algorithms needed to achieve maximal alignment over the full length of the sequences being compared. For purposes herein, however, % amino acid sequence identity values are generated using the sequence comparison computer program ALIGN-2, wherein the complete source code for the ALIGN-2 program is provided in Table 1 below. The ALIGN-2 sequence comparison computer program was authored by Genentech, Inc. and the source code shown in Table 1 below has been filed with user documentation in the U.S. Copyright Office, Washington D.C., 20559, where it is registered under U.S. Copyright Registration No. TXU510087. The ALIGN-2 program is publicly available through

Genentech, Inc., South San Francisco, California or may be compiled from the source code provided in Table 1 below. The ALIGN-2 program should be compiled for use on a UNIX operating system, preferably digital UNIX V4.0D. All sequence comparison parameters are set by the ALIGN-2 program and do not vary.

In situations where ALIGN-2 is employed for amino acid sequence comparisons, the % amino acid sequence identity of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or comprises a certain % amino acid sequence identity to, with, or against a given amino acid sequence B) is calculated as follows:

$$100 \text{ times the fraction } X/Y$$

where X is the number of amino acid residues scored as identical matches by the sequence alignment program ALIGN-2 in that program's alignment of A and B, and where Y is the total number of amino acid residues in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % amino acid sequence identity of A to B will not equal the % amino acid sequence identity of B to A. As examples of % amino acid sequence identity calculations using this method, Tables 2 and 3 demonstrate how to calculate the % amino acid sequence identity of the amino acid sequence designated "Comparison Protein" to the amino acid sequence designated "PRO", wherein "PRO" represents the amino acid sequence of a hypothetical PRO polypeptide of interest, "Comparison Protein" represents the amino acid sequence of a polypeptide against which the "PRO" polypeptide of interest is being compared, and "X", "Y" and "Z" each represent different hypothetical amino acid residues.

Unless specifically stated otherwise, all % amino acid sequence identity values used herein are obtained as described in the immediately preceding paragraph using the ALIGN-2 computer program. However, % amino acid sequence identity values may also be obtained as described below by using the WU-BLAST-2 computer program (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Most of the WU-BLAST-2 search parameters are set to the default values. Those not set to default values, i.e., the adjustable parameters, are set with the following values: overlap span = 1, overlap fraction = 0.125, word threshold (T) = 11, and scoring matrix = BLOSUM62. When WU-BLAST-2 is employed, a % amino acid sequence identity value is determined by dividing (a) the number of matching identical amino acid residues between the amino acid sequence of the PRO polypeptide of interest having a sequence derived from the native PRO polypeptide and the comparison amino acid sequence of interest (i.e., the sequence against which the PRO polypeptide of interest is being compared which may be a PRO variant polypeptide) as determined by WU-BLAST-2 by (b) the total number of amino acid residues of the PRO polypeptide of interest. For example, in the statement "a polypeptide comprising an the amino acid sequence A which has or having at least 80% amino acid sequence identity to the amino acid sequence B", the amino acid sequence A is the comparison amino acid sequence of interest and the amino acid sequence B is the amino acid sequence of the PRO polypeptide of interest.

Percent amino acid sequence identity may also be determined using the sequence comparison program NCBI-BLAST2 (Altschul et al., Nucleic Acids Res. 25:3389-3402 (1997)). The NCBI-BLAST2 sequence comparison program may be downloaded from <http://www.ncbi.nlm.nih.gov> or otherwise obtained from the

National Institute of Health, Bethesda, MD. NCBI-BLAST2 uses several search parameters, wherein all of those search parameters are set to default values including, for example, unmask = yes, strand = all, expected occurrences = 10, minimum low complexity length = 15/5, multi-pass e-value = 0.01, constant for multi-pass = 25, dropoff for final gapped alignment = 25 and scoring matrix = BLOSUM62.

In situations where NCBI-BLAST2 is employed for amino acid sequence comparisons, the % amino acid sequence identity of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or comprises a certain % amino acid sequence identity to, with, or against a given amino acid sequence B) is calculated as follows:

$$100 \text{ times the fraction } X/Y$$

where X is the number of amino acid residues scored as identical matches by the sequence alignment program NCBI-BLAST2 in that program's alignment of A and B, and where Y is the total number of amino acid residues in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % amino acid sequence identity of A to B will not equal the % amino acid sequence identity of B to A.

"PRO variant polynucleotide" or "PRO variant nucleic acid sequence" means a nucleic acid molecule which encodes an active PRO polypeptide as defined below and which has at least about 80% nucleic acid sequence identity with a nucleotide acid sequence encoding a full-length native sequence PRO polypeptide sequence as disclosed herein, a full-length native sequence PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Ordinarily, a PRO variant polynucleotide will have at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity with a nucleic acid sequence encoding a full-length native sequence PRO polypeptide sequence as disclosed herein, a full-length native sequence PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal sequence, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Variants do not encompass the native nucleotide sequence.

Ordinarily, PRO variant polynucleotides are at least about 30 nucleotides in length, alternatively at least about 60 nucleotides in length, alternatively at least about 90 nucleotides in length, alternatively at least about 120 nucleotides in length, alternatively at least about 150 nucleotides in length, alternatively at least about 180 nucleotides in length, alternatively at least about 210 nucleotides in length, alternatively at least about 240 nucleotides in length, alternatively at least about 270 nucleotides in length, alternatively at least about 300
5 nucleotides in length, alternatively at least about 450 nucleotides in length, alternatively at least about 600 nucleotides in length, alternatively at least about 900 nucleotides in length, or more.

"Percent (%) nucleic acid sequence identity" with respect to PRO-encoding nucleic acid sequences identified herein is defined as the percentage of nucleotides in a candidate sequence that are identical with the nucleotides in the PRO nucleic acid sequence of interest, after aligning the sequences and introducing gaps, if
10 necessary, to achieve the maximum percent sequence identity. Alignment for purposes of determining percent nucleic acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN or Megalign (DNASTAR) software. For purposes herein, however, % nucleic acid sequence identity values are generated using the sequence comparison computer program ALIGN-2, wherein the complete source code for the ALIGN-2 program
15 is provided in Table 1 below. The ALIGN-2 sequence comparison computer program was authored by Genentech, Inc. and the source code shown in Table 1 below has been filed with user documentation in the U.S. Copyright Office, Washington D.C., 20559, where it is registered under U.S. Copyright Registration No. TXU510087. The ALIGN-2 program is publicly available through Genentech, Inc., South San Francisco, California or may be compiled from the source code provided in Table 1 below. The ALIGN-2 program should
20 be compiled for use on a UNIX operating system, preferably digital UNIX V4.0D. All sequence comparison parameters are set by the ALIGN-2 program and do not vary.

In situations where ALIGN-2 is employed for nucleic acid sequence comparisons, the % nucleic acid sequence identity of a given nucleic acid sequence C to, with, or against a given nucleic acid sequence D (which can alternatively be phrased as a given nucleic acid sequence C that has or comprises a certain % nucleic acid
25 sequence identity to, with, or against a given nucleic acid sequence D) is calculated as follows:

$$100 \text{ times the fraction } W/Z$$

where W is the number of nucleotides scored as identical matches by the sequence alignment program ALIGN-2
30 in that program's alignment of C and D, and where Z is the total number of nucleotides in D. It will be appreciated that where the length of nucleic acid sequence C is not equal to the length of nucleic acid sequence D, the % nucleic acid sequence identity of C to D will not equal the % nucleic acid sequence identity of D to C. As examples of % nucleic acid sequence identity calculations, Tables 4 and 5, demonstrate how to calculate the % nucleic acid sequence identity of the nucleic acid sequence designated "Comparison DNA" to the nucleic acid
35 sequence designated "PRO-DNA", wherein "PRO-DNA" represents a hypothetical PRO-encoding nucleic acid sequence of interest, "Comparison DNA" represents the nucleotide sequence of a nucleic acid molecule against which the "PRO-DNA" nucleic acid molecule of interest is being compared, and "N", "L" and "V" each represent

different hypothetical nucleotides.

Unless specifically stated otherwise, all % nucleic acid sequence identity values used herein are obtained as described in the immediately preceding paragraph using the ALIGN-2 computer program. However, % nucleic acid sequence identity values may also be obtained as described below by using the WU-BLAST-2 computer program (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Most of the WU-BLAST-2 search parameters are set to the default values. Those not set to default values, i.e., the adjustable parameters, are set with the following values: overlap span = 1, overlap fraction = 0.125, word threshold (T) = 11, and scoring matrix = BLOSUM62. When WU-BLAST-2 is employed, a % nucleic acid sequence identity value is determined by dividing (a) the number of matching identical nucleotides between the nucleic acid sequence of the PRO polypeptide-encoding nucleic acid molecule of interest having a sequence derived from the native sequence PRO polypeptide-encoding nucleic acid and the comparison nucleic acid molecule of interest (i.e., the sequence against which the PRO polypeptide-encoding nucleic acid molecule of interest is being compared which may be a variant PRO polynucleotide) as determined by WU-BLAST-2 by (b) the total number of nucleotides of the PRO polypeptide-encoding nucleic acid molecule of interest. For example, in the statement "an isolated nucleic acid molecule comprising a nucleic acid sequence A which has or having at least 80% nucleic acid sequence identity to the nucleic acid sequence B", the nucleic acid sequence A is the comparison nucleic acid molecule of interest and the nucleic acid sequence B is the nucleic acid sequence of the PRO polypeptide-encoding nucleic acid molecule of interest.

Percent nucleic acid sequence identity may also be determined using the sequence comparison program NCBI-BLAST2 (Altschul et al., Nucleic Acids Res. 25:3389-3402 (1997)). The NCBI-BLAST2 sequence comparison program may be downloaded from <http://www.ncbi.nlm.nih.gov> or otherwise obtained from the National Institute of Health, Bethesda, MD. NCBI-BLAST2 uses several search parameters, wherein all of those search parameters are set to default values including, for example, unmask = yes, strand = all, expected occurrences = 10, minimum low complexity length = 15/5, multi-pass e-value = 0.01, constant for multi-pass = 25, dropoff for final gapped alignment = 25 and scoring matrix = BLOSUM62.

In situations where NCBI-BLAST2 is employed for sequence comparisons, the % nucleic acid sequence identity of a given nucleic acid sequence C to, with, or against a given nucleic acid sequence D (which can alternatively be phrased as a given nucleic acid sequence C that has or comprises a certain % nucleic acid sequence identity to, with, or against a given nucleic acid sequence D) is calculated as follows:

100 times the fraction W/Z

where W is the number of nucleotides scored as identical matches by the sequence alignment program NCBI-BLAST2 in that program's alignment of C and D, and where Z is the total number of nucleotides in D. It will be appreciated that where the length of nucleic acid sequence C is not equal to the length of nucleic acid sequence D, the % nucleic acid sequence identity of C to D will not equal the % nucleic acid sequence identity of D to C.

In other embodiments, PRO variant polynucleotides are nucleic acid molecules that encode an active PRO polypeptide and which are capable of hybridizing, preferably under stringent hybridization and wash conditions,

to nucleotide sequences encoding a full-length PRO polypeptide as disclosed herein. PRO variant polypeptides may be those that are encoded by a PRO variant polynucleotide.

5 "Isolated," when used to describe the various polypeptides disclosed herein, means polypeptide that has been identified and separated and/or recovered from a component of its natural environment. Contaminant components of its natural environment are materials that would typically interfere with diagnostic or therapeutic
10 uses for the polypeptide, and may include enzymes, hormones, and other proteinaceous or non-proteinaceous solutes. In preferred embodiments, the polypeptide will be purified (1) to a degree sufficient to obtain at least 15 residues of N-terminal or internal amino acid sequence by use of a spinning cup sequenator, or (2) to homogeneity by SDS-PAGE under non-reducing or reducing conditions using Coomassie blue or, preferably, silver stain. Isolated polypeptide includes polypeptide *in situ* within recombinant cells, since at least one
15 component of the PRO polypeptide natural environment will not be present. Ordinarily, however, isolated polypeptide will be prepared by at least one purification step.

An "isolated" PRO polypeptide-encoding nucleic acid or other polypeptide-encoding nucleic acid is a nucleic acid molecule that is identified and separated from at least one contaminant nucleic acid molecule with which it is ordinarily associated in the natural source of the polypeptide-encoding nucleic acid. An isolated
20 polypeptide-encoding nucleic acid molecule is other than in the form or setting in which it is found in nature. Isolated polypeptide-encoding nucleic acid molecules therefore are distinguished from the specific polypeptide-encoding nucleic acid molecule as it exists in natural cells. However, an isolated polypeptide-encoding nucleic acid molecule includes polypeptide-encoding nucleic acid molecules contained in cells that ordinarily express the polypeptide where, for example, the nucleic acid molecule is in a chromosomal location different from that of
25 natural cells.

The term "control sequences" refers to DNA sequences necessary for the expression of an operably linked coding sequence in a particular host organism. The control sequences that are suitable for prokaryotes, for example, include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

25 Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence if it is positioned so as to facilitate translation. Generally, "operably linked"
30 means that the DNA sequences being linked are contiguous, and, in the case of a secretory leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is accomplished by ligation at convenient restriction sites. If such sites do not exist, the synthetic oligonucleotide adaptors or linkers are used in accordance with conventional practice.

The term "antibody" is used in the broadest sense and specifically covers, for example, single anti-PRO
35 monoclonal antibodies (including agonist, antagonist, and neutralizing antibodies), anti-PRO antibody compositions with polypepitopic specificity, single chain anti-PRO antibodies, and fragments of anti-PRO antibodies (see below). The term "monoclonal antibody" as used herein refers to an antibody obtained from a population of substantially

homogeneous antibodies, i.e., the individual antibodies comprising the population are identical except for possible naturally-occurring mutations that may be present in minor amounts.

"Stringency" of hybridization reactions is readily determinable by one of ordinary skill in the art, and generally is an empirical calculation dependent upon probe length, washing temperature, and salt concentration. In general, longer probes require higher temperatures for proper annealing, while shorter probes need lower temperatures. Hybridization generally depends on the ability of denatured DNA to reanneal when complementary strands are present in an environment below their melting temperature. The higher the degree of desired homology between the probe and hybridizable sequence, the higher the relative temperature which can be used. As a result, it follows that higher relative temperatures would tend to make the reaction conditions more stringent, while lower temperatures less so. For additional details and explanation of stringency of hybridization reactions, see Ausubel et al., Current Protocols in Molecular Biology, Wiley Interscience Publishers, (1995).

"Stringent conditions" or "high stringency conditions", as defined herein, may be identified by those that: (1) employ low ionic strength and high temperature for washing, for example 0.015 M sodium chloride/0.0015 M sodium citrate/0.1% sodium dodecyl sulfate at 50°C; (2) employ during hybridization a denaturing agent, such as formamide, for example, 50% (v/v) formamide with 0.1% bovine serum albumin/0.1% Ficoll/0.1% polyvinylpyrrolidone/50mM sodium phosphate buffer at pH 6.5 with 750 mM sodium chloride, 75 mM sodium citrate at 42°C; or (3) employ 50% formamide, 5 x SSC (0.75 M NaCl, 0.075 M sodium citrate), 50 mM sodium phosphate (pH 6.8), 0.1% sodium pyrophosphate, 5 x Denhardt's solution, sonicated salmon sperm DNA (50 µg/ml), 0.1% SDS, and 10% dextran sulfate at 42°C, with washes at 42°C in 0.2 x SSC (sodium chloride/sodium citrate) and 50% formamide at 55°C, followed by a high-stringency wash consisting of 0.1 x SSC containing EDTA at 55°C.

"Moderately stringent conditions" may be identified as described by Sambrook et al., Molecular Cloning: A Laboratory Manual, New York: Cold Spring Harbor Press, 1989, and include the use of washing solution and hybridization conditions (e.g., temperature, ionic strength and %SDS) less stringent than those described above. An example of moderately stringent conditions is overnight incubation at 37°C in a solution comprising: 20% formamide, 5 x SSC (150 mM NaCl, 15 mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5 x Denhardt's solution, 10% dextran sulfate, and 20 mg/ml denatured sheared salmon sperm DNA, followed by washing the filters in 1 x SSC at about 37-50°C. The skilled artisan will recognize how to adjust the temperature, ionic strength, etc. as necessary to accommodate factors such as probe length and the like.

The term "epitope tagged" when used herein refers to a chimeric polypeptide comprising a PRO polypeptide fused to a "tag polypeptide". The tag polypeptide has enough residues to provide an epitope against which an antibody can be made, yet is short enough such that it does not interfere with activity of the polypeptide to which it is fused. The tag polypeptide preferably also is fairly unique so that the antibody does not substantially cross-react with other epitopes. Suitable tag polypeptides generally have at least six amino acid residues and usually between about 8 and 50 amino acid residues (preferably, between about 10 and 20 amino acid residues).

As used herein, the term "immunoadhesin" designates antibody-like molecules which combine the binding specificity of a heterologous protein (an "adhesin") with the effector functions of immunoglobulin constant domains. Structurally, the immunoadhesins comprise a fusion of an amino acid sequence with the desired binding

specificity which is other than the antigen recognition and binding site of an antibody (i.e., is "heterologous"), and an immunoglobulin constant domain sequence. The adhesin part of an immunoadhesin molecule typically is a contiguous amino acid sequence comprising at least the binding site of a receptor or a ligand. The immunoglobulin constant domain sequence in the immunoadhesin may be obtained from any immunoglobulin, such as IgG-1, IgG-2, IgG-3, or IgG-4 subtypes, IgA (including IgA-1 and IgA-2), IgE, IgD or IgM.

5 "Active" or "activity" for the purposes herein refers to form(s) of a PRO polypeptide which retain a biological and/or an immunological activity of native or naturally-occurring PRO, wherein "biological" activity refers to a biological function (either inhibitory or stimulatory) caused by a native or naturally-occurring PRO other than the ability to induce the production of an antibody against an antigenic epitope possessed by a native or naturally-occurring PRO and an "immunological" activity refers to the ability to induce the production of an antibody against an antigenic epitope possessed by a native or naturally-occurring PRO.

10 The term "antagonist" is used in the broadest sense, and includes any molecule that partially or fully blocks, inhibits, or neutralizes a biological activity of a native PRO polypeptide disclosed herein. In a similar manner, the term "agonist" is used in the broadest sense and includes any molecule that mimics a biological activity of a native PRO polypeptide disclosed herein. Suitable agonist or antagonist molecules specifically include agonist or antagonist antibodies or antibody fragments, fragments or amino acid sequence variants of native PRO polypeptides, peptides, antisense oligonucleotides, small organic molecules, etc. Methods for identifying agonists or antagonists of a PRO polypeptide may comprise contacting a PRO polypeptide with a candidate agonist or antagonist molecule and measuring a detectable change in one or more biological activities normally associated with the PRO polypeptide.

20 "Treatment" refers to both therapeutic treatment and prophylactic or preventative measures, wherein the object is to prevent or slow down (lessen) the targeted pathologic condition or disorder. Those in need of treatment include those already with the disorder as well as those prone to have the disorder or those in whom the disorder is to be prevented.

25 "Chronic" administration refers to administration of the agent(s) in a continuous mode as opposed to an acute mode, so as to maintain the initial therapeutic effect (activity) for an extended period of time. "Intermittent" administration is treatment that is not consecutively done without interruption, but rather is cyclic in nature.

"Mammal" for purposes of treatment refers to any animal classified as a mammal, including humans, domestic and farm animals, and zoo, sports, or pet animals, such as dogs, cats, cattle, horses, sheep, pigs, goats, rabbits, etc. Preferably, the mammal is human.

30 Administration "in combination with" one or more further therapeutic agents includes simultaneous (concurrent) and consecutive administration in any order.

"Carriers" as used herein include pharmaceutically acceptable carriers, excipients, or stabilizers which are nontoxic to the cell or mammal being exposed thereto at the dosages and concentrations employed. Often the physiologically acceptable carrier is an aqueous pH buffered solution. Examples of physiologically acceptable carriers include buffers such as phosphate, citrate, and other organic acids; antioxidants including ascorbic acid; low molecular weight (less than about 10 residues) polypeptide; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids such as glycine, glutamine,

asparagine, arginine or lysine; monosaccharides, disaccharides, and other carbohydrates including glucose, mannose, or dextrans; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; salt-forming counterions such as sodium; and/or nonionic surfactants such as TWEEN™, polyethylene glycol (PEG), and PLURONICS™.

"Antibody fragments" comprise a portion of an intact antibody, preferably the antigen binding or variable region of the intact antibody. Examples of antibody fragments include Fab, Fab', F(ab')₂, and Fv fragments; diabodies; linear antibodies (Zapata et al., Protein Eng. 8(10): 1057-1062 [1995]); single-chain antibody molecules; and multispecific antibodies formed from antibody fragments.

Papain digestion of antibodies produces two identical antigen-binding fragments, called "Fab" fragments, each with a single antigen-binding site, and a residual "Fc" fragment, a designation reflecting the ability to crystallize readily. Pepsin treatment yields an F(ab')₂ fragment that has two antigen-combining sites and is still capable of cross-linking antigen.

"Fv" is the minimum antibody fragment which contains a complete antigen-recognition and -binding site. This region consists of a dimer of one heavy- and one light-chain variable domain in tight, non-covalent association. It is in this configuration that the three CDRs of each variable domain interact to define an antigen-binding site on the surface of the V_H-V_L dimer. Collectively, the six CDRs confer antigen-binding specificity to the antibody. However, even a single variable domain (or half of an Fv comprising only three CDRs specific for an antigen) has the ability to recognize and bind antigen, although at a lower affinity than the entire binding site.

The Fab fragment also contains the constant domain of the light chain and the first constant domain (CH1) of the heavy chain. Fab fragments differ from Fab' fragments by the addition of a few residues at the carboxy terminus of the heavy chain CH1 domain including one or more cysteines from the antibody hinge region. Fab'-SH is the designation herein for Fab' in which the cysteine residue(s) of the constant domains bear a free thiol group. F(ab')₂ antibody fragments originally were produced as pairs of Fab' fragments which have hinge cysteines between them. Other chemical couplings of antibody fragments are also known.

The "light chains" of antibodies (immunoglobulins) from any vertebrate species can be assigned to one of two clearly distinct types, called kappa and lambda, based on the amino acid sequences of their constant domains.

Depending on the amino acid sequence of the constant domain of their heavy chains, immunoglobulins can be assigned to different classes. There are five major classes of immunoglobulins: IgA, IgD, IgE, IgG, and IgM, and several of these may be further divided into subclasses (isotypes), e.g., IgG1, IgG2, IgG3, IgG4, IgA, and IgA2.

"Single-chain Fv" or "sFv" antibody fragments comprise the V_H and V_L domains of antibody, wherein these domains are present in a single polypeptide chain. Preferably, the Fv polypeptide further comprises a polypeptide linker between the V_H and V_L domains which enables the sFv to form the desired structure for antigen binding. For a review of sFv, see Pluckthun in The Pharmacology of Monoclonal Antibodies, vol. 113, Rosenberg and Moore eds., Springer-Verlag, New York, pp. 269-315 (1994).

The term "diabodies" refers to small antibody fragments with two antigen-binding sites, which fragments comprise a heavy-chain variable domain (V_H) connected to a light-chain variable domain (V_L) in the same

polypeptide chain (V_H - V_L). By using a linker that is too short to allow pairing between the two domains on the same chain, the domains are forced to pair with the complementary domains of another chain and create two antigen-binding sites. Diabodies are described more fully in, for example, EP 404,097; WO 93/11161; and Hollinger et al., Proc. Natl. Acad. Sci. USA, 90:6444-6448 (1993).

5 An "isolated" antibody is one which has been identified and separated and/or recovered from a component of its natural environment. Contaminant components of its natural environment are materials which would interfere with diagnostic or therapeutic uses for the antibody, and may include enzymes, hormones, and other proteinaceous or nonproteinaceous solutes. In preferred embodiments, the antibody will be purified (1) to greater than 95% by weight of antibody as determined by the Lowry method, and most preferably more than 99% by weight, (2) to a degree sufficient to obtain at least 15 residues of N-terminal or internal amino acid sequence
10 by use of a spinning cup sequenator, or (3) to homogeneity by SDS-PAGE under reducing or nonreducing conditions using Coomassie blue or, preferably, silver stain. Isolated antibody includes the antibody in situ within recombinant cells since at least one component of the antibody's natural environment will not be present. Ordinarily, however, isolated antibody will be prepared by at least one purification step.

15 An antibody that "specifically binds to" or is "specific for" a particular polypeptide or an epitope on a particular polypeptide is one that binds to that particular polypeptide or epitope on a particular polypeptide without substantially binding to any other polypeptide or polypeptide epitope.

The word "label" when used herein refers to a detectable compound or composition which is conjugated directly or indirectly to the antibody so as to generate a "labeled" antibody. The label may be detectable by itself (e.g. radioisotope labels or fluorescent labels) or, in the case of an enzymatic label, may catalyze chemical
20 alteration of a substrate compound or composition which is detectable.

By "solid phase" is meant a non-aqueous matrix to which the antibody of the present invention can adhere. Examples of solid phases encompassed herein include those formed partially or entirely of glass (e.g., controlled pore glass), polysaccharides (e.g., agarose), polyacrylamides, polystyrene, polyvinyl alcohol and silicones. In certain embodiments, depending on the context, the solid phase can comprise the well of an assay
25 plate; in others it is a purification column (e.g., an affinity chromatography column). This term also includes a discontinuous solid phase of discrete particles, such as those described in U.S. Patent No. 4,275,149.

A "liposome" is a small vesicle composed of various types of lipids, phospholipids and/or surfactant which is useful for delivery of a drug (such as a PRO polypeptide or antibody thereto) to a mammal. The components of the liposome are commonly arranged in a bilayer formation, similar to the lipid arrangement of
30 biological membranes.

A "small molecule" is defined herein to have a molecular weight below about 500 Daltons.

An "effective amount" of a polypeptide disclosed herein or an agonist or antagonist thereof is an amount sufficient to carry out a specifically stated purpose. An "effective amount" may be determined empirically and in a routine manner, in relation to the stated purpose.
35

Table 1

```

/*
*
* C-C increased from 12 to 15
* Z is average of EQ
5  * B is average of ND
* match with stop is _M; stop-stop = 0; J (joker) match = 0
*/
#define _M      -8      /* value of a match with a stop */

10 int      _day[26][26] = {
/*      A B C D E F G H I J K L M N O P Q R S T U V W X Y Z */
/* A */      { 2, 0, -2, 0, 0, -4, 1, -1, -1, 0, -1, -2, -1, 0, _M, 1, 0, -2, 1, 1, 0, 0, -6, 0, -3, 0},
/* B */      { 0, 3, -4, 3, 2, -5, 0, 1, -2, 0, 0, -3, -2, 2, _M, -1, 1, 0, 0, 0, 0, -2, -5, 0, -3, 1},
/* C */      { -2, -4, 15, -5, -5, -4, -3, -3, -2, 0, -5, -6, -5, -4, _M, -3, -5, -4, 0, -2, 0, -2, -8, 0, 0, -5},
15 /* D */      { 0, 3, -5, 4, 3, -6, 1, 1, -2, 0, 0, -4, -3, 2, _M, -1, 2, -1, 0, 0, 0, -2, -7, 0, -4, 2},
/* E */      { 0, 2, -5, 3, 4, -5, 0, 1, -2, 0, 0, -3, -2, 1, _M, -1, 2, -1, 0, 0, 0, -2, -7, 0, -4, 3},
/* F */      { -4, -5, -4, -6, -5, 9, -5, -2, 1, 0, -5, 2, 0, -4, _M, -5, -5, -4, -3, -3, 0, -1, 0, 0, 7, -5},
/* G */      { 1, 0, -3, 1, 0, -5, 5, -2, -3, 0, -2, -4, -3, 0, _M, -1, -1, -3, 1, 0, 0, -1, -7, 0, -5, 0},
/* H */      { -1, 1, -3, 1, 1, -2, -2, 6, -2, 0, 0, -2, -2, 2, _M, 0, 3, 2, -1, -1, 0, -2, -3, 0, 0, 2},
20 /* I */      { -1, -2, -2, -2, -2, 1, -3, -2, 5, 0, -2, 2, 2, -2, _M, -2, -2, -2, -1, 0, 0, 4, -5, 0, -1, -2},
/* J */      { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0},
/* K */      { -1, 0, -5, 0, 0, -5, -2, 0, -2, 0, 5, -3, 0, 1, _M, -1, 1, 3, 0, 0, 0, -2, -3, 0, -4, 0},
/* L */      { -2, -3, -6, -4, -3, 2, -4, -2, 2, 0, -3, 6, 4, -3, _M, -3, -2, -3, -3, -1, 0, 2, -2, 0, -1, -2},
/* M */      { -1, -2, -5, -3, -2, 0, -3, -2, 2, 0, 0, 4, 6, -2, _M, -2, -1, 0, -2, -1, 0, 2, -4, 0, -2, -1},
25 /* N */      { 0, 2, -4, 2, 1, -4, 0, 2, -2, 0, 1, -3, -2, 2, _M, -1, 1, 0, 1, 0, 0, -2, -4, 0, -2, 1},
/* O */      { _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, 0, _M, _M, _M, _M, _M, _M, _M, _M, _M},
/* P */      { 1, -1, -3, -1, -1, -5, -1, 0, -2, 0, -1, -3, -2, -1, _M, 6, 0, 0, 1, 0, 0, -1, -6, 0, -5, 0},
/* Q */      { 0, 1, -5, 2, 2, -5, -1, 3, -2, 0, 1, -2, -1, 1, _M, 0, 4, 1, -1, -1, 0, -2, -5, 0, -4, 3},
/* R */      { -2, 0, -4, -1, -1, -4, -3, 2, -2, 0, 3, -3, 0, 0, _M, 0, 1, 6, 0, -1, 0, -2, 2, 0, -4, 0},
30 /* S */      { 1, 0, 0, 0, 0, -3, 1, -1, -1, 0, 0, -3, -2, 1, _M, 1, -1, 0, 2, 1, 0, -1, -2, 0, -3, 0},
/* T */      { 1, 0, -2, 0, 0, -3, 0, -1, 0, 0, 0, -1, -1, 0, _M, 0, -1, -1, 1, 3, 0, 0, -5, 0, -3, 0},
/* U */      { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0},
/* V */      { 0, -2, -2, -2, -2, -1, -1, -2, 4, 0, -2, 2, 2, -2, _M, -1, -2, -2, -1, 0, 0, 4, -6, 0, -2, -2},
/* W */      { -6, -5, -8, -7, -7, 0, -7, -3, -5, 0, -3, -2, -4, -4, _M, -6, -5, 2, -2, -5, 0, -6, 17, 0, 0, -6},
35 /* X */      { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0},
/* Y */      { -3, -3, 0, -4, -4, 7, -5, 0, -1, 0, -4, -1, -2, -2, _M, -5, -4, -4, -3, -3, 0, -2, 0, 0, 10, -4},
/* Z */      { 0, 1, -5, 2, 3, -5, 0, 2, -2, 0, 0, -2, -1, 1, _M, 0, 3, 0, 0, 0, 0, -2, -6, 0, -4, 4}
};

40

45

50

55

```


Table 1 (cont')

```

/*
*/
#include <stdio.h>
#include <ctype.h>

5
#define MAXJMP      16      /* max jumps in a diag */
#define MAXGAP      24      /* don't continue to penalize gaps larger than this */
#define JMPS        1024    /* max jmps in an path */
10
#define MX          4       /* save if there's at least MX-1 bases since last jmp */

#define DMAT        3       /* value of matching bases */
#define DMIS        0       /* penalty for mismatched bases */
#define DINS0       8       /* penalty for a gap */
15
#define DINS1       1       /* penalty per base */
#define PINS0       8       /* penalty for a gap */
#define PINS1       4       /* penalty per residue */

struct jmp {
20
    short            n[MAXJMP]; /* size of jmp (neg for dely) */
    unsigned short   x[MAXJMP]; /* base no. of jmp in seq x */
}; /* limits seq to 2^16 -1 */

struct diag {
25
    int              score;      /* score at last jmp */
    long             offset;     /* offset of prev block */
    short            jmp;        /* current jmp index */
    struct jmp        jp;        /* list of jmps */
};

30
struct path {
    int              spc;        /* number of leading spaces */
    short            n[JMPS]; /* size of jmp (gap) */
    int              x[JMPS]; /* loc of jmp (last elem before gap) */
35
};

char              *ofile;      /* output file name */
char              *namex[2];   /* seq names: getseqs() */
char              *prog;       /* prog name for err msgs */
40
char              *seqx[2];     /* seqs: getseqs() */
int               dmax;         /* best diag: nw() */
int               dmax0;        /* final diag */
int               dna;          /* set if dna: main() */
int               endgaps;      /* set if penalizing end gaps */
45
int               gapx, gapy;    /* total gaps in seqs */
int               len0, len1;    /* seq lens */
int               ngapx, ngapy;  /* total size of gaps */
int               smax;         /* max score: nw() */
int               *xbm;         /* bitmap for matching */
50
long              offset;       /* current offset in jmp file */
struct            diag          /* holds diagonals */
struct            path          /* holds path for seqs */
pp[2];

char              *calloc(), *malloc(), *index(), *strcpy();
55
char              *getseq(), *g_calloc();

```

Table 1 (cont')

```

/* Needleman-Wunsch alignment program
*
* usage: progs file1 file2
* where file1 and file2 are two dna or two protein sequences.
* The sequences can be in upper- or lower-case and may contain ambiguity
* Any lines beginning with ';', '>' or '<' are ignored
* Max file length is 65535 (limited by unsigned short x in the jmp struct)
* A sequence with 1/3 or more of its elements ACGTU is assumed to be DNA
* Output is in the file "align.out"
*
* The program may create a tmp file in /tmp to hold info about traceback.
* Original version developed under BSD 4.3 on a vax 8650
*/
#include "nw.h"
#include "day.h"

static  _dbval[26] = {
    1,14,2,13,0,0,4,11,0,0,12,0,3,15,0,0,0,5,6,8,8,7,9,0,10,0
};

static  _pbval[26] = {
    1, 2|(1<<('D'-'A'))|(1<<('N'-'A')), 4, 8, 16, 32, 64,
    128, 256, 0xFFFFFFFF, 1<<10, 1<<11, 1<<12, 1<<13, 1<<14,
    1<<15, 1<<16, 1<<17, 1<<18, 1<<19, 1<<20, 1<<21, 1<<22,
    1<<23, 1<<24, 1<<25|(1<<('E'-'A'))|(1<<('Q'-'A'))
};

main(ac, av)
int      ac;
char     *av[];
{
    prog = av[0];
    if (ac != 3) {
        fprintf(stderr, "usage: %s file1 file2\n", prog);
        fprintf(stderr, "where file1 and file2 are two dna or two protein sequences.\n");
        fprintf(stderr, "The sequences can be in upper- or lower-case\n");
        fprintf(stderr, "Any lines beginning with ';' or '<' are ignored\n");
        fprintf(stderr, "Output is in the file \"align.out\"\n");
        exit(1);
    }
    namex[0] = av[1];
    namex[1] = av[2];
    seqx[0] = getseq(namex[0], &len0);
    seqx[1] = getseq(namex[1], &len1);
    xbm = (dna)? _dbval : _pbval;

    endgaps = 0;                /* 1 to penalize endgaps */
    ofile = "align.out";        /* output file */

    nw();                       /* fill in the matrix, get the possible jmps */
    readjmps();                 /* get the actual jmps */
    print();                    /* print stats, alignment */

    cleanup(0);                 /* unlink any tmp files */
}

```

main

Table 1 (cont')

```

/* do the alignment, return best score: main()
* dna: values in Fitch and Smith, PNAS, 80, 1382-1386, 1983
* pro: PAM 250 values
* When scores are equal, we prefer mismatches to any gap, prefer
5  * a new gap to extending an ongoing gap, and prefer a gap in seqx
  * to a gap in seq y.
  */
nw()
{
10      char      *px, *py;      /* seqs and ptrs */
      int      *ndely, *dely;    /* keep track of dely */
      int      ndelx, delx;      /* keep track of delx */
      int      *tmp;            /* for swapping row0, row1 */
      int      mis;             /* score for each type */
15      int      ins0, ins1;      /* insertion penalties */
      register id;              /* diagonal index */
      register ij;              /* jmp index */
      register *col0, *col1;    /* score for curr, last row */
      register xx, yy;          /* index into seqs */
20
      dx = (struct diag *)g_calloc("to get diags", len0+len1+1, sizeof(struct diag));

      ndely = (int *)g_calloc("to get ndely", len1+1, sizeof(int));
      dely = (int *)g_calloc("to get dely", len1+1, sizeof(int));
25      col0 = (int *)g_calloc("to get col0", len1+1, sizeof(int));
      col1 = (int *)g_calloc("to get col1", len1+1, sizeof(int));
      ins0 = (dna)? DINS0 : PINS0;
      ins1 = (dna)? DINS1 : PINS1;

30      smax = -10000;
      if (endgaps) {
          for (col0[0] = dely[0] = -ins0, yy = 1; yy <= len1; yy++) {
              col0[yy] = dely[yy] = col0[yy-1] - ins1;
              ndely[yy] = yy;
35          }
          col0[0] = 0;      /* Waterman Bull Math Biol 84 */
      }
      else
          for (yy = 1; yy <= len1; yy++)
40              dely[yy] = -ins0;

      /* fill in match matrix
      */
45      for (px = seqx[0], xx = 1; xx <= len0; px++, xx++) {
          /* initialize first entry in col
          */
          if (endgaps) {
              if (xx == 1)
50                  col1[0] = delx = -(ins0+ins1);
              else
                  col1[0] = delx = col0[0] - ins1;
              ndelx = xx;
          }
          else {
55              col1[0] = 0;
              delx = -ins0;
              ndelx = 0;
          }
      }
60

```

Table 1 (cont')

...nw

```

5      for (py = seqx[1], yy = 1; yy <= len1; py++, yy++) {
        mis = col0[yy-1];
        if (dna)
            mis += (xbm[*px-'A']&xbm[*py-'A'])? DMAT : DMIS;
        else
            mis += _day[*px-'A'][*py-'A'];

10      /* update penalty for del in x seq;
        * favor new del over ongong del
        * ignore MAXGAP if weighting endgaps
        */
        if (endgaps || ndely[yy] < MAXGAP) {
            if (col0[yy] - ins0 >= dely[yy]) {
15                dely[yy] = col0[yy] - (ins0+ins1);
                ndely[yy] = 1;
            } else {
                dely[yy] -= ins1;
                ndely[yy]++;
            }
        } else {
            if (col0[yy] - (ins0+ins1) >= dely[yy]) {
20                dely[yy] = col0[yy] - (ins0+ins1);
                ndely[yy] = 1;
            } else
25                ndely[yy]++;
        }

        /* update penalty for del in y seq;
        * favor new del over ongong del
        */
        if (endgaps || ndelx < MAXGAP) {
            if (col1[yy-1] - ins0 >= delx) {
30                delx = col1[yy-1] - (ins0+ins1);
                ndelx = 1;
            } else {
                delx -= ins1;
                ndelx++;
            }
        } else {
40            if (col1[yy-1] - (ins0+ins1) >= delx) {
                delx = col1[yy-1] - (ins0+ins1);
                ndelx = 1;
            } else
45                ndelx++;
        }

        /* pick the maximum score; we're favoring
        * mis over any del and delx over dely
        */
50
55
60

```

Table 1 (cont')

...nw

```

3   id = xx - yy + len1 - 1;
   if (mis >= delx && mis >= dely[yy])
       coll[yy] = mis;
5   else if (delx >= dely[yy]) {
       coll[yy] = delx;
       ij = dx[id].ijmp;
       if (dx[id].jp.n[0] && (!dna || (ndelx >= MAXJMP
10      && xx > dx[id].jp.x[ij]+MX) || mis > dx[id].score+DINS0)) {
           dx[id].ijmp++;
           if (++ij >= MAXJMP) {
               writejumps(id);
               ij = dx[id].ijmp = 0;
               dx[id].offset = offset;
               offset += sizeof(struct jmp) + sizeof(offset);
           }
       }
       dx[id].jp.n[ij] = ndelx;
       dx[id].jp.x[ij] = xx;
       dx[id].score = delx;
   }
   else {
       coll[yy] = dely[yy];
       ij = dx[id].ijmp;
25  if (dx[id].jp.n[0] && (!dna || (ndely[yy] >= MAXJMP
       && xx > dx[id].jp.x[ij]+MX) || mis > dx[id].score+DINS0)) {
           dx[id].ijmp++;
           if (++ij >= MAXJMP) {
               writejumps(id);
               ij = dx[id].ijmp = 0;
               dx[id].offset = offset;
               offset += sizeof(struct jmp) + sizeof(offset);
           }
       }
       dx[id].jp.n[ij] = -ndely[yy];
       dx[id].jp.x[ij] = xx;
       dx[id].score = dely[yy];
   }
   if (xx == len0 && yy < len1) {
       /* last col
       */
       if (endgaps)
           coll[yy] -= ins0+ins1*(len1-yy);
       if (coll[yy] > smax) {
           smax = coll[yy];
           dmax = id;
       }
   }
50  if (endgaps && xx < len0)
       coll[yy-1] -= ins0+ins1*(len0-xx);
   if (coll[yy-1] > smax) {
       smax = coll[yy-1];
       dmax = id;
55  }
   tmp = col0; col0 = coll; coll = tmp;
}
(void) free((char *)ndely);
(void) free((char *)dely);
(void) free((char *)col0);
60 (void) free((char *)coll);
}

```

Table 1 (cont')

```

/*
 *
 * print() -- only routine visible outside this module
 *
5  * static:
 * getmat() -- trace back best path, count matches: print()
 * pr_align() -- print alignment of described in array p[]: print()
 * dumpblock() -- dump a block of lines with numbers, stars: pr_align()
 * nums() -- put out a number line: dumpblock()
10 * putline() -- put out a line (name, [num], seq, [num]): dumpblock()
 * stars() -- put a line of stars: dumpblock()
 * stripname() -- strip any path and prefix from a seqname
 */

15 #include "nw.h"

#define SPC      3
#define P_LINE  256 /* maximum output line */
#define P_SPC    3 /* space between name or num and seq */

20 extern _day[26][26];
int olen; /* set output line length */
FILE *fx; /* output file */

25 print()
{
    int lx, ly, firstgap, lastgap; /* overlap */

    if ((fx = fopen(ofile, "w")) == 0) {
30         fprintf(stderr, "%s: can't write %s\n", prog, ofile);
        cleanup(1);
    }
    fprintf(fx, "< first sequence: %s (length = %d)\n", namex[0], len0);
    fprintf(fx, "< second sequence: %s (length = %d)\n", namex[1], len1);
35     olen = 60;
    lx = len0;
    ly = len1;
    firstgap = lastgap = 0;
    if (dmax < len1 - 1) { /* leading gap in x */
40         pp[0].spc = firstgap = len1 - dmax - 1;
        ly -= pp[0].spc;
    }
    else if (dmax > len1 - 1) { /* leading gap in y */
        pp[1].spc = firstgap = dmax - (len1 - 1);
45         lx -= pp[1].spc;
    }
    if (dmax0 < len0 - 1) { /* trailing gap in x */
        lastgap = len0 - dmax0 - 1;
        lx -= lastgap;
50     }
    else if (dmax0 > len0 - 1) { /* trailing gap in y */
        lastgap = dmax0 - (len0 - 1);
        ly -= lastgap;
    }
55     getmat(lx, ly, firstgap, lastgap);
    pr_align();
}

60

```

print

Table 1 (cont')

```

/*
 * trace back the best path, count matches
 */
static
5 getmat(lx, ly, firstgap, lastgap)                                getmat
    int      lx, ly;                                /* "core" (minus endgaps) */
    int      firstgap, lastgap;                      /* leading trailing overlap */
{
    int      nm, i0, i1, siz0, siz1;
10    char      outx[32];
    double    pct;
    register  n0, n1;
    register char *p0, *p1;

15    /* get total matches, score
    */
    i0 = i1 = siz0 = siz1 = 0;
    p0 = seqx[0] + pp[1].spc;
    p1 = seqx[1] + pp[0].spc;
20    n0 = pp[1].spc + 1;
    n1 = pp[0].spc + 1;

    nm = 0;
    while ( *p0 && *p1 ) {
25        if (siz0) {
            p1++;
            n1++;
            siz0--;
        }
        else if (siz1) {
30            p0++;
            n0++;
            siz1--;
        }
        else {
35            if (xbm[*p0-'A']&xbm[*p1-'A'])
                nm++;
            if (n0++ == pp[0].x[i0])
                siz0 = pp[0].n[i0++];
40            if (n1++ == pp[1].x[i1])
                siz1 = pp[1].n[i1++];
            p0++;
            p1++;
        }
45    }

    /* pct homology:
    * if penalizing endgaps, base is the shorter seq
    * else, knock off overhangs and take shorter core
    */
50    if (endgaps)
        lx = (len0 < len1)? len0 : len1;
    else
        lx = (lx < ly)? lx : ly;
55    pct = 100.*(double)nm/(double)lx;
    fprintf(fx, "\n");
    fprintf(fx, "< %d match%s in an overlap of %d: %.2f percent similarity\n",
        nm, (nm == 1)? "" : "es", lx, pct);
60

```

Table 1 (cont')

```

fprintf(fx, "<gaps in first sequence: %d", gapx);
if (gapx) {
    (void) sprintf(outx, " (%d %s%s)",
        ngapx, (dna)? "base":"residue", (ngapx == 1)? "" : "s");
    fprintf(fx, "%s", outx);

    fprintf(fx, ", gaps in second sequence: %d", gapy);
    if (gapy) {
        (void) sprintf(outx, " (%d %s%s)",
            ngapy, (dna)? "base":"residue", (ngapy == 1)? "" : "s");
        fprintf(fx, "%s", outx);
    }
    if (dna)
        fprintf(fx,
            "\n<score: %d (match = %d, mismatch = %d, gap penalty = %d + %d per base)\n",
            smax, DMAT, DMIS, DINS0, DINS1);
    else
        fprintf(fx,
            "\n<score: %d (Dayhoff PAM 250 matrix, gap penalty = %d + %d per residue)\n",
            smax, PINS0, PINS1);
    if (endgaps)
        fprintf(fx,
            "<endgaps penalized. left endgap: %d %s%s, right endgap: %d %s%s\n",
            firstgap, (dna)? "base" : "residue", (firstgap == 1)? "" : "s",
            lastgap, (dna)? "base" : "residue", (lastgap == 1)? "" : "s");
    else
        fprintf(fx, "<endgaps not penalized\n");
}

static      nm;          /* matches in core -- for checking */
static      lmax;        /* lengths of stripped file names */
static      ij[2];       /* jmp index for a path */
static      nc[2];       /* number at start of current line */
static      ni[2];       /* current elem number -- for gapping */
static      siz[2];
static char *ps[2];      /* ptr to current element */
static char *po[2];      /* ptr to next output char slot */
static char out[2][P_LINE]; /* output line */
static char star[P_LINE]; /* set by stars() */

/*
 * print alignment of described in struct path pp[]
 */
static
pr_align()
{
    int      nn;          /* char count */
    int      more;
    register i;

    for (i = 0, lmax = 0; i < 2; i++) {
        nn = stripname(nameex[i]);
        if (nn > lmax)
            lmax = nn;

        nc[i] = 1;
        ni[i] = 1;
        siz[i] = ij[i] = 0;
        ps[i] = seqx[i];
        po[i] = out[i];
    }
}

```

...getmat

pr_align

Table 1 (cont')

```

for (nn = nm = 0, more = 1; more; ) {
    for (i = more = 0; i < 2; i++) {
        /*
5         * do we have more of this sequence?
        */
        if (!*ps[i])
            continue;

10         more++;

        if (pp[i].spc) { /* leading space */
            *po[i]++ = ' ';
            pp[i].spc--;
15        }
        else if (siz[i]) { /* in a gap */
            *po[i]++ = '-';
            siz[i]--;
20        }
        else { /* we're putting a seq element
            */
            *po[i] = *ps[i];
            if (islower(*ps[i]))
                *ps[i] = toupper(*ps[i]);
25            po[i]++;
            ps[i]++;

            /*
            * are we at next gap for this seq?
            */
            if (ni[i] == pp[i].x[ij[i]]) {
                /*
                * we need to merge all gaps
                * at this location
                */
35                siz[i] = pp[i].n[ij[i]++];
                while (ni[i] == pp[i].x[ij[i]])
                    siz[i] += pp[i].n[ij[i]++];
            }
            ni[i]++;
40        }
    }
    if (++nm == olen || !more && nn) {
        dumpblock();
        for (i = 0; i < 2; i++)
            po[i] = out[i];
        nn = 0;
    }
50 }

/*
 * dump a block of lines, including numbers, stars: pr_align()
 */
55 static
dumpblock()
{
    register i;

60    for (i = 0; i < 2; i++)
        *po[i] = '\0';

```

...pr_align

dumpblock

Table 1 (cont')

...dumpblock

```

5      (void) putc('\n', fx);
      for (i = 0; i < 2; i++) {
          if (*out[i] && (*out[i] != ' ' || *(po[i]) != ' ')) {
              if (i == 0)
                  nums(i);
              if (i == 0 && *out[1])
                  stars();
10             putline(i);
              if (i == 0 && *out[1])
                  fprintf(fx, star);
              if (i == 1)
                  nums(i);
15         }
      }
  }

/*
20  * put out a number line: dumpblock()
  */
  static
  nums(ix)
25  {
      int      ix;      /* index in out[] holding seq line */

      char      nline[P_LINE];
      register  i, j;
      register char *pn, *px, *py;

30      for (pn = nline, i = 0; i < lmax+P_SPC; i++, pn++)
          *pn = ' ';
      for (i = nc[ix], py = out[ix]; *py; py++, pn++) {
          if (*py == ' ' || *py == '-')
              *pn = ' ';
35          else {
              if (i%10 == 0 || (i == 1 && nc[ix] != 1)) {
                  j = (i < 0)? -i : i;
                  for (px = pn; j /= 10, px--)
                      *px = j%10 + '0';
40                  if (i < 0)
                      *px = '-';
              }
              else
                  *pn = ' ';
45              i++;
          }
      }
      *pn = '\0';
      nc[ix] = i;
50      for (pn = nline; *pn; pn++)
          (void) putc(*pn, fx);
      (void) putc('\n', fx);
  }

/*
55  * put out a line (name, [num], seq, [num]): dumpblock()
  */
  static
  putline(ix)
60  {
      int      ix;

```

nums

putline

Table 1 (cont')

...putline

```

5      int          i;
      register char *px;

      for (px = namex[ix], i = 0; *px && *px != ':'; px++, i++)
          (void) putc(*px, fx);
      for (; i < lmax+P_SPC; i++)
          (void) putc(' ', fx);

10     /* these count from 1:
       * ni[] is current element (from 1)
       * nc[] is number at start of current line
       */

15     for (px = out[ix]; *px; px++)
          (void) putc(*px&0x7F, fx);
      (void) putc('\n', fx);
  }

20  /*
   * put a line of stars (seqs always in out[0], out[1]): dumpblock()
   */
   static
25  stars()
   {
       int          i;
       register char *p0, *p1, cx, *px;

30     if (!*out[0] || (*out[0] == ' ' && *(p0[0]) == ' ') ||
        !*out[1] || (*out[1] == ' ' && *(p0[1]) == ' '))
        return;
       px = star;
       for (i = lmax+P_SPC; i; i--)
35         *px++ = ' ';

       for (p0 = out[0], p1 = out[1]; *p0 && *p1; p0++, p1++) {
           if (isalpha(*p0) && isalpha(*p1)) {

40                 if (xbm[*p0-'A']&xbm[*p1-'A']) {
                     cx = '*';
                     nm++;
                 }
           else if (!dna && _day[*p0-'A'][*p1-'A'] > 0)
45                 cx = '.';
           else
               cx = ' ';

           }
           else
50             cx = ' ';
           *px++ = cx;
       }
       *px++ = '\n';
       *px = '\0';
55  }

```

stars

60

Table 1 (cont')

```
/*
 * strip path or prefix from pn, return len: pr_align()
 */
static
5 stripname(pn)                                stripname
    char    *pn;    /* file name (may be path) */
{
    register char    *px, *py;
10     py = 0;
    for (px = pn; *px; px++)
        if (*px == '/')
            py = px + 1;
15     if (py)
        (void) strcpy(pn, py);
    return(strlen(pn));
}
20
25
30
35
40
45
50
55
60
```

Table 1 (cont')

```

/*
 * cleanup() -- cleanup any tmp file
 * getseq() -- read in seq, set dna, len, maxlen
 * g_calloc() -- calloc() with error checkin
5  * readjumps() -- get the good jumps; from tmp file if necessary
 * writejumps() -- write a filled array of jumps to a tmp file: nw()
 */
#include "nw.h"
#include <sys/file.h>

10 char *jname = "/tmp/homgXXXXXXX"; /* tmp file for jumps */
FILE *fj;

int cleanup(); /* cleanup tmp file */
15 long lseek();

/*
 * remove any tmp file if we blow
 */
20 cleanup(i) /* cleanup */
{
    int i;
    if (fj)
        (void) unlink(jname);
25 exit(i);
}

/*
 * read, return ptr to seq, set dna, len, maxlen
 * skip lines starting with ';', '<', or '>'
 * seq in upper or lower case
 */
30 char *
getseq(file, len) /* getseq */
35 char *file; /* file name */
int *len; /* seq len */
{
    char line[1024], *pseq;
    register char *px, *py;
    int natgc, tlen;
    FILE *fp;

    if ((fp = fopen(file, "r")) == 0) {
        fprintf(stderr, "%s: can't read %s\n", prog, file);
        exit(1);
    }
    tlen = natgc = 0;
    while (fgets(line, 1024, fp)) {
        if (*line == ';' || *line == '<' || *line == '>')
            continue;
        for (px = line; *px != '\n'; px++)
            if (isupper(*px) || islower(*px))
                tlen++;
    }
    55 if ((pseq = malloc((unsigned)(tlen+6))) == 0) {
        fprintf(stderr, "%s: malloc() failed to get %d bytes for %s\n", prog, tlen+6, file);
        exit(1);
    }
    60 pseq[0] = pseq[1] = pseq[2] = pseq[3] = '\0';

```

Table 1 (cont')

...getseq

```

py = pseq + 4;
*len = tlen;
rewind(fp);
5
while (fgets(line, 1024, fp)) {
    if (*line == ';' || *line == '<' || *line == '>')
        continue;
    for (px = line; *px != '\n'; px++) {
10        if (isupper(*px))
            *py++ = *px;
        else if (islower(*px))
            *py++ = toupper(*px);
        if (index("ATGCU", *(py-1)))
            natgc++;
15    }
}
*py++ = '\0';
*py = '\0';
20 (void) fclose(fp);
dna = natgc > (tlen/3);
return(pseq+4);
}

25 char *
g_alloc(msg, nx, sz)
char *msg; /* program, calling routine */
int nx, sz; /* number and size of elements */
{
30 char *px, *calloc();

if ((px = calloc((unsigned)nx, (unsigned)sz)) == 0) {
    if (*msg) {
35        fprintf(stderr, "%s: g_alloc() failed %s (n=%d, sz=%d)\n", prog, msg, nx, sz);
        exit(1);
    }
}
return(px);
}

40 /*
 * get final jmps from dx[] or tmp file, set pp[], reset dmax: main()
 */
readjmps()
45 {
    int fd = -1;
    int siz, i0, i1;
    register i, j, xx;

50    if (fj) {
        (void) fclose(fj);
        if ((fd = open(jname, O_RDONLY, 0)) < 0) {
            fprintf(stderr, "%s: can't open() %s\n", prog, jname);
            cleanup(1);
55        }
    }
    for (i = i0 = i1 = 0, dmax0 = dmax, xx = len0; i++) {
        while (1) {
60            for (j = dx[dmax].ijmp; j >= 0 && dx[dmax].jp.x[j] >= xx; j--)
                ;

```

g_alloc

readjmps

Table 1 (cont')

...readjumps

```

5         if (j < 0 && dx[dmax].offset && fj) {
            (void) lseek(fd, dx[dmax].offset, 0);
            (void) read(fd, (char *)&dx[dmax].jp, sizeof(struct jmp));
            (void) read(fd, (char *)&dx[dmax].offset, sizeof(dx[dmax].offset));
            dx[dmax].ijmp = MAXJMP-1;
        }
        else
            break;
10    }
    if (i >= JMPS) {
        fprintf(stderr, "%s: too many gaps in alignment\n", prog);
        cleanup(1);
    }
15    if (j >= 0) {
        siz = dx[dmax].jp.n[j];
        xx = dx[dmax].jp.x[j];
        dmax += siz;
        if (siz < 0) { /* gap in second seq */
20            pp[1].n[i1] = -siz;
            xx += siz;
            /* id = xx - yy + len1 - 1
            */
            pp[1].x[i1] = xx - dmax + len1 - 1;
            gapy++;
            ngapy -= siz;
            /* ignore MAXGAP when doing endgaps */
            siz = (-siz < MAXGAP || endgaps)? -siz : MAXGAP;
            i1++;
30        }
        else if (siz > 0) { /* gap in first seq */
            pp[0].n[i0] = siz;
            pp[0].x[i0] = xx;
            gapx++;
            ngapx += siz;
            /* ignore MAXGAP when doing endgaps */
            siz = (siz < MAXGAP || endgaps)? siz : MAXGAP;
            i0++;
35        }
    }
    else
        break;
40    }

    /* reverse the order of jumps
    */
    for (j = 0, i0--; j < i0; j++, i0--) {
        i = pp[0].n[j]; pp[0].n[j] = pp[0].n[i0]; pp[0].n[i0] = i;
        i = pp[0].x[j]; pp[0].x[j] = pp[0].x[i0]; pp[0].x[i0] = i;
50    }
    for (j = 0, i1--; j < i1; j++, i1--) {
        i = pp[1].n[j]; pp[1].n[j] = pp[1].n[i1]; pp[1].n[i1] = i;
        i = pp[1].x[j]; pp[1].x[j] = pp[1].x[i1]; pp[1].x[i1] = i;
55    }
    if (fd >= 0)
        (void) close(fd);
    if (fj) {
        (void) unlink(jname);
        fj = 0;
60    offset = 0;
    }
}

```

Table 1 (cont')

```

/*
 * write a filled jmp struct offset of the prev one (if any): nw()
 */
5  writejumps(ix)                                     writejumps
    int    ix;
    {
        char    *mktemp();
10         if (!fj) {
            if (mktemp(jname) < 0) {
                fprintf(stderr, "%s: can't mktemp() %s\n", prog, jname);
                cleanup(1);
            }
15         if ((fj = fopen(jname, "w")) == 0) {
            fprintf(stderr, "%s: can't write %s\n", prog, jname);
            exit(1);
        }
20         (void) fwrite((char *)&dx[ix].jp, sizeof(struct jmp), 1, fj);
        (void) fwrite((char *)&dx[ix].offset, sizeof(dx[ix].offset), 1, fj);
    }
}
25
30
35
40
45
50
55
60

```


Table 2

PRO	XXXXXXXXXXXXXXXXXX	(Length = 15 amino acids)
Comparison Protein	XXXXXXXXYYYYYY	(Length = 12 amino acids)

5 % amino acid sequence identity =

(the number of identically matching amino acid residues between the two polypeptide sequences as determined by ALIGN-2) divided by (the total number of amino acid residues of the PRO polypeptide) =

10 5 divided by 15 = 33.3%

Table 3

PRO	XXXXXXXXXX	(Length = 10 amino acids)
15 Comparison Protein	XXXXXXXXYYYYZZYZ	(Length = 15 amino acids)

% amino acid sequence identity =

20 (the number of identically matching amino acid residues between the two polypeptide sequences as determined by ALIGN-2) divided by (the total number of amino acid residues of the PRO polypeptide) =

5 divided by 10 = 50%

Table 4

25 PRO-DNA	NNNNNNNNNNNNNN	(Length = 14 nucleotides)
Comparison DNA	NNNNNNLLLLLLLLLL	(Length = 16 nucleotides)

% nucleic acid sequence identity =

30 (the number of identically matching nucleotides between the two nucleic acid sequences as determined by ALIGN-2) divided by (the total number of nucleotides of the PRO-DNA nucleic acid sequence) =

6 divided by 14 = 42.9%

35

Table 5

PRO-DNA	NNNNNNNNNNNN	(Length = 12 nucleotides)
Comparison DNA	NNNNLLLVV	(Length = 9 nucleotides)

5 % nucleic acid sequence identity =

(the number of identically matching nucleotides between the two nucleic acid sequences as determined by ALIGN-2) divided by (the total number of nucleotides of the PRO-DNA nucleic acid sequence) =

10 4 divided by 12 = 33.3%

II. Compositions and Methods of the Invention

A. Full-Length PRO Polypeptides

15 The present invention provides newly identified and isolated nucleotide sequences encoding polypeptides referred to in the present application as PRO polypeptides. In particular, cDNAs encoding various PRO polypeptides have been identified and isolated, as disclosed in further detail in the Examples below. It is noted that proteins produced in separate expression rounds may be given different PRO numbers but the UNQ number is unique for any given DNA and the encoded protein, and will not be changed. However, for sake of simplicity, in the present specification the protein encoded by the full length native nucleic acid molecules disclosed herein as well as all further native homologues and variants included in the foregoing definition of PRO, will be referred to as "PRO/number", regardless of their origin or mode of preparation.

20 As disclosed in the Examples below, various cDNA clones have been deposited with the ATCC. The actual nucleotide sequences of those clones can readily be determined by the skilled artisan by sequencing of the deposited clone using routine methods in the art. The predicted amino acid sequence can be determined from the nucleotide sequence using routine skill. For the PRO polypeptides and encoding nucleic acids described herein, Applicants have identified what is believed to be the reading frame best identifiable with the sequence information available at the time.

B. PRO Polypeptide Variants

30 In addition to the full-length native sequence PRO polypeptides described herein, it is contemplated that PRO variants can be prepared. PRO variants can be prepared by introducing appropriate nucleotide changes into the PRO DNA, and/or by synthesis of the desired PRO polypeptide. Those skilled in the art will appreciate that amino acid changes may alter post-translational processes of the PRO, such as changing the number or position of glycosylation sites or altering the membrane anchoring characteristics.

35 Variations in the native full-length sequence PRO or in various domains of the PRO described herein, can be made, for example, using any of the techniques and guidelines for conservative and non-conservative

mutations set forth, for instance, in U.S. Patent No. 5,364,934. Variations may be a substitution, deletion or insertion of one or more codons encoding the PRO that results in a change in the amino acid sequence of the PRO as compared with the native sequence PRO. Optionally the variation is by substitution of at least one amino acid with any other amino acid in one or more of the domains of the PRO. Guidance in determining which amino acid residue may be inserted, substituted or deleted without adversely affecting the desired activity may be found by comparing the sequence of the PRO with that of homologous known protein molecules and minimizing the number of amino acid sequence changes made in regions of high homology. Amino acid substitutions can be the result of replacing one amino acid with another amino acid having similar structural and/or chemical properties, such as the replacement of a leucine with a serine, i.e., conservative amino acid replacements. Insertions or deletions may optionally be in the range of about 1 to 5 amino acids. The variation allowed may be determined by systematically making insertions, deletions or substitutions of amino acids in the sequence and testing the resulting variants for activity exhibited by the full-length or mature native sequence.

PRO polypeptide fragments are provided herein. Such fragments may be truncated at the N-terminus or C-terminus, or may lack internal residues, for example, when compared with a full length native protein. Certain fragments lack amino acid residues that are not essential for a desired biological activity of the PRO polypeptide.

PRO fragments may be prepared by any of a number of conventional techniques. Desired peptide fragments may be chemically synthesized. An alternative approach involves generating PRO fragments by enzymatic digestion, e.g., by treating the protein with an enzyme known to cleave proteins at sites defined by particular amino acid residues, or by digesting the DNA with suitable restriction enzymes and isolating the desired fragment. Yet another suitable technique involves isolating and amplifying a DNA fragment encoding a desired polypeptide fragment, by polymerase chain reaction (PCR). Oligonucleotides that define the desired termini of the DNA fragment are employed at the 5' and 3' primers in the PCR. Preferably, PRO polypeptide fragments share at least one biological and/or immunological activity with the native PRO polypeptide disclosed herein.

In particular embodiments, conservative substitutions of interest are shown in Table 6 under the heading of preferred substitutions. If such substitutions result in a change in biological activity, then more substantial changes, denominated exemplary substitutions in Table 6, or as further described below in reference to amino acid classes, are introduced and the products screened.

Table 6

	<u>Original Residue</u>	<u>Exemplary Substitutions</u>	<u>Preferred Substitutions</u>
5	Ala (A)	val; leu; ile	val
	Arg (R)	lys; gln; asn	lys
	Asn (N)	gln; his; lys; arg	gln
	Asp (D)	glu	glu
	Cys (C)	ser	ser
10	Gln (Q)	asn	asn
	Glu (E)	asp	asp
	Gly (G)	pro; ala	ala
	His (H)	asn; gln; lys; arg	arg
	Ile (I)	leu; val; met; ala; phe;	
15		norleucine	leu
	Leu (L)	norleucine; ile; val;	
		met; ala; phe	ile
	Lys (K)	arg; gln; asn	arg
	Met (M)	leu; phe; ile	leu
20	Phe (F)	leu; val; ile; ala; tyr	leu
	Pro (P)	ala	ala
	Ser (S)	thr	thr
	Thr (T)	ser	ser
	Trp (W)	tyr; phe	tyr
25	Tyr (Y)	trp; phe; thr; ser	phe
	Val (V)	ile; leu; met; phe;	
		ala; norleucine	leu

30 Substantial modifications in function or immunological identity of the PRO polypeptide are accomplished by selecting substitutions that differ significantly in their effect on maintaining (a) the structure of the polypeptide backbone in the area of the substitution, for example, as a sheet or helical conformation, (b) the charge or hydrophobicity of the molecule at the target site, or (c) the bulk of the side chain. Naturally occurring residues are divided into groups based on common side-chain properties:

- 35 (1) hydrophobic: norleucine, met, ala, val, leu, ile;
 (2) neutral hydrophilic: cys, ser, thr;
 (3) acidic: asp, glu;
 (4) basic: asn, gln, his, lys, arg;
 (5) residues that influence chain orientation: gly, pro; and
 40 (6) aromatic: trp, tyr, phe.

Non-conservative substitutions will entail exchanging a member of one of these classes for another class. Such substituted residues also may be introduced into the conservative substitution sites or, more preferably, into the remaining (non-conserved) sites.

45 The variations can be made using methods known in the art such as oligonucleotide-mediated (site-directed) mutagenesis, alanine scanning, and PCR mutagenesis. Site-directed mutagenesis [Carter et al., Nucl. Acids Res., 13:4331 (1986); Zoller et al., Nucl. Acids Res., 10:6487 (1987)], cassette mutagenesis [Wells et al.,

Gene, 34:315 (1985)], restriction selection mutagenesis [Wells et al., Philos. Trans. R. Soc. London SerA, 317:415 (1986)] or other known techniques can be performed on the cloned DNA to produce the PRO variant DNA.

Scanning amino acid analysis can also be employed to identify one or more amino acids along a contiguous sequence. Among the preferred scanning amino acids are relatively small, neutral amino acids. Such amino acids include alanine, glycine, serine, and cysteine. Alanine is typically a preferred scanning amino acid among this group because it eliminates the side-chain beyond the beta-carbon and is less likely to alter the main-chain conformation of the variant [Cunningham and Wells, Science, 244: 1081-1085 (1989)]. Alanine is also typically preferred because it is the most common amino acid. Further, it is frequently found in both buried and exposed positions [Creighton, The Proteins, (W.H. Freeman & Co., N.Y.); Chothia, J. Mol. Biol., 150:1 (1976)]. If alanine substitution does not yield adequate amounts of variant, an isoteric amino acid can be used.

C. Modifications of PRO

Covalent modifications of PRO are included within the scope of this invention. One type of covalent modification includes reacting targeted amino acid residues of a PRO polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N- or C- terminal residues of the PRO. Derivatization with bifunctional agents is useful, for instance, for crosslinking PRO to a water-insoluble support matrix or surface for use in the method for purifying anti-PRO antibodies, and vice-versa. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, for example, esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-[(p-azidophenyl)dithio]propioimide.

Other modifications include deamidation of glutaminyl and asparaginyl residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl or threonyl residues, methylation of the α -amino groups of lysine, arginine, and histidine side chains [T.E. Creighton, Proteins: Structure and Molecular Properties, W.H. Freeman & Co., San Francisco, pp. 79-86 (1983)], acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

Another type of covalent modification of the PRO polypeptide included within the scope of this invention comprises altering the native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended for purposes herein to mean deleting one or more carbohydrate moieties found in native sequence PRO (either by removing the underlying glycosylation site or by deleting the glycosylation by chemical and/or enzymatic means), and/or adding one or more glycosylation sites that are not present in the native sequence PRO. In addition, the phrase includes qualitative changes in the glycosylation of the native proteins, involving a change in the nature and proportions of the various carbohydrate moieties present.

Addition of glycosylation sites to the PRO polypeptide may be accomplished by altering the amino acid sequence. The alteration may be made, for example, by the addition of, or substitution by, one or more serine or threonine residues to the native sequence PRO (for O-linked glycosylation sites). The PRO amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding

the PRO polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

Another means of increasing the number of carbohydrate moieties on the PRO polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330 published 11 September 1987, and in Aplin and Wriston, CRC Crit. Rev. Biochem., pp. 259-306 (1981).

Removal of carbohydrate moieties present on the PRO polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, et al., Arch. Biochem. Biophys., 259:52 (1987) and by Edge et al., Anal. Biochem., 118:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo- and exo-glycosidases as described by Thotakura et al., Meth. Enzymol., 138:350 (1987).

Another type of covalent modification of PRO comprises linking the PRO polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol (PEG), polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

The PRO of the present invention may also be modified in a way to form a chimeric molecule comprising PRO fused to another, heterologous polypeptide or amino acid sequence.

In one embodiment, such a chimeric molecule comprises a fusion of the PRO with a tag polypeptide which provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino- or carboxyl- terminus of the PRO. The presence of such epitope-tagged forms of the PRO can be detected using an antibody against the tag polypeptide. Also, provision of the epitope tag enables the PRO to be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. Various tag polypeptides and their respective antibodies are well known in the art. Examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; the flu HA tag polypeptide and its antibody 12CA5 [Field et al., Mol. Cell. Biol., 8:2159-2165 (1988)]; the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies thereto [Evan et al., Molecular and Cellular Biology, 5:3610-3616 (1985)]; and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody [Paborsky et al., Protein Engineering, 3(6):547-553 (1990)]. Other tag polypeptides include the Flag-peptide [Hopp et al., BioTechnology, 6:1204-1210 (1988)]; the KT3 epitope peptide [Martin et al., Science, 255:192-194 (1992)]; an α -tubulin epitope peptide [Skinner et al., J. Biol. Chem., 266:15163-15166 (1991)]; and the T7 gene 10 protein peptide tag [Lutz-Freyermuth et al., Proc. Natl. Acad. Sci. USA, 87:6393-6397 (1990)].

In an alternative embodiment, the chimeric molecule may comprise a fusion of the PRO with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule (also referred to as an "immunoadhesin"), such a fusion could be to the Fc region of an IgG molecule. The Ig fusions preferably include the substitution of a soluble (transmembrane domain deleted or inactivated) form of a PRO polypeptide in place of at least one variable region within an Ig molecule. In a particularly preferred embodiment, the immunoglobulin fusion includes the hinge, CH2 and CH3, or the hinge, CH1, CH2 and CH3 regions of an IgG1 molecule. For the production of immunoglobulin fusions see also US Patent No. 5,428,130 issued June 27,

1995.

D. Preparation of PRO

The description below relates primarily to production of PRO by culturing cells transformed or transfected with a vector containing PRO nucleic acid. It is, of course, contemplated that alternative methods, which are well known in the art, may be employed to prepare PRO. For instance, the PRO sequence, or portions thereof, may be produced by direct peptide synthesis using solid-phase techniques [see, e.g., Stewart et al., Solid-Phase Peptide Synthesis, W.H. Freeman Co., San Francisco, CA (1969); Merrifield, J. Am. Chem. Soc., **85**:2149-2154 (1963)]. *In vitro* protein synthesis may be performed using manual techniques or by automation. Automated synthesis may be accomplished, for instance, using an Applied Biosystems Peptide Synthesizer (Foster City, CA) using manufacturer's instructions. Various portions of the PRO may be chemically synthesized separately and combined using chemical or enzymatic methods to produce the full-length PRO.

1. Isolation of DNA Encoding PRO

DNA encoding PRO may be obtained from a cDNA library prepared from tissue believed to possess the PRO mRNA and to express it at a detectable level. Accordingly, human PRO DNA can be conveniently obtained from a cDNA library prepared from human tissue, such as described in the Examples. The PRO-encoding gene may also be obtained from a genomic library or by known synthetic procedures (e.g., automated nucleic acid synthesis).

Libraries can be screened with probes (such as antibodies to the PRO or oligonucleotides of at least about 20-80 bases) designed to identify the gene of interest or the protein encoded by it. Screening the cDNA or genomic library with the selected probe may be conducted using standard procedures, such as described in Sambrook et al., Molecular Cloning: A Laboratory Manual (New York: Cold Spring Harbor Laboratory Press, 1989). An alternative means to isolate the gene encoding PRO is to use PCR methodology [Sambrook et al., supra; Dieffenbach et al., PCR Primer: A Laboratory Manual (Cold Spring Harbor Laboratory Press, 1995)].

The Examples below describe techniques for screening a cDNA library. The oligonucleotide sequences selected as probes should be of sufficient length and sufficiently unambiguous that false positives are minimized. The oligonucleotide is preferably labeled such that it can be detected upon hybridization to DNA in the library being screened. Methods of labeling are well known in the art, and include the use of radiolabels like ³²P-labeled ATP, biotinylation or enzyme labeling. Hybridization conditions, including moderate stringency and high stringency, are provided in Sambrook et al., supra.

Sequences identified in such library screening methods can be compared and aligned to other known sequences deposited and available in public databases such as GenBank or other private sequence databases. Sequence identity (at either the amino acid or nucleotide level) within defined regions of the molecule or across the full-length sequence can be determined using methods known in the art and as described herein.

Nucleic acid having protein coding sequence may be obtained by screening selected cDNA or genomic libraries using the deduced amino acid sequence disclosed herein for the first time, and, if necessary, using conventional primer extension procedures as described in Sambrook et al., supra, to detect precursors and

processing intermediates of mRNA that may not have been reverse-transcribed into cDNA.

2. Selection and Transformation of Host Cells

Host cells are transfected or transformed with expression or cloning vectors described herein for PRO production and cultured in conventional nutrient media modified as appropriate for inducing promoters, selecting transformants, or amplifying the genes encoding the desired sequences. The culture conditions, such as media, temperature, pH and the like, can be selected by the skilled artisan without undue experimentation. In general, principles, protocols, and practical techniques for maximizing the productivity of cell cultures can be found in Mammalian Cell Biotechnology: a Practical Approach, M. Butler, ed. (IRL Press, 1991) and Sambrook et al., supra.

Methods of eukaryotic cell transfection and prokaryotic cell transformation are known to the ordinarily skilled artisan, for example, CaCl_2 , CaPO_4 , liposome-mediated and electroporation. Depending on the host cell used, transformation is performed using standard techniques appropriate to such cells. The calcium treatment employing calcium chloride, as described in Sambrook et al., supra, or electroporation is generally used for prokaryotes. Infection with *Agrobacterium tumefaciens* is used for transformation of certain plant cells, as described by Shaw et al., Gene, 23:315 (1983) and WO 89/05859 published 29 June 1989. For mammalian cells without such cell walls, the calcium phosphate precipitation method of Graham and van der Eb, Virology, 52:456-457 (1978) can be employed. General aspects of mammalian cell host system transfections have been described in U.S. Patent No. 4,399,216. Transformations into yeast are typically carried out according to the method of Van Solingen et al., J. Bact., 130:946 (1977) and Hsiao et al., Proc. Natl. Acad. Sci. (USA), 76:3829 (1979). However, other methods for introducing DNA into cells, such as by nuclear microinjection, electroporation, bacterial protoplast fusion with intact cells, or polycations, e.g., polybrene, polyornithine, may also be used. For various techniques for transforming mammalian cells, see Keown et al., Methods in Enzymology, 185:527-537 (1990) and Mansour et al., Nature, 336:348-352 (1988).

Suitable host cells for cloning or expressing the DNA in the vectors herein include prokaryote, yeast, or higher eukaryote cells. Suitable prokaryotes include but are not limited to eubacteria, such as Gram-negative or Gram-positive organisms, for example, Enterobacteriaceae such as *E. coli*. Various *E. coli* strains are publicly available, such as *E. coli* K12 strain MM294 (ATCC 31,446); *E. coli* X1776 (ATCC 31,537); *E. coli* strain W3110 (ATCC 27,325) and K5 772 (ATCC 53,635). Other suitable prokaryotic host cells include Enterobacteriaceae such as *Escherichia*, e.g., *E. coli*, *Enterobacter*, *Erwinia*, *Klebsiella*, *Proteus*, *Salmonella*, e.g., *Salmonella typhimurium*, *Serratia*, e.g., *Serratia marcescans*, and *Shigella*, as well as *Bacilli* such as *B. subtilis* and *B. licheniformis* (e.g., *B. licheniformis* 41P disclosed in DD 266,710 published 12 April 1989), *Pseudomonas* such as *P. aeruginosa*, and *Streptomyces*. These examples are illustrative rather than limiting. Strain W3110 is one particularly preferred host or parent host because it is a common host strain for recombinant DNA product fermentations. Preferably, the host cell secretes minimal amounts of proteolytic enzymes. For example, strain W3110 may be modified to effect a genetic mutation in the genes encoding proteins endogenous to the host, with examples of such hosts including *E. coli* W3110 strain 1A2, which has the complete genotype *tonA*; *E. coli* W3110 strain 9E4, which has the complete genotype *tonA ptr3*; *E. coli* W3110 strain 27C7 (ATCC

55,244), which has the complete genotype *tonA ptr3 phoA E15 (argF-lac)169 degP ompT kan'*; *E. coli* W3110 strain 37D6, which has the complete genotype *tonA ptr3 phoA E15 (argF-lac)169 degP ompT rbs7 ilvG kan'*; *E. coli* W3110 strain 40B4, which is strain 37D6 with a non-kanamycin resistant *degP* deletion mutation; and an *E. coli* strain having mutant periplasmic protease disclosed in U.S. Patent No. 4,946,783 issued 7 August 1990. Alternatively, *in vitro* methods of cloning, e.g., PCR or other nucleic acid polymerase reactions, are suitable.

5 In addition to prokaryotes, eukaryotic microbes such as filamentous fungi or yeast are suitable cloning or expression hosts for PRO-encoding vectors. *Saccharomyces cerevisiae* is a commonly used lower eukaryotic host microorganism. Others include *Schizosaccharomyces pombe* (Beach and Nurse, Nature, 290: 140 [1981]; EP 139,383 published 2 May 1985); *Kluyveromyces* hosts (U.S. Patent No. 4,943,529; Fleer et al., Bio/Technology, 9:968-975 (1991)) such as, e.g., *K. lactis* (MW98-8C, CBS683, CBS4574; Louvencourt et al., 10 J. Bacteriol., 154(2):737-742 [1983]), *K. fragilis* (ATCC 12,424), *K. bulgaricus* (ATCC 16,045), *K. wickerhamii* (ATCC 24,178), *K. waltii* (ATCC 56,500), *K. drosophilae* (ATCC 36,906; Van den Berg et al., Bio/Technology, 8:135 (1990)), *K. thermotolerans*, and *K. marxianus*; *yarrowia* (EP 402,226); *Pichia pastoris* (EP 183,070; Sreekrishna et al., J. Basic Microbiol., 28:265-278 [1988]); *Candida*; *Trichoderma reesia* (EP 244,234); *Neurospora crassa* (Case et al., Proc. Natl. Acad. Sci. USA, 76:5259-5263 [1979]); *Schwanniomyces* 15 such as *Schwanniomyces occidentalis* (EP 394,538 published 31 October 1990); and filamentous fungi such as, e.g., *Neurospora*, *Penicillium*, *Tolypocladium* (WO 91/00357 published 10 January 1991), and *Aspergillus* hosts such as *A. nidulans* (Ballance et al., Biochem. Biophys. Res. Commun., 112:284-289 [1983]; Tilburn et al., Gene, 26:205-221 [1983]; Yelton et al., Proc. Natl. Acad. Sci. USA, 81: 1470-1474 [1984]) and *A. niger* (Kelly and Hynes, EMBO J., 4:475-479 [1985]). Methylotrophic yeasts are suitable herein and include, but are not 20 limited to, yeast capable of growth on methanol selected from the genera consisting of *Hansenula*, *Candida*, *Kloeckera*, *Pichia*, *Saccharomyces*, *Torulopsis*, and *Rhodotorula*. A list of specific species that are exemplary of this class of yeasts may be found in C. Anthony, The Biochemistry of Methylotrophs, 269 (1982).

Suitable host cells for the expression of glycosylated PRO are derived from multicellular organisms. Examples of invertebrate cells include insect cells such as *Drosophila* S2 and *Spodoptera* Sf9, as well as plant 25 cells. Examples of useful mammalian host cell lines include Chinese hamster ovary (CHO) and COS cells. More specific examples include monkey kidney CV1 line transformed by SV40 (COS-7, ATCC CRL 1651); human embryonic kidney line (293 or 293 cells subcloned for growth in suspension culture, Graham et al., J. Gen Virol., 36:59 (1977)); Chinese hamster ovary cells/-DHFR (CHO, Urlaub and Chasin, Proc. Natl. Acad. Sci. USA, 77:4216 (1980)); mouse sertoli cells (TM4, Mather, Biol. Reprod., 23:243-251 (1980)); human lung cells (W138, 30 ATCC CCL 75); human liver cells (Hep G2, HB 8065); and mouse mammary tumor (MMT 060562, ATCC CCL51). The selection of the appropriate host cell is deemed to be within the skill in the art.

3. Selection and Use of a Replicable Vector

35 The nucleic acid (e.g., cDNA or genomic DNA) encoding PRO may be inserted into a replicable vector for cloning (amplification of the DNA) or for expression. Various vectors are publicly available. The vector may, for example, be in the form of a plasmid, cosmid, viral particle, or phage. The appropriate nucleic acid sequence may be inserted into the vector by a variety of procedures. In general, DNA is inserted into an

appropriate restriction endonuclease site(s) using techniques known in the art. Vector components generally include, but are not limited to, one or more of a signal sequence, an origin of replication, one or more marker genes, an enhancer element, a promoter, and a transcription termination sequence. Construction of suitable vectors containing one or more of these components employs standard ligation techniques which are known to the skilled artisan.

5 The PRO may be produced recombinantly not only directly, but also as a fusion polypeptide with a heterologous polypeptide, which may be a signal sequence or other polypeptide having a specific cleavage site at the N-terminus of the mature protein or polypeptide. In general, the signal sequence may be a component of the vector, or it may be a part of the PRO-encoding DNA that is inserted into the vector. The signal sequence may be a prokaryotic signal sequence selected, for example, from the group of the alkaline phosphatase, penicillinase, lpp, or heat-stable enterotoxin II leaders. For yeast secretion the signal sequence may be, e.g., the yeast invertase leader, alpha factor leader (including *Saccharomyces* and *Kluyveromyces* α -factor leaders, the latter described in U.S. Patent No. 5,010,182), or acid phosphatase leader, the *C. albicans* glucoamylase leader (EP 362,179 published 4 April 1990), or the signal described in WO 90/13646 published 15 November 1990. In mammalian cell expression, mammalian signal sequences may be used to direct secretion of the protein, such as
10 signal sequences from secreted polypeptides of the same or related species, as well as viral secretory leaders.

15 Both expression and cloning vectors contain a nucleic acid sequence that enables the vector to replicate in one or more selected host cells. Such sequences are well known for a variety of bacteria, yeast, and viruses. The origin of replication from the plasmid pBR322 is suitable for most Gram-negative bacteria, the 2 μ plasmid origin is suitable for yeast, and various viral origins (SV40, polyoma, adenovirus, VSV or BPV) are useful for
20 cloning vectors in mammalian cells.

 Expression and cloning vectors will typically contain a selection gene, also termed a selectable marker. Typical selection genes encode proteins that (a) confer resistance to antibiotics or other toxins, e.g., ampicillin, neomycin, methotrexate, or tetracycline, (b) complement auxotrophic deficiencies, or (c) supply critical nutrients not available from complex media, e.g., the gene encoding D-alanine racemase for *Bacilli*.

25 An example of suitable selectable markers for mammalian cells are those that enable the identification of cells competent to take up the PRO-encoding nucleic acid, such as DHFR or thymidine kinase. An appropriate host cell when wild-type DHFR is employed is the CHO cell line deficient in DHFR activity, prepared and propagated as described by Urlaub et al., Proc. Natl. Acad. Sci. USA, 77:4216 (1980). A suitable selection gene for use in yeast is the *trp1* gene present in the yeast plasmid YRp7 [Stinchcomb et al., Nature, 282:39 (1979); Kingsman et al., Gene, 7:141 (1979); Tschemper et al., Gene, 10:157 (1980)]. The *trp1* gene provides a
30 selection marker for a mutant strain of yeast lacking the ability to grow in tryptophan, for example, ATCC No. 44076 or PEP4-1 [Jones, Genetics, 85:12 (1977)].

 Expression and cloning vectors usually contain a promoter operably linked to the PRO-encoding nucleic acid sequence to direct mRNA synthesis. Promoters recognized by a variety of potential host cells are well
35 known. Promoters suitable for use with prokaryotic hosts include the β -lactamase and lactose promoter systems [Chang et al., Nature, 275:615 (1978); Goeddel et al., Nature, 281:544 (1979)], alkaline phosphatase, a tryptophan (*trp*) promoter system [Goeddel, Nucleic Acids Res., 8:4057 (1980); EP 36,776], and hybrid

promoters such as the tac promoter [deBoer et al., Proc. Natl. Acad. Sci. USA, 80:21-25 (1983)]. Promoters for use in bacterial systems also will contain a Shine-Dalgarno (S.D.) sequence operably linked to the DNA encoding PRO.

5 Examples of suitable promoting sequences for use with yeast hosts include the promoters for 3-phosphoglycerate kinase [Hitzeman et al., J. Biol. Chem., 255:2073 (1980)] or other glycolytic enzymes [Hess et al., J. Adv. Enzyme Reg., 7:149 (1968); Holland, Biochemistry, 17:4900 (1978)], such as enolase, glyceraldehyde-3-phosphate dehydrogenase, hexokinase, pyruvate decarboxylase, phosphofructokinase, glucose-6-phosphate isomerase, 3-phosphoglycerate mutase, pyruvate kinase, triosephosphate isomerase, phosphoglucose isomerase, and glucokinase.

10 Other yeast promoters, which are inducible promoters having the additional advantage of transcription controlled by growth conditions, are the promoter regions for alcohol dehydrogenase 2, isocytochrome C, acid phosphatase, degradative enzymes associated with nitrogen metabolism, metallothionein, glyceraldehyde-3-phosphate dehydrogenase, and enzymes responsible for maltose and galactose utilization. Suitable vectors and promoters for use in yeast expression are further described in EP 73,657.

15 PRO transcription from vectors in mammalian host cells is controlled, for example, by promoters obtained from the genomes of viruses such as polyoma virus, fowlpox virus (UK 2,211,504 published 5 July 1989), adenovirus (such as Adenovirus 2), bovine papilloma virus, avian sarcoma virus, cytomegalovirus, a retrovirus, hepatitis-B virus and Simian Virus 40 (SV40), from heterologous mammalian promoters, e.g., the actin promoter or an immunoglobulin promoter, and from heat-shock promoters, provided such promoters are compatible with the host cell systems.

20 Transcription of a DNA encoding the PRO by higher eukaryotes may be increased by inserting an enhancer sequence into the vector. Enhancers are cis-acting elements of DNA, usually about from 10 to 300 bp, that act on a promoter to increase its transcription. Many enhancer sequences are now known from mammalian genes (globin, elastase, albumin, α -fetoprotein, and insulin). Typically, however, one will use an enhancer from a eukaryotic cell virus. Examples include the SV40 enhancer on the late side of the replication origin (bp 100-270), the cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, and adenovirus enhancers. The enhancer may be spliced into the vector at a position 5' or 3' to the PRO coding sequence, but is preferably located at a site 5' from the promoter.

25 Expression vectors used in eukaryotic host cells (yeast, fungi, insect, plant, animal, human, or nucleated cells from other multicellular organisms) will also contain sequences necessary for the termination of transcription and for stabilizing the mRNA. Such sequences are commonly available from the 5' and, occasionally 3', untranslated regions of eukaryotic or viral DNAs or cDNAs. These regions contain nucleotide segments transcribed as polyadenylated fragments in the untranslated portion of the mRNA encoding PRO.

30 Still other methods, vectors, and host cells suitable for adaptation to the synthesis of PRO in recombinant vertebrate cell culture are described in Gething et al., Nature, 293:620-625 (1981); Mantei et al., Nature, 281:40-46 (1979); EP 117,060; and EP 117,058.

4. Detecting Gene Amplification/Expression

Gene amplification and/or expression may be measured in a sample directly, for example, by conventional Southern blotting, Northern blotting to quantitate the transcription of mRNA [Thomas, Proc. Natl. Acad. Sci. USA, 77:5201-5205 (1980)], dot blotting (DNA analysis), or *in situ* hybridization, using an appropriately labeled probe, based on the sequences provided herein. Alternatively, antibodies may be employed that can recognize specific duplexes, including DNA duplexes, RNA duplexes, and DNA-RNA hybrid duplexes or DNA-protein duplexes. The antibodies in turn may be labeled and the assay may be carried out where the duplex is bound to a surface, so that upon the formation of duplex on the surface, the presence of antibody bound to the duplex can be detected.

Gene expression, alternatively, may be measured by immunological methods, such as immunohistochemical staining of cells or tissue sections and assay of cell culture or body fluids, to quantitate directly the expression of gene product. Antibodies useful for immunohistochemical staining and/or assay of sample fluids may be either monoclonal or polyclonal, and may be prepared in any mammal. Conveniently, the antibodies may be prepared against a native sequence PRO polypeptide or against a synthetic peptide based on the DNA sequences provided herein or against exogenous sequence fused to PRO DNA and encoding a specific antibody epitope.

5. Purification of Polypeptide

Forms of PRO may be recovered from culture medium or from host cell lysates. If membrane-bound, it can be released from the membrane using a suitable detergent solution (e.g. Triton-X 100) or by enzymatic cleavage. Cells employed in expression of PRO can be disrupted by various physical or chemical means, such as freeze-thaw cycling, sonication, mechanical disruption, or cell lysing agents.

It may be desired to purify PRO from recombinant cell proteins or polypeptides. The following procedures are exemplary of suitable purification procedures: by fractionation on an ion-exchange column; ethanol precipitation; reverse phase HPLC; chromatography on silica or on a cation-exchange resin such as DEAE; chromatofocusing; SDS-PAGE; ammonium sulfate precipitation; gel filtration using, for example, Sephadex G-75; protein A Sepharose columns to remove contaminants such as IgG; and metal chelating columns to bind epitope-tagged forms of the PRO. Various methods of protein purification may be employed and such methods are known in the art and described for example in Deutscher, Methods in Enzymology, 182 (1990); Scopes, Protein Purification: Principles and Practice, Springer-Verlag, New York (1982). The purification step(s) selected will depend, for example, on the nature of the production process used and the particular PRO produced.

E. Uses for PRO

Nucleotide sequences (or their complement) encoding PRO have various applications in the art of molecular biology, including uses as hybridization probes, in chromosome and gene mapping and in the generation of anti-sense RNA and DNA. PRO nucleic acid will also be useful for the preparation of PRO polypeptides by the recombinant techniques described herein.

The full-length native sequence PRO gene, or portions thereof, may be used as hybridization probes for a cDNA library to isolate the full-length PRO cDNA or to isolate still other cDNAs (for instance, those encoding

naturally-occurring variants of PRO or PRO from other species) which have a desired sequence identity to the native PRO sequence disclosed herein. Optionally, the length of the probes will be about 20 to about 50 bases. The hybridization probes may be derived from at least partially novel regions of the full length native nucleotide sequence wherein those regions may be determined without undue experimentation or from genomic sequences including promoters, enhancer elements and introns of native sequence PRO. By way of example, a screening method will comprise isolating the coding region of the PRO gene using the known DNA sequence to synthesize a selected probe of about 40 bases. Hybridization probes may be labeled by a variety of labels, including radionucleotides such as ^{32}P or ^{35}S , or enzymatic labels such as alkaline phosphatase coupled to the probe via avidin/biotin coupling systems. Labeled probes having a sequence complementary to that of the PRO gene of the present invention can be used to screen libraries of human cDNA, genomic DNA or mRNA to determine which members of such libraries the probe hybridizes to. Hybridization techniques are described in further detail in the Examples below.

Any EST sequences disclosed in the present application may similarly be employed as probes, using the methods disclosed herein.

Other useful fragments of the PRO nucleic acids include antisense or sense oligonucleotides comprising a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target PRO mRNA (sense) or PRO DNA (antisense) sequences. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment of the coding region of PRO DNA. Such a fragment generally comprises at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein is described in, for example, Stein and Cohen (Cancer Res. 48:2659, 1988) and van der Krol et al. (BioTechniques 6:958, 1988).

Binding of antisense or sense oligonucleotides to target nucleic acid sequences results in the formation of duplexes that block transcription or translation of the target sequence by one of several means, including enhanced degradation of the duplexes, premature termination of transcription or translation, or by other means. The antisense oligonucleotides thus may be used to block expression of PRO proteins. Antisense or sense oligonucleotides further comprise oligonucleotides having modified sugar-phosphodiester backbones (or other sugar linkages, such as those described in WO 91/06629) and wherein such sugar linkages are resistant to endogenous nucleases. Such oligonucleotides with resistant sugar linkages are stable *in vivo* (i.e., capable of resisting enzymatic degradation) but retain sequence specificity to be able to bind to target nucleotide sequences.

Other examples of sense or antisense oligonucleotides include those oligonucleotides which are covalently linked to organic moieties, such as those described in WO 90/10048, and other moieties that increases affinity of the oligonucleotide for a target nucleic acid sequence, such as poly-(L-lysine). Further still, intercalating agents, such as ellipticine, and alkylating agents or metal complexes may be attached to sense or antisense oligonucleotides to modify binding specificities of the antisense or sense oligonucleotide for the target nucleotide sequence.

Antisense or sense oligonucleotides may be introduced into a cell containing the target nucleic acid sequence by any gene transfer method, including, for example, CaPO_4 -mediated DNA transfection, electroporation, or by using gene transfer vectors such as Epstein-Barr virus. In a preferred procedure, an

antisense or sense oligonucleotide is inserted into a suitable retroviral vector. A cell containing the target nucleic acid sequence is contacted with the recombinant retroviral vector, either *in vivo* or *ex vivo*. Suitable retroviral vectors include, but are not limited to, those derived from the murine retrovirus M-MuLV, N2 (a retrovirus derived from M-MuLV), or the double copy vectors designated DCT5A, DCT5B and DCT5C (see WO 90/13641).

5 Sense or antisense oligonucleotides also may be introduced into a cell containing the target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or
10 receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell.

Alternatively, a sense or an antisense oligonucleotide may be introduced into a cell containing the target nucleic acid sequence by formation of an oligonucleotide-lipid complex, as described in WO 90/10448. The sense or antisense oligonucleotide-lipid complex is preferably dissociated within the cell by an endogenous lipase.

15 Antisense or sense RNA or DNA molecules are generally at least about 5 bases in length, about 10 bases in length, about 15 bases in length, about 20 bases in length, about 25 bases in length, about 30 bases in length, about 35 bases in length, about 40 bases in length, about 45 bases in length, about 50 bases in length, about 55 bases in length, about 60 bases in length, about 65 bases in length, about 70 bases in length, about 75 bases in length, about 80 bases in length, about 85 bases in length, about 90 bases in length, about 95 bases in length, about 100 bases in length, or more.

20 The probes may also be employed in PCR techniques to generate a pool of sequences for identification of closely related PRO coding sequences.

Nucleotide sequences encoding a PRO can also be used to construct hybridization probes for mapping the gene which encodes that PRO and for the genetic analysis of individuals with genetic disorders. The nucleotide sequences provided herein may be mapped to a chromosome and specific regions of a chromosome
25 using known techniques, such as *in situ* hybridization, linkage analysis against known chromosomal markers, and hybridization screening with libraries.

When the coding sequences for PRO encode a protein which binds to another protein (example, where the PRO is a receptor), the PRO can be used in assays to identify the other proteins or molecules involved in the binding interaction. By such methods, inhibitors of the receptor/ligand binding interaction can be identified.
30 Proteins involved in such binding interactions can also be used to screen for peptide or small molecule inhibitors or agonists of the binding interaction. Also, the receptor PRO can be used to isolate correlative ligand(s). Screening assays can be designed to find lead compounds that mimic the biological activity of a native PRO or a receptor for PRO. Such screening assays will include assays amenable to high-throughput screening of chemical libraries, making them particularly suitable for identifying small molecule drug candidates. Small molecules
35 contemplated include synthetic organic or inorganic compounds. The assays can be performed in a variety of formats, including protein-protein binding assays, biochemical screening assays, immunoassays and cell based assays, which are well characterized in the art.

Nucleic acids which encode PRO or its modified forms can also be used to generate either transgenic animals or "knock out" animals which, in turn, are useful in the development and screening of therapeutically useful reagents. A transgenic animal (e.g., a mouse or rat) is an animal having cells that contain a transgene, which transgene was introduced into the animal or an ancestor of the animal at a prenatal, e.g., an embryonic stage. A transgene is a DNA which is integrated into the genome of a cell from which a transgenic animal develops. In one embodiment, cDNA encoding PRO can be used to clone genomic DNA encoding PRO in accordance with established techniques and the genomic sequences used to generate transgenic animals that contain cells which express DNA encoding PRO. Methods for generating transgenic animals, particularly animals such as mice or rats, have become conventional in the art and are described, for example, in U.S. Patent Nos. 4,736,866 and 4,870,009. Typically, particular cells would be targeted for PRO transgene incorporation with tissue-specific enhancers. Transgenic animals that include a copy of a transgene encoding PRO introduced into the germ line of the animal at an embryonic stage can be used to examine the effect of increased expression of DNA encoding PRO. Such animals can be used as tester animals for reagents thought to confer protection from, for example, pathological conditions associated with its overexpression. In accordance with this facet of the invention, an animal is treated with the reagent and a reduced incidence of the pathological condition, compared to untreated animals bearing the transgene, would indicate a potential therapeutic intervention for the pathological condition.

Alternatively, non-human homologues of PRO can be used to construct a PRO "knock out" animal which has a defective or altered gene encoding PRO as a result of homologous recombination between the endogenous gene encoding PRO and altered genomic DNA encoding PRO introduced into an embryonic stem cell of the animal. For example, cDNA encoding PRO can be used to clone genomic DNA encoding PRO in accordance with established techniques. A portion of the genomic DNA encoding PRO can be deleted or replaced with another gene, such as a gene encoding a selectable marker which can be used to monitor integration. Typically, several kilobases of unaltered flanking DNA (both at the 5' and 3' ends) are included in the vector [see e.g., Thomas and Capecchi, *Cell*, 51:503 (1987) for a description of homologous recombination vectors]. The vector is introduced into an embryonic stem cell line (e.g., by electroporation) and cells in which the introduced DNA has homologously recombined with the endogenous DNA are selected [see e.g., Li et al., *Cell*, 69:915 (1992)]. The selected cells are then injected into a blastocyst of an animal (e.g., a mouse or rat) to form aggregation chimeras [see e.g., Bradley, in *Teratocarcinomas and Embryonic Stem Cells: A Practical Approach*, E. J. Robertson, ed. (IRL, Oxford, 1987), pp. 113-152]. A chimeric embryo can then be implanted into a suitable pseudopregnant female foster animal and the embryo brought to term to create a "knock out" animal. Progeny harboring the homologously recombined DNA in their germ cells can be identified by standard techniques and used to breed animals in which all cells of the animal contain the homologously recombined DNA. Knockout animals can be characterized for instance, for their ability to defend against certain pathological conditions and for their development of pathological conditions due to absence of the PRO polypeptide.

Nucleic acid encoding the PRO polypeptides may also be used in gene therapy. In gene therapy applications, genes are introduced into cells in order to achieve *in vivo* synthesis of a therapeutically effective genetic product, for example for replacement of a defective gene. "Gene therapy" includes both conventional

gene therapy where a lasting effect is achieved by a single treatment, and the administration of gene therapeutic agents, which involves the one time or repeated administration of a therapeutically effective DNA or mRNA. Antisense RNAs and DNAs can be used as therapeutic agents for blocking the expression of certain genes *in vivo*. It has already been shown that short antisense oligonucleotides can be imported into cells where they act as inhibitors, despite their low intracellular concentrations caused by their restricted uptake by the cell membrane.

5 (Zamecnik *et al.*, Proc. Natl. Acad. Sci. USA 83:4143-4146 [1986]). The oligonucleotides can be modified to enhance their uptake, e.g. by substituting their negatively charged phosphodiester groups by uncharged groups.

There are a variety of techniques available for introducing nucleic acids into viable cells. The techniques vary depending upon whether the nucleic acid is transferred into cultured cells *in vitro*, or *in vivo* in the cells of the intended host. Techniques suitable for the transfer of nucleic acid into mammalian cells *in vitro* include the use of liposomes, electroporation, microinjection, cell fusion, DEAE-dextran, the calcium phosphate precipitation method, etc. The currently preferred *in vivo* gene transfer techniques include transfection with viral (typically retroviral) vectors and viral coat protein-liposome mediated transfection (Dzau *et al.*, Trends in Biotechnology 11, 205-210 [1993]). In some situations it is desirable to provide the nucleic acid source with an agent that targets the target cells, such as an antibody specific for a cell surface membrane protein or the target cell, a ligand for a receptor on the target cell, etc. Where liposomes are employed, proteins which bind to a cell surface membrane protein associated with endocytosis may be used for targeting and/or to facilitate uptake, e.g. capsid proteins or fragments thereof tropic for a particular cell type, antibodies for proteins which undergo internalization in cycling, proteins that target intracellular localization and enhance intracellular half-life. The technique of receptor-mediated endocytosis is described, for example, by Wu *et al.*, J. Biol. Chem. 262, 4429-4432 (1987); and Wagner *et al.*, Proc. Natl. Acad. Sci. USA 87, 3410-3414 (1990). For review of gene marking and gene therapy protocols see Anderson *et al.*, Science 256, 808-813 (1992).

10
15
20

The PRO polypeptides described herein may also be employed as molecular weight markers for protein electrophoresis purposes and the isolated nucleic acid sequences may be used for recombinantly expressing those markers.

25 The nucleic acid molecules encoding the PRO polypeptides or fragments thereof described herein are useful for chromosome identification. In this regard, there exists an ongoing need to identify new chromosome markers, since relatively few chromosome marking reagents, based upon actual sequence data are presently available. Each PRO nucleic acid molecule of the present invention can be used as a chromosome marker.

The PRO polypeptides and nucleic acid molecules of the present invention may also be used diagnostically for tissue typing, wherein the PRO polypeptides of the present invention may be differentially expressed in one tissue as compared to another, preferably in a diseased tissue as compared to a normal tissue of the same tissue type. PRO nucleic acid molecules will find use for generating probes for PCR, Northern analysis, Southern analysis and Western analysis.

30

The PRO polypeptides described herein may also be employed as therapeutic agents. The PRO polypeptides of the present invention can be formulated according to known methods to prepare pharmaceutically useful compositions, whereby the PRO product hereof is combined in admixture with a pharmaceutically acceptable carrier vehicle. Therapeutic formulations are prepared for storage by mixing the active ingredient

35

having the desired degree of purity with optional physiologically acceptable carriers, excipients or stabilizers (Remington's Pharmaceutical Sciences 16th edition, Osol, A. Ed. (1980)), in the form of lyophilized formulations or aqueous solutions. Acceptable carriers, excipients or stabilizers are nontoxic to recipients at the dosages and concentrations employed, and include buffers such as phosphate, citrate and other organic acids; antioxidants including ascorbic acid; low molecular weight (less than about 10 residues) polypeptides; proteins, such as serum

5 albumin, gelatin or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone, amino acids such as glycine, glutamine, asparagine, arginine or lysine; monosaccharides, disaccharides and other carbohydrates including glucose, mannose, or dextrans; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; salt-forming counterions such as sodium; and/or nonionic surfactants such as TWEENTM, PLURONICSTM or PEG.

10 The formulations to be used for *in vivo* administration must be sterile. This is readily accomplished by filtration through sterile filtration membranes, prior to or following lyophilization and reconstitution.

Therapeutic compositions herein generally are placed into a container having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

The route of administration is in accord with known methods, e.g. injection or infusion by intravenous,

15 intraperitoneal, intracerebral, intramuscular, intraocular, intraarterial or intralesional routes, topical administration, or by sustained release systems.

Dosages and desired drug concentrations of pharmaceutical compositions of the present invention may vary depending on the particular use envisioned. The determination of the appropriate dosage or route of administration is well within the skill of an ordinary physician. Animal experiments provide reliable guidance

20 for the determination of effective doses for human therapy. Interspecies scaling of effective doses can be performed following the principles laid down by Mordenti, J. and Chappell, W. "The use of interspecies scaling in toxicokinetics" In *Toxicokinetics and New Drug Development*, Yacobi et al., Eds., Pergamon Press, New York 1989, pp. 42-96.

When *in vivo* administration of a PRO polypeptide or agonist or antagonist thereof is employed, normal

25 dosage amounts may vary from about 10 ng/kg to up to 100 mg/kg of mammal body weight or more per day, preferably about 1 µg/kg/day to 10 mg/kg/day, depending upon the route of administration. Guidance as to particular dosages and methods of delivery is provided in the literature; see, for example, U.S. Pat. Nos. 4,657,760; 5,206,344; or 5,225,212. It is anticipated that different formulations will be effective for different treatment compounds and different disorders, that administration targeting one organ or tissue, for example, may

30 necessitate delivery in a manner different from that to another organ or tissue.

Where sustained-release administration of a PRO polypeptide is desired in a formulation with release characteristics suitable for the treatment of any disease or disorder requiring administration of the PRO polypeptide, microencapsulation of the PRO polypeptide is contemplated. Microencapsulation of recombinant proteins for sustained release has been successfully performed with human growth hormone (rhGH), interferon-

35 (rhIFN-), interleukin-2, and MN rgp120. Johnson et al., *Nat. Med.*, 2:795-799 (1996); Yasuda, *Biomed. Ther.*, 27:1221-1223 (1993); Hora et al., *Bio/Technology*, 8:755-758 (1990); Cleland, "Design and Production of Single Immunization Vaccines Using Polylactide Polyglycolide Microsphere Systems," in *Vaccine Design: The Subunit*

and Adjuvant Approach, Powell and Newman, eds, (Plenum Press: New York, 1995), pp. 439-462; WO 97/03692, WO 96/40072, WO 96/07399; and U.S. Pat. No. 5,654,010.

The sustained-release formulations of these proteins were developed using poly-lactic-coglycolic acid (PLGA) polymer due to its biocompatibility and wide range of biodegradable properties. The degradation products of PLGA, lactic and glycolic acids, can be cleared quickly within the human body. Moreover, the degradability of this polymer can be adjusted from months to years depending on its molecular weight and composition. Lewis, "Controlled release of bioactive agents from lactide/glycolide polymer," in: M. Chasin and R. Langer (Eds.), Biodegradable Polymers as Drug Delivery Systems (Marcel Dekker: New York, 1990), pp. 1-41.

This invention encompasses methods of screening compounds to identify those that mimic the PRO polypeptide (agonists) or prevent the effect of the PRO polypeptide (antagonists). Screening assays for antagonist drug candidates are designed to identify compounds that bind or complex with the PRO polypeptides encoded by the genes identified herein, or otherwise interfere with the interaction of the encoded polypeptides with other cellular proteins. Such screening assays will include assays amenable to high-throughput screening of chemical libraries, making them particularly suitable for identifying small molecule drug candidates.

The assays can be performed in a variety of formats, including protein-protein binding assays, biochemical screening assays, immunoassays, and cell-based assays, which are well characterized in the art.

All assays for antagonists are common in that they call for contacting the drug candidate with a PRO polypeptide encoded by a nucleic acid identified herein under conditions and for a time sufficient to allow these two components to interact.

In binding assays, the interaction is binding and the complex formed can be isolated or detected in the reaction mixture. In a particular embodiment, the PRO polypeptide encoded by the gene identified herein or the drug candidate is immobilized on a solid phase, e.g., on a microtiter plate, by covalent or non-covalent attachments. Non-covalent attachment generally is accomplished by coating the solid surface with a solution of the PRO polypeptide and drying. Alternatively, an immobilized antibody, e.g., a monoclonal antibody, specific for the PRO polypeptide to be immobilized can be used to anchor it to a solid surface. The assay is performed by adding the non-immobilized component, which may be labeled by a detectable label, to the immobilized component, e.g., the coated surface containing the anchored component. When the reaction is complete, the non-reacted components are removed, e.g., by washing, and complexes anchored on the solid surface are detected. When the originally non-immobilized component carries a detectable label, the detection of label immobilized on the surface indicates that complexing occurred. Where the originally non-immobilized component does not carry a label, complexing can be detected, for example, by using a labeled antibody specifically binding the immobilized complex.

If the candidate compound interacts with but does not bind to a particular PRO polypeptide encoded by a gene identified herein, its interaction with that polypeptide can be assayed by methods well known for detecting protein-protein interactions. Such assays include traditional approaches, such as, e.g., cross-linking, co-immunoprecipitation, and co-purification through gradients or chromatographic columns. In addition, protein-protein interactions can be monitored by using a yeast-based genetic system described by Fields and co-workers (Fields and Song, Nature (London), 340:245-246 (1989); Chien et al., Proc. Natl. Acad. Sci. USA, 88:9578-9582

(1991)) as disclosed by Chevray and Nathans, Proc. Natl. Acad. Sci. USA, 89: 5789-5793 (1991). Many transcriptional activators, such as yeast GAL4, consist of two physically discrete modular domains, one acting as the DNA-binding domain, the other one functioning as the transcription-activation domain. The yeast expression system described in the foregoing publications (generally referred to as the "two-hybrid system") takes advantage of this property, and employs two hybrid proteins, one in which the target protein is fused to the DNA-binding domain of GAL4, and another, in which candidate activating proteins are fused to the activation domain. The expression of a GAL1-*lacZ* reporter gene under control of a GAL4-activated promoter depends on reconstitution of GAL4 activity via protein-protein interaction. Colonies containing interacting polypeptides are detected with a chromogenic substrate for β -galactosidase. A complete kit (MATCHMAKER™) for identifying protein-protein interactions between two specific proteins using the two-hybrid technique is commercially available from Clontech. This system can also be extended to map protein domains involved in specific protein interactions as well as to pinpoint amino acid residues that are crucial for these interactions.

Compounds that interfere with the interaction of a gene encoding a PRO polypeptide identified herein and other intra- or extracellular components can be tested as follows: usually a reaction mixture is prepared containing the product of the gene and the intra- or extracellular component under conditions and for a time allowing for the interaction and binding of the two products. To test the ability of a candidate compound to inhibit binding, the reaction is run in the absence and in the presence of the test compound. In addition, a placebo may be added to a third reaction mixture, to serve as positive control. The binding (complex formation) between the test compound and the intra- or extracellular component present in the mixture is monitored as described hereinabove. The formation of a complex in the control reaction(s) but not in the reaction mixture containing the test compound indicates that the test compound interferes with the interaction of the test compound and its reaction partner.

To assay for antagonists, the PRO polypeptide may be added to a cell along with the compound to be screened for a particular activity and the ability of the compound to inhibit the activity of interest in the presence of the PRO polypeptide indicates that the compound is an antagonist to the PRO polypeptide. Alternatively, antagonists may be detected by combining the PRO polypeptide and a potential antagonist with membrane-bound PRO polypeptide receptors or recombinant receptors under appropriate conditions for a competitive inhibition assay. The PRO polypeptide can be labeled, such as by radioactivity, such that the number of PRO polypeptide molecules bound to the receptor can be used to determine the effectiveness of the potential antagonist. The gene encoding the receptor can be identified by numerous methods known to those of skill in the art, for example, ligand panning and FACS sorting. Coligan et al., Current Protocols in Immun., 1(2): Chapter 5 (1991). Preferably, expression cloning is employed wherein polyadenylated RNA is prepared from a cell responsive to the PRO polypeptide and a cDNA library created from this RNA is divided into pools and used to transfect COS cells or other cells that are not responsive to the PRO polypeptide. Transfected cells that are grown on glass slides are exposed to labeled PRO polypeptide. The PRO polypeptide can be labeled by a variety of means including iodination or inclusion of a recognition site for a site-specific protein kinase. Following fixation and incubation, the slides are subjected to autoradiographic analysis. Positive pools are identified and sub-pools are prepared and re-transfected using an interactive sub-pooling and re-screening process, eventually yielding a single

clone that encodes the putative receptor.

As an alternative approach for receptor identification, labeled PRO polypeptide can be photoaffinity-linked with cell membrane or extract preparations that express the receptor molecule. Cross-linked material is resolved by PAGE and exposed to X-ray film. The labeled complex containing the receptor can be excised, resolved into peptide fragments, and subjected to protein micro-sequencing. The amino acid sequence obtained from micro-sequencing would be used to design a set of degenerate oligonucleotide probes to screen a cDNA library to identify the gene encoding the putative receptor.

In another assay for antagonists, mammalian cells or a membrane preparation expressing the receptor would be incubated with labeled PRO polypeptide in the presence of the candidate compound. The ability of the compound to enhance or block this interaction could then be measured.

More specific examples of potential antagonists include an oligonucleotide that binds to the fusions of immunoglobulin with PRO polypeptide, and, in particular, antibodies including, without limitation, poly- and monoclonal antibodies and antibody fragments, single-chain antibodies, anti-idiotypic antibodies, and chimeric or humanized versions of such antibodies or fragments, as well as human antibodies and antibody fragments. Alternatively, a potential antagonist may be a closely related protein, for example, a mutated form of the PRO polypeptide that recognizes the receptor but imparts no effect, thereby competitively inhibiting the action of the PRO polypeptide.

Another potential PRO polypeptide antagonist is an antisense RNA or DNA construct prepared using antisense technology, where, e.g., an antisense RNA or DNA molecule acts to block directly the translation of mRNA by hybridizing to targeted mRNA and preventing protein translation. Antisense technology can be used to control gene expression through triple-helix formation or antisense DNA or RNA, both of which methods are based on binding of a polynucleotide to DNA or RNA. For example, the 5' coding portion of the polynucleotide sequence, which encodes the mature PRO polypeptides herein, is used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is designed to be complementary to a region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res., 6:3073 (1979); Cooney et al., Science, 241: 456 (1988); Dervan et al., Science, 251:1360 (1991)), thereby preventing transcription and the production of the PRO polypeptide. The antisense RNA oligonucleotide hybridizes to the mRNA *in vivo* and blocks translation of the mRNA molecule into the PRO polypeptide (antisense - Okano, Neurochem., 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression (CRC Press: Boca Raton, FL, 1988). The oligonucleotides described above can also be delivered to cells such that the antisense RNA or DNA may be expressed *in vivo* to inhibit production of the PRO polypeptide. When antisense DNA is used, oligodeoxyribonucleotides derived from the translation-initiation site, e.g., between about -10 and +10 positions of the target gene nucleotide sequence, are preferred.

Potential antagonists include small molecules that bind to the active site, the receptor binding site, or growth factor or other relevant binding site of the PRO polypeptide, thereby blocking the normal biological activity of the PRO polypeptide. Examples of small molecules include, but are not limited to, small peptides or peptide-like molecules, preferably soluble peptides, and synthetic non-peptidyl organic or inorganic compounds.

Ribozymes are enzymatic RNA molecules capable of catalyzing the specific cleavage of RNA.

Ribozymes act by sequence-specific hybridization to the complementary target RNA, followed by endonucleolytic cleavage. Specific ribozyme cleavage sites within a potential RNA target can be identified by known techniques. For further details see, e.g., Rossi, Current Biology, 4:469-471 (1994), and PCT publication No. WO 97/33551 (published September 18, 1997).

5 Nucleic acid molecules in triple-helix formation used to inhibit transcription should be single-stranded and composed of deoxynucleotides. The base composition of these oligonucleotides is designed such that it promotes triple-helix formation via Hoogsteen base-pairing rules, which generally require sizeable stretches of purines or pyrimidines on one strand of a duplex. For further details see, e.g., PCT publication No. WO 97/33551, *supra*.

10 These small molecules can be identified by any one or more of the screening assays discussed hereinabove and/or by any other screening techniques well known for those skilled in the art.

Diagnostic and therapeutic uses of the herein disclosed molecules may also be based upon the positive functional assay hits disclosed and described below.

F. Anti-PRO Antibodies

15 The present invention further provides anti-PRO antibodies. Exemplary antibodies include polyclonal, monoclonal, humanized, bispecific, and heteroconjugate antibodies.

1. Polyclonal Antibodies

20 The anti-PRO antibodies may comprise polyclonal antibodies. Methods of preparing polyclonal antibodies are known to the skilled artisan. Polyclonal antibodies can be raised in a mammal, for example, by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include the PRO polypeptide or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Examples of adjuvants which may be employed include Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in the art without undue experimentation.

30 2. Monoclonal Antibodies

The anti-PRO antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler and Milstein, Nature, 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized *in vitro*.

35 The immunizing agent will typically include the PRO polypeptide or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or

lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene glycol, to form a hybridoma cell [Goding, Monoclonal Antibodies: Principles and Practice, Academic Press, (1986) pp. 59-103]. Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

Preferred immortalized cell lines are those that fuse efficiently, support stable high level expression of antibody by the selected antibody-producing cells, and are sensitive to a medium such as HAT medium. More preferred immortalized cell lines are murine myeloma lines, which can be obtained, for instance, from the Salk Institute Cell Distribution Center, San Diego, California and the American Type Culture Collection, Manassas, Virginia. Human myeloma and mouse-human heteromyeloma cell lines also have been described for the production of human monoclonal antibodies [Kozbor, J. Immunol., 133:3001 (1984); Brodeur et al., Monoclonal Antibody Production Techniques and Applications, Marcel Dekker, Inc., New York, (1987) pp. 51-63].

The culture medium in which the hybridoma cells are cultured can then be assayed for the presence of monoclonal antibodies directed against PRO. Preferably, the binding specificity of monoclonal antibodies produced by the hybridoma cells is determined by immunoprecipitation or by an *in vitro* binding assay, such as radioimmunoassay (RIA) or enzyme-linked immunoabsorbent assay (ELISA). Such techniques and assays are known in the art. The binding affinity of the monoclonal antibody can, for example, be determined by the Scatchard analysis of Munson and Pollard, Anal. Biochem., 107:220 (1980).

After the desired hybridoma cells are identified, the clones may be subcloned by limiting dilution procedures and grown by standard methods [Goding, *supra*]. Suitable culture media for this purpose include, for example, Dulbecco's Modified Eagle's Medium and RPMI-1640 medium. Alternatively, the hybridoma cells may be grown *in vivo* as ascites in a mammal.

The monoclonal antibodies secreted by the subclones may be isolated or purified from the culture medium or ascites fluid by conventional immunoglobulin purification procedures such as, for example, protein A-Sepharose, hydroxylapatite chromatography, gel electrophoresis, dialysis, or affinity chromatography.

The monoclonal antibodies may also be made by recombinant DNA methods, such as those described in U.S. Patent No. 4,816,567. DNA encoding the monoclonal antibodies of the invention can be readily isolated and sequenced using conventional procedures (e.g., by using oligonucleotide probes that are capable of binding specifically to genes encoding the heavy and light chains of murine antibodies). The hybridoma cells of the invention serve as a preferred source of such DNA. Once isolated, the DNA may be placed into expression vectors, which are then transfected into host cells such as simian COS cells, Chinese hamster ovary (CHO) cells, or myeloma cells that do not otherwise produce immunoglobulin protein, to obtain the synthesis of monoclonal antibodies in the recombinant host cells. The DNA also may be modified, for example, by substituting the coding

sequence for human heavy and light chain constant domains in place of the homologous murine sequences [U.S. Patent No. 4,816,567; Morrison et al., supra] or by covalently joining to the immunoglobulin coding sequence all or part of the coding sequence for a non-immunoglobulin polypeptide. Such a non-immunoglobulin polypeptide can be substituted for the constant domains of an antibody of the invention, or can be substituted for the variable domains of one antigen-combining site of an antibody of the invention to create a chimeric bivalent antibody.

5 The antibodies may be monovalent antibodies. Methods for preparing monovalent antibodies are well known in the art. For example, one method involves recombinant expression of immunoglobulin light chain and modified heavy chain. The heavy chain is truncated generally at any point in the Fc region so as to prevent heavy chain crosslinking. Alternatively, the relevant cysteine residues are substituted with another amino acid residue or are deleted so as to prevent crosslinking.

10 *In vitro* methods are also suitable for preparing monovalent antibodies. Digestion of antibodies to produce fragments thereof, particularly, Fab fragments, can be accomplished using routine techniques known in the art.

3. Human and Humanized Antibodies

15 The anti-PRO antibodies of the invention may further comprise humanized antibodies or human antibodies. Humanized forms of non-human (e.g., murine) antibodies are chimeric immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')₂ or other antigen-binding subsequences of antibodies) which contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include human immunoglobulins (recipient antibody) in which residues from a
20 complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a non-human species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, the humanized antibody will comprise substantially
25 all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the FR regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin [Jones et al., Nature, 321:522-525 (1986); Riechmann et al., Nature, 332:323-329 (1988); and Presta, Curr. Op. Struct. Biol.,
30 2:593-596 (1992)].

 Methods for humanizing non-human antibodies are well known in the art. Generally, a humanized antibody has one or more amino acid residues introduced into it from a source which is non-human. These non-human amino acid residues are often referred to as "import" residues, which are typically taken from an "import" variable domain. Humanization can be essentially performed following the method of Winter and co-workers
35 [Jones et al., Nature, 321:522-525 (1986); Riechmann et al., Nature, 332:323-327 (1988); Verhoeven et al., Science, 239:1534-1536 (1988)], by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such "humanized" antibodies are chimeric antibodies (U.S. Patent No.

4,816,567), wherein substantially less than an intact human variable domain has been substituted by the corresponding sequence from a non-human species. In practice, humanized antibodies are typically human antibodies in which some CDR residues and possibly some FR residues are substituted by residues from analogous sites in rodent antibodies.

Human antibodies can also be produced using various techniques known in the art, including phage display libraries [Hoogenboom and Winter, *J. Mol. Biol.*, 227:381 (1991); Marks et al., *J. Mol. Biol.*, 222:581 (1991)]. The techniques of Cole et al. and Boerner et al. are also available for the preparation of human monoclonal antibodies (Cole et al., *Monoclonal Antibodies and Cancer Therapy*, Alan R. Liss, p. 77 (1985) and Boerner et al., *J. Immunol.*, 147(1):86-95 (1991)]. Similarly, human antibodies can be made by introducing of human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, for example, in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks *et al.*, *Bio/Technology* 10, 779-783 (1992); Lonberg *et al.*, *Nature* 368 856-859 (1994); Morrison, *Nature* 368, 812-13 (1994); Fishwild *et al.*, *Nature Biotechnology* 14, 845-51 (1996); Neuberger, *Nature Biotechnology* 14, 826 (1996); Lonberg and Huszar, *Intern. Rev. Immunol.* 13 65-93 (1995).

The antibodies may also be affinity matured using known selection and/or mutagenesis methods as described above. Preferred affinity matured antibodies have an affinity which is five times, more preferably 10 times, even more preferably 20 or 30 times greater than the starting antibody (generally murine, humanized or human) from which the matured antibody is prepared.

4. Bispecific Antibodies

Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens. In the present case, one of the binding specificities is for the PRO, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit.

Methods for making bispecific antibodies are known in the art. Traditionally, the recombinant production of bispecific antibodies is based on the co-expression of two immunoglobulin heavy-chain/light-chain pairs, where the two heavy chains have different specificities [Milstein and Cuello, *Nature*, 305:537-539 (1983)]. Because of the random assortment of immunoglobulin heavy and light chains, these hybridomas (quadromas) produce a potential mixture of ten different antibody molecules, of which only one has the correct bispecific structure. The purification of the correct molecule is usually accomplished by affinity chromatography steps. Similar procedures are disclosed in WO 93/08829, published 13 May 1993, and in Traunecker et al., *EMBO J.*, 10:3655-3659 (1991).

Antibody variable domains with the desired binding specificities (antibody-antigen combining sites) can be fused to immunoglobulin constant domain sequences. The fusion preferably is with an immunoglobulin heavy-chain constant domain, comprising at least part of the hinge, CH2, and CH3 regions. It is preferred to have the first heavy-chain constant region (CH1) containing the site necessary for light-chain binding present in at least

one of the fusions. DNAs encoding the immunoglobulin heavy-chain fusions and, if desired, the immunoglobulin light chain, are inserted into separate expression vectors, and are co-transfected into a suitable host organism. For further details of generating bispecific antibodies see, for example, Suresh et al., Methods in Enzymology, 121:210 (1986).

5 According to another approach described in WO 96/27011, the interface between a pair of antibody molecules can be engineered to maximize the percentage of heterodimers which are recovered from recombinant cell culture. The preferred interface comprises at least a part of the CH3 region of an antibody constant domain. In this method, one or more small amino acid side chains from the interface of the first antibody molecule are replaced with larger side chains (e.g. tyrosine or tryptophan). Compensatory "cavities" of identical or similar size to the large side chain(s) are created on the interface of the second antibody molecule by replacing large amino acid side chains with smaller ones (e.g. alanine or threonine). This provides a mechanism for increasing the yield of the heterodimer over other unwanted end-products such as homodimers.

10 Bispecific antibodies can be prepared as full length antibodies or antibody fragments (e.g. F(ab')₂ bispecific antibodies). Techniques for generating bispecific antibodies from antibody fragments have been described in the literature. For example, bispecific antibodies can be prepared using chemical linkage. Brennan *et al.*, Science 229:81 (1985) describe a procedure wherein intact antibodies are proteolytically cleaved to generate F(ab')₂ fragments. These fragments are reduced in the presence of the dithiol complexing agent sodium arsenite to stabilize vicinal dithiols and prevent intermolecular disulfide formation. The Fab' fragments generated are then converted to thionitrobenzoate (TNB) derivatives. One of the Fab'-TNB derivatives is then reconverted to the Fab'-thiol by reduction with mercaptoethylamine and is mixed with an equimolar amount of the other Fab'-TNB derivative to form the bispecific antibody. The bispecific antibodies produced can be used as agents for the selective immobilization of enzymes.

20 Fab' fragments may be directly recovered from *E. coli* and chemically coupled to form bispecific antibodies. Shalaby *et al.*, J. Exp. Med. 175:217-225 (1992) describe the production of a fully humanized bispecific antibody F(ab')₂ molecule. Each Fab' fragment was separately secreted from *E. coli* and subjected to directed chemical coupling *in vitro* to form the bispecific antibody. The bispecific antibody thus formed was able to bind to cells overexpressing the ErbB2 receptor and normal human T cells, as well as trigger the lytic activity of human cytotoxic lymphocytes against human breast tumor targets.

25 Various technique for making and isolating bispecific antibody fragments directly from recombinant cell culture have also been described. For example, bispecific antibodies have been produced using leucine zippers. Kostelny *et al.*, J. Immunol. 148(5):1547-1553 (1992). The leucine zipper peptides from the Fos and Jun proteins were linked to the Fab' portions of two different antibodies by gene fusion. The antibody homodimers were reduced at the hinge region to form monomers and then re-oxidized to form the antibody heterodimers. This method can also be utilized for the production of antibody homodimers. The "diabody" technology described by Hollinger *et al.*, Proc. Natl. Acad. Sci. USA 90:6444-6448 (1993) has provided an alternative mechanism for making bispecific antibody fragments. The fragments comprise a heavy-chain variable domain (V_H) connected to a light-chain variable domain (V_L) by a linker which is too short to allow pairing between the two domains on the same chain. Accordingly, the V_H and V_L domains of one fragment are forced to pair with the complementary

V_L and V_H domains of another fragment, thereby forming two antigen-binding sites. Another strategy for making bispecific antibody fragments by the use of single-chain Fv (sFv) dimers has also been reported. See, Gruber *et al.*, J. Immunol. 152:5368 (1994).

Antibodies with more than two valencies are contemplated. For example, trispecific antibodies can be prepared. Tutt *et al.*, J. Immunol. 147:60 (1991).

5 Exemplary bispecific antibodies may bind to two different epitopes on a given PRO polypeptide herein. Alternatively, an anti-PRO polypeptide arm may be combined with an arm which binds to a triggering molecule on a leukocyte such as a T-cell receptor molecule (e.g. CD2, CD3, CD28, or B7), or Fc receptors for IgG (FcγR), such as FcγRI (CD64), FcγRII (CD32) and FcγRIII (CD16) so as to focus cellular defense mechanisms to the cell expressing the particular PRO polypeptide. Bispecific antibodies may also be used to localize cytotoxic
10 agents to cells which express a particular PRO polypeptide. These antibodies possess a PRO-binding arm and an arm which binds a cytotoxic agent or a radionuclide chelator, such as EOTUBE, DPTA, DOTA, or TETA. Another bispecific antibody of interest binds the PRO polypeptide and further binds tissue factor (TF).

5. Heteroconjugate Antibodies

15 Heteroconjugate antibodies are also within the scope of the present invention. Heteroconjugate antibodies are composed of two covalently joined antibodies. Such antibodies have, for example, been proposed to target immune system cells to unwanted cells [U.S. Patent No. 4,676,980], and for treatment of HIV infection [WO 91/00360; WO 92/200373; EP 03089]. It is contemplated that the antibodies may be prepared *in vitro* using known methods in synthetic protein chemistry, including those involving crosslinking agents. For example,
20 immunotoxins may be constructed using a disulfide exchange reaction or by forming a thioether bond. Examples of suitable reagents for this purpose include iminothiolate and methyl-4-mercaptobutyrimidate and those disclosed, for example, in U.S. Patent No. 4,676,980.

6. Effector Function Engineering

25 It may be desirable to modify the antibody of the invention with respect to effector function, so as to enhance, *e.g.*, the effectiveness of the antibody in treating cancer. For example, cysteine residue(s) may be introduced into the Fc region, thereby allowing interchain disulfide bond formation in this region. The homodimeric antibody thus generated may have improved internalization capability and/or increased complement-mediated cell killing and antibody-dependent cellular cytotoxicity (ADCC). See Caron *et al.*, J. Exp Med., 176: 1191-1195 (1992) and Shopes, J. Immunol., 148: 2918-2922 (1992). Homodimeric antibodies with enhanced anti-
30 tumor activity may also be prepared using heterobifunctional cross-linkers as described in Wolff *et al.* Cancer Research, 53: 2560-2565 (1993). Alternatively, an antibody can be engineered that has dual Fc regions and may thereby have enhanced complement lysis and ADCC capabilities. See Stevenson *et al.*, Anti-Cancer Drug Design, 3: 219-230 (1989).

35

7. Immunoconjugates

The invention also pertains to immunoconjugates comprising an antibody conjugated to a cytotoxic agent

such as a chemotherapeutic agent, toxin (*e.g.*, an enzymatically active toxin of bacterial, fungal, plant, or animal origin, or fragments thereof), or a radioactive isotope (*i.e.*, a radioconjugate).

Chemotherapeutic agents useful in the generation of such immunoconjugates have been described above. Enzymatically active toxins and fragments thereof that can be used include diphtheria A chain, nonbinding active fragments of diphtheria toxin, exotoxin A chain (from *Pseudomonas aeruginosa*), ricin A chain, abrin A chain, modeccin A chain, alpha-sarcin, *Aleurites fordii* proteins, dianthin proteins, *Phytolacca americana* proteins (PAPI, PAPII, and PAP-S), momordica charantia inhibitor, curcin, crotin, sapaonaria officinalis inhibitor, gelonin, mitogellin, restrictocin, phenomycin, enomycin, and the tricothecenes. A variety of radionuclides are available for the production of radioconjugated antibodies. Examples include ^{212}Bi , ^{131}I , ^{131}In , ^{90}Y , and ^{186}Re .

Conjugates of the antibody and cytotoxic agent are made using a variety of bifunctional protein-coupling agents such as N-succinimidyl-3-(2-pyridyldithiol) propionate (SPDP), iminothiolane (IT), bifunctional derivatives of imidoesters (such as dimethyl adipimidate HCL), active esters (such as disuccinimidyl suberate), aldehydes (such as glutaraldehyde), bis-azido compounds (such as bis (p-azidobenzoyl) hexanediamine), bis-diazonium derivatives (such as bis-(p-diazoniumbenzoyl)-ethylenediamine), diisocyanates (such as tolyene 2,6-diisocyanate), and bis-active fluorine compounds (such as 1,5-difluoro-2,4-dinitrobenzene). For example, a ricin immunotoxin can be prepared as described in Vitetta *et al.*, Science, **238**: 1098 (1987). Carbon-14-labeled 1-isothiocyanatobenzyl-3-methyldiethylene triaminepentaacetic acid (MX-DTPA) is an exemplary chelating agent for conjugation of radionucleotide to the antibody. See WO94/11026.

In another embodiment, the antibody may be conjugated to a "receptor" (such streptavidin) for utilization in tumor pretargeting wherein the antibody-receptor conjugate is administered to the patient, followed by removal of unbound conjugate from the circulation using a clearing agent and then administration of a "ligand" (*e.g.*, avidin) that is conjugated to a cytotoxic agent (*e.g.*, a radionucleotide).

8. Immunoliposomes

The antibodies disclosed herein may also be formulated as immunoliposomes. Liposomes containing the antibody are prepared by methods known in the art, such as described in Epstein *et al.*, Proc. Natl. Acad. Sci. USA, **82**: 3688 (1985); Hwang *et al.*, Proc. Natl. Acad. Sci. USA, **77**: 4030 (1980); and U.S. Pat. Nos. 4,485,045 and 4,544,545. Liposomes with enhanced circulation time are disclosed in U.S. Patent No. 5,013,556.

Particularly useful liposomes can be generated by the reverse-phase evaporation method with a lipid composition comprising phosphatidylcholine, cholesterol, and PEG-derivatized phosphatidylethanolamine (PEG-PE). Liposomes are extruded through filters of defined pore size to yield liposomes with the desired diameter. Fab' fragments of the antibody of the present invention can be conjugated to the liposomes as described in Martin *et al.*, J. Biol. Chem., **257**: 286-288 (1982) via a disulfide-interchange reaction. A chemotherapeutic agent (such as Doxorubicin) is optionally contained within the liposome. See Gabizon *et al.*, J. National Cancer Inst., **81**(19): 1484 (1989).

9. Pharmaceutical Compositions of Antibodies

Antibodies specifically binding a PRO polypeptide identified herein, as well as other molecules identified

by the screening assays disclosed hereinbefore, can be administered for the treatment of various disorders in the form of pharmaceutical compositions.

If the PRO polypeptide is intracellular and whole antibodies are used as inhibitors, internalizing antibodies are preferred. However, lipofections or liposomes can also be used to deliver the antibody, or an antibody fragment, into cells. Where antibody fragments are used, the smallest inhibitory fragment that specifically binds to the binding domain of the target protein is preferred. For example, based upon the variable-region sequences of an antibody, peptide molecules can be designed that retain the ability to bind the target protein sequence. Such peptides can be synthesized chemically and/or produced by recombinant DNA technology. See, *e.g.*, Marasco *et al.*, Proc. Natl. Acad. Sci. USA, 90: 7889-7893 (1993). The formulation herein may also contain more than one active compound as necessary for the particular indication being treated, preferably those with complementary activities that do not adversely affect each other. Alternatively, or in addition, the composition may comprise an agent that enhances its function, such as, for example, a cytotoxic agent, cytokine, chemotherapeutic agent, or growth-inhibitory agent. Such molecules are suitably present in combination in amounts that are effective for the purpose intended.

The active ingredients may also be entrapped in microcapsules prepared, for example, by coacervation techniques or by interfacial polymerization, for example, hydroxymethylcellulose or gelatin-microcapsules and poly-(methylmethacrylate) microcapsules, respectively, in colloidal drug delivery systems (for example, liposomes, albumin microspheres, microemulsions, nano-particles, and nanocapsules) or in macroemulsions. Such techniques are disclosed in Remington's Pharmaceutical Sciences, *supra*.

The formulations to be used for *in vivo* administration must be sterile. This is readily accomplished by filtration through sterile filtration membranes.

Sustained-release preparations may be prepared. Suitable examples of sustained-release preparations include semipermeable matrices of solid hydrophobic polymers containing the antibody, which matrices are in the form of shaped articles, *e.g.*, films, or microcapsules. Examples of sustained-release matrices include polyesters, hydrogels (for example, poly(2-hydroxyethyl-methacrylate), or poly(vinylalcohol)), polylactides (U.S. Pat. No. 3,773,919), copolymers of L-glutamic acid and γ ethyl-L-glutamate, non-degradable ethylene-vinyl acetate, degradable lactic acid-glycolic acid copolymers such as the LUPRON DEPOTTM (injectable microspheres composed of lactic acid-glycolic acid copolymer and leuprolide acetate), and poly-D-(-)-3-hydroxybutyric acid. While polymers such as ethylene-vinyl acetate and lactic acid-glycolic acid enable release of molecules for over 100 days, certain hydrogels release proteins for shorter time periods. When encapsulated antibodies remain in the body for a long time, they may denature or aggregate as a result of exposure to moisture at 37°C, resulting in a loss of biological activity and possible changes in immunogenicity. Rational strategies can be devised for stabilization depending on the mechanism involved. For example, if the aggregation mechanism is discovered to be intermolecular S-S bond formation through thio-disulfide interchange, stabilization may be achieved by modifying sulfhydryl residues, lyophilizing from acidic solutions, controlling moisture content, using appropriate additives, and developing specific polymer matrix compositions.

G. Uses for anti-PRO Antibodies

The anti-PRO antibodies of the invention have various utilities. For example, anti-PRO antibodies may be used in diagnostic assays for PRO, *e.g.*, detecting its expression (and in some cases, differential expression) in specific cells, tissues, or serum. Various diagnostic assay techniques known in the art may be used, such as competitive binding assays, direct or indirect sandwich assays and immunoprecipitation assays conducted in either heterogeneous or homogeneous phases [Zola, Monoclonal Antibodies: A Manual of Techniques, CRC Press, Inc. (1987) pp. 147-158]. The antibodies used in the diagnostic assays can be labeled with a detectable moiety. The detectable moiety should be capable of producing, either directly or indirectly, a detectable signal. For example, the detectable moiety may be a radioisotope, such as ^3H , ^{14}C , ^{32}P , ^{35}S , or ^{125}I , a fluorescent or chemiluminescent compound, such as fluorescein isothiocyanate, rhodamine, or luciferin, or an enzyme, such as alkaline phosphatase, beta-galactosidase or horseradish peroxidase. Any method known in the art for conjugating the antibody to the detectable moiety may be employed, including those methods described by Hunter et al., Nature, 144:945 (1962); David et al., Biochemistry, 13:1014 (1974); Pain et al., J. Immunol. Meth., 40:219 (1981); and Nygren, J. Histochem. and Cytochem., 30:407 (1982).

Anti-PRO antibodies also are useful for the affinity purification of PRO from recombinant cell culture or natural sources. In this process, the antibodies against PRO are immobilized on a suitable support, such as Sephadex resin or filter paper, using methods well known in the art. The immobilized antibody then is contacted with a sample containing the PRO to be purified, and thereafter the support is washed with a suitable solvent that will remove substantially all the material in the sample except the PRO, which is bound to the immobilized antibody. Finally, the support is washed with another suitable solvent that will release the PRO from the antibody.

The following examples are offered for illustrative purposes only, and are not intended to limit the scope of the present invention in any way.

All patent and literature references cited in the present specification are hereby incorporated by reference in their entirety.

EXAMPLES

Commercially available reagents referred to in the examples were used according to manufacturer's instructions unless otherwise indicated. The source of those cells identified in the following examples, and throughout the specification, by ATCC accession numbers is the American Type Culture Collection, Manassas, VA.

EXAMPLE 1: Extracellular Domain Homology Screening to Identify Novel Polypeptides and cDNA Encoding Therefor

The extracellular domain (ECD) sequences (including the secretion signal sequence, if any) from about 950 known secreted proteins from the Swiss-Prot public database were used to search EST databases. The EST databases included public databases (*e.g.*, Dayhoff, GenBank), and proprietary databases (*e.g.* LIFESEQ™, Incyte Pharmaceuticals, Palo Alto, CA). The search was performed using the computer program BLAST or

BLAST-2 (Altschul *et al.*, Methods in Enzymology, 266:460-480 (1996)) as a comparison of the ECD protein sequences to a 6 frame translation of the EST sequences. Those comparisons with a BLAST score of 70 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into consensus DNA sequences with the program "phrap" (Phil Green, University of Washington, Seattle, WA).

5 Using this extracellular domain homology screen, consensus DNA sequences were assembled relative to the other identified EST sequences using phrap. In addition, the consensus DNA sequences obtained were often (but not always) extended using repeated cycles of BLAST or BLAST-2 and phrap to extend the consensus sequence as far as possible using the sources of EST sequences discussed above.

Based upon the consensus sequences obtained as described above, oligonucleotides were then synthesized and used to identify by PCR a cDNA library that contained the sequence of interest and for use as probes to isolate a clone of the full-length coding sequence for a PRO polypeptide. Forward and reverse PCR primers generally range from 20 to 30 nucleotides and are often designed to give a PCR product of about 100-1000 bp in length. The probe sequences are typically 40-55 bp in length. In some cases, additional oligonucleotides are synthesized when the consensus sequence is greater than about 1-1.5kbp. In order to screen several libraries for a full-length clone, DNA from the libraries was screened by PCR amplification, as per Ausubel *et al.*, Current
10 Protocols in Molecular Biology, with the PCR primer pair. A positive library was then used to isolate clones encoding the gene of interest using the probe oligonucleotide and one of the primer pairs.

The cDNA libraries used to isolate the cDNA clones were constructed by standard methods using commercially available reagents such as those from Invitrogen, San Diego, CA. The cDNA was primed with oligo dT containing a NotI site, linked with blunt to SalI hemikinased adaptors, cleaved with NotI, sized
20 appropriately by gel electrophoresis, and cloned in a defined orientation into a suitable cloning vector (such as pRKB or pRKD; pRK5B is a precursor of pRK5D that does not contain the SfiI site; *see*, Holmes *et al.*, Science, 253:1278-1280 (1991)) in the unique XhoI and NotI sites.

EXAMPLE 2: Isolation of cDNA clones by Amylase Screening

25 1. Preparation of oligo dT primed cDNA library

mRNA was isolated from a human tissue of interest using reagents and protocols from Invitrogen, San Diego, CA (Fast Track 2). This RNA was used to generate an oligo dT primed cDNA library in the vector pRK5D using reagents and protocols from Life Technologies, Gaithersburg, MD (Super Script Plasmid System). In this procedure, the double stranded cDNA was sized to greater than 1000 bp and the SalI/NotI linkered cDNA
30 was cloned into XhoI/NotI cleaved vector. pRK5D is a cloning vector that has an sp6 transcription initiation site followed by an SfiI restriction enzyme site preceding the XhoI/NotI cDNA cloning sites.

2. Preparation of random primed cDNA library

A secondary cDNA library was generated in order to preferentially represent the 5' ends of the primary
35 cDNA clones. Sp6 RNA was generated from the primary library (described above), and this RNA was used to generate a random primed cDNA library in the vector pSST-AMY.0 using reagents and protocols from Life Technologies (Super Script Plasmid System, referenced above). In this procedure the double stranded cDNA was

sized to 500-1000 bp, linked with blunt to NotI adaptors, cleaved with SfiI, and cloned into SfiI/NotI cleaved vector. pSST-AMY.0 is a cloning vector that has a yeast alcohol dehydrogenase promoter preceding the cDNA cloning sites and the mouse amylase sequence (the mature sequence without the secretion signal) followed by the yeast alcohol dehydrogenase terminator, after the cloning sites. Thus, cDNAs cloned into this vector that are fused in frame with amylase sequence will lead to the secretion of amylase from appropriately transfected yeast colonies.

3. Transformation and Detection

DNA from the library described in paragraph 2 above was chilled on ice to which was added electrocompetent DH10B bacteria (Life Technologies, 20 ml). The bacteria and vector mixture was then electroporated as recommended by the manufacturer. Subsequently, SOC media (Life Technologies, 1 ml) was added and the mixture was incubated at 37°C for 30 minutes. The transformants were then plated onto 20 standard 150 mm LB plates containing ampicillin and incubated for 16 hours (37°C). Positive colonies were scraped off the plates and the DNA was isolated from the bacterial pellet using standard protocols, *e.g.* CsCl-gradient. The purified DNA was then carried on to the yeast protocols below.

The yeast methods were divided into three categories: (1) Transformation of yeast with the plasmid/cDNA combined vector; (2) Detection and isolation of yeast clones secreting amylase; and (3) PCR amplification of the insert directly from the yeast colony and purification of the DNA for sequencing and further analysis.

The yeast strain used was HD56-5A (ATCC-90785). This strain has the following genotype: MAT⁺ alpha, ura3-52, leu2-3, leu2-112, his3-11, his3-15, MAL⁺, SUC⁺, GAL⁺. Preferably, yeast mutants can be employed that have deficient post-translational pathways. Such mutants may have translocation deficient alleles in *sec71*, *sec72*, *sec62*, with truncated *sec71* being most preferred. Alternatively, antagonists (including antisense nucleotides and/or ligands) which interfere with the normal operation of these genes, other proteins implicated in this post translation pathway (*e.g.*, SEC61p, SEC72p, SEC62p, SEC63p, TDJ1p or SSA1p-4p) or the complex formation of these proteins may also be preferably employed in combination with the amylase-expressing yeast.

Transformation was performed based on the protocol outlined by Gietz *et al.*, Nucl. Acid. Res., 20:1425 (1992). Transformed cells were then inoculated from agar into YEPD complex media broth (100 ml) and grown overnight at 30°C. The YEPD broth was prepared as described in Kaiser *et al.*, Methods in Yeast Genetics, Cold Spring Harbor Press, Cold Spring Harbor, NY, p. 207 (1994). The overnight culture was then diluted to about 2 x 10⁶ cells/ml (approx. OD₆₀₀=0.1) into fresh YEPD broth (500 ml) and regrown to 1 x 10⁷ cells/ml (approx. OD₆₀₀=0.4-0.5).

The cells were then harvested and prepared for transformation by transfer into GS3 rotor bottles in a Sorval GS3 rotor at 5,000 rpm for 5 minutes, the supernatant discarded, and then resuspended into sterile water, and centrifuged again in 50 ml falcon tubes at 3,500 rpm in a Beckman GS-6KR centrifuge. The supernatant was discarded and the cells were subsequently washed with LiAc/TE (10 ml, 10 mM Tris-HCl, 1 mM EDTA pH 7.5, 100 mM Li₂OOCCH₃), and resuspended into LiAc/TE (2.5 ml).

Transformation took place by mixing the prepared cells (100 µl) with freshly denatured single stranded

salmon testes DNA (Lofstrand Labs, Gaithersburg, MD) and transforming DNA (1 μ g, vol. < 10 μ l) in microfuge tubes. The mixture was mixed briefly by vortexing, then 40% PEG/TE (600 μ l, 40% polyethylene glycol-4000, 10 mM Tris-HCl, 1 mM EDTA, 100 mM Li₂OOCCH₃, pH 7.5) was added. This mixture was gently mixed and incubated at 30°C while agitating for 30 minutes. The cells were then heat shocked at 42°C for 15 minutes, and the reaction vessel centrifuged in a microfuge at 12,000 rpm for 5-10 seconds, decanted and resuspended into TE (500 μ l, 10 mM Tris-HCl, 1 mM EDTA pH 7.5) followed by recentrifugation. The cells were then diluted into TE (1 ml) and aliquots (200 μ l) were spread onto the selective media previously prepared in 150 mm growth plates (VWR).

Alternatively, instead of multiple small reactions, the transformation was performed using a single, large scale reaction, wherein reagent amounts were scaled up accordingly.

The selective media used was a synthetic complete dextrose agar lacking uracil (SCD-Ura) prepared as described in Kaiser *et al.*, Methods in Yeast Genetics, Cold Spring Harbor Press, Cold Spring Harbor, NY, p. 208-210 (1994). Transformants were grown at 30°C for 2-3 days.

The detection of colonies secreting amylase was performed by including red starch in the selective growth media. Starch was coupled to the red dye (Reactive Red-120, Sigma) as per the procedure described by Biely *et al.*, Anal. Biochem., 172:176-179 (1988). The coupled starch was incorporated into the SCD-Ura agar plates at a final concentration of 0.15% (w/v), and was buffered with potassium phosphate to a pH of 7.0 (50-100 mM final concentration).

The positive colonies were picked and streaked across fresh selective media (onto 150 mm plates) in order to obtain well isolated and identifiable single colonies. Well isolated single colonies positive for amylase secretion were detected by direct incorporation of red starch into buffered SCD-Ura agar. Positive colonies were determined by their ability to break down starch resulting in a clear halo around the positive colony visualized directly.

4. Isolation of DNA by PCR Amplification

When a positive colony was isolated, a portion of it was picked by a toothpick and diluted into sterile water (30 μ l) in a 96 well plate. At this time, the positive colonies were either frozen and stored for subsequent analysis or immediately amplified. An aliquot of cells (5 μ l) was used as a template for the PCR reaction in a 25 μ l volume containing: 0.5 μ l KlenTaq (Clontech, Palo Alto, CA); 4.0 μ l 10 mM dNTP's (Perkin Elmer-Cetus); 2.5 μ l Kentaq buffer (Clontech); 0.25 μ l forward oligo 1; 0.25 μ l reverse oligo 2; 12.5 μ l distilled water. The sequence of the forward oligonucleotide 1 was:

5'-TGTAACGACGGCCAGTTAAATAGACCTGCAATTATTAATCT-3' (SEQ ID NO:611)

The sequence of reverse oligonucleotide 2 was:

5'-CAGGAAACAGCTATGACCACCTGCACACCTGCAAAATCCATT-3' (SEQ ID NO:612)

PCR was then performed as follows:

- | | | |
|----|--------------|------------------|
| a. | Denature | 92°C, 5 minutes |
| b. | 3 cycles of: | |
| | Denature | 92°C, 30 seconds |
| | Anneal | 59°C, 30 seconds |

		Extend	72°C, 60 seconds
5	c.	3 cycles of:	
		Denature	92°C, 30 seconds
		Anneal	57°C, 30 seconds
		Extend	72°C, 60 seconds
	d.	25 cycles of:	
		Denature	92°C, 30 seconds
		Anneal	55°C, 30 seconds
		Extend	72°C, 60 seconds
10	e.	Hold	4°C

The underlined regions of the oligonucleotides annealed to the ADH promoter region and the amylase region, respectively, and amplified a 307 bp region from vector pSST-AMY.0 when no insert was present. Typically, the first 18 nucleotides of the 5' end of these oligonucleotides contained annealing sites for the sequencing primers. Thus, the total product of the PCR reaction from an empty vector was 343 bp. However, signal sequence-fused cDNA resulted in considerably longer nucleotide sequences.

Following the PCR, an aliquot of the reaction (5 μ l) was examined by agarose gel electrophoresis in a 1% agarose gel using a Tris-Borate-EDTA (TBE) buffering system as described by Sambrook *et al.*, *supra*. Clones resulting in a single strong PCR product larger than 400 bp were further analyzed by DNA sequencing after purification with a 96 Qiaquick PCR clean-up column (Qiagen Inc., Chatsworth, CA).

EXAMPLE 3: Isolation of cDNA Clones Using Signal Algorithm Analysis

Various polypeptide-encoding nucleic acid sequences were identified by applying a proprietary signal sequence finding algorithm developed by Genentech, Inc. (South San Francisco, CA) upon ESTs as well as clustered and assembled EST fragments from public (*e.g.*, GenBank) and/or private (LIFESEQ®, Incyte Pharmaceuticals, Inc., Palo Alto, CA) databases. The signal sequence algorithm computes a secretion signal score based on the character of the DNA nucleotides surrounding the first and optionally the second methionine codon(s) (ATG) at the 5'-end of the sequence or sequence fragment under consideration. The nucleotides following the first ATG must code for at least 35 unambiguous amino acids without any stop codons. If the first ATG has the required amino acids, the second is not examined. If neither meets the requirement, the candidate sequence is not scored. In order to determine whether the EST sequence contains an authentic signal sequence, the DNA and corresponding amino acid sequences surrounding the ATG codon are scored using a set of seven sensors (evaluation parameters) known to be associated with secretion signals. Use of this algorithm resulted in the identification of numerous polypeptide-encoding nucleic acid sequences.

EXAMPLE 4: Isolation of cDNA clones Encoding Human PRO Polypeptides

Using the techniques described in Examples 1 to 3 above, numerous full-length cDNA clones were identified as encoding PRO polypeptides as disclosed herein. These cDNAs were then deposited under the terms of the Budapest Treaty with the American Type Culture Collection, 10801 University Blvd., Manassas, VA 20110-2209, USA (ATCC) as shown in Table 7 below.

Table 7

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA16435-1208	209930	June 2, 1998
	DNA23318-1211	209787	April 21, 1998
	DNA23322-1393	203400	October 27, 1998
5	DNA23334-1392	209918	June 2, 1998
	DNA26843-1389	203099	August 4, 1998
	DNA 26844-1394	209926	June 2, 1998
	DNA30867-1335	209807	April 28, 1998
	DNA33470-1175	209398	October 17, 1997
10	DNA34436-1238	209523	December 10, 1997
	DNA35557-1137	209255	September 16, 1997
	DNA35599-1168	209373	October 16, 1997
	DNA35668-1171	209371	October 16, 1997
	DNA36992-1168	209382	October 16, 1997
15	DNA39423-1182	209387	October 17, 1997
	DNA39427-1179	209395	October 17, 1997
	DNA39510-1181	209392	October 17, 1997
	DNA39518-1247	209529	December 10, 1997
	DNA39975-1210	209783	April 21, 1998
20	DNA39976-1215	209524	December 10, 1997
	DNA39979-1213	209789	April 21, 1998
	DNA40594-1233	209617	February 5, 1998
	DNA40603-1232	209486	November 21, 1997
	DNA40604-1187	209394	October 17, 1997
25	DNA40625-1189	209788	April 21, 1998
	DNA41225-1217	209491	November 21, 1997
	DNA41379-1236	209488	November 21, 1997
	DNA41386-1316	209703	March 26, 1998
	DNA44161-1434	209907	May 27, 1998
30	DNA44179-1362	209851	May 6, 1998
	DNA44192-1246	209531	December 10, 1997
	DNA44694-1500	203114	August 11, 1998
	DNA45234-1277	209654	March 5, 1998
	DNA45409-2511	203579	January 12, 1999
35	DNA45415-1318	209810	April 28, 1998
	DNA45417-1432	209910	May 27, 1998
	DNA45493-1349	209805	April 28, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA46776-1284	209721	March 31, 1998
	DNA48296-1292	209668	March 11, 1998
	DNA48306-1291	209911	May 27, 1998
5	DNA48328-1355	209843	May 6, 1998
	DNA48329-1290	209785	April 21, 1998
	DNA48334-1435	209924	June 2, 1998
	DNA49141-1431	203003	June 23, 1998
	DNA49624-1279	209655	March 5, 1998
10	DNA49647-1398	209919	June 2, 1998
	DNA49819-1439	209931	June 2, 1998
	DNA50911-1288	209714	March 31, 1998
	DNA50914-1289	209722	March 31, 1998
	DNA50919-1361	209848	May 6, 1998
15	DNA50980-1286	209717	March 31, 1998
	DNA52185-1370	209861	May 14, 1998
	DNA53906-1368	209747	April 7, 1998
	DNA53912-1457	209870	May 14, 1998
	DNA53913-1490	203162	August 25, 1998
20	DNA53977-1371	209862	May 14, 1998
	DNA53978-1443	209983	June 16, 1998
	DNA53996-1442	209921	June 2, 1998
	DNA54002-1367	209754	April 7, 1998
	DNA55737-1345	209753	April 7, 1998
25	DNA56050-1455	203011	June 23, 1998
	DNA56052-1454	203026	June 23, 1998
	DNA56107-1415	203405	October 27, 1998
	DNA56110-1437	203113	August 11, 1998
	DNA56406-1704	203478	November 17, 1998
30	DNA56409-1377	209882	May 20, 1998
	DNA56410-1414	209923	June 2, 1998
	DNA56436-1448	209902	May 27, 1998
	DNA56529-1647	203293	September 29, 1998
	DNA56855-1447	203004	June 23, 1998
35	DNA56859-1445	203019	June 23, 1998
	DNA56860-1510	209952	June 9, 1998
	DNA56865-1491	203022	June 23, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA56868-1478	203024	June 23, 1998
	DNA56869-1545	203161	August 25, 1998
	DNA56870-1492	209925	June 2, 1998
5	DNA57039-1402	209777	April 14, 1998
	DNA57253-1382	209867	May 14, 1998
	DNA57254-1477	203289	September 29, 1998
	DNA57699-1412	203020	June 23, 1998
	DNA57704-1452	209953	June 9, 1998
10	DNA57710-1451	203048	July 1, 1998
	DNA57827-1493	203045	July 1, 1998
	DNA57844-1410	203010	June 23, 1998
	DNA58723-1588	203133	August 18, 1998
	DNA58727-1474	203171	September 1, 1998
15	DNA58730-1607	203221	September 15, 1998
	DNA58732-1650	203290	September 29, 1998
	DNA58737-1473	203136	August 18, 1998
	DNA58743-1609	203154	August 25, 1998
	DNA58747-1384	209868	May 14, 1998
20	DNA58828-1519	203172	September 1, 1998
	DNA58846-1409	209957	June 9, 1998
	DNA58848-1472	209955	June 9, 1998
	DNA58849-1494	209958	June 9, 1998
	DNA58850-1495	209956	June 9, 1998
25	DNA58852-1637	203271	September 22, 1998
	DNA58853-1423	203016	June 23, 1998
	DNA58855-1422	203018	June 23, 1998
	DNA59211-1450	209960	June 9, 1998
	DNA59212-1627	203245	September 9, 1998
30	DNA59213-1487	209959	June 9, 1998
	DNA59219-1613	203220	September 15, 1998
	DNA59497-1496	209941	June 4, 1998
	DNA59602-1436	203051	July 1, 1998
	DNA59603-1419	209944	June 9, 1998
35	DNA59605-1418	203005	June 23, 1998
	DNA59607-1497	209946	June 9, 1998
	DNA59610-1556	209990	June 16, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA59612-1466	209947	June 9, 1998
	DNA59613-1417	203007	June 23, 1998
	DNA59616-1465	209991	June 16, 1998
5	DNA59619-1464	203041	July 1, 1998
	DNA59625-1498	209992	June 16, 1998
	DNA59817-1703	203470	November 17, 1998
	DNA59827-1426	203089	August 4, 1998
	DNA59828-1608	203158	August 25, 1998
10	DNA59837-2545	203658	February 9, 1999
	DNA59844-2542	203650	February 9, 1999
	DNA59853-1505	209985	June 16, 1998
	DNA59854-1459	209974	June 16, 1998
	DNA59855-1485	209987	June 16, 1998
15	DNA60278-1530	203170	September 1, 1998
	DNA60283-1484	203043	July 1, 1998
	DNA60608-1577	203126	August 18, 1998
	DNA60611-1524	203175	September 1, 1998
	DNA60619-1482	209993	June 16, 1998
20	DNA60625-1507	209975	June 16, 1998
	DNA60629-1481	209979	June 16, 1998
	DNA60740-1615	203456	November 3, 1998
	DNA61608-1606	203239	September 9, 1998
	DNA61755-1554	203112	August 11, 1998
25	DNA62809-1531	203237	September 9, 1998
	DNA62812-1594	203248	September 9, 1998
	DNA62813-2544	203655	February 9, 1999
	DNA62845-1684	203361	October 20, 1998
	DNA64849-1604	203468	November 17, 1998
30	DNA64852-1589	203127	August 18, 1998
	DNA64863-1573	203251	September 9, 1998
	DNA64881-1602	203240	September 9, 1998
	DNA64902-1667	203317	October 6, 1998
	DNA64952-1568	203222	September 15, 1998
35	DNA65403-1565	203230	September 15, 1998
	DNA65413-1534	203234	September 15, 1998
	DNA65423-1595	203227	September 15, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA66304-1546	203321	October 6, 1998
	DNA66308-1537	203159	August 25, 1998
	DNA66511-1563	203228	September 15, 1998
5	DNA66512-1564	203218	September 15, 1998
	DNA66519-1535	203236	September 15, 1998
	DNA66521-1583	203225	September 15, 1998
	DNA66658-1584	203229	September 15, 1998
	DNA66660-1585	203279	September 22, 1998
10	DNA66669-1597	203272	September 22, 1998
	DNA66674-1599	203281	September 22, 1998
	DNA68836-1656	203455	November 3, 1998
	DNA68862-2546	203652	February 9, 1999
	DNA68866-1644	203283	September 22, 1998
15	DNA68869-1610	203164	August 25, 1998
	DNA68871-1638	203280	September 22, 1998
	DNA68879-1631	203274	September 22, 1998
	DNA68880-1676	203319	October 6, 1998
	DNA68882-1677	203318	October 6, 1998
20	DNA68883-1691	203535	December 15, 1998
	DNA68885-1678	203311	October 6, 1998
	DNA71180-1655	203403	October 27, 1998
	DNA71184-1634	203266	September 22, 1998
	DNA71213-1659	203401	October 27, 1998
25	DNA71234-1651	203402	October 27, 1998
	DNA71269-1621	203284	September 22, 1998
	DNA71277-1636	203285	September 22, 1998
	DNA71286-1687	203357	October 20, 1998
	DNA71883-1660	203475	November 17, 1998
30	DNA73401-1633	203273	September 22, 1998
	DNA73492-1671	203324	October 6, 1998
	DNA73730-1679	203320	October 6, 1998
	DNA73734-1680	203363	October 20, 1998
	DNA73735-1681	203356	October 20, 1998
35	DNA73742-1662	203316	October 6, 1998
	DNA73746-1654	203411	October 27, 1998
	DNA73760-1672	203314	October 6, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA76393-1664	203323	October 6, 1998
	DNA76398-1699	203474	November 17, 1998
	DNA76399-1700	203472	November 17, 1998
5	DNA76522-2500	203469	November 17, 1998
	DNA76533-1689	203410	October 27, 1998
	DNA77303-2502	203479	November 17, 1998
	DNA77626-1705	203536	December 15, 1998
	DNA77648-1688	203408	October 27, 1998
10	DNA81754-2532	203542	December 15, 1998
	DNA81757-2512	203543	December 15, 1998
	DNA82302-2529	203534	December 15, 1998
	DNA82340-2530	203547	December 22, 1998
	DNA87991-2540	203656	February 9, 1999
15	DNA92238-2539	203602	January 20, 1999
	DNA115291-2681	PTA-202	June 8, 1999
	DNA23336-2861	PTA-1673	April 11, 2000
	DNA30862-1396	209920	June 2, 1998
	DNA30871-1157	209380	October 16, 1997
20	DNA32279-1131	209259	September 16, 1997
	DNA33206-1165	209372	October 16, 1997
	DNA35673-1201	209418	October 28, 1997
	DNA47361-1154-2	209431	November 7, 1997
	DNA49631-1328	209806	April 28, 1998
25	DNA52594-1270	209679	March 17, 1998
	DNA55800-1263	209680	March 17, 1998
	DNA56531-1648	203286	September 29, 1998
	DNA56965-1356	209842	May 6, 1998
	DNA57037-1444	209903	May 27, 1998
30	DNA57695-1340	203006	June 23, 1998
	DNA57834-1339	209954	June 9, 1998
	DNA57841-1522	203458	November 3, 1998
	DNA58847-1383	209879	May 20, 1998
	DNA59493-1420	203050	July 1, 1998
35	DNA59586-1520	203288	September 29, 1998
	DNA59608-2577	203870	March 23, 1999
	DNA59849-1504	209986	June 16, 1998

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA60292-1506	203540	December 15, 1998
	DNA62377-1381-1	203552	December 22, 1998
	DNA62880-1513	203097	August 4, 1998
5	DNA66672-1586	203265	September 22, 1998
	DNA67962-1649	203291	September 29, 1998
	DNA69555-2867	PTA-1632	April 4, 2000
	DNA71162-2764	PTA-860	October 19, 1999
	DNA71290-1630	203275	September 22, 1998
10	DNA76401-1683	203360	October 20, 1998
	DNA76541-1675	203409	October 27, 1998
	DNA76788-2526	203551	December 22, 1998
	DNA77623-2524	203546	December 22, 1998
	DNA80136-2503	203541	December 15, 1998
15	DNA83568-2692	PTA-386	July 20, 1999
	DNA84210-2576	203818	March 2, 1999
	DNA86576-2595	203868	March 23, 1999
	DNA87976-2593	203888	March 30, 1999
	DNA92256-2596	203891	March 30, 1999
20	DNA92289-2598	PTA-131	May 25, 1999
	DNA96850-2705	PTA-479	August 3, 1999
	DNA96855-2629	PTA-18	May 4, 1999
	DNA96857-2636	PTA-17	May 4, 1999
	DNA96860-2700	PTA-478	August 3, 1999
25	DNA96861-2844	PTA-1436	March 2, 2000
	DNA96866-2698	PTA-491	August 3, 1999
	DNA96870-2676	PTA-254	June 22, 1999
	DNA96872-2674	PTA-550	August 17, 1999
	DNA96878-2626	PTA-23	May 4, 1999
30	DNA96879-2619	203967	April 27, 1999
	DNA96889-2641	PTA-119	May 25, 1999
	DNA96893-2621	PTA-12	May 4, 1999
	DNA96897-2688	PTA-379	July 20, 1999
	DNA98564-2643	PTA-125	May 25, 1999
35	DNA107443-2718	PTA-490	August 3, 1999
	DNA107786-2723	PTA-474	August 3, 1999
	DNA108682-2712	PTA-486	August 3, 1999

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA108684-2761	PTA-653	September 14, 1999
	DNA108701-2749	PTA-554	August 17, 1999
	DNA108720-2717	PTA-511	August 10, 1999
5	DNA108726-2729	PTA-514	August 10, 1999
	DNA108728-2760	PTA-654	September 14, 1999
	DNA108738-2767	PTA-862	October 19, 1999
	DNA108743-2722	PTA-508	August 10, 1999
	DNA108758-2759	PTA-655	September 14, 1999
10	DNA108765-2758	PTA-657	September 14, 1999
	DNA108783-2747	PTA-616	August 31, 1999
	DNA108789-2748	PTA-547	August 17, 1999
	DNA108806-2724	PTA-610	August 31, 1999
	DNA108936-2719	PTA-519	August 10, 1999
15	DNA119510-2771	PTA-947	November 9, 1999
	DNA119517-2778	PTA-951	November 16, 1999
	DNA119535-2756	PTA-613	August 31, 1999
	DNA119537-2777	PTA-956	November 16, 1999
	DNA119714-2851	PTA-1537	March 21, 2000
20	DNA125170-2780	PTA-953	November 16, 1999
	DNA129594-2841	PTA-1481	March 14, 2000
	DNA129793-2857	PTA-1733	April 18, 2000
	DNA130809-2769	PTA-949	November 9, 1999
	DNA131639-2874	PTA-1784	April 25, 2000
25	DNA131649-2855	PTA-1482	March 14, 2000
	DNA131652-2876	PTA-1628	April 4, 2000
	DNA131658-2875	PTA-1671	April 11, 2000
	DNA132162-2770	PTA-950	November 9, 1999
	DNA136110-2763	PTA-652	September 14, 1999
30	DNA139592-2866	PTA-1587	March 28, 2000
	DNA139608-2856	PTA-1581	March 28, 2000
	DNA143292-2848	PTA-1778	April 25, 2000
	DNA144844-2843	PTA-1536	March 21, 2000
	DNA144857-2845	PTA-1589	March 28, 2000
35	DNA145841-2868	PTA-1678	April 11, 2000
	DNA148004-2882	PTA-1779	April 25, 2000
	DNA149893-2873	PTA-1672	April 11, 2000

Table 7 (cont')

	<u>Material</u>	<u>ATCC Dep. No.</u>	<u>Deposit Date</u>
	DNA149930-2884	PTA-1668	April 11, 2000
	DNA150157-2898	PTA-1777	April 25, 2000
	DNA150163-2842	PTA-1533	March 21, 2000
5	DNA153579-2894	PTA-1729	April 18, 2000
	DNA164625-2890	PTA-1535	March 21, 2000
	DNA57838-1337	203014	June 23, 1998
	DNA59777-1480	203111	August 11, 1998
	DNA66675-1587	203282	September 22, 1998
10	DNA76532-1702	203473	November 17, 1998
	DNA105849-2704	PTA-473	August 3, 1999
	DNA83500-2506	203391	October 29, 1998

These deposits were made under the provisions of the Budapest Treaty on the International Recognition of the Deposit of Microorganisms for the Purpose of Patent Procedure and the Regulations thereunder (Budapest Treaty). This assures maintenance of a viable culture of the deposit for 30 years from the date of deposit. The deposits will be made available by ATCC under the terms of the Budapest Treaty, and subject to an agreement between Genentech, Inc. and ATCC, which assures permanent and unrestricted availability of the progeny of the culture of the deposit to the public upon issuance of the pertinent U.S. patent or upon laying open to the public of any U.S. or foreign patent application, whichever comes first, and assures availability of the progeny to one determined by the U.S. Commissioner of Patents and Trademarks to be entitled thereto according to 35 USC § 122 and the Commissioner's rules pursuant thereto (including 37 CFR § 1.14 with particular reference to 886 OG 638).

The assignee of the present application has agreed that if a culture of the materials on deposit should die or be lost or destroyed when cultivated under suitable conditions, the materials will be promptly replaced on notification with another of the same. Availability of the deposited material is not to be construed as a license to practice the invention in contravention of the rights granted under the authority of any government in accordance with its patent laws.

30 EXAMPLE 5: Use of PRO as a hybridization probe

The following method describes use of a nucleotide sequence encoding PRO as a hybridization probe.

DNA comprising the coding sequence of full-length or mature PRO as disclosed herein is employed as a probe to screen for homologous DNAs (such as those encoding naturally-occurring variants of PRO) in human tissue cDNA libraries or human tissue genomic libraries.

35 Hybridization and washing of filters containing either library DNAs is performed under the following high stringency conditions. Hybridization of radiolabeled PRO-derived probe to the filters is performed in a solution of 50% formamide, 5x SSC, 0.1% SDS, 0.1% sodium pyrophosphate, 50 mM sodium phosphate, pH

6.8, 2x Denhardt's solution, and 10% dextran sulfate at 42°C for 20 hours. Washing of the filters is performed in an aqueous solution of 0.1x SSC and 0.1% SDS at 42°C.

DNAs having a desired sequence identity with the DNA encoding full-length native sequence PRO can then be identified using standard techniques known in the art.

5 EXAMPLE 6: Expression of PRO in *E. coli*

This example illustrates preparation of an unglycosylated form of PRO by recombinant expression in *E. coli*.

The DNA sequence encoding PRO is initially amplified using selected PCR primers. The primers should contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector. A variety of expression vectors may be employed. An example of a suitable vector is pBR322 (derived from *E. coli*; see Bolivar et al., Gene, 2:95 (1977)) which contains genes for ampicillin and tetracycline resistance. The vector is digested with restriction enzyme and dephosphorylated. The PCR amplified sequences are then ligated into the vector. The vector will preferably include sequences which encode for an antibiotic resistance gene, a trp promoter, a polyhis leader (including the first six STII codons, polyhis sequence, and enterokinase cleavage site), the PRO coding region, lambda transcriptional terminator, and an argU gene.

The ligation mixture is then used to transform a selected *E. coli* strain using the methods described in Sambrook et al., supra. Transformants are identified by their ability to grow on LB plates and antibiotic resistant colonies are then selected. Plasmid DNA can be isolated and confirmed by restriction analysis and DNA sequencing.

Selected clones can be grown overnight in liquid culture medium such as LB broth supplemented with antibiotics. The overnight culture may subsequently be used to inoculate a larger scale culture. The cells are then grown to a desired optical density, during which the expression promoter is turned on.

After culturing the cells for several more hours, the cells can be harvested by centrifugation. The cell pellet obtained by the centrifugation can be solubilized using various agents known in the art, and the solubilized PRO protein can then be purified using a metal chelating column under conditions that allow tight binding of the protein.

PRO may be expressed in *E. coli* in a poly-His tagged form, using the following procedure. The DNA encoding PRO is initially amplified using selected PCR primers. The primers will contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector, and other useful sequences providing for efficient and reliable translation initiation, rapid purification on a metal chelation column, and proteolytic removal with enterokinase. The PCR-amplified, poly-His tagged sequences are then ligated into an expression vector, which is used to transform an *E. coli* host based on strain 52 (W3110 fuhA(tonA) lon galE rpoHts(htpRts) clpP(lacIq). Transformants are first grown in LB containing 50 mg/ml carbenicillin at 30°C with shaking until an O.D.600 of 3-5 is reached. Cultures are then diluted 50-100 fold into CRAP media (prepared by mixing 3.57 g (NH₄)₂SO₄, 0.71 g sodium citrate•2H₂O, 1.07 g KCl, 5.36 g Difco yeast extract, 5.36 g Sheffield hycase SF in 500 mL water, as well as 110 mM MPOS, pH 7.3, 0.55% (w/v) glucose and 7 mM MgSO₄) and grown for approximately 20-30 hours at 30°C with shaking. Samples are removed to verify

expression by SDS-PAGE analysis, and the bulk culture is centrifuged to pellet the cells. Cell pellets are frozen until purification and refolding.

E. coli paste from 0.5 to 1 L fermentations (6-10 g pellets) is resuspended in 10 volumes (w/v) in 7 M guanidine, 20 mM Tris, pH 8 buffer. Solid sodium sulfite and sodium tetrathionate is added to make final concentrations of 0.1M and 0.02 M, respectively, and the solution is stirred overnight at 4°C. This step results in a denatured protein with all cysteine residues blocked by sulfitolization. The solution is centrifuged at 40,000 rpm in a Beckman Ultracentrifuge for 30 min. The supernatant is diluted with 3-5 volumes of metal chelate column buffer (6 M guanidine, 20 mM Tris, pH 7.4) and filtered through 0.22 micron filters to clarify. The clarified extract is loaded onto a 5 ml Qiagen, Ni-NTA metal chelate column equilibrated in the metal chelate column buffer. The column is washed with additional buffer containing 50 mM imidazole (Calbiochem, Utrol grade), pH 7.4. The protein is eluted with buffer containing 250 mM imidazole. Fractions containing the desired protein are pooled and stored at 4°C. Protein concentration is estimated by its absorbance at 280 nm using the calculated extinction coefficient based on its amino acid sequence.

The proteins are refolded by diluting the sample slowly into freshly prepared refolding buffer consisting of: 20 mM Tris, pH 8.6, 0.3 M NaCl, 2.5 M urea, 5 mM cysteine, 20 mM glycine and 1 mM EDTA. Refolding volumes are chosen so that the final protein concentration is between 50 to 100 micrograms/ml. The refolding solution is stirred gently at 4°C for 12-36 hours. The refolding reaction is quenched by the addition of TFA to a final concentration of 0.4% (pH of approximately 3). Before further purification of the protein, the solution is filtered through a 0.22 micron filter and acetonitrile is added to 2-10% final concentration. The refolded protein is chromatographed on a Poros R1/H reversed phase column using a mobile buffer of 0.1% TFA with elution with a gradient of acetonitrile from 10 to 80%. Aliquots of fractions with A280 absorbance are analyzed on SDS polyacrylamide gels and fractions containing homogeneous refolded protein are pooled. Generally, the properly refolded species of most proteins are eluted at the lowest concentrations of acetonitrile since those species are the most compact with their hydrophobic interiors shielded from interaction with the reversed phase resin. Aggregated species are usually eluted at higher acetonitrile concentrations. In addition to resolving misfolded forms of proteins from the desired form, the reversed phase step also removes endotoxin from the samples.

Fractions containing the desired folded PRO polypeptide are pooled and the acetonitrile removed using a gentle stream of nitrogen directed at the solution. Proteins are formulated into 20 mM Hepes, pH 6.8 with 0.14 M sodium chloride and 4% mannitol by dialysis or by gel filtration using G25 Superfine (Pharmacia) resins equilibrated in the formulation buffer and sterile filtered.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 7: Expression of PRO in mammalian cells

This example illustrates preparation of a potentially glycosylated form of PRO by recombinant expression in mammalian cells.

The vector, pRK5 (see EP 307,247, published March 15, 1989), is employed as the expression vector. Optionally, the PRO DNA is ligated into pRK5 with selected restriction enzymes to allow insertion of the PRO DNA using ligation methods such as described in Sambrook et al., *supra*. The resulting vector is called pRK5-

PRO.

In one embodiment, the selected host cells may be 293 cells. Human 293 cells (ATCC CCL 1573) are grown to confluence in tissue culture plates in medium such as DMEM supplemented with fetal calf serum and optionally, nutrient components and/or antibiotics. About 10 μ g pRK5-PRO DNA is mixed with about 1 μ g DNA encoding the VA RNA gene [Thimmappaya et al., Cell, 31:543 (1982)] and dissolved in 500 μ l of 1 mM Tris-HCl, 0.1 mM EDTA, 0.227 M CaCl_2 . To this mixture is added, dropwise, 500 μ l of 50 mM HEPES (pH 7.35), 280 mM NaCl, 1.5 mM NaPO_4 , and a precipitate is allowed to form for 10 minutes at 25°C. The precipitate is suspended and added to the 293 cells and allowed to settle for about four hours at 37°C. The culture medium is aspirated off and 2 ml of 20% glycerol in PBS is added for 30 seconds. The 293 cells are then washed with serum free medium, fresh medium is added and the cells are incubated for about 5 days.

Approximately 24 hours after the transfections, the culture medium is removed and replaced with culture medium (alone) or culture medium containing 200 μ Ci/ml ^{35}S -cysteine and 200 μ Ci/ml ^{35}S -methionine. After a 12 hour incubation, the conditioned medium is collected, concentrated on a spin filter, and loaded onto a 15% SDS gel. The processed gel may be dried and exposed to film for a selected period of time to reveal the presence of PRO polypeptide. The cultures containing transfected cells may undergo further incubation (in serum free medium) and the medium is tested in selected bioassays.

In an alternative technique, PRO may be introduced into 293 cells transiently using the dextran sulfate method described by Somparyrac et al., Proc. Natl. Acad. Sci., 12:7575 (1981). 293 cells are grown to maximal density in a spinner flask and 700 μ g pRK5-PRO DNA is added. The cells are first concentrated from the spinner flask by centrifugation and washed with PBS. The DNA-dextran precipitate is incubated on the cell pellet for four hours. The cells are treated with 20% glycerol for 90 seconds, washed with tissue culture medium, and re-introduced into the spinner flask containing tissue culture medium, 5 μ g/ml bovine insulin and 0.1 μ g/ml bovine transferrin. After about four days, the conditioned media is centrifuged and filtered to remove cells and debris. The sample containing expressed PRO can then be concentrated and purified by any selected method, such as dialysis and/or column chromatography.

In another embodiment, PRO can be expressed in CHO cells. The pRK5-PRO can be transfected into CHO cells using known reagents such as CaPO_4 or DEAE-dextran. As described above, the cell cultures can be incubated, and the medium replaced with culture medium (alone) or medium containing a radiolabel such as ^{35}S -methionine. After determining the presence of PRO polypeptide, the culture medium may be replaced with serum free medium. Preferably, the cultures are incubated for about 6 days, and then the conditioned medium is harvested. The medium containing the expressed PRO can then be concentrated and purified by any selected method.

Epitope-tagged PRO may also be expressed in host CHO cells. The PRO may be subcloned out of the pRK5 vector. The subclone insert can undergo PCR to fuse in frame with a selected epitope tag such as a poly-his tag into a Baculovirus expression vector. The poly-his tagged PRO insert can then be subcloned into a SV40 driven vector containing a selection marker such as DHFR for selection of stable clones. Finally, the CHO cells can be transfected (as described above) with the SV40 driven vector. Labeling may be performed, as described above, to verify expression. The culture medium containing the expressed poly-His tagged PRO can then be

concentrated and purified by any selected method, such as by Ni^{2+} -chelate affinity chromatography.

PRO may also be expressed in CHO and/or COS cells by a transient expression procedure or in CHO cells by another stable expression procedure.

Stable expression in CHO cells is performed using the following procedure. The proteins are expressed as an IgG construct (immunoadhesin), in which the coding sequences for the soluble forms (e.g. extracellular domains) of the respective proteins are fused to an IgG1 constant region sequence containing the hinge, CH2 and CH2 domains and/or is a poly-His tagged form.

Following PCR amplification, the respective DNAs are subcloned in a CHO expression vector using standard techniques as described in Ausubel et al., Current Protocols of Molecular Biology, Unit 3.16, John Wiley and Sons (1997). CHO expression vectors are constructed to have compatible restriction sites 5' and 3' of the DNA of interest to allow the convenient shuttling of cDNA's. The vector used expression in CHO cells is as described in Lucas et al., Nucl. Acids Res. 24:9 (1774-1779 (1996), and uses the SV40 early promoter/enhancer to drive expression of the cDNA of interest and dihydrofolate reductase (DHFR). DHFR expression permits selection for stable maintenance of the plasmid following transfection.

Twelve micrograms of the desired plasmid DNA is introduced into approximately 10 million CHO cells using commercially available transfection reagents Superfect[®] (Qiagen), Dosper[®] or Fugene[®] (Boehringer Mannheim). The cells are grown as described in Lucas et al., supra. Approximately 3×10^7 cells are frozen in an ampule for further growth and production as described below.

The ampules containing the plasmid DNA are thawed by placement into water bath and mixed by vortexing. The contents are pipetted into a centrifuge tube containing 10 mLs of media and centrifuged at 1000 rpm for 5 minutes. The supernatant is aspirated and the cells are resuspended in 10 mL of selective media (0.2 μm filtered PS20 with 5% 0.2 μm diafiltered fetal bovine serum). The cells are then aliquoted into a 100 mL spinner containing 90 mL of selective media. After 1-2 days, the cells are transferred into a 250 mL spinner filled with 150 mL selective growth medium and incubated at 37°C. After another 2-3 days, 250 mL, 500 mL and 2000 mL spinners are seeded with 3×10^5 cells/mL. The cell media is exchanged with fresh media by centrifugation and resuspension in production medium. Although any suitable CHO media may be employed, a production medium described in U.S. Patent No. 5,122,469, issued June 16, 1992 may actually be used. A 3L production spinner is seeded at 1.2×10^6 cells/mL. On day 0, the cell number pH is determined. On day 1, the spinner is sampled and sparging with filtered air is commenced. On day 2, the spinner is sampled, the temperature shifted to 33°C, and 30 mL of 500 g/L glucose and 0.6 mL of 10% antifoam (e.g., 35% polydimethylsiloxane emulsion, Dow Corning 365 Medical Grade Emulsion) taken. Throughout the production, the pH is adjusted as necessary to keep it at around 7.2. After 10 days, or until the viability dropped below 70%, the cell culture is harvested by centrifugation and filtering through a 0.22 μm filter. The filtrate was either stored at 4°C or immediately loaded onto columns for purification.

For the poly-His tagged constructs, the proteins are purified using a Ni-NTA column (Qiagen). Before purification, imidazole is added to the conditioned media to a concentration of 5 mM. The conditioned media is pumped onto a 6 ml Ni-NTA column equilibrated in 20 mM Hepes, pH 7.4, buffer containing 0.3 M NaCl and 5 mM imidazole at a flow rate of 4-5 ml/min. at 4°C. After loading, the column is washed with additional

equilibration buffer and the protein eluted with equilibration buffer containing 0.25 M imidazole. The highly purified protein is subsequently desalted into a storage buffer containing 10 mM Hepes, 0.14 M NaCl and 4% mannitol, pH 6.8, with a 25 ml G25 Superfine (Pharmacia) column and stored at -80°C.

Immunoadhesin (Fc-containing) constructs are purified from the conditioned media as follows. The conditioned medium is pumped onto a 5 ml Protein A column (Pharmacia) which had been equilibrated in 20 mM Na phosphate buffer, pH 6.8. After loading, the column is washed extensively with equilibration buffer before elution with 100 mM citric acid, pH 3.5. The eluted protein is immediately neutralized by collecting 1 ml fractions into tubes containing 275 μ L of 1 M Tris buffer, pH 9. The highly purified protein is subsequently desalted into storage buffer as described above for the poly-His tagged proteins. The homogeneity is assessed by SDS polyacrylamide gels and by N-terminal amino acid sequencing by Edman degradation.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 8: Expression of PRO in Yeast

The following method describes recombinant expression of PRO in yeast.

First, yeast expression vectors are constructed for intracellular production or secretion of PRO from the ADH2/GAPDH promoter. DNA encoding PRO and the promoter is inserted into suitable restriction enzyme sites in the selected plasmid to direct intracellular expression of PRO. For secretion, DNA encoding PRO can be cloned into the selected plasmid, together with DNA encoding the ADH2/GAPDH promoter, a native PRO signal peptide or other mammalian signal peptide, or, for example, a yeast alpha-factor or invertase secretory signal/leader sequence, and linker sequences (if needed) for expression of PRO.

Yeast cells, such as yeast strain AB110, can then be transformed with the expression plasmids described above and cultured in selected fermentation media. The transformed yeast supernatants can be analyzed by precipitation with 10% trichloroacetic acid and separation by SDS-PAGE, followed by staining of the gels with Coomassie Blue stain.

Recombinant PRO can subsequently be isolated and purified by removing the yeast cells from the fermentation medium by centrifugation and then concentrating the medium using selected cartridge filters. The concentrate containing PRO may further be purified using selected column chromatography resins.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

EXAMPLE 9: Expression of PRO in Baculovirus-Infected Insect Cells

The following method describes recombinant expression of PRO in Baculovirus-infected insect cells.

The sequence coding for PRO is fused upstream of an epitope tag contained within a baculovirus expression vector. Such epitope tags include poly-his tags and immunoglobulin tags (like Fc regions of IgG). A variety of plasmids may be employed, including plasmids derived from commercially available plasmids such as pVL1393 (Novagen). Briefly, the sequence encoding PRO or the desired portion of the coding sequence of PRO such as the sequence encoding the extracellular domain of a transmembrane protein or the sequence encoding the mature protein if the protein is extracellular is amplified by PCR with primers complementary to the 5' and 3' regions. The 5' primer may incorporate flanking (selected) restriction enzyme sites. The product is then

digested with those selected restriction enzymes and subcloned into the expression vector.

Recombinant baculovirus is generated by co-transfecting the above plasmid and BaculoGold™ virus DNA (Pharmingen) into *Spodoptera frugiperda* ("Sf9") cells (ATCC CRL 1711) using lipofectin (commercially available from GIBCO-BRL). After 4 - 5 days of incubation at 28°C, the released viruses are harvested and used for further amplifications. Viral infection and protein expression are performed as described by O'Reilley et al.,
5 Baculovirus expression vectors: A Laboratory Manual, Oxford: Oxford University Press (1994).

Expressed poly-his tagged PRO can then be purified, for example, by Ni²⁺-chelate affinity chromatography as follows. Extracts are prepared from recombinant virus-infected Sf9 cells as described by Rupert et al., Nature, 362:175-179 (1993). Briefly, Sf9 cells are washed, resuspended in sonication buffer (25 mL Hepes, pH 7.9; 12.5 mM MgCl₂; 0.1 mM EDTA; 10% glycerol; 0.1% NP-40; 0.4 M KCl), and sonicated
10 twice for 20 seconds on ice. The sonicates are cleared by centrifugation, and the supernatant is diluted 50-fold in loading buffer (50 mM phosphate, 300 mM NaCl, 10% glycerol, pH 7.8) and filtered through a 0.45 µm filter. A Ni²⁺-NTA agarose column (commercially available from Qiagen) is prepared with a bed volume of 5 mL, washed with 25 mL of water and equilibrated with 25 mL of loading buffer. The filtered cell extract is loaded onto the column at 0.5 mL per minute. The column is washed to baseline A₂₈₀ with loading buffer, at which point
15 fraction collection is started. Next, the column is washed with a secondary wash buffer (50 mM phosphate; 300 mM NaCl, 10% glycerol, pH 6.0), which elutes nonspecifically bound protein. After reaching A₂₈₀ baseline again, the column is developed with a 0 to 500 mM Imidazole gradient in the secondary wash buffer. One mL fractions are collected and analyzed by SDS-PAGE and silver staining or Western blot with Ni²⁺-NTA-conjugated to alkaline phosphatase (Qiagen). Fractions containing the eluted His₁₀-tagged PRO are pooled and dialyzed
20 against loading buffer.

Alternatively, purification of the IgG tagged (or Fc tagged) PRO can be performed using known chromatography techniques, including for instance, Protein A or protein G column chromatography.

Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

25 EXAMPLE 10: Preparation of Antibodies that Bind PRO

This example illustrates preparation of monoclonal antibodies which can specifically bind PRO.

Techniques for producing the monoclonal antibodies are known in the art and are described, for instance, in Goding, supra. Immunogens that may be employed include purified PRO, fusion proteins containing PRO, and cells expressing recombinant PRO on the cell surface. Selection of the immunogen can be made by the skilled
30 artisan without undue experimentation.

Mice, such as Balb/c, are immunized with the PRO immunogen emulsified in complete Freund's adjuvant and injected subcutaneously or intraperitoneally in an amount from 1-100 micrograms. Alternatively, the immunogen is emulsified in MPL-TDM adjuvant (Ribi Immunochemical Research, Hamilton, MT) and injected into the animal's hind foot pads. The immunized mice are then boosted 10 to 12 days later with additional
35 immunogen emulsified in the selected adjuvant. Thereafter, for several weeks, the mice may also be boosted with additional immunization injections. Serum samples may be periodically obtained from the mice by retro-orbital bleeding for testing in ELISA assays to detect anti-PRO antibodies.

After a suitable antibody titer has been detected, the animals "positive" for antibodies can be injected with a final intravenous injection of PRO. Three to four days later, the mice are sacrificed and the spleen cells are harvested. The spleen cells are then fused (using 35% polyethylene glycol) to a selected murine myeloma cell line such as P3X63AgU.1, available from ATCC, No. CRL 1597. The fusions generate hybridoma cells which can then be plated in 96 well tissue culture plates containing HAT (hypoxanthine, aminopterin, and thymidine) medium to inhibit proliferation of non-fused cells, myeloma hybrids, and spleen cell hybrids.

The hybridoma cells will be screened in an ELISA for reactivity against PRO. Determination of "positive" hybridoma cells secreting the desired monoclonal antibodies against PRO is within the skill in the art.

The positive hybridoma cells can be injected intraperitoneally into syngeneic Balb/c mice to produce ascites containing the anti-PRO monoclonal antibodies. Alternatively, the hybridoma cells can be grown in tissue culture flasks or roller bottles. Purification of the monoclonal antibodies produced in the ascites can be accomplished using ammonium sulfate precipitation, followed by gel exclusion chromatography. Alternatively, affinity chromatography based upon binding of antibody to protein A or protein G can be employed.

EXAMPLE 11: Purification of PRO Polypeptides Using Specific Antibodies

Native or recombinant PRO polypeptides may be purified by a variety of standard techniques in the art of protein purification. For example, pro-PRO polypeptide, mature PRO polypeptide, or pre-PRO polypeptide is purified by immunoaffinity chromatography using antibodies specific for the PRO polypeptide of interest. In general, an immunoaffinity column is constructed by covalently coupling the anti-PRO polypeptide antibody to an activated chromatographic resin.

Polyclonal immunoglobulins are prepared from immune sera either by precipitation with ammonium sulfate or by purification on immobilized Protein A (Pharmacia LKB Biotechnology, Piscataway, N.J.). Likewise, monoclonal antibodies are prepared from mouse ascites fluid by ammonium sulfate precipitation or chromatography on immobilized Protein A. Partially purified immunoglobulin is covalently attached to a chromatographic resin such as CnBr-activated SEPHAROSE™ (Pharmacia LKB Biotechnology). The antibody is coupled to the resin, the resin is blocked, and the derivative resin is washed according to the manufacturer's instructions.

Such an immunoaffinity column is utilized in the purification of PRO polypeptide by preparing a fraction from cells containing PRO polypeptide in a soluble form. This preparation is derived by solubilization of the whole cell or of a subcellular fraction obtained via differential centrifugation by the addition of detergent or by other methods well known in the art. Alternatively, soluble PRO polypeptide containing a signal sequence may be secreted in useful quantity into the medium in which the cells are grown.

A soluble PRO polypeptide-containing preparation is passed over the immunoaffinity column, and the column is washed under conditions that allow the preferential absorbance of PRO polypeptide (*e.g.*, high ionic strength buffers in the presence of detergent). Then, the column is eluted under conditions that disrupt antibody/PRO polypeptide binding (*e.g.*, a low pH buffer such as approximately pH 2-3, or a high concentration of a chaotrope such as urea or thiocyanate ion), and PRO polypeptide is collected.

EXAMPLE 12: Drug Screening

This invention is particularly useful for screening compounds by using PRO polypeptides or binding fragment thereof in any of a variety of drug screening techniques. The PRO polypeptide or fragment employed in such a test may either be free in solution, affixed to a solid support, borne on a cell surface, or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the PRO polypeptide or fragment. Drugs are screened against such transformed cells in competitive binding assays. Such cells, either in viable or fixed form, can be used for standard binding assays. One may measure, for example, the formation of complexes between PRO polypeptide or a fragment and the agent being tested. Alternatively, one can examine the diminution in complex formation between the PRO polypeptide and its target cell or target receptors caused by the agent being tested.

Thus, the present invention provides methods of screening for drugs or any other agents which can affect a PRO polypeptide-associated disease or disorder. These methods comprise contacting such an agent with an PRO polypeptide or fragment thereof and assaying (i) for the presence of a complex between the agent and the PRO polypeptide or fragment, or (ii) for the presence of a complex between the PRO polypeptide or fragment and the cell, by methods well known in the art. In such competitive binding assays, the PRO polypeptide or fragment is typically labeled. After suitable incubation, free PRO polypeptide or fragment is separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability of the particular agent to bind to PRO polypeptide or to interfere with the PRO polypeptide/cell complex.

Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to a polypeptide and is described in detail in WO 84/03564, published on September 13, 1984. Briefly stated, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. As applied to a PRO polypeptide, the peptide test compounds are reacted with PRO polypeptide and washed. Bound PRO polypeptide is detected by methods well known in the art. Purified PRO polypeptide can also be coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies can be used to capture the peptide and immobilize it on the solid support.

This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding PRO polypeptide specifically compete with a test compound for binding to PRO polypeptide or fragments thereof. In this manner, the antibodies can be used to detect the presence of any peptide which shares one or more antigenic determinants with PRO polypeptide.

EXAMPLE 13: Rational Drug Design

The goal of rational drug design is to produce structural analogs of biologically active polypeptide of interest (*i.e.*, a PRO polypeptide) or of small molecules with which they interact, *e.g.*, agonists, antagonists, or inhibitors. Any of these examples can be used to fashion drugs which are more active or stable forms of the PRO polypeptide or which enhance or interfere with the function of the PRO polypeptide *in vivo* (*c.f.*, Hodgson, Bio/Technology, 9: 19-21 (1991)).

In one approach, the three-dimensional structure of the PRO polypeptide, or of an PRO

polypeptide-inhibitor complex, is determined by x-ray crystallography, by computer modeling or, most typically, by a combination of the two approaches. Both the shape and charges of the PRO polypeptide must be ascertained to elucidate the structure and to determine active site(s) of the molecule. Less often, useful information regarding the structure of the PRO polypeptide may be gained by modeling based on the structure of homologous proteins. In both cases, relevant structural information is used to design analogous PRO polypeptide-like molecules or to identify efficient inhibitors. Useful examples of rational drug design may include molecules which have improved activity or stability as shown by Braxton and Wells, *Biochemistry*, 31:7796-7801 (1992) or which act as inhibitors, agonists, or antagonists of native peptides as shown by Athauda *et al.*, *J. Biochem.*, 113:742-746 (1993).

It is also possible to isolate a target-specific antibody, selected by functional assay, as described above, and then to solve its crystal structure. This approach, in principle, yields a pharmacore upon which subsequent drug design can be based. It is possible to bypass protein crystallography altogether by generating anti-idiotypic antibodies (anti-ids) to a functional, pharmacologically active antibody. As a mirror image of a mirror image, the binding site of the anti-ids would be expected to be an analog of the original receptor. The anti-id could then be used to identify and isolate peptides from banks of chemically or biologically produced peptides. The isolated peptides would then act as the pharmacore.

By virtue of the present invention, sufficient amounts of the PRO polypeptide may be made available to perform such analytical studies as X-ray crystallography. In addition, knowledge of the PRO polypeptide amino acid sequence provided herein will provide guidance to those employing computer modeling techniques in place of or in addition to x-ray crystallography.

EXAMPLE 14: Identification of PRO Polypeptides That Stimulate TNF- α Release In Human Blood (Assay 128)

This assay shows that certain PRO polypeptides of the present invention act to stimulate the release of TNF- α in human blood. PRO polypeptides testing positive in this assay are useful for, among other things, research purposes where stimulation of the release of TNF- α would be desired and for the therapeutic treatment of conditions wherein enhanced TNF- α release would be beneficial. Specifically, 200 μ l of human blood supplemented with 50mM Hepes buffer (pH 7.2) is aliquoted per well in a 96 well test plate. To each well is then added 300 μ l of either the test PRO polypeptide in 50 mM Hepes buffer (at various concentrations) or 50 mM Hepes buffer alone (negative control) and the plates are incubated at 37°C for 6 hours. The samples are then centrifuged and 50 μ l of plasma is collected from each well and tested for the presence of TNF- α by ELISA assay. A positive in the assay is a higher amount of TNF- α in the PRO polypeptide treated samples as compared to the negative control samples.

The following PRO polypeptides tested positive in this assay:

PRO1079, PRO827, PRO791, PRO1131, PRO1316, PRO1183, PRO1343, PRO1760, PRO1567, and PRO4333.

EXAMPLE 15: Promotion of Chondrocyte Redifferentiation (Assay 129)

This assay is designed to determine whether PRO polypeptides of the present invention show the ability to induce the proliferation and/or redifferentiation of chondrocytes in culture. PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of various bone and/or cartilage

disorders such as, for example, sports injuries and arthritis.

Porcine chondrocytes are isolated by overnight collagenase digestion of articular cartilage of the metacarpophalangeal joint of 4-6 month old female pigs. The isolated cells are then seeded at 25,000 cells/cm² in Ham F-12 containing 10% FBS and 4 µg/ml gentamycin. The culture media is changed every third day. On day 12, the cells are seeded in 96 well plates at 5,000 cells/well in 100µl of the same media without serum and 100 µl of either serum-free medium (negative control), staurosporin (final concentration of 5 nM; positive control) or the test PRO polypeptide are added to give a final volume of 200 µl/well. After 5 days at 37°C, 22 µl of media containing 100µg/ml Hoechst 33342 and 50 µg/ml 5-CFDA is added to each well and incubated for an additional 10 minutes at 37°C. A picture of the green fluorescence is taken for each well and the differentiation state of the chondrocytes is calculated by morphometric analysis. A positive result in the assay is obtained when the > 50% of the PRO polypeptide treated cells are differentiated (compared to the background obtained by the negative control).

PRO6029 polypeptide tested positive in this assay.

EXAMPLE 16: Microarray Analysis to Detect Overexpression of PRO Polypeptides in Cancerous Tumors

Nucleic acid microarrays, often containing thousands of gene sequences, are useful for identifying differentially expressed genes in diseased tissues as compared to their normal counterparts. Using nucleic acid microarrays, test and control mRNA samples from test and control tissue samples are reverse transcribed and labeled to generate cDNA probes. The cDNA probes are then hybridized to an array of nucleic acids immobilized on a solid support. The array is configured such that the sequence and position of each member of the array is known. For example, a selection of genes known to be expressed in certain disease states may be arrayed on a solid support. Hybridization of a labeled probe with a particular array member indicates that the sample from which the probe was derived expresses that gene. If the hybridization signal of a probe from a test (disease tissue) sample is greater than hybridization signal of a probe from a control (normal tissue) sample, the gene or genes overexpressed in the disease tissue are identified. The implication of this result is that an overexpressed protein in a diseased tissue is useful not only as a diagnostic marker for the presence of the disease condition, but also as a therapeutic target for treatment of the disease condition.

The methodology of hybridization of nucleic acids and microarray technology is well known in the art. In the present example, the specific preparation of nucleic acids for hybridization and probes, slides, and hybridization conditions are all detailed in U.S. Provisional Patent Application Serial No. 60/193,767, filed on March 31, 2000 and which is herein incorporated by reference.

In the present example, cancerous tumors derived from various human tissues were studied for PRO polypeptide-encoding gene expression relative to non-cancerous human tissue in an attempt to identify those PRO polypeptides which are overexpressed in cancerous tumors. Two sets of experimental data were generated. In one set, cancerous human colon tumor tissue and matched non-cancerous human colon tumor tissue from the same patient ("matched colon control") were obtained and analyzed for PRO polypeptide expression using the above described microarray technology. In the second set of data, cancerous human tumor tissue from any of a variety of different human tumors was obtained and compared to a "universal" epithelial control sample which was

prepared by pooling non-cancerous human tissues of epithelial origin, including liver, kidney, and lung. mRNA isolated from the pooled tissues represents a mixture of expressed gene products from these different tissues. Microarray hybridization experiments using the pooled control samples generated a linear plot in a 2-color analysis. The slope of the line generated in a 2-color analysis was then used to normalize the ratios of (test:control detection) within each experiment. The normalized ratios from various experiments were then compared and used to identify clustering of gene expression. Thus, the pooled "universal control" sample not only allowed effective relative gene expression determinations in a simple 2-sample comparison, it also allowed multi-sample comparisons across several experiments.

In the present experiments, nucleic acid probes derived from the herein described PRO polypeptide-encoding nucleic acid sequences were used in the creation of the microarray and RNA from the tumor tissues listed above were used for the hybridization thereto. A value based upon the normalized ratio:experimental ratio was designated as a "cutoff ratio". Only values that were above this cutoff ratio were determined to be significant. Table 8 below shows the results of these experiments, demonstrating that various PRO polypeptides of the present invention are significantly overexpressed in various human tumor tissues as compared to a non-cancerous human tissue control. As described above, these data demonstrate that the PRO polypeptides of the present invention are useful not only as diagnostic markers for the presence of one or more cancerous tumors, but also serve as therapeutic targets for the treatment of those tumors.

Table 8

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
20	PRO276	lung tumor	universal normal control
	PRO284	colon tumor	universal normal control
	PRO284	lung tumor	universal normal control
	PRO284	breast tumor	universal normal control
	PRO193	colon tumor	universal normal control
	PRO193	lung tumor	universal normal control
25	PRO193	breast tumor	universal normal control
	PRO193	prostate tumor	universal normal control
	PRO190	colon tumor	universal normal control
	PRO190	lung tumor	universal normal control
	PRO190	breast tumor	universal normal control
30	PRO180	colon tumor	universal normal control
	PRO180	lung tumor	universal normal control
	PRO180	breast tumor	universal normal control
	PRO194	colon tumor	universal normal control
	PRO194	lung tumor	universal normal control
35	PRO194	breast tumor	universal normal control
	PRO194	cervical tumor	universal normal control
	PRO218	colon tumor	universal normal control
	PRO218	lung tumor	universal normal control
40	PRO260	colon tumor	universal normal control
	PRO260	lung tumor	universal normal control
	PRO260	breast tumor	universal normal control
	PRO260	rectal tumor	universal normal control
	PRO233	colon tumor	universal normal control
	PRO233	lung tumor	universal normal control
45	PRO233	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO234	colon tumor	universal normal control
	PRO234	lung tumor	universal normal control
	PRO234	breast tumor	universal normal control
5	PRO234	liver tumor	universal normal control
	PRO236	colon tumor	universal normal control
	PRO236	lung tumor	universal normal control
	PRO236	breast tumor	universal normal control
	PRO244	colon tumor	universal normal control
10	PRO244	lung tumor	universal normal control
	PRO262	colon tumor	universal normal control
	PRO262	lung tumor	universal normal control
	PRO262	breast tumor	universal normal control
	PRO271	colon tumor	universal normal control
15	PRO271	lung tumor	universal normal control
	PRO268	colon tumor	universal normal control
	PRO268	lung tumor	universal normal control
	PRO268	breast tumor	universal normal control
	PRO270	colon tumor	universal normal control
20	PRO270	lung tumor	universal normal control
	PRO270	breast tumor	universal normal control
	PRO270	liver tumor	universal normal control
	PRO355	lung tumor	universal normal control
	PRO355	breast tumor	universal normal control
25	PRO355	prostate tumor	universal normal control
	PRO298	colon tumor	universal normal control
	PRO298	lung tumor	universal normal control
	PRO298	breast tumor	universal normal control
	PRO299	colon tumor	universal normal control
30	PRO299	lung tumor	universal normal control
	PRO299	breast tumor	universal normal control
	PRO296	colon tumor	universal normal control
	PRO296	breast tumor	universal normal control
	PRO329	colon tumor	universal normal control
35	PRO329	lung tumor	universal normal control
	PRO329	breast tumor	universal normal control
	PRO330	colon tumor	universal normal control
	PRO330	lung tumor	universal normal control
	PRO294	lung tumor	universal normal control
40	PRO294	breast tumor	universal normal control
	PRO300	colon tumor	universal normal control
	PRO300	lung tumor	universal normal control
	PRO300	breast tumor	universal normal control
	PRO307	lung tumor	universal normal control
45	PRO334	colon tumor	universal normal control
	PRO334	lung tumor	universal normal control
	PRO334	breast tumor	universal normal control
	PRO334	prostate tumor	universal normal control
	PRO352	colon tumor	universal normal control
50	PRO352	lung tumor	universal normal control
	PRO352	breast tumor	universal normal control
	PRO352	liver tumor	universal normal control
	PRO710	breast tumor	universal normal control
	PRO873	colon tumor	universal normal control
55	PRO873	lung tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO873	breast tumor	universal normal control
	PRO873	prostate tumor	universal normal control
	PRO354	colon tumor	universal normal control
5	PRO354	lung tumor	universal normal control
	PRO354	breast tumor	universal normal control
	PRO1151	lung tumor	universal normal control
	PRO1151	breast tumor	universal normal control
	PRO382	colon tumor	universal normal control
10	PRO382	lung tumor	universal normal control
	PRO382	breast tumor	universal normal control
	PRO1864	lung tumor	universal normal control
	PRO1864	breast tumor	universal normal control
	PRO1864	liver tumor	universal normal control
15	PRO386	colon tumor	universal normal control
	PRO386	lung tumor	universal normal control
	PRO386	prostate tumor	universal normal control
	PRO541	colon tumor	universal normal control
	PRO541	lung tumor	universal normal control
20	PRO541	breast tumor	universal normal control
	PRO852	breast tumor	universal normal control
	PRO700	colon tumor	universal normal control
	PRO700	lung tumor	universal normal control
	PRO700	breast tumor	universal normal control
25	PRO700	rectal tumor	universal normal control
	PRO708	colon tumor	universal normal control
	PRO708	lung tumor	universal normal control
	PRO708	breast tumor	universal normal control
	PRO707	colon tumor	universal normal control
30	PRO707	lung tumor	universal normal control
	PRO864	colon tumor	universal normal control
	PRO864	lung tumor	universal normal control
	PRO864	breast tumor	universal normal control
	PRO706	colon tumor	universal normal control
35	PRO706	lung tumor	universal normal control
	PRO706	breast tumor	universal normal control
	PRO706	liver tumor	universal normal control
	PRO732	lung tumor	universal normal control
	PRO732	breast tumor	universal normal control
40	PRO732	cervical tumor	universal normal control
	PRO537	colon tumor	universal normal control
	PRO537	lung tumor	universal normal control
	PRO537	breast tumor	universal normal control
	PRO545	lung tumor	universal normal control
45	PRO545	breast tumor	universal normal control
	PRO718	lung tumor	universal normal control
	PRO718	breast tumor	universal normal control
	PRO872	lung tumor	universal normal control
	PRO872	breast tumor	universal normal control
50	PRO872	liver tumor	universal normal control
	PRO704	colon tumor	universal normal control
	PRO704	lung tumor	universal normal control
	PRO704	breast tumor	universal normal control
	PRO705	lung tumor	universal normal control
55	PRO705	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO871	lung tumor	universal normal control
	PRO871	breast tumor	universal normal control
	PRO871	liver tumor	universal normal control
5	PRO702	lung tumor	universal normal control
	PRO944	colon tumor	universal normal control
	PRO944	lung tumor	universal normal control
	PRO944	rectal tumor	universal normal control
	PRO739	lung tumor	universal normal control
10	PRO739	breast tumor	universal normal control
	PRO739	prostate tumor	universal normal control
	PRO941	colon tumor	universal normal control
	PRO941	lung tumor	universal normal control
	PRO941	breast tumor	universal normal control
15	PRO941	rectal tumor	universal normal control
	PRO1082	lung tumor	universal normal control
	PRO1082	breast tumor	universal normal control
	PRO1133	colon tumor	universal normal control
	PRO1133	lung tumor	universal normal control
20	PRO983	colon tumor	universal normal control
	PRO983	lung tumor	universal normal control
	PRO983	breast tumor	universal normal control
	PRO784	colon tumor	universal normal control
	PRO784	lung tumor	universal normal control
25	PRO784	breast tumor	universal normal control
	PRO784	prostate tumor	universal normal control
	PRO783	colon tumor	universal normal control
	PRO783	lung tumor	universal normal control
	PRO783	breast tumor	universal normal control
30	PRO783	liver tumor	universal normal control
	PRO940	colon tumor	universal normal control
	PRO940	lung tumor	universal normal control
	PRO940	breast tumor	universal normal control
35	PRO768	colon tumor	universal normal control
	PRO768	lung tumor	universal normal control
	PRO768	breast tumor	universal normal control
	PRO1079	colon tumor	universal normal control
	PRO1079	lung tumor	universal normal control
	PRO1079	breast tumor	universal normal control
40	PRO1079	rectal tumor	universal normal control
	PRO1078	colon tumor	universal normal control
	PRO1078	lung tumor	universal normal control
	PRO1018	colon tumor	universal normal control
	PRO1018	lung tumor	universal normal control
45	PRO1018	breast tumor	universal normal control
	PRO793	colon tumor	universal normal control
	PRO793	lung tumor	universal normal control
	PRO793	breast tumor	universal normal control
	PRO793	rectal tumor	universal normal control
50	PRO1773	colon tumor	universal normal control
	PRO1773	lung tumor	universal normal control
	PRO1773	prostate tumor	universal normal control
	PRO1014	lung tumor	universal normal control
	PRO1014	breast tumor	universal normal control
55	PRO1013	colon tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1013	lung tumor	universal normal control
	PRO1013	breast tumor	universal normal control
	PRO1013	liver tumor	universal normal control
5	PRO937	colon tumor	universal normal control
	PRO937	lung tumor	universal normal control
	PRO937	breast tumor	universal normal control
	PRO937	cervical tumor	universal normal control
	PRO937	rectal tumor	universal normal control
10	PRO1477	lung tumor	universal normal control
	PRO1477	breast tumor	universal normal control
	PRO1477	rectal tumor	universal normal control
	PRO842	colon tumor	universal normal control
	PRO842	lung tumor	universal normal control
15	PRO842	breast tumor	universal normal control
	PRO839	colon tumor	universal normal control
	PRO1180	colon tumor	universal normal control
	PRO1180	lung tumor	universal normal control
	PRO1180	liver tumor	universal normal control
20	PRO1134	lung tumor	universal normal control
	PRO1134	breast tumor	universal normal control
	PRO1134	prostate tumor	universal normal control
	PRO1115	colon tumor	universal normal control
	PRO1115	lung tumor	universal normal control
25	PRO1115	breast tumor	universal normal control
	PRO1277	colon tumor	universal normal control
	PRO1277	lung tumor	universal normal control
	PRO1135	lung tumor	universal normal control
	PRO1135	breast tumor	universal normal control
30	PRO1135	cervical tumor	universal normal control
	PRO827	colon tumor	universal normal control
	PRO827	lung tumor	universal normal control
	PRO827	prostate tumor	universal normal control
	PRO827	cervical tumor	universal normal control
35	PRO1057	lung tumor	universal normal control
	PRO1057	breast tumor	universal normal control
	PRO1113	colon tumor	universal normal control
	PRO1113	lung tumor	universal normal control
	PRO1006	colon tumor	universal normal control
40	PRO1006	lung tumor	universal normal control
	PRO1006	breast tumor	universal normal control
	PRO1006	rectal tumor	universal normal control
	PRO1074	lung tumor	universal normal control
	PRO1074	rectal tumor	universal normal control
45	PRO1073	lung tumor	universal normal control
	PRO1073	breast tumor	universal normal control
	PRO1136	colon tumor	universal normal control
	PRO1136	lung tumor	universal normal control
	PRO1136	breast tumor	universal normal control
50	PRO1004	lung tumor	universal normal control
	PRO1344	colon tumor	universal normal control
	PRO1344	lung tumor	universal normal control
	PRO1344	breast tumor	universal normal control
	PRO1344	rectal tumor	universal normal control
55	PRO1110	colon tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1110	lung tumor	universal normal control
	PRO1110	breast tumor	universal normal control
	PRO1378	colon tumor	universal normal control
5	PRO1378	lung tumor	universal normal control
	PRO1378	prostate tumor	universal normal control
	PRO1378	cervical tumor	universal normal control
	PRO1481	colon tumor	universal normal control
	PRO1481	lung tumor	universal normal control
10	PRO1109	lung tumor	universal normal control
	PRO1109	breast tumor	universal normal control
	PRO1383	colon tumor	universal normal control
	PRO1383	lung tumor	universal normal control
	PRO1383	breast tumor	universal normal control
15	PRO1072	lung tumor	universal normal control
	PRO1189	colon tumor	universal normal control
	PRO1189	lung tumor	universal normal control
	PRO1189	breast tumor	universal normal control
	PRO1189	prostate tumor	universal normal control
20	PRO1003	colon tumor	universal normal control
	PRO1003	lung tumor	universal normal control
	PRO1003	breast tumor	universal normal control
	PRO1003	liver tumor	universal normal control
	PRO1003	rectal tumor	universal normal control
25	PRO1108	colon tumor	universal normal control
	PRO1108	lung tumor	universal normal control
	PRO1108	breast tumor	universal normal control
	PRO1137	colon tumor	universal normal control
	PRO1137	lung tumor	universal normal control
30	PRO1137	breast tumor	universal normal control
	PRO1138	colon tumor	universal normal control
	PRO1138	lung tumor	universal normal control
	PRO1138	breast tumor	universal normal control
	PRO1415	colon tumor	universal normal control
35	PRO1415	lung tumor	universal normal control
	PRO1415	prostate tumor	universal normal control
	PRO1054	lung tumor	universal normal control
	PRO1054	breast tumor	universal normal control
	PRO994	colon tumor	universal normal control
40	PRO994	lung tumor	universal normal control
	PRO994	rectal tumor	universal normal control
	PRO1069	lung tumor	universal normal control
	PRO1069	breast tumor	universal normal control
	PRO1411	colon tumor	universal normal control
45	PRO1411	lung tumor	universal normal control
	PRO1129	lung tumor	universal normal control
	PRO1129	rectal tumor	universal normal control
	PRO1359	colon tumor	universal normal control
	PRO1359	lung tumor	universal normal control
50	PRO1359	breast tumor	universal normal control
	PRO1359	prostate tumor	universal normal control
	PRO1139	lung tumor	universal normal control
	PRO1065	lung tumor	universal normal control
	PRO1028	colon tumor	universal normal control
55	PRO1028	lung tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1028	breast tumor	universal normal control
	PRO1028	cervical tumor	universal normal control
	PRO1027	colon tumor	universal normal control
5	PRO1027	lung tumor	universal normal control
	PRO1027	breast tumor	universal normal control
	PRO1140	colon tumor	universal normal control
	PRO1140	breast tumor	universal normal control
	PRO1291	colon tumor	universal normal control
10	PRO1291	breast tumor	universal normal control
	PRO1105	colon tumor	universal normal control
	PRO1105	lung tumor	universal normal control
	PRO1026	lung tumor	universal normal control
	PRO1026	prostate tumor	universal normal control
15	PRO1104	colon tumor	universal normal control
	PRO1104	lung tumor	universal normal control
	PRO1104	breast tumor	universal normal control
	PRO1100	colon tumor	universal normal control
	PRO1100	lung tumor	universal normal control
20	PRO1100	breast tumor	universal normal control
	PRO1100	rectal tumor	universal normal control
	PRO1141	lung tumor	universal normal control
	PRO1772	colon tumor	universal normal control
	PRO1772	lung tumor	universal normal control
25	PRO1772	breast tumor	universal normal control
	PRO1772	cervical tumor	universal normal control
	PRO1064	colon tumor	universal normal control
	PRO1064	lung tumor	universal normal control
	PRO1379	colon tumor	universal normal control
30	PRO1379	lung tumor	universal normal control
	PRO1379	cervical tumor	universal normal control
	PRO3573	lung tumor	universal normal control
	PRO3573	breast tumor	universal normal control
	PRO3566	colon tumor	universal normal control
35	PRO3566	lung tumor	universal normal control
	PRO1156	lung tumor	universal normal control
	PRO1156	breast tumor	universal normal control
	PRO1156	prostate tumor	universal normal control
	PRO1098	colon tumor	universal normal control
40	PRO1098	lung tumor	universal normal control
	PRO1098	rectal tumor	universal normal control
	PRO1128	colon tumor	universal normal control
	PRO1128	lung tumor	universal normal control
	PRO1128	breast tumor	universal normal control
45	PRO1248	lung tumor	universal normal control
	PRO1248	breast tumor	universal normal control
	PRO1127	colon tumor	universal normal control
	PRO1127	lung tumor	universal normal control
	PRO1127	breast tumor	universal normal control
50	PRO1316	colon tumor	universal normal control
	PRO1316	lung tumor	universal normal control
	PRO1316	breast tumor	universal normal control
	PRO1197	colon tumor	universal normal control
	PRO1197	lung tumor	universal normal control
55	PRO1197	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1125	lung tumor	universal normal control
	PRO1158	breast tumor	universal normal control
	PRO1124	colon tumor	universal normal control
5	PRO1124	lung tumor	universal normal control
	PRO1380	colon tumor	universal normal control
	PRO1380	lung tumor	universal normal control
	PRO1380	breast tumor	universal normal control
	PRO1380	liver tumor	universal normal control
10	PRO1377	colon tumor	universal normal control
	PRO1377	lung tumor	universal normal control
	PRO1287	lung tumor	universal normal control
	PRO1287	breast tumor	universal normal control
	PRO1249	lung tumor	universal normal control
15	PRO1249	breast tumor	universal normal control
	PRO1335	colon tumor	universal normal control
	PRO1335	lung tumor	universal normal control
	PRO1335	breast tumor	universal normal control
	PRO3572	lung tumor	universal normal control
20	PRO1599	colon tumor	universal normal control
	PRO1599	lung tumor	universal normal control
	PRO1599	breast tumor	universal normal control
	PRO1374	lung tumor	universal normal control
	PRO1374	breast tumor	universal normal control
25	PRO1345	lung tumor	universal normal control
	PRO1345	breast tumor	universal normal control
	PRO1311	lung tumor	universal normal control
	PRO1311	breast tumor	universal normal control
	PRO1357	colon tumor	universal normal control
30	PRO1357	lung tumor	universal normal control
	PRO1557	colon tumor	universal normal control
	PRO1557	lung tumor	universal normal control
	PRO1557	breast tumor	universal normal control
	PRO1305	colon tumor	universal normal control
35	PRO1305	lung tumor	universal normal control
	PRO1305	breast tumor	universal normal control
	PRO1302	colon tumor	universal normal control
	PRO1302	lung tumor	universal normal control
	PRO1302	breast tumor	universal normal control
40	PRO1302	rectal tumor	universal normal control
	PRO1266	colon tumor	universal normal control
	PRO1336	colon tumor	universal normal control
	PRO1336	lung tumor	universal normal control
	PRO1336	breast tumor	universal normal control
45	PRO1278	colon tumor	universal normal control
	PRO1278	lung tumor	universal normal control
	PRO1270	breast tumor	universal normal control
	PRO1298	colon tumor	universal normal control
	PRO1298	lung tumor	universal normal control
50	PRO1301	lung tumor	universal normal control
	PRO1301	breast tumor	universal normal control
	PRO1268	colon tumor	universal normal control
	PRO1268	breast tumor	universal normal control
	PRO1327	lung tumor	universal normal control
55	PRO1327	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1328	colon tumor	universal normal control
	PRO1328	lung tumor	universal normal control
	PRO1328	breast tumor	universal normal control
5	PRO1329	colon tumor	universal normal control
	PRO1329	lung tumor	universal normal control
	PRO1329	breast tumor	universal normal control
	PRO1339	colon tumor	universal normal control
	PRO1339	lung tumor	universal normal control
10	PRO1342	colon tumor	universal normal control
	PRO1342	lung tumor	universal normal control
	PRO1342	breast tumor	universal normal control
	PRO1342	rectal tumor	universal normal control
	PRO1487	colon tumor	universal normal control
15	PRO1487	breast tumor	universal normal control
	PRO3579	lung tumor	universal normal control
	PRO3579	breast tumor	universal normal control
	PRO1472	colon tumor	universal normal control
	PRO1472	lung tumor	universal normal control
20	PRO1385	lung tumor	universal normal control
	PRO1385	breast tumor	universal normal control
	PRO1461	colon tumor	universal normal control
	PRO1461	lung tumor	universal normal control
	PRO1461	breast tumor	universal normal control
25	PRO1429	colon tumor	universal normal control
	PRO1429	lung tumor	universal normal control
	PRO1429	breast tumor	universal normal control
	PRO1568	lung tumor	universal normal control
	PRO1568	breast tumor	universal normal control
30	PRO1569	colon tumor	universal normal control
	PRO1569	lung tumor	universal normal control
	PRO1569	breast tumor	universal normal control
	PRO1753	colon tumor	universal normal control
	PRO1753	lung tumor	universal normal control
35	PRO1570	colon tumor	universal normal control
	PRO1570	lung tumor	universal normal control
	PRO1570	breast tumor	universal normal control
	PRO1570	prostate tumor	universal normal control
	PRO1570	rectal tumor	universal normal control
40	PRO1559	colon tumor	universal normal control
	PRO1559	lung tumor	universal normal control
	PRO1559	breast tumor	universal normal control
	PRO1486	lung tumor	universal normal control
	PRO1486	breast tumor	universal normal control
45	PRO1433	colon tumor	universal normal control
	PRO1433	lung tumor	universal normal control
	PRO1433	breast tumor	universal normal control
	PRO1433	rectal tumor	universal normal control
	PRO1490	lung tumor	universal normal control
50	PRO1490	breast tumor	universal normal control
	PRO1482	lung tumor	universal normal control
	PRO1482	breast tumor	universal normal control
	PRO1409	colon tumor	universal normal control
	PRO1409	lung tumor	universal normal control
55	PRO1409	breast tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1446	colon tumor	universal normal control
	PRO1446	lung tumor	universal normal control
	PRO1446	breast tumor	universal normal control
5	PRO1446	prostate tumor	universal normal control
	PRO1604	colon tumor	universal normal control
	PRO1604	lung tumor	universal normal control
	PRO1604	breast tumor	universal normal control
	PRO1491	colon tumor	universal normal control
10	PRO1491	lung tumor	universal normal control
	PRO1491	breast tumor	universal normal control
	PRO1431	colon tumor	universal normal control
	PRO1431	lung tumor	universal normal control
	PRO1563	colon tumor	universal normal control
15	PRO1563	lung tumor	universal normal control
	PRO1563	breast tumor	universal normal control
	PRO1571	colon tumor	universal normal control
	PRO1571	lung tumor	universal normal control
	PRO1571	breast tumor	universal normal control
20	PRO1572	lung tumor	universal normal control
	PRO1572	prostate tumor	universal normal control
	PRO1573	lung tumor	universal normal control
	PRO1573	breast tumor	universal normal control
	PRO1508	lung tumor	universal normal control
25	PRO1508	breast tumor	universal normal control
	PRO1485	colon tumor	universal normal control
	PRO1485	lung tumor	universal normal control
	PRO1564	colon tumor	universal normal control
	PRO1564	lung tumor	universal normal control
30	PRO1564	breast tumor	universal normal control
	PRO1550	colon tumor	universal normal control
	PRO1550	lung tumor	universal normal control
	PRO1550	breast tumor	universal normal control
	PRO1757	lung tumor	universal normal control
35	PRO1757	breast tumor	universal normal control
	PRO1757	prostate tumor	universal normal control
	PRO1758	lung tumor	universal normal control
	PRO1781	colon tumor	universal normal control
	PRO1781	lung tumor	universal normal control
40	PRO1781	breast tumor	universal normal control
	PRO1606	lung tumor	universal normal control
	PRO1606	breast tumor	universal normal control
	PRO1784	colon tumor	universal normal control
	PRO1784	lung tumor	universal normal control
45	PRO1784	breast tumor	universal normal control
	PRO1774	colon tumor	universal normal control
	PRO1774	lung tumor	universal normal control
	PRO1774	breast tumor	universal normal control
	PRO1605	colon tumor	universal normal control
50	PRO1605	lung tumor	universal normal control
	PRO1605	prostate tumor	universal normal control
	PRO1928	colon tumor	universal normal control
	PRO1928	lung tumor	universal normal control
	PRO1928	cervical tumor	universal normal control
55	PRO1865	lung tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO1865	liver tumor	universal normal control
	PRO1925	lung tumor	universal normal control
	PRO1926	liver tumor	universal normal control
5	PRO2630	colon tumor	universal normal control
	PRO2630	lung tumor	universal normal control
	PRO2630	breast tumor	universal normal control
	PRO2630	liver tumor	universal normal control
10	PRO3443	colon tumor	universal normal control
	PRO3443	lung tumor	universal normal control
	PRO3443	breast tumor	universal normal control
	PRO3301	colon tumor	universal normal control
	PRO3301	lung tumor	universal normal control
	PRO3301	breast tumor	universal normal control
15	PRO3301	rectal tumor	universal normal control
	PRO3442	colon tumor	universal normal control
	PRO3442	lung tumor	universal normal control
	PRO3442	rectal tumor	universal normal control
20	PRO4978	colon tumor	universal normal control
	PRO4978	lung tumor	universal normal control
	PRO4978	breast tumor	universal normal control
	PRO4978	rectal tumor	universal normal control
	PRO5801	colon tumor	universal normal control
	PRO5801	breast tumor	universal normal control
25	PRO19630	colon tumor	universal normal control
	PRO203	colon tumor	universal normal control
	PRO204	colon tumor	universal normal control
	PRO204	lung tumor	universal normal control
	PRO204	breast tumor	universal normal control
30	PRO204	prostate tumor	universal normal control
	PRO210	colon tumor	universal normal control
	PRO210	lung tumor	universal normal control
	PRO223	lung tumor	universal normal control
	PRO223	breast tumor	universal normal control
35	PRO247	colon tumor	universal normal control
	PRO247	lung tumor	universal normal control
	PRO247	breast	universal normal control
	PRO358	lung tumor	universal normal control
	PRO358	breast tumor	universal normal control
40	PRO358	prostate tumor	universal normal control
	PRO724	lung tumor	universal normal control
	PRO868	colon tumor	universal normal control
	PRO868	lung tumor	universal normal control
	PRO868	prostate tumor	universal normal control
45	PRO868	rectal tumor	universal normal control
	PRO740	colon tumor	universal normal control
	PRO1478	colon tumor	universal normal control
	PRO1478	lung tumor	universal normal control
	PRO162	colon tumor	universal normal control
50	PRO162	lung tumor	universal normal control
	PRO162	breast tumor	universal normal control
	PRO828	colon tumor	universal normal control
	PRO828	lung tumor	universal normal control
	PRO828	breast tumor	universal normal control
55	PRO828	cervical tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO828	liver tumor	universal normal control
	PRO819	lung tumor	universal normal control
	PRO819	breast tumor	universal normal control
5	PRO819	rectal tumor	universal normal control
	PRO813	colon tumor	universal normal control
	PRO813	lung tumor	universal normal control
	PRO813	breast tumor	universal normal control
	PRO813	prostate tumor	universal normal control
10	PRO1194	colon tumor	universal normal control
	PRO1194	lung tumor	universal normal control
	PRO1194	breast tumor	universal normal control
	PRO887	colon tumor	universal normal control
	PRO887	lung tumor	universal normal control
15	PRO887	rectal tumor	universal normal control
	PRO1071	colon tumor	universal normal control
	PRO1071	lung tumor	universal normal control
	PRO1071	breast tumor	universal normal control
	PRO1029	colon tumor	universal normal control
20	PRO1029	lung tumor	universal normal control
	PRO1029	breast tumor	universal normal control
	PRO1190	lung tumor	universal normal control
	PRO1190	breast tumor	universal normal control
	PRO4334	lung tumor	universal normal control
25	PRO1155	colon tumor	universal normal control
	PRO1155	lung tumor	universal normal control
	PRO1157	breast tumor	universal normal control
	PRO1157	cervical tumor	universal normal control
	PRO1122	lung tumor	universal normal control
30	PRO1122	breast tumor	universal normal control
	PRO1183	colon tumor	universal normal control
	PRO1183	lung tumor	universal normal control
	PRO1183	breast tumor	universal normal control
	PRO1337	colon tumor	universal normal control
35	PRO1337	lung tumor	universal normal control
	PRO1337	breast tumor	universal normal control
	PRO1480	colon tumor	universal normal control
	PRO1480	lung tumor	universal normal control
	PRO1480	breast tumor	universal normal control
40	PRO19645	colon tumor	universal normal control
	PRO9782	colon tumor	universal normal control
	PRO1419	colon tumor	universal normal control
	PRO1575	colon tumor	universal normal control
	PRO1575	lung tumor	universal normal control
45	PRO1567	colon tumor	universal normal control
	PRO1567	lung tumor	universal normal control
	PRO1567	breast tumor	universal normal control
	PRO1891	colon tumor	universal normal control
	PRO1889	colon tumor	universal normal control
50	PRO1889	lung tumor	universal normal control
	PRO1785	lung tumor	universal normal control
	PRO1785	prostate tumor	universal normal control
	PRO6003	colon tumor	universal normal control
	PRO4333	colon tumor	universal normal control
55	PRO4356	colon tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO4352	colon tumor	universal normal control
	PRO4354	colon tumor	universal normal control
	PRO4354	lung tumor	universal normal control
5	PRO4354	prostate tumor	universal normal control
	PRO4369	colon tumor	universal normal control
	PRO6030	colon tumor	universal normal control
	PRO4433	colon tumor	universal normal control
	PRO4424	colon tumor	universal normal control
10	PRO4424	breast tumor	universal normal control
	PRO6017	colon tumor	universal normal control
	PRO19563	colon tumor	universal normal control
	PRO6015	colon tumor	universal normal control
	PRO5779	colon tumor	universal normal control
15	PRO5776	colon tumor	universal normal control
	PRO4430	lung tumor	universal normal control
	PRO4421	colon tumor	universal normal control
	PRO4499	colon tumor	universal normal control
	PRO4423	colon tumor	universal normal control
20	PRO5998	colon tumor	universal normal control
	PRO5998	lung tumor	universal normal control
	PRO4501	colon tumor	universal normal control
	PRO6240	colon tumor	universal normal control
	PRO6245	colon tumor	universal normal control
25	PRO6175	colon tumor	universal normal control
	PRO9742	colon tumor	universal normal control
	PRO7179	colon tumor	universal normal control
	PRO6239	colon tumor	universal normal control
	PRO6493	colon tumor	universal normal control
30	PRO9741	colon tumor	universal normal control
	PRO9822	colon tumor	universal normal control
	PRO6244	colon tumor	universal normal control
	PRO9740	colon tumor	universal normal control
	PRO9739	colon tumor	universal normal control
35	PRO7177	colon tumor	universal normal control
	PRO7178	colon tumor	universal normal control
	PRO6246	colon tumor	universal normal control
	PRO6241	colon tumor	universal normal control
	PRO9835	colon tumor	universal normal control
40	PRO9857	colon tumor	universal normal control
	PRO7436	colon tumor	universal normal control
	PRO9856	colon tumor	universal normal control
	PRO19605	colon tumor	universal normal control
	PRO9859	colon tumor	universal normal control
45	PRO12970	colon tumor	universal normal control
	PRO19626	colon tumor	universal normal control
	PRO9883	colon tumor	universal normal control
	PRO19670	colon tumor	universal normal control
	PRO19624	colon tumor	universal normal control
50	PRO19680	colon tumor	universal normal control
	PRO19675	colon tumor	universal normal control
	PRO9834	colon tumor	universal normal control
	PRO9744	colon tumor	universal normal control
	PRO19644	colon tumor	universal normal control
55	PRO19625	colon tumor	universal normal control

Table 8 (cont')

	<u>Molecule</u>	<u>is overexpressed in:</u>	<u>as compared to:</u>
	PRO19597	colon tumor	universal normal control
	PRO16090	colon tumor	universal normal control
	PRO19576	colon tumor	universal normal control
5	PRO19646	colon tumor	universal normal control
	PRO19814	colon tumor	universal normal control
	PRO19669	colon tumor	universal normal control
	PRO19818	colon tumor	universal normal control
	PRO20088	colon tumor	universal normal control
10	PRO16089	colon tumor	universal normal control
	PRO20025	colon tumor	universal normal control
	PRO20040	colon tumor	universal normal control
	PRO1760	adrenal tumor	universal normal control
	PRO1760	breast tumor	universal normal control
15	PRO1760	cervical tumor	universal normal control
	PRO1760	colon tumor	universal normal control
	PRO1760	liver tumor	universal normal control
	PRO1760	lung tumor	universal normal control
	PRO1760	prostate tumor	universal normal control
20	PRO1760	rectal tumor	universal normal control
	PRO6029	adrenal tumor	universal normal control
	PRO6029	colon tumor	universal normal control
	PRO6029	prostate tumor	universal normal control
	PRO1801	colon tumor	universal normal control
25	PRO1801	lung tumor	universal normal control

WHAT IS CLAIMED IS:

1. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence that encodes an amino acid sequence selected from the group consisting of the amino acid sequence shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID

No:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure
262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID
NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure
276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID
NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure
5 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID
NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure
304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID
NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure
318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID
10 NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure
332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID
NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure
346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID
NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure
15 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID
NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure
374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID
NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure
388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID
20 NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure
402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID
NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure
416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID
NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure
25 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID
NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure
444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID
NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure
458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID
30 NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure
472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID
NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure
486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID
NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure
35 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID
NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure
514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID

NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), and Figure 610 (SEQ ID NO:610).

2. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence selected from the group consisting of the nucleotide sequence shown in Figure 1 (SEQ ID NO:1), Figure 3 (SEQ ID NO:3), Figure 5 (SEQ ID NO:5), Figure 7 (SEQ ID NO:7), Figure 9 (SEQ ID NO:9), Figure 11 (SEQ ID NO:11), Figure 13 (SEQ ID NO:13), Figure 15 (SEQ ID NO:15), Figure 17 (SEQ ID NO:17), Figure 19 (SEQ ID NO:19), Figure 21 (SEQ ID NO:21), Figure 23 (SEQ ID NO:23), Figure 25 (SEQ ID NO:25), Figure 27 (SEQ ID NO:27), Figure 29 (SEQ ID NO:29), Figure 31 (SEQ ID NO:31), Figure 33 (SEQ ID NO:33), Figure 35 (SEQ ID NO:35), Figure 37 (SEQ ID NO:37), Figure 39 (SEQ ID NO:39), Figure 41 (SEQ ID NO:41), Figure 43 (SEQ ID NO:43), Figure 45 (SEQ ID NO:45), Figure 47 (SEQ ID NO:47), Figure 49 (SEQ ID NO:49), Figure 51 (SEQ ID NO:51), Figure 53 (SEQ ID NO:53), Figure 55 (SEQ ID NO:55), Figure 57 (SEQ ID NO:57), Figure 59 (SEQ ID NO:59), Figure 61 (SEQ ID NO:61), Figure 63 (SEQ ID NO:63), Figure 65 (SEQ ID NO:65), Figure 67 (SEQ ID NO:67), Figure 69 (SEQ ID NO:69), Figure 71 (SEQ ID NO:71), Figure 73 (SEQ ID NO:73), Figures 75A-75B (SEQ ID NO:75), Figure 77 (SEQ ID NO:77), Figure 79 (SEQ ID NO:79), Figure 81 (SEQ ID NO:81), Figure 83 (SEQ ID NO:83), Figure 85 (SEQ ID NO:85), Figure 87 (SEQ ID NO:87), Figure 89 (SEQ ID NO:89), Figure 91 (SEQ ID NO:91), Figure 93 (SEQ ID NO:93), Figure 95 (SEQ ID NO:95), Figure 97 (SEQ ID NO:97), Figure 99 (SEQ ID NO:99), Figure 101 (SEQ ID NO:101), Figure 103 (SEQ ID NO:103), Figure 105 (SEQ ID NO:105), Figure 107 (SEQ ID NO:107), Figure 109 (SEQ ID NO:109), Figure 111 (SEQ ID NO:111), Figure 113 (SEQ ID NO:113), Figure 115 (SEQ ID NO:115), Figure 117 (SEQ ID NO:117), Figure 119 (SEQ ID NO:119), Figure 121 (SEQ ID NO:121), Figure 123 (SEQ ID NO:123), Figure 125 (SEQ ID NO:125), Figure 127 (SEQ ID NO:127), Figure 129 (SEQ ID NO:129), Figure 131 (SEQ ID NO:131), Figure 133 (SEQ ID NO:133), Figure 135 (SEQ ID NO:135), Figure 137 (SEQ ID NO:137), Figure 139 (SEQ ID NO:139), Figure 141 (SEQ ID NO:141), Figure 143 (SEQ ID NO:143), Figure 145 (SEQ ID NO:145), Figure 147 (SEQ ID NO:147), Figure 149 (SEQ ID NO:149), Figure 151 (SEQ ID NO:151), Figure 153 (SEQ ID NO:153), Figure 155 (SEQ ID NO:155), Figure 157 (SEQ ID NO:157), Figure 159 (SEQ ID NO:159), Figure 161 (SEQ ID NO:161), Figure 163 (SEQ ID NO:163), Figure 165 (SEQ ID

NO:165), Figure 167 (SEQ ID NO:167), Figure 169 (SEQ ID NO:169), Figure 171 (SEQ ID NO:171), Figure 173 (SEQ ID NO:173), Figure 175 (SEQ ID NO:175), Figure 177 (SEQ ID NO:177), Figure 179 (SEQ ID NO:179), Figure 181 (SEQ ID NO:181), Figure 183 (SEQ ID NO:183), Figure 185 (SEQ ID NO:185), Figure 187 (SEQ ID NO:187), Figure 189 (SEQ ID NO:189), Figure 191 (SEQ ID NO:191), Figure 193 (SEQ ID NO:193), Figure 195 (SEQ ID NO:195), Figure 197 (SEQ ID NO:197), Figure 199 (SEQ ID NO:199), Figure 201 (SEQ ID NO:201), Figure 203 (SEQ ID NO:203), Figure 205 (SEQ ID NO:205), Figure 207 (SEQ ID NO:207), Figure 209 (SEQ ID NO:209), Figure 211 (SEQ ID NO:211), Figure 213 (SEQ ID NO:213), Figure 215 (SEQ ID NO:215), Figure 217 (SEQ ID NO:217), Figure 219 (SEQ ID NO:219), Figure 221 (SEQ ID NO:221), Figure 223 (SEQ ID NO:223), Figure 225 (SEQ ID NO:225), Figure 227 (SEQ ID NO:227), Figure 229 (SEQ ID NO:229), Figure 231 (SEQ ID NO:231), Figure 233 (SEQ ID NO:233), Figure 235 (SEQ ID NO:235), Figure 237 (SEQ ID NO:237), Figure 239 (SEQ ID NO:239), Figure 241 (SEQ ID NO:241), Figure 243 (SEQ ID NO:243), Figure 245 (SEQ ID NO:245), Figure 247 (SEQ ID NO:247), Figure 249 (SEQ ID NO:249), Figure 251 (SEQ ID NO:251), Figure 253 (SEQ ID NO:253), Figure 255 (SEQ ID NO:255), Figure 257 (SEQ ID NO:257), Figure 259 (SEQ ID NO:259), Figure 261 (SEQ ID NO:261), Figure 263 (SEQ ID NO:263), Figure 265 (SEQ ID NO:265), Figure 267 (SEQ ID NO:267), Figure 269 (SEQ ID NO:269), Figure 271 (SEQ ID NO:271), Figure 273 (SEQ ID NO:273), Figure 275 (SEQ ID NO:275), Figure 277 (SEQ ID NO:277), Figure 279 (SEQ ID NO:279), Figure 281 (SEQ ID NO:281), Figure 283 (SEQ ID NO:283), Figure 285 (SEQ ID NO:285), Figure 287 (SEQ ID NO:287), Figures 289A-289B (SEQ ID NO:289), Figure 291 (SEQ ID NO:291), Figure 293 (SEQ ID NO:293), Figure 295 (SEQ ID NO:295), Figure 297 (SEQ ID NO:297), Figure 299 (SEQ ID NO:299), Figure 301 (SEQ ID NO:301), Figure 303 (SEQ ID NO:303), Figure 305 (SEQ ID NO:305), Figure 307 (SEQ ID NO:307), Figure 309 (SEQ ID NO:309), Figures 311A-311B (SEQ ID NO:311), Figure 313 (SEQ ID NO:313), Figure 315 (SEQ ID NO:315), Figure 317 (SEQ ID NO:317), Figure 319 (SEQ ID NO:319), Figure 321 (SEQ ID NO:321), Figure 323 (SEQ ID NO:323), Figure 325 (SEQ ID NO:325), Figure 327 (SEQ ID NO:327), Figure 329 (SEQ ID NO:329), Figure 331 (SEQ ID NO:331), Figure 333 (SEQ ID NO:333), Figure 335 (SEQ ID NO:335), Figure 337 (SEQ ID NO:337), Figure 339 (SEQ ID NO:339), Figure 341 (SEQ ID NO:341), Figure 343 (SEQ ID NO:343), Figure 345 (SEQ ID NO:345), Figure 347 (SEQ ID NO:347), Figure 349 (SEQ ID NO:349), Figures 351A-351B (SEQ ID NO:351), Figure 353 (SEQ ID NO:353), Figure 355 (SEQ ID NO:355), Figure 357 (SEQ ID NO:357), Figure 359 (SEQ ID NO:359), Figure 361 (SEQ ID NO:361), Figure 363 (SEQ ID NO:363), Figure 365 (SEQ ID NO:365), Figure 367 (SEQ ID NO:367), Figure 369 (SEQ ID NO:369), Figure 371 (SEQ ID NO:371), Figure 373 (SEQ ID NO:373), Figure 375 (SEQ ID NO:375), Figure 377 (SEQ ID NO:377), Figure 379 (SEQ ID NO:379), Figure 381 (SEQ ID NO:381), Figure 383 (SEQ ID NO:383), Figure 385 (SEQ ID NO:385), Figure 387 (SEQ ID NO:387), Figure 389 (SEQ ID NO:389), Figure 391 (SEQ ID NO:391), Figure 393 (SEQ ID NO:393), Figure 395 (SEQ ID NO:395), Figure 397 (SEQ ID NO:397), Figure 399 (SEQ ID NO:399), Figure 401 (SEQ ID NO:401), Figure 403 (SEQ ID NO:403), Figure 405 (SEQ ID NO:405), Figure 407 (SEQ ID NO:407), Figure 409 (SEQ ID NO:409), Figure 411 (SEQ ID NO:411), Figure 413 (SEQ ID NO:413), Figure 415 (SEQ ID NO:415), Figure 417 (SEQ ID NO:417), Figure 419 (SEQ ID NO:419), Figure 421 (SEQ ID NO:421), Figure 423 (SEQ ID NO:423), Figure 425 (SEQ ID NO:425), Figure 427 (SEQ ID NO:427), Figure 429 (SEQ ID NO:429), Figure 431 (SEQ ID

NO:431), Figure 433 (SEQ ID NO:433), Figure 435 (SEQ ID NO:435), Figure 437 (SEQ ID NO:437), Figure 439 (SEQ ID NO:439), Figure 441 (SEQ ID NO:441), Figure 443 (SEQ ID NO:443), Figure 445 (SEQ ID NO:445), Figure 447 (SEQ ID NO:447), Figure 449 (SEQ ID NO:449), Figure 451 (SEQ ID NO:451), Figure 453 (SEQ ID NO:453), Figure 455 (SEQ ID NO:455), Figure 457 (SEQ ID NO:457), Figure 459 (SEQ ID NO:459), Figure 461 (SEQ ID NO:461), Figure 463 (SEQ ID NO:463), Figure 465 (SEQ ID NO:465), Figure 467 (SEQ ID NO:467), Figure 469 (SEQ ID NO:469), Figure 471 (SEQ ID NO:471), Figure 473 (SEQ ID NO:473), Figure 475 (SEQ ID NO:475), Figure 477 (SEQ ID NO:477), Figure 479 (SEQ ID NO:479), Figure 481 (SEQ ID NO:481), Figure 483 (SEQ ID NO:483), Figure 485 (SEQ ID NO:485), Figure 487 (SEQ ID NO:487), Figure 489 (SEQ ID NO:489), Figure 491 (SEQ ID NO:491), Figure 493 (SEQ ID NO:493), Figure 495 (SEQ ID NO:495), Figure 497 (SEQ ID NO:497), Figure 499 (SEQ ID NO:499), Figure 501 (SEQ ID NO:501), Figure 503 (SEQ ID NO:503), Figure 505 (SEQ ID NO:505), Figure 507 (SEQ ID NO:507), Figure 509 (SEQ ID NO:509), Figure 511 (SEQ ID NO:511), Figure 513 (SEQ ID NO:513), Figure 515 (SEQ ID NO:515), Figure 517 (SEQ ID NO:517), Figure 519 (SEQ ID NO:519), Figure 521 (SEQ ID NO:521), Figure 523 (SEQ ID NO:523), Figures 525A-525B (SEQ ID NO:525), Figure 527 (SEQ ID NO:527), Figure 529 (SEQ ID NO:529), Figure 531 (SEQ ID NO:531), Figure 533 (SEQ ID NO:533), Figure 535 (SEQ ID NO:535), Figure 537 (SEQ ID NO:537), Figure 539 (SEQ ID NO:539), Figure 541 (SEQ ID NO:541), Figure 543 (SEQ ID NO:543), Figure 545 (SEQ ID NO:545), Figure 547 (SEQ ID NO:547), Figure 549 (SEQ ID NO:549), Figure 551 (SEQ ID NO:551), Figure 553 (SEQ ID NO:553), Figure 555 (SEQ ID NO:555), Figure 557 (SEQ ID NO:557), Figure 559 (SEQ ID NO:559), Figure 561 (SEQ ID NO:561), Figure 563 (SEQ ID NO:563), Figure 565 (SEQ ID NO:565), Figure 567 (SEQ ID NO:567), Figure 569 (SEQ ID NO:569), Figure 571 (SEQ ID NO:571), Figure 573 (SEQ ID NO:573), Figure 575 (SEQ ID NO:575), Figure 577 (SEQ ID NO:577), Figure 579 (SEQ ID NO:579), Figure 581 (SEQ ID NO:581), Figure 583 (SEQ ID NO:583), Figure 585 (SEQ ID NO:585), Figure 587 (SEQ ID NO:587), Figure 589 (SEQ ID NO:589), Figure 591 (SEQ ID NO:591), Figure 593 (SEQ ID NO:593), Figure 595 (SEQ ID NO:595), Figure 597 (SEQ ID NO:597), Figure 599 (SEQ ID NO:599), Figure 601 (SEQ ID NO:601), Figure 603 (SEQ ID NO:603), Figure 605 (SEQ ID NO:605), Figure 607 (SEQ ID NO:607), and Figure 609 (SEQ ID NO:609).

3. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence selected from the group consisting of the full-length coding sequence of the nucleotide sequence shown in Figure 1 (SEQ ID NO:1), Figure 3 (SEQ ID NO:3), Figure 5 (SEQ ID NO:5), Figure 7 (SEQ ID NO:7), Figure 9 (SEQ ID NO:9), Figure 11 (SEQ ID NO:11), Figure 13 (SEQ ID NO:13), Figure 15 (SEQ ID NO:15), Figure 17 (SEQ ID NO:17), Figure 19 (SEQ ID NO:19), Figure 21 (SEQ ID NO:21), Figure 23 (SEQ ID NO:23), Figure 25 (SEQ ID NO:25), Figure 27 (SEQ ID NO:27), Figure 29 (SEQ ID NO:29), Figure 31 (SEQ ID NO:31), Figure 33 (SEQ ID NO:33), Figure 35 (SEQ ID NO:35), Figure 37 (SEQ ID NO:37), Figure 39 (SEQ ID NO:39), Figure 41 (SEQ ID NO:41), Figure 43 (SEQ ID NO:43), Figure 45 (SEQ ID NO:45), Figure 47 (SEQ ID NO:47), Figure 49 (SEQ ID NO:49), Figure 51 (SEQ ID NO:51), Figure 53 (SEQ ID NO:53), Figure 55 (SEQ ID NO:55), Figure 57 (SEQ ID NO:57), Figure 59 (SEQ ID NO:59), Figure 61 (SEQ ID NO:61), Figure 63 (SEQ ID NO:63), Figure 65 (SEQ ID NO:65), Figure 67 (SEQ ID NO:67), Figure 69 (SEQ ID NO:69), Figure

71 (SEQ ID NO:71), Figure 73 (SEQ ID NO:73), Figures 75A-75B (SEQ ID NO:75), Figure 77 (SEQ ID NO:77), Figure 79 (SEQ ID NO:79), Figure 81 (SEQ ID NO:81), Figure 83 (SEQ ID NO:83), Figure 85 (SEQ ID NO:85), Figure 87 (SEQ ID NO:87), Figure 89 (SEQ ID NO:89), Figure 91 (SEQ ID NO:91), Figure 93 (SEQ ID NO:93), Figure 95 (SEQ ID NO:95), Figure 97 (SEQ ID NO:97), Figure 99 (SEQ ID NO:99), Figure 101 (SEQ ID NO:101), Figure 103 (SEQ ID NO:103), Figure 105 (SEQ ID NO:105), Figure 107 (SEQ ID NO:107), Figure 109 (SEQ ID NO:109), Figure 111 (SEQ ID NO:111), Figure 113 (SEQ ID NO:113), Figure 115 (SEQ ID NO:115), Figure 117 (SEQ ID NO:117), Figure 119 (SEQ ID NO:119), Figure 121 (SEQ ID NO:121), Figure 123 (SEQ ID NO:123), Figure 125 (SEQ ID NO:125), Figure 127 (SEQ ID NO:127), Figure 129 (SEQ ID NO:129), Figure 131 (SEQ ID NO:131), Figure 133 (SEQ ID NO:133), Figure 135 (SEQ ID NO:135), Figure 137 (SEQ ID NO:137), Figure 139 (SEQ ID NO:139), Figure 141 (SEQ ID NO:141), Figure 143 (SEQ ID NO:143), Figure 145 (SEQ ID NO:145), Figure 147 (SEQ ID NO:147), Figure 149 (SEQ ID NO:149), Figure 151 (SEQ ID NO:151), Figure 153 (SEQ ID NO:153), Figure 155 (SEQ ID NO:155), Figure 157 (SEQ ID NO:157), Figure 159 (SEQ ID NO:159), Figure 161 (SEQ ID NO:161), Figure 163 (SEQ ID NO:163), Figure 165 (SEQ ID NO:165), Figure 167 (SEQ ID NO:167), Figure 169 (SEQ ID NO:169), Figure 171 (SEQ ID NO:171), Figure 173 (SEQ ID NO:173), Figure 175 (SEQ ID NO:175), Figure 177 (SEQ ID NO:177), Figure 179 (SEQ ID NO:179), Figure 181 (SEQ ID NO:181), Figure 183 (SEQ ID NO:183), Figure 185 (SEQ ID NO:185), Figure 187 (SEQ ID NO:187), Figure 189 (SEQ ID NO:189), Figure 191 (SEQ ID NO:191), Figure 193 (SEQ ID NO:193), Figure 195 (SEQ ID NO:195), Figure 197 (SEQ ID NO:197), Figure 199 (SEQ ID NO:199), Figure 201 (SEQ ID NO:201), Figure 203 (SEQ ID NO:203), Figure 205 (SEQ ID NO:205), Figure 207 (SEQ ID NO:207), Figure 209 (SEQ ID NO:209), Figure 211 (SEQ ID NO:211), Figure 213 (SEQ ID NO:213), Figure 215 (SEQ ID NO:215), Figure 217 (SEQ ID NO:217), Figure 219 (SEQ ID NO:219), Figure 221 (SEQ ID NO:221), Figure 223 (SEQ ID NO:223), Figure 225 (SEQ ID NO:225), Figure 227 (SEQ ID NO:227), Figure 229 (SEQ ID NO:229), Figure 231 (SEQ ID NO:231), Figure 233 (SEQ ID NO:233), Figure 235 (SEQ ID NO:235), Figure 237 (SEQ ID NO:237), Figure 239 (SEQ ID NO:239), Figure 241 (SEQ ID NO:241), Figure 243 (SEQ ID NO:243), Figure 245 (SEQ ID NO:245), Figure 247 (SEQ ID NO:247), Figure 249 (SEQ ID NO:249), Figure 251 (SEQ ID NO:251), Figure 253 (SEQ ID NO:253), Figure 255 (SEQ ID NO:255), Figure 257 (SEQ ID NO:257), Figure 259 (SEQ ID NO:259), Figure 261 (SEQ ID NO:261), Figure 263 (SEQ ID NO:263), Figure 265 (SEQ ID NO:265), Figure 267 (SEQ ID NO:267), Figure 269 (SEQ ID NO:269), Figure 271 (SEQ ID NO:271), Figure 273 (SEQ ID NO:273), Figure 275 (SEQ ID NO:275), Figure 277 (SEQ ID NO:277), Figure 279 (SEQ ID NO:279), Figure 281 (SEQ ID NO:281), Figure 283 (SEQ ID NO:283), Figure 285 (SEQ ID NO:285), Figure 287 (SEQ ID NO:287), Figures 289A-289B (SEQ ID NO:289), Figure 291 (SEQ ID NO:291), Figure 293 (SEQ ID NO:293), Figure 295 (SEQ ID NO:295), Figure 297 (SEQ ID NO:297), Figure 299 (SEQ ID NO:299), Figure 301 (SEQ ID NO:301), Figure 303 (SEQ ID NO:303), Figure 305 (SEQ ID NO:305), Figure 307 (SEQ ID NO:307), Figure 309 (SEQ ID NO:309), Figures 311A-311B (SEQ ID NO:311), Figure 313 (SEQ ID NO:313), Figure 315 (SEQ ID NO:315), Figure 317 (SEQ ID NO:317), Figure 319 (SEQ ID NO:319), Figure 321 (SEQ ID NO:321), Figure 323 (SEQ ID NO:323), Figure 325 (SEQ ID NO:325), Figure 327 (SEQ ID NO:327), Figure 329 (SEQ ID NO:329), Figure 331 (SEQ ID NO:331), Figure 333 (SEQ ID NO:333), Figure 335 (SEQ ID NO:335), Figure 337 (SEQ ID NO:337), Figure

339 (SEQ ID NO:339), Figure 341 (SEQ ID NO:341), Figure 343 (SEQ ID NO:343), Figure 345 (SEQ ID NO:345), Figure 347 (SEQ ID NO:347), Figure 349 (SEQ ID NO:349), Figures 351A-351B (SEQ ID NO:351), Figure 353 (SEQ ID NO:353), Figure 355 (SEQ ID NO:355), Figure 357 (SEQ ID NO:357), Figure 359 (SEQ ID NO:359), Figure 361 (SEQ ID NO:361), Figure 363 (SEQ ID NO:363), Figure 365 (SEQ ID NO:365), Figure 367 (SEQ ID NO:367), Figure 369 (SEQ ID NO:369), Figure 371 (SEQ ID NO:371), Figure 373 (SEQ ID NO:373), Figure 375 (SEQ ID NO:375), Figure 377 (SEQ ID NO:377), Figure 379 (SEQ ID NO:379), Figure 381 (SEQ ID NO:381), Figure 383 (SEQ ID NO:383), Figure 385 (SEQ ID NO:385), Figure 387 (SEQ ID NO:387), Figure 389 (SEQ ID NO:389), Figure 391 (SEQ ID NO:391), Figure 393 (SEQ ID NO:393), Figure 395 (SEQ ID NO:395), Figure 397 (SEQ ID NO:397), Figure 399 (SEQ ID NO:399), Figure 401 (SEQ ID NO:401), Figure 403 (SEQ ID NO:403), Figure 405 (SEQ ID NO:405), Figure 407 (SEQ ID NO:407), Figure 409 (SEQ ID NO:409), Figure 411 (SEQ ID NO:411), Figure 413 (SEQ ID NO:413), Figure 415 (SEQ ID NO:415), Figure 417 (SEQ ID NO:417), Figure 419 (SEQ ID NO:419), Figure 421 (SEQ ID NO:421), Figure 423 (SEQ ID NO:423), Figure 425 (SEQ ID NO:425), Figure 427 (SEQ ID NO:427), Figure 429 (SEQ ID NO:429), Figure 431 (SEQ ID NO:431), Figure 433 (SEQ ID NO:433), Figure 435 (SEQ ID NO:435), Figure 437 (SEQ ID NO:437), Figure 439 (SEQ ID NO:439), Figure 441 (SEQ ID NO:441), Figure 443 (SEQ ID NO:443), Figure 445 (SEQ ID NO:445), Figure 447 (SEQ ID NO:447), Figure 449 (SEQ ID NO:449), Figure 451 (SEQ ID NO:451), Figure 453 (SEQ ID NO:453), Figure 455 (SEQ ID NO:455), Figure 457 (SEQ ID NO:457), Figure 459 (SEQ ID NO:459), Figure 461 (SEQ ID NO:461), Figure 463 (SEQ ID NO:463), Figure 465 (SEQ ID NO:465), Figure 467 (SEQ ID NO:467), Figure 469 (SEQ ID NO:469), Figure 471 (SEQ ID NO:471), Figure 473 (SEQ ID NO:473), Figure 475 (SEQ ID NO:475), Figure 477 (SEQ ID NO:477), Figure 479 (SEQ ID NO:479), Figure 481 (SEQ ID NO:481), Figure 483 (SEQ ID NO:483), Figure 485 (SEQ ID NO:485), Figure 487 (SEQ ID NO:487), Figure 489 (SEQ ID NO:489), Figure 491 (SEQ ID NO:491), Figure 493 (SEQ ID NO:493), Figure 495 (SEQ ID NO:495), Figure 497 (SEQ ID NO:497), Figure 499 (SEQ ID NO:499), Figure 501 (SEQ ID NO:501), Figure 503 (SEQ ID NO:503), Figure 505 (SEQ ID NO:505), Figure 507 (SEQ ID NO:507), Figure 509 (SEQ ID NO:509), Figure 511 (SEQ ID NO:511), Figure 513 (SEQ ID NO:513), Figure 515 (SEQ ID NO:515), Figure 517 (SEQ ID NO:517), Figure 519 (SEQ ID NO:519), Figure 521 (SEQ ID NO:521), Figure 523 (SEQ ID NO:523), Figures 525A-525B (SEQ ID NO:525), Figure 527 (SEQ ID NO:527), Figure 529 (SEQ ID NO:529), Figure 531 (SEQ ID NO:531), Figure 533 (SEQ ID NO:533), Figure 535 (SEQ ID NO:535), Figure 537 (SEQ ID NO:537), Figure 539 (SEQ ID NO:539), Figure 541 (SEQ ID NO:541), Figure 543 (SEQ ID NO:543), Figure 545 (SEQ ID NO:545), Figure 547 (SEQ ID NO:547), Figure 549 (SEQ ID NO:549), Figure 551 (SEQ ID NO:551), Figure 553 (SEQ ID NO:553), Figure 555 (SEQ ID NO:555), Figure 557 (SEQ ID NO:557), Figure 559 (SEQ ID NO:559), Figure 561 (SEQ ID NO:561), Figure 563 (SEQ ID NO:563), Figure 565 (SEQ ID NO:565), Figure 567 (SEQ ID NO:567), Figure 569 (SEQ ID NO:569), Figure 571 (SEQ ID NO:571), Figure 573 (SEQ ID NO:573), Figure 575 (SEQ ID NO:575), Figure 577 (SEQ ID NO:577), Figure 579 (SEQ ID NO:579), Figure 581 (SEQ ID NO:581), Figure 583 (SEQ ID NO:583), Figure 585 (SEQ ID NO:585), Figure 587 (SEQ ID NO:587), Figure 589 (SEQ ID NO:589), Figure 591 (SEQ ID NO:591), Figure 593 (SEQ ID NO:593), Figure 595 (SEQ ID NO:595), Figure 597 (SEQ ID NO:597), Figure 599 (SEQ ID NO:599), Figure 601 (SEQ ID NO:601), Figure 603 (SEQ ID NO:603), Figure

605 (SEQ ID NO:605), Figure 607 (SEQ ID NO:607), and Figure 609 (SEQ ID NO:609).

4. Isolated nucleic acid having at least 80% nucleic acid sequence identity to the full-length coding sequence of the DNA deposited under any ATCC accession number shown in Table 7.

5 5. A vector comprising the nucleic acid of Claim 1.

6. A host cell comprising the vector of Claim 5.

7. The host cell of Claim 6, wherein said cell is a CHO cell.

10

8. The host cell of Claim 6, wherein said cell is an *E. coli*.

9. The host cell of Claim 6, wherein said cell is a yeast cell.

15

10. A process for producing a PRO polypeptide comprising culturing the host cell of Claim 6 under conditions suitable for expression of said PRO polypeptide and recovering said PRO polypeptide from the cell culture.

20

11. An isolated polypeptide having at least 80% amino acid sequence identity to an amino acid sequence selected from the group consisting of the amino acid sequence shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID

35

Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure
138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID
NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure
152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID
NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure
5 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID
NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure
180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID
NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure
10 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID
NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure
208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID
NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure
222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID
NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure
15 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID
NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure
250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID
NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure
264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID
20 NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure
278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID
NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure
292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID
NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure
25 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID
NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure
320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID
NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure
334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID
30 NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure
348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID
NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure
362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID
NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure
35 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID
NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure
390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID

NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), and Figure 610 (SEQ ID NO:610).

12. An isolated polypeptide having at least 80% amino acid sequence identity to an amino acid sequence encoded by the full-length coding sequence of the DNA deposited under any ATCC accession number shown in Table 7.

13. A chimeric molecule comprising a polypeptide according to Claim 11 fused to a heterologous amino acid sequence.

14. The chimeric molecule of Claim 13, wherein said heterologous amino acid sequence is an epitope tag sequence.

15. The chimeric molecule of Claim 13, wherein said heterologous amino acid sequence is a Fc region of an immunoglobulin.

5

16. An antibody which specifically binds to a polypeptide according to Claim 11.

17. The antibody of Claim 16, wherein said antibody is a monoclonal antibody, a humanized antibody or a single-chain antibody.

10

18. Isolated nucleic acid having at least 80% nucleic acid sequence identity to:

(a) a nucleotide sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure

35

188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure

454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), lacking its associated signal peptide;

(b) a nucleotide sequence encoding an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ

146

- NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), with its associated signal peptide; or
- (c) a nucleotide sequence encoding an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18

(SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID

NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID

NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), lacking its associated signal peptide.

10 19. An isolated polypeptide having at least 80% amino acid sequence identity to:

(a) an amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ
ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID
NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ
ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28
15 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure
36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42),
Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID
NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ
ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66
20 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure
74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80),
Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID
NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ
ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure
25 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID
NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ ID NO:116), Figure
118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure 124 (SEQ ID
NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID NO:130), Figure
132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure 138 (SEQ ID
30 NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID NO:144), Figure
146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure 152 (SEQ ID
NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID NO:158), Figure
160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure 166 (SEQ ID
NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID NO:172), Figure
35 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure 180 (SEQ ID
NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID NO:186), Figure
188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure 194 (SEQ ID

NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure 208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure 236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure 264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure 278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure 306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure 320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure 334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure 348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure 376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID

NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), lacking its associated signal peptide;

(b) an amino acid sequence of an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64 (SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78), Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102 (SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108), Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ

ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure
124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID
NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure
138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID
NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure
5 152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID
NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure
166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID
NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure
180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID
10 NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure
194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID
NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure
208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID
NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure
15 222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID
NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure
236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID
NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure
250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID
20 NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure
264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID
NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure
278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID
NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure
25 292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID
NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure
306 (SEQ ID NO:306), Figure 308 (SEQ ID NO:308), Figure 310 (SEQ ID NO:310), Figure 312 (SEQ ID
NO:312), Figure 314 (SEQ ID NO:314), Figure 316 (SEQ ID NO:316), Figure 318 (SEQ ID NO:318), Figure
320 (SEQ ID NO:320), Figure 322 (SEQ ID NO:322), Figure 324 (SEQ ID NO:324), Figure 326 (SEQ ID
30 NO:326), Figure 328 (SEQ ID NO:328), Figure 330 (SEQ ID NO:330), Figure 332 (SEQ ID NO:332), Figure
334 (SEQ ID NO:334), Figure 336 (SEQ ID NO:336), Figure 338 (SEQ ID NO:338), Figure 340 (SEQ ID
NO:340), Figure 342 (SEQ ID NO:342), Figure 344 (SEQ ID NO:344), Figure 346 (SEQ ID NO:346), Figure
348 (SEQ ID NO:348), Figure 350 (SEQ ID NO:350), Figure 352 (SEQ ID NO:352), Figure 354 (SEQ ID
NO:354), Figure 356 (SEQ ID NO:356), Figure 358 (SEQ ID NO:358), Figure 360 (SEQ ID NO:360), Figure
35 362 (SEQ ID NO:362), Figure 364 (SEQ ID NO:364), Figure 366 (SEQ ID NO:366), Figure 368 (SEQ ID
NO:368), Figure 370 (SEQ ID NO:370), Figure 372 (SEQ ID NO:372), Figure 374 (SEQ ID NO:374), Figure
376 (SEQ ID NO:376), Figure 378 (SEQ ID NO:378), Figure 380 (SEQ ID NO:380), Figure 382 (SEQ ID

NO:382), Figure 384 (SEQ ID NO:384), Figure 386 (SEQ ID NO:386), Figure 388 (SEQ ID NO:388), Figure 390 (SEQ ID NO:390), Figure 392 (SEQ ID NO:392), Figure 394 (SEQ ID NO:394), Figure 396 (SEQ ID NO:396), Figure 398 (SEQ ID NO:398), Figure 400 (SEQ ID NO:400), Figure 402 (SEQ ID NO:402), Figure 404 (SEQ ID NO:404), Figure 406 (SEQ ID NO:406), Figure 408 (SEQ ID NO:408), Figure 410 (SEQ ID NO:410), Figure 412 (SEQ ID NO:412), Figure 414 (SEQ ID NO:414), Figure 416 (SEQ ID NO:416), Figure 418 (SEQ ID NO:418), Figure 420 (SEQ ID NO:420), Figure 422 (SEQ ID NO:422), Figure 424 (SEQ ID NO:424), Figure 426 (SEQ ID NO:426), Figure 428 (SEQ ID NO:428), Figure 430 (SEQ ID NO:430), Figure 432 (SEQ ID NO:432), Figure 434 (SEQ ID NO:434), Figure 436 (SEQ ID NO:436), Figure 438 (SEQ ID NO:438), Figure 440 (SEQ ID NO:440), Figure 442 (SEQ ID NO:442), Figure 444 (SEQ ID NO:444), Figure 446 (SEQ ID NO:446), Figure 448 (SEQ ID NO:448), Figure 450 (SEQ ID NO:450), Figure 452 (SEQ ID NO:452), Figure 454 (SEQ ID NO:454), Figure 456 (SEQ ID NO:456), Figure 458 (SEQ ID NO:458), Figure 460 (SEQ ID NO:460), Figure 462 (SEQ ID NO:462), Figure 464 (SEQ ID NO:464), Figure 466 (SEQ ID NO:466), Figure 468 (SEQ ID NO:468), Figure 470 (SEQ ID NO:470), Figure 472 (SEQ ID NO:472), Figure 474 (SEQ ID NO:474), Figure 476 (SEQ ID NO:476), Figure 478 (SEQ ID NO:478), Figure 480 (SEQ ID NO:480), Figure 482 (SEQ ID NO:482), Figure 484 (SEQ ID NO:484), Figure 486 (SEQ ID NO:486), Figure 488 (SEQ ID NO:488), Figure 490 (SEQ ID NO:490), Figure 492 (SEQ ID NO:492), Figure 494 (SEQ ID NO:494), Figure 496 (SEQ ID NO:496), Figure 498 (SEQ ID NO:498), Figure 500 (SEQ ID NO:500), Figure 502 (SEQ ID NO:502), Figure 504 (SEQ ID NO:504), Figure 506 (SEQ ID NO:506), Figure 508 (SEQ ID NO:508), Figure 510 (SEQ ID NO:510), Figure 512 (SEQ ID NO:512), Figure 514 (SEQ ID NO:514), Figure 516 (SEQ ID NO:516), Figure 518 (SEQ ID NO:518), Figure 520 (SEQ ID NO:520), Figure 522 (SEQ ID NO:522), Figure 524 (SEQ ID NO:524), Figure 526 (SEQ ID NO:526), Figure 528 (SEQ ID NO:528), Figure 530 (SEQ ID NO:530), Figure 532 (SEQ ID NO:532), Figure 534 (SEQ ID NO:534), Figure 536 (SEQ ID NO:536), Figure 538 (SEQ ID NO:538), Figure 540 (SEQ ID NO:540), Figure 542 (SEQ ID NO:542), Figure 544 (SEQ ID NO:544), Figure 546 (SEQ ID NO:546), Figure 548 (SEQ ID NO:548), Figure 550 (SEQ ID NO:550), Figure 552 (SEQ ID NO:552), Figure 554 (SEQ ID NO:554), Figure 556 (SEQ ID NO:556), Figure 558 (SEQ ID NO:558), Figure 560 (SEQ ID NO:560), Figure 562 (SEQ ID NO:562), Figure 564 (SEQ ID NO:564), Figure 566 (SEQ ID NO:566), Figure 568 (SEQ ID NO:568), Figure 570 (SEQ ID NO:570), Figure 572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), with its associated signal peptide; or

(c) an amino acid sequence of an extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure

34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40),
Figure 42 (SEQ ID NO:42), Figure 44 (SEQ ID NO:44), Figure 46 (SEQ ID NO:46), Figure 48 (SEQ ID
NO:48), Figure 50 (SEQ ID NO:50), Figure 52 (SEQ ID NO:52), Figure 54 (SEQ ID NO:54), Figure 56 (SEQ
ID NO:56), Figure 58 (SEQ ID NO:58), Figure 60 (SEQ ID NO:60), Figure 62 (SEQ ID NO:62), Figure 64
(SEQ ID NO:64), Figure 66 (SEQ ID NO:66), Figure 68 (SEQ ID NO:68), Figure 70 (SEQ ID NO:70), Figure
5 72 (SEQ ID NO:72), Figure 74 (SEQ ID NO:74), Figure 76 (SEQ ID NO:76), Figure 78 (SEQ ID NO:78),
Figure 80 (SEQ ID NO:80), Figure 82 (SEQ ID NO:82), Figure 84 (SEQ ID NO:84), Figure 86 (SEQ ID
NO:86), Figure 88 (SEQ ID NO:88), Figure 90 (SEQ ID NO:90), Figure 92 (SEQ ID NO:92), Figure 94 (SEQ
ID NO:94), Figure 96 (SEQ ID NO:96), Figure 98 (SEQ ID NO:98), Figure 100 (SEQ ID NO:100), Figure 102
(SEQ ID NO:102), Figure 104 (SEQ ID NO:104), Figure 106 (SEQ ID NO:106), Figure 108 (SEQ ID NO:108),
10 Figure 110 (SEQ ID NO:110), Figure 112 (SEQ ID NO:112), Figure 114 (SEQ ID NO:114), Figure 116 (SEQ
ID NO:116), Figure 118 (SEQ ID NO:118), Figure 120 (SEQ ID NO:120), Figure 122 (SEQ ID NO:122), Figure
124 (SEQ ID NO:124), Figure 126 (SEQ ID NO:126), Figure 128 (SEQ ID NO:128), Figure 130 (SEQ ID
NO:130), Figure 132 (SEQ ID NO:132), Figure 134 (SEQ ID NO:134), Figure 136 (SEQ ID NO:136), Figure
138 (SEQ ID NO:138), Figure 140 (SEQ ID NO:140), Figure 142 (SEQ ID NO:142), Figure 144 (SEQ ID
15 NO:144), Figure 146 (SEQ ID NO:146), Figure 148 (SEQ ID NO:148), Figure 150 (SEQ ID NO:150), Figure
152 (SEQ ID NO:152), Figure 154 (SEQ ID NO:154), Figure 156 (SEQ ID NO:156), Figure 158 (SEQ ID
NO:158), Figure 160 (SEQ ID NO:160), Figure 162 (SEQ ID NO:162), Figure 164 (SEQ ID NO:164), Figure
166 (SEQ ID NO:166), Figure 168 (SEQ ID NO:168), Figure 170 (SEQ ID NO:170), Figure 172 (SEQ ID
NO:172), Figure 174 (SEQ ID NO:174), Figure 176 (SEQ ID NO:176), Figure 178 (SEQ ID NO:178), Figure
20 180 (SEQ ID NO:180), Figure 182 (SEQ ID NO:182), Figure 184 (SEQ ID NO:184), Figure 186 (SEQ ID
NO:186), Figure 188 (SEQ ID NO:188), Figure 190 (SEQ ID NO:190), Figure 192 (SEQ ID NO:192), Figure
194 (SEQ ID NO:194), Figure 196 (SEQ ID NO:196), Figure 198 (SEQ ID NO:198), Figure 200 (SEQ ID
NO:200), Figure 202 (SEQ ID NO:202), Figure 204 (SEQ ID NO:204), Figure 206 (SEQ ID NO:206), Figure
208 (SEQ ID NO:208), Figure 210 (SEQ ID NO:210), Figure 212 (SEQ ID NO:212), Figure 214 (SEQ ID
25 NO:214), Figure 216 (SEQ ID NO:216), Figure 218 (SEQ ID NO:218), Figure 220 (SEQ ID NO:220), Figure
222 (SEQ ID NO:222), Figure 224 (SEQ ID NO:224), Figure 226 (SEQ ID NO:226), Figure 228 (SEQ ID
NO:228), Figure 230 (SEQ ID NO:230), Figure 232 (SEQ ID NO:232), Figure 234 (SEQ ID NO:234), Figure
236 (SEQ ID NO:236), Figure 238 (SEQ ID NO:238), Figure 240 (SEQ ID NO:240), Figure 242 (SEQ ID
NO:242), Figure 244 (SEQ ID NO:244), Figure 246 (SEQ ID NO:246), Figure 248 (SEQ ID NO:248), Figure
30 250 (SEQ ID NO:250), Figure 252 (SEQ ID NO:252), Figure 254 (SEQ ID NO:254), Figure 256 (SEQ ID
NO:256), Figure 258 (SEQ ID NO:258), Figure 260 (SEQ ID NO:260), Figure 262 (SEQ ID NO:262), Figure
264 (SEQ ID NO:264), Figure 266 (SEQ ID NO:266), Figure 268 (SEQ ID NO:268), Figure 270 (SEQ ID
NO:270), Figure 272 (SEQ ID NO:272), Figure 274 (SEQ ID NO:274), Figure 276 (SEQ ID NO:276), Figure
278 (SEQ ID NO:278), Figure 280 (SEQ ID NO:280), Figure 282 (SEQ ID NO:282), Figure 284 (SEQ ID
35 NO:284), Figure 286 (SEQ ID NO:286), Figure 288 (SEQ ID NO:288), Figure 290 (SEQ ID NO:290), Figure
292 (SEQ ID NO:292), Figure 294 (SEQ ID NO:294), Figure 296 (SEQ ID NO:296), Figure 298 (SEQ ID
NO:298), Figure 300 (SEQ ID NO:300), Figure 302 (SEQ ID NO:302), Figure 304 (SEQ ID NO:304), Figure

156

572 (SEQ ID NO:572), Figure 574 (SEQ ID NO:574), Figure 576 (SEQ ID NO:576), Figure 578 (SEQ ID NO:578), Figure 580 (SEQ ID NO:580), Figure 582 (SEQ ID NO:582), Figure 584 (SEQ ID NO:584), Figure 586 (SEQ ID NO:586), Figure 588 (SEQ ID NO:588), Figure 590 (SEQ ID NO:590), Figure 592 (SEQ ID NO:592), Figure 594 (SEQ ID NO:594), Figure 596 (SEQ ID NO:596), Figure 598 (SEQ ID NO:598), Figure 600 (SEQ ID NO:600), Figure 602 (SEQ ID NO:602), Figure 604 (SEQ ID NO:604), Figure 606 (SEQ ID NO:606), Figure 608 (SEQ ID NO:608), or Figure 610 (SEQ ID NO:610), lacking its associated signal peptide.

20. A method for stimulating the release of TNF- α from human blood, said method comprising contacting said blood with a PRO1079, PRO827, PRO791, PRO1131, PRO1316, PRO1183, PRO1343, PRO1760, PRO1567 or PRO4333 polypeptide, wherein the release of TNF- α from said blood is stimulated.

10

21. A method for stimulating the proliferation or differentiation of chondrocyte cells, said method comprising contacting said cells with a PRO6029 polypeptide, wherein the proliferation or differentiation of said cells is stimulated.

15

22. A method for detecting the presence of tumor in an mammal, said method comprising comparing the level of expression of any PRO polypeptide shown in Table 8 in (a) a test sample of cells taken from said mammal and (b) a control sample of normal cells of the same cell type, wherein a higher level of expression of said PRO polypeptide in the test sample as compared to the control sample is indicative of the presence of tumor in said mammal.

20

23. The method of Claim 22, wherein said tumor is adrenal tumor, lung tumor, colon tumor, breast tumor, prostate tumor, rectal tumor, cervical tumor or liver tumor.

24. An oligonucleotide probe derived from any of the nucleotide sequences shown in the accompanying figures.

25

1/615

FIGURE 1

GAAGGCTGCCTCGCTGGTCCGAATTTCGGTGGCGCCACGTCCGCCCTTCTGCATCGCGGCTTCGGCG
GCTTCCACCTAGACACCTAACAGTCGCGGAGCCGCCGCGTCTGAGGGGGTTCGGCACGGGAGTCGGGCGGTCT
TGTGCATCTTGGCTACCTGTGGGTTCGAAGATGTCGGACATCGGAGACTGGTTTTCAGGAGCATCCCGGCGATCACGC
GCTATTGGTTTCGCCGCCACCGTCGCCGTGCCCTTGGTTCGGCAAACCTCGGCCTCATCAGCCCGCCTACCTCTTCC
TCTGGCCCGAAGCCTTCCCTTATCGCTTTCAGATTTGGAGGCCAATCACTGCCACCTTTTATTTCCCTGTGGGTC
CAGGAACCTGGATTTCTTTATTTGGTCAATTTATATTTCTTATATCAGTATTTCTACGCGACTTGAAACAGGAGCTT
TTGATGGGAGGCCAGCAGACTATTTATTCATGCTCCTCTTTAACTGGATTTGCATCGTGATTACTGGCTTAGCAA
TGGATATGCAGTTGCTGATGATTCTCTGATCATGTACGTACTTTATGTCTGGGCCCAGCTGAACAGAGACATGA
TTGTATCATTTTTGGTTTGAACACGATTTAAGGCCTGCTATTTACCCTGGGTTATCCTTGGATTCAACTATATCA
TCGGAGGCTCGGTAATCAATGAGCTTATTGGAAATCTGGTTGGACATCTTTATTTTTTCCCTAATGTTTCAGATAACC
CAATGGACTTGGGAGGAAGAAATTTCTATCCACACCTCAGTTTTTGTACCGCTGGCTGCCAGTAGGAGAGGAG
GAGTATCAGGATTTGGTGTGCCCCCTGCTAGCATGAGGCGAGCTGCTGATCAGAATGGCGGAGGCGGAGACACA
ACTGGGGCCAGGGCTTTCGACTTGGAGACCAGTGAAGGGGCGGCCCTCGGGCAGCCGCTCCTCTCAAGCCACATTT
CCTCCAGTGCTGGGTGCACTTAACAACCTGCCCTTCTGGCTAACACTGTTGGACCTGACCCACACTGAATGTAGTC
TTTCAGTACGAGACAAAGTTTCTTAAATCCCGAAGAAAAATATAAGTGTCCACAAGTTTCACGATTCTCATTCA
AGTCCTTACTGCTGTGAAGAACAAATACCAACTGTGCAAAATGCAAACTGACTACATTTTTTGGTGTCTTCTCT
TCTCCCTTTCCGTCTGAATAATGGGTTTTAGCGGGTCTCAATCTGCTGGCATTGAGCTGGGGCTGGGTACCAA
ACCTTTCCTAAAAGGACCTTATCTCTTCTTGCACACATGCTCTCTCCACTTTTCCCAACCCACACTTTGCA
ACTAGAAAAAGTTGCCCATAAAATTGCTCTGCCCTTGACAGGTTCTGTTATTTATTGACTTTTGCCAAGGCTGGT
CACAACAATCATATTCACGTTATTTTCCCTTTTGGTGGCAGAACTGTTACCAATAGGGGGAGAAGACAGCCACG
GATGAAGCGTTTCTCAGCTTTTGAATTGCTTCGACTGACATCCGTTGTTAACCGTTTGCCACTTTCAGATATT
TTTTATAAAAAAGTACCACTGAGTTTCATGAGGGCCACAGATTGGTTATTAATGAGATACGAGGGTTGGTGTGG
GTGTTTGTTCCTGAGCTAAGTGATCAAGACTGTAGTGGAGTTGCAGCTAACATGGGTTAGGTTTAAACCATGGG
GGATGCACCCCTTTGCGTTTCATATGTAGCCCTACTGGCTTTGTGTAGCTGGAGTAGTTGGGTGCTTTGTGTTA
GGAGGATCCAGATCATGTTGGCTACAGGGAGATGCTCTCTTTGAGAGGTCCTGGGCATTGATTCCCATTTCAATC
TCATTCTGGATATGTGTTTATTGAGTAAAGGAGGAGAGACCCCTCATACGCTATTTAAATGTCACTTTTTTGCCTA
TCCCCCGTTTTTGGTTCATGTTTCAATTAATTGTGAGGAAGGCGCAGCTCCTCTCTGCACGTAGATCATTTTTTA
AAGCTAATGTAAGCACATCTAAGGGAATAACATGATTTAAGGTTGAAATGGCTTTAGAATCATTTGGGTTTGAAG
GTGTGTTATTTTGAATCATGAATGTACAAGCTCTGTGAATCAGACCAGCTTAAATACCCACACCTTTTTTTCGTA
GGTGGGCTTTTCCATCAGAGCTTGGCTCATAACCAATAAAGTTTTTTGAAGGCCATGGCTTTTCACACAGTTA
TTTTATTTTATGACGTTATCTGAAAGCAGACTGTTAGGAGCAGTATTGAGTGGCTGTCACACTTTGAGGCAACTA
AAAAGGCTTCAAACGTTTTGATCAGTTTCTTTTTCAGGAAACATTGTGCTCTAACAGTATGACTATTCTTTCCCCC
ACTCTTAAACAGTGTGATGTGTGTTATCCTAGGAAATGAGAGTTGGCAAACAACTTCTCATTTTGAATAGAGTTT
GTGTGTAATCTCCATATTTAATTTATATGATAAAATAGGTGGGGAGAGTCTGAACCTTAACGTGTCATGTTTTGT
TGTTTCATCTGTGGCCACAATAAAGTTTACTTGTAAATTTTTAGAGGCCATTACTCCAATTATGTTGCACGTACAC
TCATTGTACAGGCGTGGAGACTCATTGTATGTATAAGAATATTTCTGACAGTGAGTGACCCGGAGTCTCTGGTGT
ACCCTCTTACCAGTCAGCTGCCCTGCGAGCAGTCATTTTTTCTTAAAGGTTTACAAGTATTTAGAACTTTTCAGTT
CAGGGCAAATGTTTCATGAAGTTATTCCTCTTAAACATGGTTAGGAAGCTGATGACGTTATTGATTTTGTCTGGA
TTATGTTTCTGGAATAATTTTACCAAAACAAGCTATTTGAGTTTTGACTTGACAAGGCAAAACATGACAGTGGAT
TCTCTTTACAAATGGAAAAAAAATCCTTATTTGTATAAAGGACTTCCCTTTTTGTAAACTAATCCTTTTTAT
TGGTAAAAATTGTAAATTAATGTGCAACTTG

2/615

FIGURE 2

MSDIGDWFRSIPAITRYWFAATVAVPLVGKLGKISPAYLFLWPEAFLYRFQIWRPITATFYFPVGP GTGFLYLVN
LYFLYQYSTRLETGAFDGRPADYLFMLLFNWICIVITGLAMDMQLLMIPLIMSVLYVWAQLNRDMIVSFWFGTRF
KACYLPWVILGFNYIIGGSVINELIGNLVGHLYFFLMFRYPMDLGGRNFLSTPQFLYRWLPSSRRGGVSGFGVPPA
SMRRAADQNGGGGRHNWQGGRFRLGDQ

Transmembrane domain:

amino acids 98-116, 152-172

N-myristoylation site.

amino acids 89-95, 168-174, 176-182, 215-221, 221-227, 237-243

Glycosaminoglycan attachment site.

amino acids 218-222

3/615

FIGURE 3

GAGCGAGGCCGGGGACTGAAGGTGTGGGTGTCGAGCCCTCTGGCAGAGGGTTAACCTGGGTCAAATGCACGGATT
CTCACCTCGTACAGTTACGCTCTCCCGCGGCACGTCCGCGAGGACTTGAAGTCCTGAGCGCTCAAGTTTGTCCGT
AGGTGAGAGAAAGGCCATGGAGGTGCCGCCACCGGCACCGCGGAGCTTTCTCTGTAGAGCATTGTGCCTATTTCC
CCGAGTCTTTGCTGCCGAAGCTGTGACTGCCGATTCCGGAAGTCCTTGAGGAGCGTCAGAAGCGGCTTCCCTACGT
CCCAGAGCCCTATTACCCGGAATCTGGATGGGACCGCCTCCGGGAGCTGTTTGGCAAAGATGAACAGCAGAGAAT
TTCAAAGGACCTTGCTAATATCTGTAAGACGGCAGCTACAGCAGGCATCATTGGCTGGGTGTATGGGGGAATACC
AGCTTTTATTTCATGCTAAACAACAATACATTGAGCAGAGCCAGGCAGAAATTTATCATAACCGGTTTGATGCTGT
GCAATCTGCACATCGTGCTGCCACACGAGGCTTCATTGCTTATGGCTGGCGCTGGGGTTGGAGAACTGCAGTGTT
TGTGACTATATTCAACACAGTGAACACTAGTCTGAATGTATACCGAAATAAAGATGCCTTAAGCCATTTTGTAAAT
TGCAGGAGCTGTCACGGGAAGTCTTTTTAGGATAAACGTAGGCCTGCGTGGCCTGGTGGCTGGTGGCATAATTGG
AGCCTTGCTGGGCACTCCTGTAGGAGGCCTGCTGATGGCATTTCAGAAGTACGCTGGTGAGACTGTTTCAAGGAAAG
AAAACAGAAGGATCGAAAGGCACTCCATGAGCTAAAACTGGAAGAGTGGAAAGGCAGACTACAAGTTACTGAGCA
CCTCCCTGAGAAAATTGAAAGTAGTTTACGGGAAGATGAACCTGAGAATGATGCTAAGAAAATTGAAGCACTGCT
AAACCTTCCTAGAAACCCTTCAGTAATAGATAAACAAGACAAGGACTTGAAAGTGCTCTGAAGTTGAAACTCACTG
GAGAGCTGAAGGGAGCTGCCATGTCCGATGAATGCCAACAGACAGGCCACTCTTTGGTCAGCCTGCTGACAAATT
TAAGTGCTGGTACCTGTGGTGGCAGTGGCTTGCTCTTGTCTTTTTCTTTTCTTTTAACTAAGAATGGGGCTGTT
GTACTCTCACTTTACTTATCCTTAAATTTAAATACATACTTATGTTTGTATTAATCTATCAATATATGCATACAT
GGATATATCCACCCACCTAGATTTTAAGCAGTAAATAAAACATTTTCGCAAAAGATTAAAGTTGAATTTTACAGTTT

4/615

FIGURE 4

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA23318
><subunit 1 of 1, 285 aa, 1 stop
><MW: 32190, pI: 9.03, NX(S/T): 2
MEVPPPAPRSFLCRALCLFPRVFAAEAVTADSEVLEERQKRLPYVPEPYYPESGWDRLRELFGKDEQQRISKDLA
NICKTAATAGIIGWVYGGIPAFIHAKQQYIEQSQAIEYHNRFDAVQSAHRAATRGFIRYGWRWGWRTAVFVTIFN
TVNTSLNVYRNKDALSHFVIAGAVTGSLFRINVGLRGLVAGGIIGALLGTPVGGLLMAFQKYAGETVQERKQKDR
KALHELKLEEWKGRQLQVTEHLPEKIESSLREDEPENDAKKIEALLNLPNPSVIDKQDKD
```

Important Features:**Signal Peptide:**

amino acids 1-24

Transmembrane domains:

amino acids 76-96 and 171-195

N-glycosylation site:

amino acids 153-156

5/615

FIGURE 5

CGGACGCGTGGGCGGGGACGCCGGCAGGGTTGTGGCGCAGCAGTCTCCTTCCTGCGCGCGCGCCTGAAGTCGGC
GTGGGCGTTTTGAGGAAGCTGGGATACAGCATTTAATGAAAAATTTATGCTTAAGAAGTAAAAATGGCAGGCTTCC
TAGATAATTTTCGTTGGCCAGAATGTGAATGTATTGACTGGAGTGAGAGAAGAAATGCTGTGGCATCTGTTGTGCG
CAGGTATATTGTTTTTACAGGCTGGTGGATAATGATTGATGCAGCTGTGGTGTATCCTAAGCCAGAACAGTTGA
ACCATGCCCTTTCACACATGTGGTGTATTTCCACATTGGCTTTCTTCATGATAAATGCTGTATCCAATGCTCAGG
TGAGAGGTGATAGCTATGAAAGCGGCTGTTTAGGAAGAACAGGTGCTCGAGTTTGGCTTTTCATTGGTTTCATGT
TGATGTTTGGGTCACCTTATTGCTTCCATGTGGATTCTTTTTGGTGCATATGTTACCCAAAATACTGATGTTTATC
CGGGACTAGCTGTGTTTTTCAAATGCACCTATATTTTTTAGCACTCTGATCTACAAATTTGGAAGAACCGAAG
AGCTATGGACCTGAGATCACTTCTTAAGTCACATTTTCCTTTTGTATATTCTGTTTGTAGATAGGTTTTTTATC
TCTCAGTACACATTGCCAAATGGAGTAGATTGTACATTAAATGTTTTGTTTCTTTACATTTTTATGTTCTGAGTT
TTGAAATAGTTTTATGAAATTTCTTTATTTTTTATTGTCATAGACTGTTAATATGTATATAATACAAGACTATATG
AATTGGATAATGAGTATCAGTTTTTTTATCCTGAGATTTAGAACTTGATCTACTCCCTGAGCCAGGTTTACATCA
TCTTGTCATTTTAGAAGTAACCACTCTTGTCTCTCTGGCTGGGCACGGTGGCTCATGCCTGTAATCCCAGCACTT
TGGGAGGCCGAGGCGGGCCGATTGCTTGAGGTCAAGTGTGTTGAGACCAGCCTGGCCAACATGGCGAAACCCCATC
TACTAAAAATACAAAAATTAGCCAGGCATGGTGGTGGGTGCCTGTAATCCCAGCTACCTGGGAGGCTGAGGCAGG
AGAATCGCTTGAACCCGGGGGGCAGAGGTTGCAGTGAGCTGAGTTTGCGCCACTGCACTCTAGCCTGGGGGAGAA
AGTGAACTCCCTCTCAAAAAAAGACCACTCTCAGTATCTCTGATTTCTGAAGATGTACAAAAAATATAGCTT
CATATATCTGGAATGAGCACTGAGCCATAAAAGGTTTTTCAGCAAGTTGTAAGTTATTTTGGCCTAAAAATGAGGT
TTTTTTGGTAAAGAAAAAATATTTGTTCTTATGTATTGAAGAAGTGTACTTTTATATAATGATTTTTTAAATGCC
CAAAGGACTAGTTTGAAAGCTTCTTTTAAAAAGAATTCTCTAATATGACTTTTATGTGAGAA

6/615

FIGURE 6

MAGFLDNFRWPECECIDWSERRNAVASVVAGILFFTGWIMIDAADVYPKPEQLNHAFHTCGVFSTLAFFMINAV
SNAQVRGDSYESGCLGRTGARVWLFIGFMLMFGSLIASMWILFGAYVTQNTDVYPGLAVFFQNALIFFSTLIYKF
GRTEELWT

Important features:

Signal peptide:

amino acids 1-44

Transmembrane domains:

amino acids 23-42 (type II), 60-80, 97-117, 128-148

7/615

FIGURE 7

CGGTGGTTTTTGTCTGCAATAGGCGGCTTAGAGGGAGGGGCTTTTTCGCCTATACCTACTGTAGCTTCTCCAGG
TATGGACCCTAAAGGCTACTGCTGCTACTACGGGGCTAGACAGTTACTGTCTCAGCTCTAGGATGTGCGTTCTTC
CACTAGAAGCTCTTCTGAGGGAGGTAATTAACAAACAGTGGAATGGAAAAACAGTGCTGTAGTCATCCTGTAATA
TGCTCCTTGTCAACAATGTATACATTCTGCTAGGTGCCATATTCATTGCTTTAAGCTCAAGTCGCATCTTACTA
GTGAAGTATTCTGCCAATGAAGAAAAACAAGTATGATTATCTTCCAACACTGTGAATGTGTGCTCAGAACTGGTG
AAGCTAGTTTTCTGTGTGCTTGTGTCTTCTGTGTATATAAAGAAAGATCATCAAAGTAGAAATTTGAAATATGCT
TCCTGGAAGGAATTCCTGATTTCATGAAGTGGTCCATTCTGCCTTTCTTTATTTCTGGATAACTTGATTGTC
TTCTATGTCTGTCTTCTTCAACCAGCCATGGCTGTTATCTTCTCAAATTTTAGCATTATAACAACAGCTCTT
CTATTCAAGATAGTGCTGAAGAGGCGTCTAAACTGGATCCAGTGGGCTTCCTCCTGACTTTATTTTGTCTATT
GTGGCCTTGACTGCCGGGACTAAAACTTTACAGCACAACTTGGCAGGACGTGGATTTCATCACGATGCCCTTTTTC
AGCCCTTCCAATTCCTGCCTTCTTTTCAGAAGTGAGTGTCCAGAAAAGACAATTGTACAGCAAAGGAATGGAGT
TTTCTGAAGCTAAATGGAACACCACAGCCAGAGTTTTTCAGTCACATCCGTCTTGGCATGGGCCATGTTCTTATT
ATAGTCCAGTGTTTTATTTCTTCAATGGCTAATATCTATAATGAAAAGATACTGAAGGAGGGGAACAGCTCACT
GAAAGCATCTTCATACAGAACAGCAAACCTCTATTTCTTTGGCATTCTGTTAATGGGCTGACTCTGGGCTTCAG
AGGAGTAACCGTGATCAGATTAAAGAACTGTGGATTTTTTATGGCCACAGTGCATTTTCAGTAGCCCTTATTTTT
GTAAGTGCATTCCAGGGCCTTTCAGTGGCTTTTCATTCTGAAGTTCCTGGATAACATGTTCCATGTCTTGATGGCC
CAGGTACCACCTGTCTTATCACAACAGTGTCTGTCTGGTCTTTGACTTCAGGCCCTCCCTGGAATTTTCTTG
GAAGCCCCATCAGTCTTCTCTCTATATTTATTTATAATGCCAGCAAGCCTCAAGTTCGGAATACGCACCTAGG
CAAGAAAGGATCCGAGATCTAAGTGGCAATCTTTGGGAGCGTTCCAGTGGGGATGGAGAAGAACTAGAAAGACTT
ACCAAACCCAAGAGTGATGAGTCAGATGAAGATACTTTCTAACTGGTACCCACATAGTTTGCAGCTCTCTTGAAC
CTTATTTTTCATTTTTCAGTGTTTGTAAATATTTATCTTTTCACTTTTGATAAACCAAGAAATGTTTCTAAATCCTAA
TATTTCTTTCATATATCTAGCTACTCCCTAAATGGTTCATCCAAGGCTTAGAGTACCCAAAGGCTAAGAAATTC
TAAAGAACTGATACAGGAGTAACAATATGAAGAATTCATTAATATCTCAGTACTTGATAAATCAGAAAAGTTATAT
GTGCAGATTATTTTCTTGGCCTTCAAGCTTCCAAAAAAGTTGTAATAATCATGTTAGCTATAGCTTGTATATAC
ACATAGAGATCAATTTGCCAAATATTCACAATCATGTAGTTCTAGTTTACATGCCAAAGTCTTCCCTTTTAAACA
TTATAAAAGCTAGGTTGTCTCTTGAATTTTGGGCCCTAGAGATAGTCATTTTGCAAGTAAAGAGCAACGGGACC
CTTTCTAAAAACGTTGGTTGAAGGACCTAAATACCTGGCCATACCATAGATTTGGGATGATGTAGTCTGTGCTAA
ATATTTTGTCTGAAGAAGCAGTTTCTCAGACACAACATCTCAGAATTTTAAATTTTAAAGAAATTCATGGGAAATTTG
ATTTTGTAAATAATCTTTTGATGTTTTAAACATTTGGTTCCTAGTCACCATAGTTACCACTTGTATTTTAAAGTCA
TTTAAACAAGCCACGGTGGGGCTTTTTCTCCTCAGTTTGAGGAGAAAAATCTTGATGTCTTACTCTCTGAATTA
TTACATTTTGGAGAATAAGAGGGCATTTTATTTTATTAGTTACTAATTCAAGCTGTGACTATTGTATATCTTTCC
AAGAGTTGAAATGCTGGCTTCAGAATCATACCAGATTGTCAGTGAAGCTGATGCCCTAGGAACTTTTAAAGGGATC
CTTTCAAAGGATCACTTAGCAAACACATGTTGACTTTTAACTGATGTATGAATATTAATACTCTAAAAATAGAA
AGACCAGTAATATATAAGTCACTTTACAGTGTCTTTCACACTTAAAGTGCATGGTATTTTTCATGGTATTTTG
CATGCAGCCAGTTAACTCTCGTAGATAGAGAAGTCAGGTGATAGATGATATTAATAAATTAGCAAACAAAAGTGAC
TTGCTCAGGGTCTATGCAGCTGGGTGATGATAGAAGAGTGGGCTTTAACTGGCAGGCCTGTATGTTTACAGACTAC
CATACTGTAAATATGAGCTTTATGGTGTCTTCTCAGAACTTATACATTTCTGCTCTCCTTTCTCCTAAGTTTC
ATGCAGATGAATATAAGGTAATATACTATTATATAATTCATTTGTGATATCCACAATAATATGACTGGCAAGAAT
TGGTGGAAATTTGTAATTAATAATTATTAACCT

8/615

FIGURE 8

MEKQCCSHPVICSLSTMYTFLLGAIFIALSSSRILLVKYSANEENKYDYLPTTVNVCSSELVKLVFCVLVSFCVIK
KDHQSRNLKYASWKEFSDFMKWSIPAFLYFLDNLIVFYVLSYLPAMAVIFSNIITALLFRIVLKRRLNWIQ
WASLLTLFLSIVALTAGTKTLQHNLAGRGFHHDAFFSPSNSCLLFRSECPRKDNCTAKEWTFPEAKWNTTARVFS
HIRLGMGHVLIIVQCFISSMANIYNEKILKEGNQLTESIFIONSCLYFFGILFNGLTLGLQRSNRDQIKNCGFFY
GHSASFVALIFVTAFOGLSVAFILKFLDNMFHVLMAQVTTVIITTVSVLVFDFRPSLEFFLEAPSVLLSIFIYNA
SKPQVPEYAPRQERIRDLSGNLWERSSSGDGEELERLTKPKSDESDETF

Transmembrane domains:

amino acids 16-36 (type II), 50-74, 147-168, 229-250, 271-293, 298-318,
328-368

N-glycosylation sites.

amino acids 128-132, 204-208, 218-222, 374-378

Glycosaminoglycan attachment site.

amino acids 402-406

N-myristoylation sites.

amino acids 257-263, 275-281, 280-286, 284-290, 317-323

9/615

FIGURE 9

GGGGCTTCGGCGCCAGCGGCCAGCGCTAGTCGGTCTGGTAAGGATTTACAAAAGGTGCAGGTATGAGCAGGTCTG
AAGACTAACATTTTTGTGAAGTTGTAAAACAGAAAACCTGTTAGAAATGTTGGTGGTTTTTCAGCAAGGCCTCAGTTTC
CTTCCTTCAGCCCTTGTAATTTGGACATCTGCTGCTTTCATATTTTCATACATTACTGCAGTAACACTCCACCAT
ATAGACCCGGCTTTACCTTATATCAGTGACACTGGTACAGTAGCTCCAGAAAAATGCTTATTTGGGGCAATGCTA
AATATTGCGGCAGTTTTATGCATTGCTACCATTTATGTTTCGTTATAAGCAAGTTCATGCTCTGAGTCCTGAAGAG
AACGTTATCATCAAATTAACAAGGCTGGCCTTGTAAGTGGAGCTGTGCTTACCTTTGGTATGGGCTCATTATAT
AACTTCCAGAAAACAACCCTTTTTGCTGCACATGTAAGTGGAGCTGTGCTTACCTTTGGTATGGGCTCATTATAT
ATGTTTGTTCAGACCATCCTTTCCTACCAAATGCAGCCCAAAATCCATGGCAAACAAGTCTTCTGGATCAGACTG
TTGTTGGTTATCTGGTGTGGAGTAAGTGCACCTTAGCATGCTGACTTGCTCATCAGTTTTGCACAGTGGCAATTTT
GGGACTGATTTAGAACAGAACTCCATTGGAACCCCGAGGACAAAGGTTATGTGCTTCACATGATCACTACTGCA
GCAGAATGGTCTATGTCATTTTCTTCTTTGGTTTTTTCCTGACTTACATTCGTGATTTTCAGAAAATTTCTTTA
CGGGTGGAAGCCAATTTACATGGATTAACCTCTATGACACTGCACCTTGCCCTATTAACAATGAACGAACACGG
CTACTTTCCAGAGATATTTGATGAAAGGATAAAATATTTCTGTAATGATTATGATTCTCAGGGATTGGGGAAAGG
TTCACAGAAGTTGCTTATTCTTCTCTGAAATTTTCAACCACTTAATCAAGGCTGACAGTAACACTGATGAATGCT
GATAATCAGGAAACATGAAAGAAGCCATTTGATAGATTATTCTAAAGGATATCATCAAGAAGACTATTA AAAACA
CCTATGCCTATACTTTTTTATCTCAGAAAATAAAGTCAAAAGACTATG

10/615

FIGURE 10

MWWFQQGLSFLPSALVIWTSAAFI FSYITAVTLHHIDPALPYISDTGTVAPEKCLFGAMLNIAAVLCIATIIYVRY
KQVHALSPEENVIIKLNKAGLVLGILSCLGLSIVANFQKTLFAAHVSGAVLTFGMGSLYMFVQTILSYQMOPKI
HGKQVFWIRLLLVIWCGVSALSMLTCSSVLHSGNFGTDLEQKLHWNPEDKGYVLHMITTAAEWSMSFSFFGFFLT
YIRDFQKISLRVEANLHGLTLYDTAPCPINNERTRLLSRDI

11/615

FIGURE 11

CCCACGCGTCCGCCCCGCGCTGCGTCCCGGAGTGCAAGTGAGCTTCTCGGCTGCCCCGCGGGCCGGGGTGCGGAG
CCGACATGCGCCCCGCTTCTCGGCCTCCTTCTGGTCTTCGCCGGCTGCACCTTCGCCTTGTAAGTGTGCGACGC
GACTGCCCCGCGGGCGGAGACTGGGCTCCACCGAGGAGGCTGGAGGCAGGTCGCTGTGGTTCCCCCTCCGACCTGG
CAGAGCTGCGGGAGCTCTCTGAGGTCCTTCGAGAGTACCGGAAGGAGCACCAGGCCTACGTGTTCTGCTCTTCT
GCGGCGCCTACCTCTACAAACAGGGCTTTGCCATCCCCGGCTCCAGCTTCCTGAATGTTTTAGCTGGTGCCTTGT
TTGGGCCATGGCTGGGGCTTCTGCTGTGCTGTGTGTTGACCTCGGTGGGTGCCACATGCTGCTACCTGCTCTCCA
GTATTTTTGGCAAACAGTTGGTGGTGTCTACTTTCTGATAAAGTGGCCCTGCTGCAGAGAAAGGTGGAGGAGA
ACAGAAACAGCTTGTTTTTTTTCTTATTGTTTTGAGACTTTTCCCCATGACACCAAAGTGGTCTTGAACCTCT
CGGCCCCAATTCTGAACATTCCTATCGTGACAGTTCTTCTTCTCAGTTCTTATCGGTTTGATCCCATATAATTTCA
TCTGTGTGCAGACAGGGTCCATCCTGTCAACCCTAACCTCTCTGGATGCTCTTTTCTCCTGGGACACTGTCTTTA
AGCTGTTGGCCATTGCCATGGTGGCATTAAATTCCTGGAACCCCTATTAAAAAATTTAGTCAGAAACATCTGCAAT
TGAATGAAACAAGTACTGCTAATCATATACACAGTAGAAAAGACACATGATCTGGATTTTCTGTTTGCCACATCC
CTGGACTCAGTTGCTTATTTGTGTAATGGATGTGGTCTCTAAAGCCCCTCATTGTTTTTGATTGCCTTCTATAG
GTGATGTGGACACTGTGCATCAATGTGCAGTGTCTTTTCAGAAAGGACACTCTGCTCTTGAAGGTGTATTACATC
AGGTTTTCAAACCAGCCCTGGTGTAGCAGACACTGCAACAGATGCCTCCTAGAAAATGCTGTTTGTGGCCGGGCG
CGGTGGCTCACGCCTGTAATCCCAGCACTTTGGGAGGCCGAGGCCGGTGATTACAAAGGTCAGGAGTTCAAGACC
AGCCTGGCCAAGATGGTGAAATCCTGTCTCTAATAAAAAATACAAAAATTAGCCAGGCGTGGTGGCAGGCACCTGT
AATCCCAGCTACTCGGGAGGCTGAGGCAGGAGAATTGCTTGAACCAAGGTGGCAGAGGTTGCAGTAAGCCAAGAT
CACACCACTGCACTCCAGCCTGGGTGATAGAGTGAGACACTGTCTTGAC

12/615

FIGURE 12

MRPLLGLLLVFAGCTFALYLLSTRLPGRRLGSTEEAGGRSLWFPSDLAELRELVREYRKEHQAYVFLLFCG
AYLYKQGFAIPGSSFLNVLGALFGPWLGLLCCVLTSVGATCCYLLSSIFGKQLVVSYPDKVALLQRKVEENR
NSLFFFLFLRLFPMTPNWFLNLSAPILNIPVQFFSVLIGLIPYNFICVQTGSILSTLTSLDALFSWDTVFKL
LAIAMVALIPGTLIKKFSQKHLQLNETSTANHIHSRKDT

Important features:**Signal peptide:**

amino acids 1-17

Transmembrane domains:

amino acids 101-123, 189-211

N-glycosylation sites.

amino acids 172-176, 250-254

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 240-244, 261-265

N-myristoylation site.

amino acids 13-19, 104-110, 115-121, 204-210

Amidation site.

amino acids 27-31

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 4-15

Protein splicing proteins.

amino acids 25-31

Sugar transport proteins.

amino acids 162-172

13/615

FIGURE 13

CGGACGCGTGGGCGGACGCGTGGGGGAGAGCCGAGTCCCGGCTGCAGCACCTGGGAGAAGGCAGACCGTGTGAG
GGGGCCTGTGGCCCCAGCGTGCTGTGGCCTCGGGGAGTGGGAAGTGGAGGCAGGAGCCTTCCTTACACTTCGCCA
TGAGTTTCCTCATCGACTCCAGCATCATGATTACCTCCCAGATACTATTTTTTGGATTTGGGTGGCTTTTCTTCA
TGCGCCAATTGTTTAAAGACTATGAGATACGTAGTATGTTGTACAGGTGATCTTCTCCGTGACGTTTGCATTTT
CTTGCACCATGTTTGAGCTCATCATCTTTGAAATCTTAGGAGTATTGAATAGCAGCTCCCGTTATTTTCACTGGA
AAATGAACCTGTGTGTAATTCTGCTGATCCTGGTTTTTCATGGTGCCTTTTACATTGGCTATTTTATGTGAGCA
ATATCCGACTACTGCATAAACAACGACTGCTTTTTTCTGTCTCTTATGGCTGACCTTTATGTATTTCTTCTGGA
AACTAGGAGATCCCTTTCCCATTTCTCAGCCCAAACATGGGATCTTATCCATAGAACAGCTCATCAGCCGGGTTG
GTGTGATTGGAGTGACTCTCATGGCTCTTCTTTCTGGATTTGGTGCTGTCAACTGCCCATACACTTACATGTCTT
ACTTCTCAGGAATGTGACTGACACGGATATTCTAGCCCTGGAACGGCGACTGCTGCAAACCATGGATATGATCA
TAAGCAAAAAGAAAAGGATGGCAATGGCACGGAGAACAATGTTCCAGAAGGGGAAGTGCATAACAAACCATCAG
GTTTTCTGGGGAATGATAAAAAGTGTTACCACTTCAGCATCAGGAAGTGAAAATCTTACTCTTATTCACAGGAAG
TGGATGCTTTGGAAGAATTAAGCAGGCAGCTTTTTCTGGAAACAGCTGATCTATATGCTACCAAGGAGAGAATAG
AATACTCCAAACCTTCAAGGGGAAATATTTTAAATTTCTTGGTTACTTTTTCTCTATTTACTGTGTTTGGAAAA
TTTTTCATGGCTACCATCAATATTGTTTTTGTATCGAGTTGGGAAAACGGATCCTGTCACAAGAGGCATTGAGATCA
CTGTGAATTATCTGGGAATCCAATTTGATGTGAAGTTTTGGTCCCAACACATTTCCCTTCATTCTTGTGGAATAA
TCATCGTCACATCCATCAGAGGATTGCTGATCACTCTTACCAAGTTCTTTTATGCCATCTCTAGCAGTAAGTCCT
CCAATGTCATTGTCTCTGCTATTAGCACAGATAATGGGCATGTACTTTGTCTCCTCTGTGCTGCTGATCCGAATGA
GTATGCCTTTAGAATACCGCACCATAATCACTGAAGTCCTTGGAGAACTGCAGTTCAACTTCTATCACCGTTGGT
TTGATGTGATCTTCTGCTCAGCGCTCTCTCTAGCATACTCTTCTCTATTTGGCTCACAAACAGGCACCAGAGA
AGCAAATGGCACCTTGAACTTAAGCCTACTACAGACTGTTAGAGGCCAGTGGTTTCAAATTTAGATATAAGAGG
GGGGAAAAATGGAACAGGGCCTGACATTTTATAAACAACAAAATGCTATGGTAGCATTTTTTCACTTCATAGC
ATACTCCTTCCCCGTGAGGTGATACTATGACCATGAGTAGCATCAGCCAGAACATGAGAGGGAGAACTAACTCAA
GACAATACTCAGCAGAGAGCATCCCGTGTGGATATGAGGCTGGTGTAGAGGCGGAGAGGCCAAGAACTAAAG
GTGAAAAATACACTGGAACCTCTGGGGCAAGACATGTCTATGGTAGCTGAGCCAAACACGTAGGATTTCCGTTTTA
AGGTTACATGAAAAGGTTATAGCTTTGCCTTGAGATTGACTCATTAAATCAGAGACTGTAACAAAAAAAAAAAA
AAAAAAAAAAAGGGCGCCGCGACTCTAGAGTCGACCTGCAGAAGCTTGGCCGCATGGCCCAACTTGTATTG
CAGCTTATAATG

14/615

FIGURE 14

MSFLIDSSIMITSQILFFGFGWLFFMRQLFKDYEIRQYVVQVIFSVTFAFSCTMFELIIFEILGVLNSSSRYPFW
KMNL CVILLILVEMVPPYIGYFIVSNIRLLHKQRLLFSCLLWLTFMYFFWKLGDPPILSPKHGILSIEQLISRV
GVIGVTLMALLSGFGAVNCPYTYMSYFLRNVTDTDILALERRLLQTMDMIISKKKRMAMARRTMFQKGEVHNKPS
GFWGMIKSVTTSASGSENLTLIQQEVDAL EELSRQLFLETADLYATKERIEYSKTFKGKYFNFLGYFFSIYCVWK
IFMATINIVFDRVGKTDPVTRGIEITVNYLGIQFDVKFWSQHISFILVGIIIVTSIRGLLITLTKFFYAISSSKS
SNVIVLLLAQIMGYFVSSVLLIRMSMPLEYRTIITEVLGELQFNFYHRWFDVIFLVSA LSSILFLYLAHKQAPE
KQMAP

Important features:**Signal peptide:**

amino acids 1-23

Potential transmembrane domains:

amino acids 37-55, 81-102, 150-168, 288-311, 338-356, 375-398, 425-444

N-glycosylation sites.

amino acids 67-70, 180-183 and 243-246

Eukaryotic cobalamin-binding proteins

amino acids 151-160

15/615

FIGURE 15

GACGGAAGAACAGCGCTCCCGAGGCCGCGGGAGCCTGCAGAGAGGACAGCCGGCCTGCGCCGGGACATGCGGCC
CAGGAGCTCCCCAGGCTCGCGTTCCCGTTGCTGCTGTTGCTGCTGCTGCCGCCGCCGCGTGCCTGCC
CACAGCGCCACGCGCTTCGACCCACCTGGGAGTCCCTGGACGCCCGCCAGCTGCCCGCGTGGTTTGACCAGGCC
AAGTTCGGCATCTTCATCCACTGGGGAGTGTTCCTGCGCCAGCTTCGGTAGCGAGTGGTTCGGTGCTATTGG
CAAAAGGAAAAGATACCGAAGTATGTGGAATTTATGAAAGATAATTACCCTCCTAGTTTCAAATATGAAGATTT
GGACCACTATTTACAGCAAAATTTTTAATGCCAACCACTGGGCAGATATTTTCAGGCCTCTGGTGCCAAATAC
ATTGTCTTAACCTCCAAACATCATGAAGGCTTTACCTGTGGGGGTCAGAATATTCGTGGAACCTGGAATGCCATA
GATGAGGGGGCCCAAGAGGGACATTGTCAAGGAACCTTGAGGTAGCCATTAGGAACAGAACTGACCTGCGTTTTGGA
CTGTACTATTTCCCTTTTTGAATGGTTTCATCCGCTCTTCCTTGAGGATGAATCCAGTTCATTCCATAAGCGGCAA
TTTCCAGTTTCTAAGACATTGCCAGAGCTCTATGAGTTAGTGAACAACATCAGCCTGAGGTTCTGTGGTCGGAT
GGTGACGGAGGAGCACCGGATCAATACTGGAACAGCACAGGCTTCCTTGGCCTGGTTATATAATGAAAGCCAGTT
CGGGGACAGTAGTCACCAATGATCGTTGGGGAGCTGGTAGCATCTGTAAGCATGGTGGCTTCTATACCTGCAGT
GATCGTTATAACCCAGGACATCTTTGCCACATAAATGGGAAAACCTGCATGACAATAGACAACTGTCTGGGGC
TATAGGAGGGAAGCTGGAATCTCTGACTATCTTACAATTGAAGAAATGGTGAAGCAACTTGTAGAGACAGTTTCA
TGTGGAGGAAATCTTTGATGAATATTGGGCCCCACACTAGATGGCACCATTTCTGTAGTTTTTGAGGAGCGACTG
AGGCAAGTGGGGTCTGGCTAAAAGTCAATGGAGAAGCTATTTATGAAACCTATACTGGCGATCCCGAATGAC
ACTGTCACCCCAGATGTGTGGTACACATCCAAGCCTAAAGAAAAATTAGTCTATGCCATTTTTCTTAAATGGCCC
ACATCAGGACAGCTGTTCCCTGGCCATCCCAAAGCTATTCTGGGGGCAACAGAGGTGAAACTACTGGGCCATGGA
CAGCCACTTAAGTGGATTTCTTTGGAGCAAAATGGCATTATGGTAGAACTGCCACAGCTAACCATTCTATCAGATG
CCGTGTAAATGGGGCTGGGCTCTAGCCCTAACTAATGTGATCTAAAGTGCAGCAGAGTGGCTGATGCTGCAAGTT
ATGTCTAAGGCTAGGAACTATCAGGTGTCTATAATTGTAGCACATGGAGAAAGCAATGTAACTGGATAAGAAAA
TTATTTGGCAGTTCAGCCCTTTCCCTTTTTCCCACTAAATTTTTCTTAAATTACCCATGTAACCATTTTAACTCT
CCAGTGCACCTTTGCCATTAAAGTCTCTTCACATTGATTTGTTTCCATGTGTGACTCAGAGGTGAGAATTTTTTCA
CATTATAGTAGCAAGGAATTGGTGGTATTATGGACCGAACTGAAAATTTTATGTTGAAGCCATATCCCCATGAT
TATATAGTTATGCATCACTTAATATGGGGATATTTTCTGGGAAATGCATTGCTAGTCAATTTTTTTTTGTGCCAA
CATCATAGAGTGTATTTACAAAATCCTAGATGGCATAGCCTACTACACACCTAATGTGTATGGTATAGACTGTG
CTCCTAGGCTACAGACATATACAGCATGTTACTGAATACTGTAGGCAATAGTAACAGTGGTATTTGTATATCGAA
ACATATGGAAACATAGAGAAGGTACAGTAAAAATACTGTAAAATAAATGGTGCACCTGTATAGGGCACTTACCAC
GAATGGAGCTTACAGGACTGGAAGTTGCTCTGGGTGAGTCAGTGAGTGAATGTGAAGGCCTAGGACATTATTGAA
CACTGCCAGACGTTATAAAATACTGTATGCTTAGGCTACACTACATTTATAAAAAAAGTTTTTCTTTCTCAATT
ATAAATTAACATAAGTGTACTGTAACCTTTACAAACGTTTTTAATTTTTTAAACCTTTTTGGCTCTTTTGTATAAAC
ACTTAGCTTAAACATAAACTCATTGTGCAATGTAA

16/615

FIGURE 16

MRPQELPRLAFPLLLLLLLLLLPPPPCPAHSATRFDPWTWESLDARQLPAWFDQAKFGIFIHGVSFVPSFGSEFW
WYWQKEKIPKYVEFMKDNYPSPFKYEDFGPLFTAKFFNANQWADIFQASGAKYIVLTSKHHEGFTLWGSEYSWNW
NAIDEGPKRDIVKELEVAIRNRDRLRFGLYYSLEWFWHPLFLEDESSSFHKRQFPVSKTLPELYELVNNYQPEVL
WSDGDDGAPDQYWNSTGFLAWLYNESPVVGTVVVNDRWGAGSICKHGGFYTCSDRYNPGHLLPHKWENCMTIDKL
SWGVRREAGISDYLTIEELVKQLVETVSCGGNLLMNIGPTLDGTISVVFEERLRQVGSWLKVNGEAIYETYTWS
QNDTVTPDVWYTSKPKEKLVYAIFLKWPTSGQLFLGHPKAILGATEVKLLGHGQPLNWISEQNGIMVELPQITI
HQMPCCKWGWALALTNVI

Signal sequence:

amino acids 1-28

N-glycosylation site.

amino acids 171-175, 239-243, 377-381

Casein kinase II phosphorylation site.

amino acids 32-36, 182-186, 209-213, 227-231, 276-280, 315-319, 375-375

Tyrosine kinase phosphorylation site.

amino acids 361-369, 389-397

N-myristoylation site.

amino acids 143-149, 178-184, 255-261, 272-278, 428-434

Leucine zipper pattern.

amino acids 410-432

Alpha-L-fucosidase putative active site.

amino acids 283-295

17/615

FIGURE 17

CCCACGCGTCCGCTGGTGTAGATCGAGCAACCCTCTAAAAGCAGTTTAGAGTGGTAAAAAAAAAAAAAACACA
CCAAACGCTCGCAGCCACAAAAGGGATGAAATTTCTTCTGGACATCCTCCTGCTTCTCCCGTTACTGATCGTCTG
CTCCCTAGAGTCCTTCGTGAAGCTTTTTATTCTTAAGAGGAGAAAATCAGTCACCGGCGAAATCGTGCTGATTAC
AGGAGCTGGGCATGGAATTGGGAGACTGACTGCCTATGAATTTGCTAAACTTAAAAGCAAGCTGGTTCTCTGGGA
TATAAATAAGCATGGACTGGAGGAAACAGCTGCCAAATGCAAGGGACTGGGTGCCAAGGTTTACACCTTTGTGGT
AGACTGCAGCAACCGAGAAGATATTTACAGCTCTGCAAAGAAGGTGAAGGCAGAAATTGGAGATGTTAGTATTTT
AGTAAATAATGCTGGTGTAGTCTATACATCAGATTTGTTTGCTACACAAGATCCTCAGATTGAAAAGACTTTTGA
AGTTAATGTACTTGCACATTTCTGGACTACAAAGGCATTTCTTCTGCAATGACGAAGAATAACCATGGCCATAT
TGTCACTGTGGCTTCGGCAGCTGGACATGTCTCGGTCCCCTTCTTACTGGCTTACTGTTCAAGCAAGTTTGCTGC
TGTTGGATTTTATAAACTTTGACAGATGAACTGGCTGCCTTACAAATAACTGGAGTCAAAACAACATGTCTGTG
TCCTAATTTTCGTAACACTGGCTTCATCAAAAATCCAAGTACAAGTTTGGGACCCACTCTGGAACCTGAGGAAGT
GGTAAACAGGCTGATGCATGGGATTCTGACTGAGCAGAAGATGATTTTTATTCCATCTTCTATAGCTTTTTTAAC
AACATTGGAAAGGATCCTTCCTGAGCGTTTCTTGGCAGTTTTTAAACGAAAAATCAGTGTTAAGTTTGATGCAGT
TATTGGATATAAAATGAAAGCGCAATTAAGCACCTAGTTTTCTGAAAACGATTTTACCAGGTTTAGGTTGATGTCA
TCTAATAGTGCCAGAATTTTAATGTTTGAACCTTCTGTTTTTCTAATTATCCCCATTTCTTCAATATCATTTTTG
AGGCTTTGGCAGTCTTCATTTACTACCACTTGTTCTTTAGCCAAAAGCTGATTACATATGATATAAACAGAGAAA
TACCTTTAGAGGTGACTTTAAGGAAAATGAAGAAAAAGAACCAAAATGACTTTATTAAATAATTTCCAAGATTA
TTTGTGGCTCACCTGAAGGCTTTGCAAAATTTGTACCATAACCGTTTATTTAACATATATTTTTATTTTTGATTG
CACTTAAATTTTGATAATTTGTGTTTCTTTTTCTGTTCTACATAAAATCAGAACTTCAAGCTCTCTAAATAAA
ATGAAGGACTATATCTAGTGGTATTTACAATGAATATCATGAACTCTCAATGGGTAGGTTTCATCCTACCCATT
GCCACTCTGTTTCTGAGAGATACCTCACATTCCAATGCCAAACATTTCTGCACAGGGAAGCTAGAGGTGGATAC
ACGTGTTGCAAGTATAAAAGCATCACTGGGATTTAAGGAGAATTGAGAGAATGTACCCACAAATGGCAGCAATAA
TAAATGGATCACACTTAAA
AAA

18/615

FIGURE 18

MKFLLDILLLLPLLIIVCSLESFVKLFIPKRRKSVTGEIVLITGAGHGIGRLTAYEFAKLKSKL
VLWDINKHGLEETAACKCKGLGAKVHTFVVDSCNREDIYSSAKKVKAIEIGDVSILVNNAGVVYT
SDLFATQDPQIEKTFEVNVLAHFWTTKAFLPAMTKNNHGHIVTVASAAGHVSVPFLLAYCSSK
FAAVGFHKTLTDELAALQITGVKTTCLCPNFVNTGFIKNPSTSLGPTLEPEEVNRLMHGILT
EQKMIFIPSSIAFLTTLERILPERFLAVLKRKISVKFDAVIGYKMQ

Signal sequence:

amino acids 1-19

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 30-34, 283-287

Casein kinase II phosphorylation site.

amino acids 52-56, 95-99, 198-202, 267-271

N-myristoylation site.

amino acids 43-49, 72-78, 122-128, 210-216

19/615

FIGURE 19

CCCACGCGTCCGCTCCGCGCCCTCCCCCGCCTCCCGTGCGGTCCGTCCGTGGCCTAGAGAT
GCTGCTGCCGCGGTTGCAGTTGTCTCGCGCACGCTCTGCCCGCCAGCCCGCTCCACCGCCGTAG
CGCCCGAGTGTCTGGGGGGCGCACCCGAGTCGGGGCCATGAGGCCGGGAACCGCGCTACAGGCCG
TGCTGCTGGCCGTGCTGCTGGTGGGGCTGCGGGCCGCGACGGGTGCGCTGCTGAGTGCCTCGG
ATTTGGACCTCAGAGGAGGGCAGCCAGTCTGCCGGGGAGGGACACAGAGGCCTTGTTATAAAG
TCATTTACTTCCATGATACTTCTCGAAGACTGAACTTTGAGGAAGCCAAAGAAGCCTGCAGGA
GGGATGGAGGCCAGCTAGTCAGCATCGAGTCTGAAGATGAACAGAAACTGATAGAAAAGTTCA
TTGAAAACCTCTTGCCATCTGATGGTGACTTCTGGATTGGGCTCAGGAGGCGTGAGGAGAAAC
AAAGCAATAGCACAGCCTGCCAGGACCTTTATGCTTGGACTGATGGCAGCATATCACAATTTA
GGAACCTGGTATGTGGATGAGCCGTCCTGCGGCAGCGAGGTCTGCGTGGTCATGTACCATCAGC
CATCGGCACCCGCTGGCATCGGAGGCCCTACATGTTCCAGTGGAATGATGACCGGTGCAACA
TGAAGAACAATTTTCATTTGCAAATATTTCTGATGAGAAACCAGCAGTTCCTTCTAGAGAAGCTG
AAGGTGAGGAAACAGAGCTGACAACACCTGTACTTCCAGAAGAAACACAGGAAGAAGATGCCA
AAAAACATTTAAAGAAAGTAGAGAAGCTGCCTTGAATCTGGCCTACATCCTAATCCCCAGCA
TTCCCCTTCTCCTCCTCCTTGTGGTCACACAGTTGTATGTTGGGTTTGGATCTGTAGAAAAA
GAAAACGGGAGCAGCCAGACCCTAGCACAAAGAAGCAACACACCATCTGGCCCTCTCCTCACC
AGGGAAACAGCCCGGACCTAGAGGTCTACAATGTCATAAGAAAAACAAAGCGAAGCTGACTTAG
CTGAGACCCGGCCAGACCTGAAGAATATTTTCATTCAGAGTGTGTTCCGGGAGAAGCCACTCCCG
ATGACATGTCTTGTGACTATGACAACATGGCTGTGAACCCATCAGAAAGTGGGTTTGTGACTC
TGGTGAGCGTGGAGAGTGGATTTGTGACCAATGACATTTATGAGTTCTCCCCAGACCAATGG
GGAGGAGTAAGGAGTCTGGATGGGTGGAAAATGAAATATATGGTTATTAGGACATATAAAAAA
CTGAAACTGACAACAATGGAAAAGAAATGATAAGCAAAATCCTCTTATTTTCTATAAGGAAAA
TACACAGAAGGTCTATGAACAAGCTTAGATCAGGTCCTGTGGATGAGCATGTGGTCCCCACGA
CCTCCTGTTGGACCCCCACGTTTTTGGCTGTATCCTTTATCCCAGCCAGTCATCCAGCTCGACC
TTATGAGAAGGTACCTTGCCCAGGTCTGGCACATAGTAGAGTCTCAATAAATGTCACTTGGTT
GGTTGTATCTAACTTTTAAAGGGACAGAGCTTTACCTGGCAGTGATAAAGATGGGCTGTGGAGC
TTGGAAAACCACCTCTGTTTTCTTGCTCTATACAGCAGCACATATTATCATACAGACAGAAA
ATCCAGAATCTTTTCAAAGCCCACATATGGTAGCACAGGTTGGCCTGTGCATCGGCAATTCTC
ATATCTGTTTTTTTTCAAAGAATAAAATCAATAAAGAGCAGGAAAAA

20/615

FIGURE 20

MRPGTALQAVLLAVLLVGLRAATGRLLSASDLDLRGGQPVCRGGTQRPCYKVIYFHDTSRRLN
FEEAKEACRRDGGQLVSI ESEDEQK LIEKF IENLLPSDGD F WIGLRRREEKQSNSTACQDLYA
WTDGSISQFRNWYVDEPSCGSEVCVVMYHQPSAPAGIGGPYMFQWNDDRCNMKNNFICKYSDE
KPAVPSREAEGEETELTTPVLPEETQEEDAKKTFKESREAALNLAYILIPSIPLLLLLLVTTV
VCWWICRKRKREQPD PSTKKQHTI WPSPHQGN SP DLEVYNVIRKQSEADLAETRPDLKNISF
RVCSGEATPDDMSCDYDNMAVNPSESGFVTLVSVESGFVTNDIYEFSPDQMGRSKESGWVENE
IYGY

Signal sequence:

amino acids 1-21

Transmembrane domain:

amino acids 235-254

N-glycosylation site.

amino acids 117-121, 312-316

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 296-300

Casein kinase II phosphorylation site.amino acids 28-32, 30-34, 83-87, 100-104, 214-218, 222-226,
299-303, 306-310, 323-327**N-myristoylation site.**

amino acids 18-24, 37-43, 76-82, 146-152

21/615

FIGURE 21

AGGCTCCCGCGCGCGGCTGAGTGCGGACTGGAGTGGGAACCCGGGTCCCGCGCTTAGAGAACACGCGATGACCA
CGTGGAGCCTCCGGCGGAGGCCGCGCCGACGCTGGGACTCCTGCTGCTGGTCTTGGGCTTCTGGTGCTCC
GCAGGCTGGACTGGAGCACCTGGTCCCTCTGCGGCTCCGCCATCGACAGCTGGGGCTGCAGGCCAAGGGCTGGA
ACTTCATGCTGGAGGATTCCACCTTCTGGATCTTCGGGGGCTCCATCCACTATTTCGTGTGCCAGGGAGTACT
GGAGGGACCGCCTGCTGAAGATGAAGGCTGTGGCTTGAACACCCTCACCACCTATGTTCCGTGGAACCTGCATG
AGCCAGAAAGAGGCAAATTTGACTTCTCTGGGAACCTGGACCTGGAGGCCTTCGTCTGATGGCCGCAGAGATCG
GGCTGTGGGTGATTCTGCGTCCAGGCCCTTACATCTGCAGTGAGATGGACCTCGGGGGCTTGCCAGCTGGCTAC
TCCAAGACCCTGGCATGAGGCTGAGGACAACCTACAAGGGCTTCACCGAAGCAGTGGACCTTTATTTGACCACC
TGATGTCCAGGGTGGTGCCACTCCAGTACAAGCGTGGGGGACCTATCATTGCCGTGCAGGTGGAGAATGAATATG
GTTCTATAATAAAGACCCCGCATACATGCCCTACGTCAGAAGGCAGTGGAGGACCGTGGCATTGTGGAACCTGC
TCCTGACTTCAGACAACAAGGATGGGCTGAGCAAGGGGATTGTCCAGGGAGTCTTGCCACCATCAACTGCAGT
CAACACACGAGCTGCAGTACTGACCACCTTCTCTTCAACGTCCAGGGGACTCAGCCCAAGATGGTGAGT
ACTGGACGGGGTGGTTTGAATCTGAGGAGGCGCTCACAATATCTTGGATTCTTCTGAGGTTTTGAAAACCGTGT
CTGCCATTGTGGACGCCGGCTCCTCCATCAACCTCTACATGTTCCACGGAGGCACCAACTTTGGCTTCATGAATG
GAGCCATGCACTTCCATGACTACAAGTCAATGTCCAGCTATGACTATGATGCTGTGCTGACAGAAGCCGGCG
ATTACACGGCCAAGTACATGAAGCTTCGAGACTTCTTCGGCTCCATCTCAGGCATCCCTCTCCCTCCCCACCTG
ACCTTCTTCCCAAGATGCCGTATGAGCCCTTAACGCCAGTCTTGACCTGTCTCTGTGGGACGCCCTCAAGTACC
TGGGGGAGCCAATCAAGTCTGAAAAGCCCATCAACATGGAGAACCTGCCAGTCAATGGGGGAAATGGACAGTCTT
TCGGGTACATTCTCTATGAGACCAGCATCACCTCGTCTGGCATCCTCAGTGGCCACGTGCATGATCGGGGGCAGG
TGTTTGTGAACACAGTATCCATAGGATTCTTGGACTACAAGACAACGAAGATTGCTGTCCCCCTGATCCAGGGT
ACACCGTGTGAGGATCTTGGTGGAGAATCGTGGGCGAGTCAACTATGGGGAGAATATTGATGACCAGCGCAAAG
GCTTAATTGGAATCTCTATCTGAATGATTACCCCTGAAAACTTCAAGTCTATAGCCTGGATATGAAGAAGA
GCTTCTTTCAGAGTTTCGGCTGGACAAATGNGTTCCCTCCAGAAAACACCCACATTACCTGCTTTCTTCTTGG
GTAGCTTGTCCATCAGCTCCACGCTTGTGACACCTTCTGAAGCTGGAGGGCTGGGAGAAGGGGGTGTATTCA
TCAATGGCCAGAACCTTGGACGTTACTGGAACATTGGACCCAGAACGCTTTACCTCCAGGTCCCTGCTTGA
GCAGCGGAATCAACCAGGTATCGTTTTTGAGGAGACGATGGCGGGCCCTGCATTACAGTTACAGGAACCCCCC
ACCTGGGCAGGAACCAAGTACATTAAGTGAAGCGGTGGCACCCCTCCTGCTGGTGCCAGTGGGAGACTGCCGCTC
CTCTTGACCTGAAGCCTGGTGGCTGCTGCCCCACCCCTCACTGCAAAAGCATCTCCTTAAGTAGCAACCTCAGGG
ACTGGGGGCTACAGTCTGCCCTGTCTCAGCTCAAAACCTAAGCCTGCAGGGAAAGGTGGGATGGCTCTGGGCC
TGGCTTTGTTGATGATGGCTTCTCTACAGCCCTGCTCTTGTGCCGAGGCTGTGGGGCTGTCTTAGGGTGGGAGC
AGCTAATCAGATCGCCAGCCTTTGGCCCTCAGAAAAAGTGCTGAAACGTGCCCTTGACCGGACGTACAGCCC
TGCGAGCATCTGCTGGACTCAGGCGTGCTCTTCTGCTGGTTCCTGGGAGGCTTGCCACATCCCTCATGGCCCAT
TTTATCCCCGAAATCCTGGGTGTGTACACAGTGTAGAGGGTGGGAAGGGGTGTCTCACCTGAGCTGACTTTGTT
CTTCTTTCACAACCTTCTGAGCCTTCTTGGGATTCTGGAAGGAACCTCGGCTGAGAAACATGTGACTTCCCTT
TCCCTTCCCACTCGCTGCTTCCACAGGGTGACAGGCTGGGCTGGAGAAACAGAAATCTCACCCTGCGTCTTCC
CAAGTTAGCAGGTGTCTCTGGTGTTCAGTGAGGAGGACATGTGAGTCTTGGCAGAAGCCATGGCCCATGTCTGCA
CATCCAGGGAGGAGGACAGAAGGCCAGCTCACATGTGAGTCTTGGCAGAAGCCATGGCCCATGTCTGCACATCC
AGGGAGGAGGACAGAAGGCCAGCTCACATGTGAGTCTTGGCAGAAGCCATGGCCCATGTCTGCACATCCAGGGA
GGAGGACAGAAGGCCAGCTCACATGTGAGTCTTGGCAGAAGCCATGGCCCATGTCTGCACATCCAGGGAGGAGG
ACAGAAGGCCAGCTCAGTGGCCCCGCTCCCCACCCCCACGCCGAACAGCAGGGGACAGAGCAGCCCTCTTTC
GAAGTGTGTCAAGTCCGCATTTGAGCCTTGTCTGGGGCCAGCCCAACACCTGGCTTGGGCTCACTGTCTGA
GTTGCAGTAAAGCTATAACCTTGAATCACA

22/615

FIGURE 22

MTTWSLRRRPPARTLGLLLLLVVLGFLVLRRLDWSTLVPLRLRHRQLGLQAKGWNFMLEDSTFWI
FGGSIHYFRVPREYWRDRLLKMKACGLNTLT TYVPWNLHEPERGKFDFSGNLDLEAFVLMAAE
IGLWVILRPGPYICSEMDLGGLPSWLLQDPGMRLRTTYKGFTEAVDLYFDHLMSRVVPLQYKR
GGPIIAVQVENEYGSYNKDPAYMPYVKKALEDRGIVELLTSDNKGGLSKGIVQGVLATINLQ
STHELQLLTTFLFNVQGTQPKVMMEYWTGWFD SWGGPHNILDSSEVLKTVSAIVDAGSSINLY
MFHGGTNFGFMNGAMHFHDYKSDVTSYDYDAVLTEAGDY TAKYMKLRDFFGSISGIPLPPPPD
LLPKMPYEPLTPVLYLSLWDALKYLGEPIKSEKPINMENLPVNGGNGQSFGYILYETSITSSG
ILSGHVHDRGQVFVNTVSI GFLDYKTTKIAVPLIQGYTVLRILVENRGRVNYGENIDDQRKGL
IGNLYLNDSP LKNFRIYSLDMKKSFFQRFGLDKWXSLPETPTLP AFFLGSL SISSTPCDTFLK
LEGWEKGVVFINGQNLGRYWNIGPQKTL YLPGPWLSSGINQVIVFEETMAGPALQFTETPHLG
RNQYIK

Signal sequence:

amino acids 1-27

Casein kinase II phosphorylation site.

amino acids 141-118, 253-257, 340-344, 395-399, 540-544, 560-564

N-myristoylation site.amino acids 146-152, 236-242, 240-246, 244-250, 287-293, 309-315,
320-326, 366-372, 423-429, 425-431, 441-447, 503-509, 580-586

FIGURE 23

[illegible]

24/615

FIGURE 24

MNSSKSSETQCTERGCFSSQMFLWTVAGIPILFLSACFITRCVVTFRIFQTCDEKKFQLPENF
TELSYNYGSGSVKNCCPLNWEYFQSSCYFFSTDTISWALSLKNCSAMGAHLVVINSQEEQEF
LSYKKPKMREFFIGLSDQVVEGQWQWVDGTPLTKSLSFWDVGEPNNIATLEDCATMRDSSNPR
QNWNDVTCFLNYFRICEMVGINPLNKGKSL

Signal sequence:

amino acids 1-42

N-glycosylation site.

amino acids 2-6, 62-66, 107-111

Casein kinase II phosphorylation site.

amino acids 51-55, 120-124, 163-167, 175-179, 181-185

N-myristoylation site.

amino acids 15-21, 74-80, 155-161

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 27-38

25/615

FIGURE 25

GGGGACGCGGAGCTGAGAGGCTCCGGGCTAGCTAGGTGTAGGGGTGGACGGGTCCCAGGACCC
TGGTGAGGGTTCTCTACTTGGCCTTCGGTGGGGGTCAAGACGCAGGCACCTACGCCAAAGGGG
AGCAAAGCCGGGCTCGGCCCCGAGGCCCCAGGACCTCCATCTCCCAATGTTGGAGGAATCCGA
CACGTGACGGTCTGTCCGCCGTCTCAGACTAGAGGAGCGCTGTAAACGCC**ATGGCT**CCCAAGA
AGCTGTCTGCTTTCGTTCCCTGCTGCTGCCGCTCAGCCTGACGCTACTGCTGCCCCAGGCAG
ACACTCGGTTCGTTCTAGTGGATAGGGGTGATGACCGGTTTCTCCTAGACGGGGCCCCGTTCC
GCTATGTGTCTGGCAGCCTGCACTACTTTCCGGGTACCGCGGGTGCTTTGGGGCCGACCGGCTTT
TGAAGATGCGATGGAGCGGCCTCAACGCCATACAGTTTTATGTGCCCTGGAACCTACCACGAGC
CACAGCCTGGGGTCTATAACTTTAATGGCAGCCGGGACCTCATTCGCTTTCTGAATGAGGCAG
CTCTAGCGAACCTGTTGGTCATACTGAGACCAGGACCTTACATCTGTGCAGAGTGGGAGATGG
GGGGTCTCCCATCCTGGTTGCTTCGAAAACCTGAAATTCATCTAAGAACCTCAGATCCAGACT
TCCTTGCCGAGTGGACTCCTGGTTCAAGGTCTTGCTGCCCAAGATATATCCATGGCTTTATC
ACAATGGGGGCAACATCATTAGCATTGAGGTGGAGAATGAATATGGTAGCTACAGAGCCTGTG
ACTTCAGCTACATGAGGCACTTGGCTGGGCTCTCCGTGCACTGCTAGGAGAAAAGATCTTGC
TCTTCACCACAGATGGGCCTGAAGGACTCAAGTGTGGCTCCCTCCGGGGACTCTATACCACTG
TAGATTTTGGCCCAGCTGACAACATGACCAAAATCTTTACCTGCTTCGGAAGTATGAACCCC
ATGGGCCATTGGTAAACTCTGAGTACTACACAGGCTGGCTGGATTACTGGGGCCAGAATCACT
CCACACGGTCTGTGTCAGCTGTAACCAAAGGACTAGAGAACATGCTCAAGTTGGGAGCCAGTG
TGAACATGTACATGTTCCATGGAGGTACCAACTTTGGATATTGGAATGGTGCCGATAAGAAGG
GACGCTTCCTTCCGATTACTACCAGCTATGACTATGATGCACCTATATCTGAAGCAGGGGACC
CCACACCTAAGCTTTTGTCTCTTCGAGATGTCATCAGCAAGTTCAGGAAGTTCCTTTGGGAC
CTTTACCTCCCCCGAGCCCCAAGATGATGCTTGACCTGTGACTCTGCACCTGGTTGGGCATT
TACTGGCTTTCTAGACTTGCTTTGCCCCCGTGGGGCCATTCAATCTTGCCAATGACCT
TTGAGGCTGTCAAGCAGGACCATGGCTTCATGTTGTACCGAACCTATATGACCCATAACATTT
TTGAGCCAACACCATTCTGGGTGCCAAATAATGGAGTCCATGACCGTGCTATGTGATGGTGG
ATGGGGTGTTCCAGGGTGTTGTGGAGCGAAATATGAGAGACAACTATTTTTGACGGGGAAAC
TGGGGTCCAACTGGATATCTTGTTGGAGAACATGGGGAGGCTCAGCTTTGGGTCTAACAGCA
GTGACTTCAAGGGCCTGTTGAAGCCACCAATTCTGGGGCAACAATCCTTACCCAGTGGATGA
TGTTCCCTCTGAAAATTGATAACCTTGTGAAGTGGTGGTTTCCCCTCCAGTTGCCAAAATGGC
CAATATCCTCAAGCTCCTTCTGGCCCCACATTCTACTCCAAAACATTTCCAATTTTGGCTCAG
TTGGGGACACATTTCTATATCTACCTGGATGGACCAAGGGCCAAGTCTGGATCAATGGGTTTA
ACTTGGGCCGGTACTGGACAAAGCAGGGGGCCACAACAGACCCTCTACGTGCCAAGATTCCTGC
TGTTTCCTAGGGGAGCCCTCAACAAAATTACATTGCTGGAACCTAGAAGATGTACCTCTCCAGC
CCCAAGTCCAATTTTTGGATAAGCCTATCCTCAATAGCACTAGTACTTTGCACAGGACACATA
TCAATTCCCTTTTCAAGCTGATACACTGAGTGCCCTCTGAACCAATGGAGTTAAGTGGGCAC**TGAA**
AGGTAGGCCGGGCATGGTGGCTCATGCCTGTAATCCCAGCACTTTGGGAGGCTGAGACGGGTG
GATTACCTGAGGTCAGGACTTCAAGACCAGCCTGGCCAACATGGTGAAACCCCGTCTCCACTA
AAAATACAAAATTAGCCGGGCGTGATGGTGGGCACCTCTAATCCCAGCTACTTGGGAGGCTG
AGGGCAGGAGAATTGCTTGAATCCAGGAGGCAGAGGTTGCAGTGAGTGGAGGTTGTACCACTG
CACTCCAGCCTGGCTGACAGTGAGACACTCCATCTCAAAAAAAAAAAAA

26/615

FIGURE 26

MAPKKLSCLRSLLLPLSLTLLLPQADTRS FVVDGRGHDRFLLDGAPFRYVSGSLHYFRVPRVLW
ADRLKMRWSGLNAIQFYVPWNYHEPQPGVYNFNGSRDLIAFLNEAALANLLVILRPGPYICA
EWEMGGLPSWLLRKPEIHLRTSDPDFLA AVDSWFKVLLPKIYPWLYHNGGNIISIQVENEYGS
YRACDFS YMRHLAGLFRALLGEKILLFTTDGPEGLKCGSLRGLYTTVDGFPADNMTKI FTLLR
KYEPHGPLVNSEYYTGWLDYWGQNHSTRSVSAVTKGLENMLKLGASVNM MYFHGGTNFGYWNG
ADKKGRFLPITTSYDYDAPISEAGDPTPKLFALRDVISKFQEVPLGPLPPSPKMM LGPVT LH
LVGHLLAFLDLLCPRGPIHSILPMTFEAVKQDHGFMLYRTYMTHTI FEPTFWVPNNGVHDRA
YVMVDGVFQGVVERNMRDKLFLTGKLGSKLDILVENMGRLSFGSNSSDFKGLLKPPILGQTIL
TQWMMFPLKIDNLVKWWFPLQLPKWPYPQAPSGPTFYSKTFPILGSGVDTFLYLPGWTKGQVW
INGFNLGRYWKQGPQQTLYVPRFLLFPRGALNKITLLELEDVPLQPQVQFLDKPILNSTSTL
HRTHINSLSADTLSASEPMELSGH

Signal sequence:

amino acids 1-27

N-glycosylation site.

amino acids 97-101, 243-247, 276-280, 486-490, 625-629

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 4-8

Casein kinase II phosphorylation site.amino acids 148-152, 234-238, 327-331, 423-427, 469-473, 550-554,
603-607, 644-648**Tyrosine kinase phosphorylation site.**

amino acids 191-198

N-myristoylation site.amino acids 131-137, 176-182, 188-194, 203-209, 223-229, 227-233,
231-237, 274-280, 296-300, 307-313, 447-453, 484-490

FIGURE 27

[illegible]

28/615

FIGURE 28

MGLLLLVPLLLLPGSYGLPFYNGFYYSNSANDQNLGNGHGKDLLNGVKLVVETPEETLFTYQG
ASVILPCRYRYEPALVSPRRVRVKWWKLSENGAPEKDVLVAIGLRHRSFGDYQGRVHLRQDKE
HDVSLEIQDLRLLEDYGRYRCEVIDGLEDESGLVELELRGVVFPYQSPNGRYQFNFHEGQQVCA
EQAAVVASFEQLFRAWEEGLDWCNAGWLQDATVQYPIMLPRQPCGGPGLAPGVRSYGPRHRL
HRYDVFCFATALKGRVYYLEHPEKLTLEAREACQEDDATIAKVGQLFAAWKFHGLDRCDAGW
LADGSVRYPVVHPHPNCGPPEPGVRSFGFPDPQSRLYGVYCYRQH

Signal sequence:

amino acids 1-17

Casein kinase II phosphorylation site.

amino acids 29-33, 53-57, 111-115, 278-282

Tyrosine kinase phosphorylation site.

amino acids 137-145

N-myristoylation site.amino acids 36-42, 184-190, 208-214, 237-243, 297-303,
307-313

29/615

FIGURE 29

GCAAGCGGCGAAATGCGGCCCTCCGGGAGTCTTGACAGTTCCCCTGGCAGTCCTGGTGCTGTTG
CTTTGGGGTGCTCCCTGGACGCACGGGCGGCGGAGCAACGTTTCGCGTCATCACGGACGAGAAC
TGGAGAGAACTGCTGGAAGGAGACTGGATGATAGAATTTTATGCCCCGTGGTGCCCTGCTTGT
CAAAATCTTCAACCGGAATGGGAAAGTTTTGCTGAATGGGGAGAAGATCTTGAGGTTAATATT
GCGAAAGTAGATGTCACAGAGCAGCCAGGACTGAGTGGACGTTTTATCATAACTGCTCTTCCT
ACTATTTATCATTGTAAAGATGGTGAATTTAGGCGCTATCAGGGTCCAAGGACTAAGAAGGAC
TTCATAAACTTTATAAGTGATAAAGAGTGGAAAGAGTATTGAGCCCGTTTTATCATATGGTTTGGT
CCAGGTTCTGTTCTGATGAGTAGTATGTCAGCACTCTTTCAGCTATCTATGTGGATCAGGACG
TGCCATAACTACTTTATTGAAGACCTTGGATTGCCAGTGTGGGGATCATATACTGTTTTTGCT
TTAGCAACTCTGTTTTCCGGACTGTTATTAGGACTCTGTATGATATTTGTGGCAGATTGCCTT
TGTCTTCAAAAAGGCGCAGACCACAGCCATACCCATACCTTCAAAAAAATTATTATCAGAA
TCTGCACAACCTTTGAAAAAAGTGGAGGAGGAACAAGAGGCGGATGAAGAAGATGTTTCAGAA
GAAGAAGCTGAAAGTAAAGAAGGAACAAACAAGACTTTCACAGAATGCCATAAGACAACGC
TCTCTGGGTCCATCATTGGCCACAGATAAATCCTAGTTAAATTTTATAGTTATCTTAATATTA
TGATTTTGATAAAAAACAGAAGATTGATCATTTTGTTTGGTTTGAAGTGAAGTGTGACTTTTTT
GAATATTGCAGGGTTCAGTCTAGATTGTCAATTAATGAAGAGTCTACATTCAGAACATAAAA
GCACTAGGTATACAAGTTTGAAATATGATTTAAGCACAGTATGATGGTTTAAATAGTTCTCTA
ATTTTTGAAAAATCGTGCCAAGCAATAAGATTTATGTATATTTGTTTAAATAAACCTATTTTC
AAGTCTGAGTTTTGAAAATTTACATTTCCCAAGTATTGCATTATTGAGGTATTTAAGAAGATT
ATTTTAGAGAAAAATATTTCTCATTTGATATAATTTTTCTCTGTTTCACTGTGTGAAAAAAG
AAGATATTTCCCATAAATGGGAAGTTTGCCCATTTGTCTCAAGAAATGTGTATTTTCAGTGACAA
TTTCGTGGTCTTTTTAGAGGTATATTTCCAAAATTTCTTGTATTTTAGGTTATGCAACTAAT
AAAAACTACCTTACATTAATTAATTACAGTTTTCTACACATGGTAATACAGGATATGCTACTG
ATTTAGGAAGTTTTTAAGTTCATGGTATTCTCTTGATTCCAACAAAGTTTGATTTTCTCTTGT
ATTTTTCTTACTTACTATGGGTACATTTTTTATTTTTCAAATTGGATGATAATTTCTTGGA
ACATTTTTTATGTTTTAGTAAACAGTATTTTTTGTGTTTCAAAGTGAAGTTTACTGAGAGA
TCCATCAAATTGAACAATCTGTTGTAATTTAAATTTTGGCCACTTTTTTCAGATTTTACATC
ATTCTTGCTGAACCTCAACTTGAAATTGTTTTTTTTTTCTTTTTGGATGTGAAGGTGAACATT
CCTGATTTTTGTCTGATGTGAAAAAGCCTTGGTATTTTACATTTTGAAAATTCAAAGAAGCTT
AATATAAAAGTTTGCATTCTACTCAGGAAAAAGCATCTTCTGTATATGTCTTAAATGTATTT
TTGTCTCATATACAGAAAGTTCTTAATTGATTTTACAGTCTGTAATGCTTGATGTTTTAAAA
TAATAACATTTTTATATTTTTTAAAGACAACTTCATATTATCCTGTGTTCTTTCCTGACTG
GTAATATTGTGTGGGATTTACAGGTAAAAGTCAGTAGGATGGAACATTTTAGTGTATTTTTTA
CTCCTTAAAGAGCTAGAATACATAGTTTTCACCTTAAAGAAGGGGGAAAATCATAAATACAA
TGAATCAACTGACCATTACGTAGTAGACAATTTCTGTAATGTCCCCTTCTTCTAGGCTCTGT
TGCTGTGTGAATCCATTAGATTTACAGTATCGTAATATACAAGTTTTCTTTAAAGCCCTCTCC
TTTAGAATTTAAATATTGTACCATTAAAGAGTTTGGATGTGTAAGTGTGATGCCTTAGAAA
AATATCCTAAGCACAAAATAAACCTTTCTAACCACCTTCATTAAAGCTGAAAAAAAAAAAAAA
AAA

30/615

FIGURE 30

MAPSGSLAVPLAVLVLLLWGAPWTHGRRSNVRVITDENWRELLEGDWMIEFYAPWCPACQNLQ
PEWESFAEWGEDLEVNIKVDVTEQPGLSGRFIITALPTIYHCKDGEFRRYQGPRTKKDFINF
ISDKEWKSIEPVSSWFGPGSVLMSSMSALFQLSMWIRTCHNYFIEDLGLPVWGSYTVFALATL
FSGLLLGLCMIFVADCLCPSKRRRPQYPYPYPSKKLLSESAQPLKKVEEQEADEEDVSEEEAE
SKEGTNKDFPQNAIRQSLGPSLATDKS

Signal sequence:

amino acids 1-26

Transmembrane domain:

amino acids 182-201

Casein kinase II phosphorylation site.

amino acids 68-72, 119-123, 128-132, 247-251, 257-261

Tyrosine kinase phosphorylation site.

amino acids 107-115

N-myristoylation site.

amino acids 20-26, 192-198

Amidation site.

amino acids 25-29

31/615

FIGURE 31

AGATGGCGGTCTTGGCACCTCTAATTGCTCTCGTGATTTCGGTGCCGCGACTTTCACGATGGC
TCGCCCCAACCTTACTACCTTCTGTGCGGCCCTGCTCTCTGCTGCCTTCCTACTCGTGAGGAAAC
TGCCGCCGCTCTGCCACGGTCTGCCACCCAACGCGAAGACGGTAACCCGTGTGACTTTGACT
GGAGAGAAGTGGAGATCCTGATGTTTCTCAGTGCCATTGTGATGATGAAGAACCGCAGATCCA
TCACTGTGGAGCAACATATAGGCAACATTTTCATGTTTAGTAAAGTGGCCAACACAATTCTTT
TCTTCCGCTTGATATTTCGCATGGGCCTACTTTACATCACACTCTGCATAGTGTTTCTGATGA
CGTGCAAACCCCCCTATATATGGGCCCTGAGTATATCAAGTACTTCAATGATAAAACCATTG
ATGAGGAAGTAGAACGGGACAAGAGGGTCACTTGGATTGTGGAGTTCTTTGCCAATTGGTCTA
ATGACTGCCAATCATTTGCCCTATCTATGCTGACCTCTCCCTTAAATACAACGTGTACAGGGC
TAAATTTTGGAAGGTGGATGTTGGACGCTATACTGATGTTAGTACGCGGTACAAAGTGAGCA
CATACCCCTCACCAAGCAACTCCCTACCCTGATCCTGTTCCAAGGTGGCAAGGAGGCAATGC
GGCGGCCACAGATTGACAAGAAAGGACGGGCTGTCTCATGGACCTTCTCTGAGGAGAATGTGA
TCCGAGAATTTAACTTAAATGAGCTATACCAGCGGGCCAAGAACTATCAAAGGCTGGAGACA
ATATCCCTGAGGAGCAGCCTGTGGCTTCAACCCCCACCACAGTGTCAGATGGGGAAAACAAGA
AGGATAAATAAGATCCTCACTTTGGCAGTGCTTCTCTCTGTCATTCCAGGCTCTTTCCAT
AACCACAAGCCTGAGGCTGCAGCCTTTNATTNATGTTTTCCCTTTGGCTGNGACTGGNTGGGG
CAGCATGCAGCTTCTGATTTTAAAGAGGCATCTAGGGAATTGTCAGGCACCCTACAGGAAGGC
CTGCCATGCTGTGGCCAACCTGTTTCACTGGAGCAAGAAAGAGATCTCATAGGACGGAGGGGGA
AATGGTTTCCCTCCAAGCTTGGGTCAGTGTGTTAACTGCTTATCAGCTATTCAGACATCTCCA
TGGTTTCTCCATGAAACTCTGTGGTTTCATCATTCCTTCTTAGTTGACCTGCACAGCTTGGTT
AGACCTAGATTTAACCCTAAGGTAAGATGCTGGGGTATAGAACGCTAAGAATTTTCCCCAAG
GACTCTTGCTTCCTTAAGCCCTTCTGGCTTCGTTTATGGTCTTCATTAAAAGTATAAGCCTAA
CTTTGTGCTAGTCCTAAGGAGAAACCTTTAACCACAAAGTTTTATCATTGAAGACAATATT
GAACAACCCCTATTTTGTGGGGATTGAGAAGGGGTGAATAGAGGCTTGAGACTTTCCTTTGT
GTGGTAGGACTTGAGGAGAAATCCCCTGGACTTTCCTAACCCTCTGACATACTCCCCACAC
CCAGTTGATGGCTTTCGTAATAAAAAGATTGGGATTCCTTTTG

32/615

FIGURE 32

MAVLAPLIALVYSVPRLSRWLAQPYLLSALLSAAFLLVRLPPLCHGLPTQREDGNPCDFDW
REVEILMFLSAIVMMKNRRSITVEQHIGNIFMF'SKVANTILFFRLDIRMGLLYITLCIVFLMT
CKPPLYMGPEYIKYFNDKTIDEELERDKRVTWIVEFFANWSNDCQSFAPIYADLSLKYNCTGL
NFGKVDVGRYTDVSTRYKVSTSPLTKQLPTLILFQGGKEAMRRPQIDKKGRAVSWTFSEENVI
REFNLNELYQRAKKLSKAGDNIPEEQPVASTPTTVSDGENKKDK

Signal sequence:

amino acids 1-48

Transmembrane domain:

amino acids 111-125

N-glycosylation site.

amino acids 165-169, 185-189

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 154-158, 265-269

Casein kinase II phosphorylation site.

amino acids 51-55, 145-149, 245-249, 286-290, 288-292

N-myristoylation site.

amino acids 188-194, 225-231

Myb DNA-binding domain repeat signature 1.

amino acids 244-253

33/615

FIGURE 33

CGGACGCGTGGGGTGCCCGACATGGCGAGTGTAGTGCTGCCGAGCGGATCCCAGTGTGCGGGCG
GCAGCGCGGCGGGCGGCGCCTCCCGGGCTCCGGCTTCTGCTGTTGCTCTTCTCCGCCGCGGCA
CTGATCCCCACAGGTGATGGGCAGAATCTGTTTACGAAAGACGTGACAGTGTGAGGGAGAG
GTTGCGACCATCAGTTGCCAAGTCAATAAGAGTGACGACTCTGTGATTGAGCTACTGAATCCC
AACAGGCAGACCATTATTTTTCAGGGACTTCAGGCCTTTGAAGGACAGCAGGTTTTCAGTTGCTG
AATTTTTCTAGCAGTGAAGTCAAAGTATCATTGACAAACGTCTCAATTTCTGATGAAGGAAGA
TACTTTTGCCAGCTCTATACCGATCCCCACAGGAAAGTTACACCACCATCACAGTCCCTGGTC
CCACCACGTAATCTGATGATCGATATCCAGAAAGACACTGCGGTGGAAGGTGAGGAGATTGAA
GTCAACTGCACTGCTATGGCCAGCAAGCCAGCCACGACTATCAGGTGGTTCAAAGGGAACACA
GAGCTAAAAGGCAAATCGGAGGTGGAAGAGTGGTCAGACATGTACACTGTGACCAGTCAGCTG
ATGCTGAAGGTGCACAAGGAGGACGATGGGGTCCCAGTGATCTGCCAGGTGGAGCACCCCTGCG
GTCAGTGGAAACCTGCAGACCCAGCGGTATCTAGAAGTACAGTATAAGCCTCAAGTGCACATT
CAGATGACTTATCCTCTACAAGGCTTAACCCGGAAGGGGACGCGCTTGAGTTAACATGTGAA
GCCATCGGGAAGCCCCAGCCTGTGATGGTAACTTGGGTGAGAGTCGATGATGAAATGCCTCAA
CACGCCGTACTGTCTGGGCCCAACCTGTTTCATCAATAACCTAAACAAAACAGATAATGGTACA
TACCGCTGTGAAGCTTCAAACATAGTGGGGAAAGCTCACTCGGATTATATGCTGTATGTATAC
GATCCCCCCCACAACTATCCCTCCTCCCACAACAACCACCACCACCACCACCACCACCACC
ACCATCCTTACCATCATCACAGATTCCTGAGCAGGTGAAGAAGGCTCGATCAGGGCAGTGGAT
CATGCCGTGATCGGTGGCGTCGTGGCGGTGGTGGTGTTCGCCATGCTGTGCTTGCTCATCATT
CTGGGGCGCTATTTTGCCAGACATAAAGGTACATACTTCACTCATGAAGCCAAAGGAGCCGAT
GACGCAGCAGACGCAGACACAGCTATAATCAATGCAGAAGGAGGACAGAACAACCTCCGAAGAA
AAGAAAGAGTACTTCATCTAGATCAGCCTTTTTGTTTCAATGAGGTGTCCAACCTGGCCCTATT
TAGATGATAAAGAGACAGTGATATTGG

34/615

FIGURE 34

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA39518
<subunit 1 of 1, 440 aa, 1 stop
<MW: 48240, pI: 4.93, NX(S/T): 7
MASVVLPSGSQCAAAAAAAPPGLRLLLLLFSAAALIPTGDGQNLFTKDVTVIEGEVATISCO
VNKSDDSVIQLLNPNRQTIYFRDFRPLKDSRFQLLNFSSELKVSLTNVSISDEGRYFCQLYT
DPPQESYTTITVLVPPRNLMDIQKDTAVEGEEIEVNCTAMASKPATTIRWFKGNTTELKGKSE
VEEWSDMYTVTSQMLMLKVHKEDDGVPVICQVEHPAVTGNLQTQRYLEVQYKPQVHIQMTYPLQ
GLTREGDALELTCEAIGKPQPMVTVWRVDDEMPQHAVLSGPNLFINNLNKTDNGTYRCEASN
IVGKAHSDYMLYVYDPPTTIPPTTTTTTTTTTTTTTILTIITDSRAGEEGSIRAVDHAVIGGV
VAVVVFAMLCLLIILGRYFARHKGTYFTHEAKGADDAADADTAIINAEGGQNNSEEKKEYFI
```

Signal sequence.

amino acids 1-36

Transmembrane domain.

amino acids 372-393

N-glycosylation sites.amino acids 65-69, 99-103, 111-115, 163-167, 302-306, 306-310,
430-434**Tyrosine kinase phosphorylation sites.**

amino acids 233-240, 319-328

N-myristoylation sites.amino acids 9-15, 227-233, 307-313, 365-371, 376-382, 402-408,
411-417, 427-433, 428-432

35/615

FIGURE 35

GGTTGCCACAGCTGGTTTAGGGCCCCGACCACTGGGGCCCCCTTGTCAGGAGGAGACAGCCTCCCGGCCCGGGGAG
GACAAGTCGCTGCCACCTTTGGCTGCCGACGTGATTCCCTGGGACGGTCCGTTTCTGCCGTGAGCTGCCGGCCG
AGTTGGGTCTCCGTGTTTCAGGCCGGCTCCCCCTTCTGGTCTCCCTTCTCCCGCTGGGCCGTTTATCGGGAGG
AGATTGTCTTCCAGGGCTAGCAATTGGACTTTTGATGATGTTTGACCCAGCGGCAGGAATAGCAGGCAACGTGAT
TTCAAAGCTGGGCTCAGCCTCTGTTTCTTCTCTCGTGAATCGCAAAACCCATTTTGGAGCAGGAATCCAATCA
TGTCTGTGATGGTGGTGAGAAAGAAGGTGACACGGAAATGGGAGAACTCCCAGGCAGGAACACCTTTTGCTGTG
ATGGCCGCGTCATGATGGCCCCGCAAAAGGGCATTTTCTACCTGACCCTTTTCTCATCCTGGGGACATGTACAC
TCTTCTTCGCCTTTGAGTGCCGCTACCTGGCTGTTGACGTGTCTCCTGCCATCCCTGTATTGCTGCCATGCTCT
TCCTTTTCTCCATGGCTACACTGTTGAGGACCAGCTTCAGTGACCCTGGAGTGATTCTCGGGCGCTACCAGATG
AAGCAGCTTTCATAGAAATGGAGATAGAAGCTACCAATGGTGCGGTGCCCCAGGGCCAGCGACCACCGCCTCGTA
TCAAGAATTTCCAGATAAACAACCAGATTGTGAAACTGAAATACTGTTACACATGCAAGATCTTCCGGCCTCCCC
GGCCTCCCATTGCAGCATCTGTGACAACCTGTGTGGAGCGCTTCGACCATCACTGCCCCCTGGGTGGGGAATTGTG
TTGGAAAGAGGAACACTACCGCTACTTCTACCTCTTCATCCTTTCTCTCTCCCTCCTCACAATCTATGTCTTCGCCT
TCAACATCGTCTATGTGGCCCTCAAATCTTTGAAATTTGGCTTCTTGGAGACATTGAAAGAACTCCTGGAAGT
TTCTAGAAGTCCTCATTTGCTTCTTTACACTCTGGTCCGTCTGGGACTGACTGGATTTTCATCTTCTCCTCGTGG
CTCTCAACCAGACAACCAATGAAGACATCAAAGGATCATGGACAGGGAAGAATCGCGTCCAGAATCCCTACAGCC
ATGGCAATATTGTGAAGAACTGCTGTGAAGTGTGTGTGGCCCTTGCCCCCAGTGTGCTGGATCGAAGGGGTA
TTTTGCCACTGGAGGAAAGTGAAGTCGACCTCCAGTACTCAAGAGACCAGTAGCAGCCTTTGCCACAGAGCC
CAGCCCCACAGAACACCTGAACTCAAATGAGATGCCGGAGGACAGCAGCACTCCCGAAGAGATGCCACCTCCAG
AGCCCCCAGAGCCACCACAGGAGGCAGCTGAAGCTGAGAAGTAGCCTATCTATGGAAGAGACTTTTGTTTGTGTT
TAATTAGGGCTATGAGAGATTTAGGTGAGAAGTTAAACCTGAGACAGAGAGCAAGTAAGCTGTCCCTTTTAACT
GTTTTCTTTGGTCTTTAGTCAACCACTGGCATTCTTCTGCTGCAAGCTTTTTTAAATTTCTGAACT
CAAGGCAGTGGCAGAAGATGTGAGTCACTCTGATAACTGGAAAAATGGGTCTCTTGGGCCCTGGCACTGGTTCT
CCATGGCCTCAGCCACAGGGTCCCCTTGGACCCCCCTCTCTCCCTCCAGATCCCAGCCCTCCTGCTTGGGGTAC
TGGTCTCATTCTGGGGCTAAAAGTTTTTGGAGCTGGCTCAAATCCTCCCAAGCTGCTGCACGTGCTGAGTCCAGA
GGCAGTCACAGAGACCTCTGGCCAGGGGATCCTAACTGGGTTCTTGGGGTCTTCCAGGACTGAAGAGAGGGGAGAG
TGGGGTCAGAAGATTTCTCTGGCCACCAAGTGCCAGCATTGCCCAAAATCCTTTTAGGAATGGGACAGGTACCT
TCCACTTGTTGTANNNNNNNNNNNNNNNNNNNNNNNNNNNNTTGTTCCTTTTGACTCCTGCTCCCATTAGGAG
CAGGAATGGCAGTAATAAAAGTCTGCACTTTGGTCATTTCTTTTCTCAGAGGAAGCCCGAGTGCTCACTTAAAC
ACTATCCCCCTCAGACTCCCTGTGTGAGGCCTGCAGAGGCCCTGAATGCACAAATGGGAAACCAAGGCACAGAGAG
GCTCTCCTCTCCTCTCCTCTCCCCGATGTACCCTCAAAAAAAAAAAATGCTAACCAGTTCTTCCATTAAGCCT
CGGCTGAGTGAGGGAAAGCCAGCACTGCTGCCCTCTCGGGTAACTCACCTAAGGCCTCGGCCCACCTCTGGCT
ATGGTAACCACACTGGGGGCTTCTCCAAGCCCCGCTCTTCCAGCACTTCCACCGGCAGAGTCCCAGAGCCACTT
CACCTGGGGGTGGGCTGTGGCCCCAGTCAGCTGTGCTCAGGACCTGCTCTATTTTCAGGGAAGAAGATTTATGT
ATTATATGTGGCTATATTTCTAGAGCACCTGTGTTTTCTCTTTCTAAGCCAGGGTCCTGTCTGGATGACTTAT
GCGGTGGGGGAGTGTAACCGGAACTTTTCTATTTTGAAGGCGATTAAACTGTGTCTAATGCA

36/615

FIGURE 36

MSVMVVRKKVTRKWEKLPGRNTFCCDGRVMMARQKGI FYLTLFLILGTCTLFFAFECRYLAVQ
LSPAIPVFAAMLFLFSMATLLRTSFSDPGVIPRALPDEAAFIEMEIEATNGAVPQGQRPPPRI
KNFQINNQIVKLKYCYTCKIFRPPRASHCSICDNCVERFDHHC PWVGNCV GKRNYRYFYLFIL
SLSLLTIYVFAFNIVYVALKSLKIGFLET LKETPGTVLEV LICFFTLWSV VGLTG FHTFLVAL
NQTTNEDIKGSWTGKNRVQNPYSHGNIVKNCCEVLCGPLPPSVLD RRGILPLEESGSRPPSTQ
ETSSSLLPQSPAPTEHLNSNEMPEDSSTPEEMPPPEPPEPPQEAAEAEK

Putative transmembrane domains:

amino acids 36-55 (type II TM), 65-84, 188-208, 229-245

37/615

FIGURE 37

GGCGGAGCAGCCCTAGCCGCCACCGTCGCTCTCGCAGCTCTCGTCGCCACTGCCACCGCCGCCGCCGTCACTGCG
TCCTGGCTCCGGCTCCCGGCCCTCCCGGCCGCCCTAGCAGCCCCGCCGCCAGGCGCCCGGTGCGCAGCTGC
TGCCCGCGCTGGCCCTGCTGCTGCTGCTGCTCGGAGCGGGCCCCGAGGCAGCTCCCTGGCCAACCCGGTGCCCG
CCGCGCCCTTGTCTGCGCCCGGCCGTGCGCCGCGCAGCCCTGCCGGAATGGGGGTGTGTGCACCTCGCGCCCTG
AGCCGGACCCGCAGCACCCGGCCCCCGCGCGAGCCTGGCTACAGCTGCACCTGCCCCGCGGGGATCTCCGGCG
CCAAGTCCAGCTTGTTCAGATCCTTGTGCCAGCAACCCTTGTACCATGGCAACTGCAGCAGCAGCAGCAGCA
GCAGCAGCGATGGCTACCTCTGCATTTGCAATGAAGGCTATGAAGGTCCCAACTGTGAACAGGCACCTTCCAGTC
TCCCAGCCACTGGCTGGACCGAATCCATGGCACCCGACAGCTTACGCTGTTCCTGCTACTCAGGAGCCTGACA
AAATCCTGCCTCGCTCTCAGGCAACGGTGACACTGCCTACCTGGCAGCCGAAAACAGGGCAGAAAGTTGTAGAAA
TGAAATGGGATCAAGTGGAGGTGATCCCAGATATTGCCCTGTGGGAATGCCAGTTCTAACAGCTCTGCGGGTGGCC
GCCTGGTATCCTTTGAAGTCCACAGAACACCTCAGTCAAGATTCCGCAAGATGCCACTGCCTCACTGATTTTGC
TCTGGAAGGTACGGCCACAGGATTCACACAGTGTCTCCCTCATAGATGGACGAAGTGTGACCCCCCTTACGGCTT
CAGGGGGACTGGTCTCCTGGAGGAGATGCTCGCCTTGGGGAATAATCACTTTATTGGTTTTGTGAATGATTCTG
TGACTAAGTCTATTGTGGCTTTGCGCTTAAGTCTGGTGGTGAAGGTGAGCAGCTGTGTGCCGGGGGAGAGTCAG
CAAATGACTTGGAGTGTTCAGGAAAAGGAAAATGCACCACGAAGCCGTGAGAGGCAACTTTTTCTGTACCTGTG
AGGAGCAGTACGTGGGTACTTTCTGTGAAGAATACGATGCTTGCCAGAGGAAACCTTGCCAAAACAACGCGAGCT
GTATTGATGCAATGAAAAGCAAGATGGGAGCAATTTACCTGTGTTTGCCTTCTGGTTATCTGGAGAGCTTT
GCCAGTCCAAGATTGATTACTGCATCCTAGACCCATGCAGAAATGGAGCAACATGCATTTCCAGTCTCAGTGGAT
TCACCTGCCAGTGTCCAGAAGGATACTTCGGATCTGCTTGTGAAGAAAAGGTGGACCCCTGCGCCTCGTCTCCGT
GCCAGAACAACGGCACCTGCTATGTGGACGGGGTACACTTTACCTGCAACTGCAGCCCGGGCTTCACAGGGCCGA
CCTGTGCCAGCTTATTGACTTCTGTGCCCTCAGCCCTGTGCTCATGGCAGCTGCCGCGAGCGTGGGCACCACT
ACAAATGCCTCTGTGATCCAGGTACCATGGCCTCTACTGTGAGGAGGAATATAATGAGTGCCTCTCCGCTCCAT
GCCTGAATGCAGCCACCTGCAGGGACCTCGTTAATGGCTATGAGTGTGTGTGCCTGGCAGAATACAAAAGGAACAC
ACTGTGAATTGTACAAGGATCCCTGCGCTAACGTGAGTGTCTGAACGGAGCCACCTGTGACAGCGACGGCCTGA
ATGGCACGTGCATCTGTGCACCCGGGTTACAGGTGAAGAGTGCAGATTGACATAAATGAATGTGACAGTAACC
CCTGCCACCATGGTGGGAGCTGCCTGGACCAGCCCAATGGTTATAACTGCCACTGCCGCGCATGGTTGGGTGGGAG
CAAATGTGAGATCCACCTCCAATGGAAGTCCGGGCACATGGCGGAGAGCCCTCACCAACATGCCACGGCACTCCC
TCTACATCATCATTGGAGCCCTCTGCGTGGCCTTCATCCTTATGCTGATCATCCTGATCGTGGGGATTTGCCGCA
TCAGCCGCATTGAATACCAGGGTTCTTCCAGGCCAGCCTATGAGGAGTTCTACAAGTCCCGCAGCATCGACAGCG
AGTTCAGCAATGCCATTGCATCCATCCGGCATGCCAGGTTTGGAAAGAAATCCCGGCCTGCAATGTATGATGTGA
GCCCCATCGCCTATGAAGATTACAGTCTGATGACAAACCTTGGTCACTGATTAATAAAGATTGTAAAT
CTTTTTTTGGATTATTTTCAAAAAGATGAGATACTACACTCATTTAAATATTTTAAAGAAAATAAAAAGCTTAA
GAAATTTAAATGCTAGCTGCTCAAGAGTTTTCAGTAGAATATTTAAGAACTAATTTTCTGCAGCTTTTAGTTG
GAAAAATATTTTAAAAACAAATTTGTGAAACCTATAGACGATGTTTTAATGTACCTTCAGTCTCTAACTGT
GTGCTTCTACTAGTGTGTGCTCTTTTCACTGTAGACACTATCACGAGACCCAGATTAATTTCTGTGGTTGTACA
GAATAAGTCTAATCAAGGAGAAGTTTCTGTTTGACGTTTGAAGTGGCGCTTTCTGAGTAGAGTTAGGAAAACCAC
GTACGTAGCATATGATGTATAATAGAGTATACCCGTTACTTAAAAAGAAGTCTGAAATGTTCTGTTTGTGAAAA
AGAACTAGTTAAATTTACTATTCTAACCAGAAATGAAATAGCCTTTGCCTTATTCTGTGCATGGGTAAAGTAAC
TTATTTCTGCACTGTTTTGTGAACTTTGTGGAACATTCTTTCAGTGTGTTTTGTGCTATTTTCGTAACAGTCG
TCGAACTAGGCCTCAAAAACATACGTAACGAAAAGGCCTAGCGAGGCAAAATCTGATTGATTTGAATCTATATTT
TTCTTTAAAAAGTCAAGGGTTCTATATTGTGAGTAATTAATTTACATTTGAGTTGTTTGTGCTAAGAGGTAG
TAAATGTAAGAGAGTACTGGTTCCTTCAGTAGTGAATTTCTCATAGTGCAGCTTTATTTATCTCCAGGATGTT
TTTGTGGCTGTATTTGATTGATATGTGCTTCTTCTGATTCTTGCTAATTTCCAACCATATTGAATAAATGTGATC
AAGTCA

38/615

FIGURE 38

><subunit 1 of 1, 737 aa, 1 stop
><MW: 78475, pI: 5.09, NX(S/T): 11
MQPRRAQAPGAQLLPALALLLLLLGAGPRGSSLANPVPAAPLSAPGPCAAQPCRNGGVCTSRP
EPDPQHPAPAGEPGYSCTCPAGISGANCOLVADPCASNPCHHGNCSSSSSSSDGYLCICNEG
YEGPNCEQALPSLPATGWTESMAPRQLQVPATQEPDKILPRSQATVTLPTWQPKTGQKVEM
KWDQVEVIPDIACGNASSNSSAGGRLVSFEVPQNTSVKIRQDATASLILLWKVTATGFQQCSL
IDGRSVTPLQASGGLVLEEMLALGNNHFIGFVND SVTKSIVALRLTLVVKVSTCVPGESHAN
DLECSGKGKCTTKPSEATFSCTCEEQYVGTFCEEYDACQRKPCQNNASCIDANEKQDGSNFTC
VCLPGYTGELCQSKIDYCIDPCRN GATCISSLSGFTCQCPEGYFGSACEEKVDPCASSPCQN
NGTCYVDGVHFTCNCSPGFTGPTCAQLIDFCALSPCAHGTCRSVGTSYKCLCDPGYHGLYCEE
EYNECLSAPCLNAATCRDLVNGYECVCLAEYKGTHCELYKDPCANVSCLNGATCDSGLNGTC
ICAPGFTGEECDIDINECDSPCHHGGSCLDQPNGYNCHCPHGWVGANCEIHLQWKS GHMAES
LTNMPRHSLYIIIGALCVAFILMLIILIVGICRISRIEYQGSSRPAYEEFYNCRSIDSEFSNA
IASIRHARFGKKS RPAMYDVSP IAYEDYSPDDKPLVTLIKTKDL

Signal sequence.

amino acids 1-28

Transmembrane domain.

amino acids 641-660

N-glycosylation sites.amino acids 107-111, 204-208, 208-212, 223-227, 286-290, 361-365,
375-379, 442-446, 549-553, 564-568**Glycosaminoglycan attachment site.**

amino acids 320-324

Tyrosine kinase phosphorylation sites.

amino acids 490-498, 674-682

N-myristoylation sites.amino acids 30-36, 56-62, 57-63, 85-91, 106-112, 203-209,
373-379, 449-455, 480-486, 562-568, 565-571**Amidation site.**

amino acids 702-706

Aspartic acid and asparagine hydroxylation site.

amino acids 520-532, 596-608

EGF-like domain cysteine pattern signatures.amino acids 80-92, 121-133, 336-348, 378-390, 416-428, 454-466,
491-503, 529-541, 567-579, 605-617

39/615

FIGURE 39

[illegible]

40/615

FIGURE 40

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA39979
><subunit 1 of 1, 204 aa, 1 stop
><MW: 22147, pI: 8.37, NX(S/T): 3
MVCGGFACSKNCLCALNLLYTLVSLLLIGIAAWGIGFGLISSLRVVGVVIAVGIFLFLIALVG
LIGAVKHHQVLLFFYMIILLLVFIVQFSVSCACLALNQEQQGQLLEVGNNTASARNDIQRL
NCCGFRSVNPNDTCLASCVKSDHSCSPCAPIIGEYAGEVLRVGGIGLFFSFTEILGVWLTyr
YRNQKDPRANPSAFL

Signal Peptide:
amino acids 1-34

Transmembrane domains:
amino acids 47-63, 72-95 and 162-182

41/615

FIGURE 41

CAGTCACCAATGAAGCTGGGCTGTGTCCTCATGGCCTGGGCCCTCTACCTTTCCCTTGGTGTGC
TCTGGGTGGCCAGATGCTACTGGCTGCCAGTTTTGAGACGCTGCAGTGTGAGGGACCTGTCT
GCACTGAGGAGAGCAGCTGCCACACGGAGGATGACTTGACTGATGCAAGGGAAGCTGGCTTCC
AGGTCAAGGCCTACACTTTTCAGTGAACCTTCCACCTGATTGTGTCTATGACTGGCTGATCC
TCCAAGGTCCAGCCAAGCCAGTTTTTGAAGGGGACCTGCTGGTTCTGCGCTGCCAGGCCTGGC
AAGACTGGCCACTGACTCAGGTGACCTTCTACCGAGATGGCTCAGCTCTGGGTCCCCCGGGC
CTAACAGGGAATTCTCCATCACCGTGGTACAAAAGGCAGACAGCGGGCACTACCACTGCAGTG
GCATCTTCCAGAGCCCTGGTCCTGGGATCCCAGAAACAGCATCTGTTGTGGCTATCACAGTCC
AAGAAGTGTTCAGCGCCAATTCTCAGAGCTGTACCCTCAGCTGAACCCCAAGCAGGAAGCC
CCATGACCCTGAGTTGTCAGACAAAGTTGCCCTGCAGAGGTCAGCTGCCCGCCTCCTCTTCT
CCTTCTACAAGGATGGAAGGATAGTGCAAAGCAGGGGGCTCTCCTCAGAATTCAGATCCCCA
CAGCTTCAGAAGATCACTCCGGGTCACTACTGGTGTGAGGCAGCCACTGAGGACAACCAAGTTT
GGAAACAGAGCCCCCAGCTAGAGATCAGAGTGCAGGGTGCTTCCAGCTCTGCTGCACCTCCCA
CATTGAATCCAGCTCCTCAGAAATCAGCTGCTCCAGGAACTGCTCCTGAGGAGGCCCTGGGC
CTCTGCCTCCGCCGCCAACCCCATCTTCTGAGGATCCAGGCTTTTCTTCTCCTCTGGGGATGC
CAGATCCTCATCTGTATCACCAGATGGGCCTTCTTCTCAAACACATGCAGGATGTGAGAGTCC
TCCTCGGTACCTGCTCATGGAGTTGAGGGAATTATCTGGCCACCAGAAGCCTGGGACCACAA
AGGCTACTGCTGAATTAGAAGTAAACAGTTCATCCATGATCTCACTTAACACCCCAATAAATC
TGATTCTTTATTTTCTTCTCCTGTCTGCACATATGCATAAGTACTTTTACAAGTTGTCCCAG
TGTTTTGTTAGAATAATGTAGTTAGGTGAGTGTAATAAATTTATATAAAGTGAGAATTAGAG
TTTAGCTATAATTGTGTATTCTCTCTTAACACAACAGAATTCTGCTGTCTAGATCAGGAATTT
CTATCTGTTATATCGACCAGAATGTTGTGATTTAAAGAGAACTAATGGAAGTGGATTGAATAC
AGCAGTCTCAACTGGGGGCAATTTTGCCCCCAGAGGACATTGGGCAATGTTTGGAGACATTT
TGGTCATTATACTTGGGGGGTTGGGGGATGGTGGGATGTGTGTCTACTGGCATCCAGTAAATA
GAAGCCAGGGGTGCCGCTAAACATCCTATAATGCACAGGGCAGTACCCCAACGAAAAATAA
TCTGGCCCCAAAATGTCAGTTGTACTGAGTTTGAGAAACCCAGCCTAATGAAACCCTAGGTGT
TGGGCTCTGGAATGGGACTTTGTCCCTTCTAATTATTATCTCTTTCCAGCCTCATTAGCTAT
TCTTACTGACATAACAGTCTTTAGCTGGTGCTATGGTCTGTTCTTTAGTTCTAGTTTGTATCC
CCTCAAAAGCCATTATGTTGAAATCCTAATCCCCAAGGTGATGGCATTAAAGAAGTGGGCCTTT
GGGAAGTGATTAGATCAGGAGTGCAGAGCCCTCATGATTAGGATTAGTGCCCTTATTTAAAAA
GGCCCCAGAGAGCTAACTACCCCTTCCACCATATGAGGACGTGGCAAGAAGATGACATGTATG
AGAACCACAAAAACAGCTGTCGCCAAACACCGACTCTGTCGTTGCCTTGATCTTGAAGTCCAG
CCTCCAGAACTATGAGAAATAAAATCTGGTTGTTGTAGCCTAA

42/615

FIGURE 42

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA40594
><subunit 1 of 1, 359.aa, 1 stop
><MW: 38899, pI: 5.21, NX(S/T): 0
MKLGCVLMAWALYLSLGV LWVAQM LLAASFETLQCEGPVCTEESCHTEDDLTDAREAGFQVK
AYTFSEPFHLIVSYDWLILQGPAKPVFEGDLLVLRCAWQDWPLTQVTFYRDGSALGPPGPNR
EFSITVVQKADSGHYHCSGIFQSPGPGIPETASVVAITVQELFPAPILRAVPSAEPQAGSPMT
LSCQTKLPLQRSAARLLFSFYKDGRIVQSRGLSSEFQIPTASEDHSGSYWCEAATEDNQVWKQ
SPQLEIRVQGASSSAAPPTLNPAPQKSAAPGTAPEEAPGPLPPPPTPSSSEDPGFSSPLGMPDP
HLYHQMGLLLKHMQDVRVLLGHLLMELRELSGHQKPGTTKATAE
```

Signal sequence:

amino acids 1-17

Leucine zipper pattern sequence:

amino acids 12-33

Protein kinase C phosphorylation site:

amino acids 353-355

43/615

FIGURE 43

GCGAGTGTCCAGCTGCGGAGACCCGTGATAATTGTTAACTAATTCAACAAACGGGACCCTTC
TGTGTGCCAGAAACCGCAAGCAGTTGCTAACCCAGTGGGACAGGCGGATTGGAAGAGCGGGAA
GGTCCTGGCCCAGAGCAGTGTGACACTTCCCTCTGTGACCATGAACTCTGGGTGTCTGCATT
GCTGATGGCCTGGTTTGGTGTCTGAGCTGTGTGCAGGCCGAATTCCTCACCTCTATTGGGCA
CATGACTGACCTGATTTATGCAGAGAAAGAGCTGGTGCAGTCTCTGAAAGAGTACATCCTTGT
GGAGGAAGCCAAGCTTCCAAGATTAAAGAGCTGGGCCAACAAAATGGAAGCCTTGACTAGCAA
GTCAGCTGCTGATGCTGAGGGCTACCTGGCTCACCTGTGAATGCCTACAACTGGTGAAGCG
GCTAAACACAGACTGGCCTGCGCTGGAGGACCTTGTCTGCAGGACTCAGCTGCAGGTTTTAT
CGCCAACTCTCTGTGCAGCGGCAGTTCTTCCCCTGATGAGGACGAGATAGGAGCTGCCAA
AGCCCTGATGAGACTTCAGGACACATACAGGCTGGACCCAGGCACAATTTCCAGAGGGGA
TCCAGGAACCAAGTACCAGGCAATGCTGAGTGTGGATGACTGCTTTGGGATGGGCCGCTCGGC
CTACAATGAAGGGGACTATTATCATACGGTGTGTGGATGGAGCAGGTGCTAAAGCAGCTTGA
TGCCGGGGAGGAGGCCACCACAACCAAGTCACAGGTGCTGGACTACCTCAGCTATGCTGTCTT
CCAGTTGGGTGATCTGCACCGTGCCCTGGAGCTCACCCGCCGCTGCTCTCCCTTGACCCAAG
CCACGAACGAGCTGGAGGGAATCTGCGGTACTTTGAGCAGTTATTGGAGGAAGAGAGAGAAAA
AACGTTAAACAATCAGACAGAAGCTGAGCTAGCAACCCAGAAGGCATCTATGAGAGGCCTGT
GGACTACCTGCCTGAGAGGGATGTTTACGAGAGCCTCTGTCTGGGGAGGGTGTCAAACCTGAC
ACCCCGTAGACAGAAGAGGCTTTTCTGTAGGTACCACCATGGCAACAGGGCCCCACAGCTGCT
CATTGCCCCCTTCAAAGAGGAGGACGAGTGGGACAGCCCGCACATCGTCAGGTACTACGATGT
CATGTCTGATGAGGAAATCGAGAGGATCAAGGAGATCGCAAAACCTAAACTTGCACGAGCCAC
CGTTCGTGATCCCAAGACAGGAGTCTCACTGTGCGCCAGCTACCGGGTTTCCAAAAGCTCCTG
GCTAGAGGAAGATGATGACCCTGTTGTGGCCCGAGTAAATCGTCGGATGCAGCATATCACAGG
GTTAACAGTAAAGACTGCAGAATTGTTACAGGTTGCAAATTATGGAGTGGGAGGACAGTATGA
ACCGCACTTCGACTTCTCTAGGCGACCTTTTGACAGCGGCCTCAAACAGAGGGGAATAGGTT
AGCGACGTTTCTTAACTACATGAGTGATGTAGAAGCTGGTGGTGCCACCGTCTTCCCTGATCT
GGGGGCTGCAATTTGGCCTAAGAAGGGTACAGCTGTGTTCTGGTACAACCTCTTGCGGAGCGG
GGAAGGTGACTACCGAACAAGACATGCTGCCTGCCCTGTGCTTGTGGGCTGCAAGTGGGTCTC
CAATAAGTGGTTCCATGAACGAGGACAGGAGTCTTGAGACCTTGTGGATCAACAGAAGTTGA
CTGACATCCTTTTCTGTCCTTCCCCTTCTGGTCTTTCAGCCCATGTCAACGTGACAGACACC
TTTGTATGTTTCTTTGTATGTTTCTATCAGGCTGATTTTGGAGAAATGAATGTTTGTCTGGA
GCAGAGGGAGACCATACTAGGGCGACTCCTGTGTGACTGAAGTCCAGCCCTTCCATTAGCC
TGTGCCATCCCTGGCCCCAAGGCTAGGATCAAAGTGGCTGCAGCAGAGTTAGCTGTCTAGCGC
CTAGCAAGGTGCCTTTGTACCTCAGGTGTTTATAGGTGTGAGATGTTTCAGTGAACCAAAGTTC
TGATACCTTGTTTACATGTTTGTGTTTTATGGCATTCTATCTATTGTGGCTTTACCAAAAAAT
AAAATGTCCCTACCAGAAAAA

44/615

FIGURE 44

MKLWVSALLMAWFGVLSCVQAEFFTSIGHMTDLIYAEEKELVQSLKEYILVEEAKLSKIKSWAN
KMEALTSKSAADAEGYLAHPVNAYKLVKRLNTDWPALVDLQDSAAGFIANLSVQRQFFPTD
EDEIGAALKMRLQDQTYRLDPGTISRGLPGTKYQAMLSVDDCFGMGRSAYNEGDIYHTVLWM
EQVLKQLDAGEEATTTKSQVLDYLSYAVFQLGDLHRALELTRLLSLDPSHERAGGNLRYFEQ
LLEEEREKTLTNQTEAELATPEGIYERPDYLPDVEDVYESLCRGEVGLTPRRQKRLFCRYHH
GNRAPQLLIAPFKEEDEWDSPIVRYDVMSDEEIERIKEIAKPKLARATVRDPKTGVLTVAS
YRVSKSSWLEEDDDPVVARVNRMQHITGLTVKTAELLQVANYGVGGQYEPHFDFSRRPFDSG
LKTEGNRLATFLNYMSDVEAGGATVFPDLGAAIWPKKGTAVFWYNLLRSGECDYRTRHAACPV
LVGCKWVSNKWFHERGQEFRLPCGSTVD

Signal sequence:

amino acids 1-17

N-glycosylation site.

amino acids 115-119, 264-268

Glycosaminoglycan attachment site.

amino acids 490-494

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 477-481

Casein kinase II phosphorylation site.amino acids 43-47, 72-76, 125-129, 151-155, 165-169, 266-270,
346-350, 365-369, 385-389, 457-461, 530-534**Tyrosine kinase phosphorylation site.**

amino acids 71-80, 489-496

N-myristoylation site.

amino acids 14-20, 131-137, 171-177, 446-452

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 8-19

Leucine zipper pattern.

amino acids 213-235

45/615

FIGURE 45

GGGGCCTTGCCTTCCGCACTCGGGCGCAGCCGGGTGGATCTCGAGCAGGTGCGGAGCCCCGGG
CGGCGGGCGCGGGTGCGAGGGATCCCTGACGCCTCTGTCCCTGTTTCTTTGTCGCTCCCAGCC
TGTCTGTCGTGTTTTGGCGCCCCCGCCTCCCCGCGGTGCGGGGTTGCACACCGATCCTGGGC
TTCGCTCGATTTGCCGCCGAGGCGCCTCCAGACCTAGAGGGGCGCTGGCCTGGAGCAGCGGG
TCGTCTGTGTCCTCTCTCCTCTGCGCCGCGCCCCGGGGATCCGAAGGGTGCGGGGCTCTGAGGA
GGTGACGCGCGGGGCTCCCGCACCCCTGGCCTTGCCCGCATTTCTCCCTCTCTCCAGGTGTGA
GCAGCCTATCAGTCACCA**ATGT**CCGCGAGCCTGGATCCCGGCTCTCGGCCTCGGTGTGTGTCTGC
TGCTGCTGCCGGGGCCCCGCGGGCAGCGAGGGAGCCGCTCCCATTTGCTATCACATGTTTTACCA
GAGGCTTGGACATCAGGAAAGAGAAAGCAGATGTCCTCTGCCAGGGGGCTGCCCTCTTGAGG
AATTCTCTGTGTATGGGAACATAGTATATGCTTCTGTATCGAGCATATGTGGGGCTGCTGTCC
ACAGGGGAGTAATCAGCAACTCAGGGGGACCTGTACGAGTCTATAGCCTACCTGGTCGAGAAA
ACTATTCTCAGTAGATGCCAATGGCATCCAGTCTCAAATGCTTTCTAGATGGTCTGCTTCTT
TCACAGTAACTAAAGGCAAAAGTAGTACACAGGAGGCCACAGGACAAGCAGTGTCCACAGCAC
ATCCACCAACAGGTAAACGACTAAAGAAAACACCCGAGAAGAAAACCTGGCAATAAAGATTGTA
AAGCAGACATTGCATTTCTGATTGATGGAAGCTTTAATATTGGGCAGCGCCGATTTAATTTAC
AGAAGAATTTTGTGGAAAAGTGGCTCTAATGTTGGGAATTGGAACAGAAGGACCACATGTGG
GCCTTGTTCAAGCCAGTGAACATCCCAAATAGAATTTTACTTGAAAACTTTACATCAGCCA
AAGATGTTTTGTTGCCATAAAGGAAGTAGGTTTCAGAGGGGGTAATTCCAATACAGGAAAAG
CCTTGAAGCATACTGCTCAGAAATTCTTCACGGTAGATGCTGGAGTAAGAAAAGGGATCCCCA
AAGTGGTGGTGGTATTTATTGATGGTTGGCCTTCTGATGACATCGAGGAAGCAGGCATTGTGG
CCAGAGAGTTTGGTGTCAATGTATTTATAGTTTCTGTGGCCAAGCCTATCCCTGAAGAACTGG
GGATGGTTCAGGATGTCACATTTGTTGACAAGGCTGTCTGTGCGGAATAATGGCTTCTTCTCTT
ACCACATGCCCAACTGGTTTGGCACCACAAAATACGTAAAGCCTCTGGTACAGAAGCTGTGCA
CTCATGAACAAATGATGTGCAGCAAGACCTGTTATAACTCAGTGAACATTGCCTTTCTAATTG
ATGGCTCCAGCAGTGTGGAGATAGCAATTTCCGCCTCATGCTTGAATTTGTTTCCAACATAG
CCAAGACTTTTGAAATCTCGGACATTGGTGCCAAGATAGCTGCTGTACAGTTTACTTATGATC
AGCGCACGGAGTTCAGTTTCACTGACTATAGCACCAAGAGAATGTCCTAGCTGTCATCAGAA
ACATCCGCTATATGAGTGGTGAACAGCTACTGGTGATGCCATTTCCCTTCACTGTTAGAAATG
TGTTTGGCCCTATAAGGGAGAGCCCCAACAAGAACTTCCTAGTAATTGTCACAGATGGGCAGT
CCTATGATGATGTCCAAGGCCCTGCAGCTGCTGCACATGATGCAGGAATCACTATCTTCTCTG
TTGGTGTGGCTTGGGCACCTCTGGATGACCTGAAAGATATGGCTTCTAAACCGAAGGAGTCTC
ACGCTTTCTTCACAAGAGAGTTTACAGGATTAGAACCAATTGTTTCTGATGTCATCAGAGGCA
TTTGTAGAGATTTCTTAGAATCCCAGCAAT**TAA**TGGTAACATTTTGACAACCTGAAAGAAAAGT
ACAAGGGGATCCAGTGTGTAAATTGTATTCTCATAATACTGAAATGCTTTAGCATACTAGAAT
CAGATACAAAACCTATTAAGTATGTCAACAGCCATTTAGGCAAATAAGCACTCCTTTAAAGCCG
CTGCCTTCTGGTTACAATTTACAGTGTACTTTGTTAAAACACTGCTGAGGCTTCATAATCAT
GGCTCTTAGAAACTCAGGAAAGAGGAGATAATGTGGATTAAAACCTTAAGAGTTCTAACCATG
CCTACTAAATGTACAGATATGCAAATTCATAGCTCAATAAAAGAATCTGATACTTAGACCAA
AAAAAAA

46/615

FIGURE 46

MSAAWI PALGLGVCLLLLPGPAGSEGAAPIAITCFTRGLDIRKEKADVLCPPGGCPLLEFSVYG
NIVYASVSSICGAHVHRGVISNSGGPVRVYSLPGRENYSSVDANGIQSQMLSRWSASFVTKG
KSSTQEATGQAVSTAHPPTGKRLKKTPEKKTGNKDKADIAFLIDGSFNIGQRRFNLQKNFVG
KVALMLGIGTEGPHVGLVQASEHPKIEFYLNFTSAKDVLFAIKEVGFRGGNSNTGKALKHTA
QKFFTVDAGVRKGI PKVVVFIDGWPSDDIEEAGIVAREFGVNVFIVSVAKPIPEELGMVQDV
TFVDKAVCRNNGFFSYHMPNWFGTTKYVKPLVQKLC THEQMMCSKTCYNSVNIAFLIDGSSSV
GDSNFRMLLEFVSNIAKTFEISDIGAKIAAVQFTYDQRTEFSFTDYSTKENVLAVIRNIRYMS
GGTATGDAISFTVRNVFGPIRESPNKNFLVIVTDGQSYDDVQGPAAAAHDAGITIFSVGVAWA
PLDDLKDMASKPKESHAFFTREFTGLEPIVSDVIRGICRDFLESQQ

Signal sequence:

amino acids 1-24

N-glycosylation site.

amino acids 100-104, 221-225

Casein kinase II phosphorylation site.amino acids 102-106, 129-133, 224-228, 316-320, 377-381, 420-424,
425-429, 478-482, 528-532**N-myristoylation site.**amino acids 10-16, 23-29, 81-87, 135-141, 158-164, 205-211,
239-245, 240-246, 261-267, 403-409, 442-448, 443-449**Amidation site.**

amino acids 145-149

47/615

FIGURE 47

GCCCCGCGCCCGGCGCCGGGCGCCCGAAGCCGGGAGCCACCGCCATGGGGGCCTGCCTGGGAG
CCTGCTCCCTGCTCAGCTGCGCGTCCTGCCTCTGCGGCTCTGCCCCCTGCATCCTGTGCAGCT
GCTGCCCCGCCAGCCGCAACTCCACCGTGAGCCGCCCTCATCTTCACGTTCTTCCCTCTTCCTGG
GGGTGCTGGTGTCCATCATTATGCTGAGCCCCGGGCGTGAGAGTCAGCTCTACAAGCTGCCCT
GGGTGTGTGAGGAGGGGGCCGGGATCCCCACCGTCCTGCAGGGCCACATCGACTGTGGCTCCC
TGCTTGGCTACCGCGCTGTCTACCGCATGTGCTTCGCCACGGCGGCCCTTCTTCTTCTTCTTTT
TCACCTGCTCATGCTCTGCGTGAGCAGCAGCCGGGACCCCCGGGCTGCCATCAGAAATGGGT
TTTGGTTCTTTAAGTTCCCTGATCCTGGTGGGCCTCACCGTGGGTGCCCTTCTACATCCCTGACG
GCTCCTTCACCAACATCTGGTTCTACTTCGGCGTCGTGGGCTCCTTCCTCTTCATCCTCATCC
AGCTGGTGCTGCTCATCGACTTTGCGCACTCCTGGAACCAGCGGTGGCTGGGCAAGGCCGAGG
AGTGCGATTCCCGTGCCCTGGTACGCAGGCCTCTTCTTCTTCACTCTCCTCTTCTACTTGCTGT
CGATCGCGGCCGTGGCGCTGATGTTTCATGTACTACACTGAGCCCAGCGGCTGCCACGAGGGCA
AGGTCTTCATCAGCCTCAACCTCACCTTCTGTGTCTGCGTGTCATCGCTGCTGTCTGCCCCA
AGGTCCAGGACGCCCAGCCCCAACTCGGGTCTGCTGCAGGCCTCGGTTCATCACCTCTACACCA
TGTTTGTACCTGGTCAGCCCTATCCAGTATCCCTGAACAGAAATGCAACCCCCATTTGCCAA
CCCAGCTGGGCAACGAGACAGTTGTGGCAGGCCCCGAGGGCTATGAGACCCAGTGGTGGGATG
CCCCGAGCATTGTGGGCCTCATCATCTTCCTCCTGTGCACCCTCTTCATCAGTCTGCGCTCCT
CAGACCACCGGCAGGTGAACAGCCTGATGCAGACCGAGGAGTGCCACCTATGCTAGACGCCA
CACAGCAGCAGCAGCAGCAGGTGGCAGCCTGTGAGGGCCGGGCCTTTGACAACGAGCAGGACG
GCGTCACCTACAGCTACTCCTTCTTCCACTTCTGCCTGGTGCTGGCCTCACTGCACGTCATGA
TGACGCTCACCAACTGGTACAAGCCCGGTGAGACCCGGAAGATGATCAGCACGTGGACCGCCG
TGTGGGTGAAGATCTGTGCCAGCTGGGCAGGGCTGCTCCTCTACCTGTGGACCCTGGTAGCCC
CACTCCTCCTGCGCAACCGCGACTTCAGCTTGAGGCAGCCTCACAGCCTGCCATCTGGTGCCTC
CTGCCACCTGGTGCCCTCTCGGCTCGGTGACAGCCAACCTGCCCCCTCCCCACACCAATCAGCC
AGGCTGAGCCCCCACCCTGCCCCAGCTCCAGGACCTGCCCCTGAGCCGGGCCTTCTAGTCGT
AGTGCCCTCAGGGTCCGAGGAGCATCAGGCTCCTGCAGAGCCCCATCCCCCGCCACACCCAC
ACGGTGGAGCTGCCTCTTCCCTCCCCTCCTCCCTGTTGCCATACTCAGCATCTCGGATGAAA
GGGCTCCCTTGTCTCAGGCTCCACGGGAGCGGGGCTGCTGGAGAGAGCGGGGAACTCCCACC
ACAGTGGGGCATCCGGCACTGAAGCCCTGGTGTTCCTGGTCACGTCCCCAGGGGACCCTGCC
CCCTTCCTGGACTTCGTGCCTTACTGAGTCTCTAAGACTTTTTCTAATAAACAAGCCAGTGCG
TGTAACAAAAA

48/615

FIGURE 48

MGACLGACSLSCASCLCGSAPCILCSCCPASRNSTVSRLLFTFFLFLGVLVSIIMLSPGVES
QLYKLPWVCEEAGIPTVLQGHIDCGSLLGYRAVYRMCFATAAFFFFFFFTLLMLCVSSSRDPR
AAIQNGFWFFKFLILVGLTVGAFYIPDGSFTNIWFYFGVVGSFLFILIQLVLLIDFAHSWNQR
WLGKAEECDSRAWYAGLFFFTLLFYLLSIAAVALMFMYYTEPSGCHEGKVFISLNLTFVCVVS
IAAVLPKVQDAQPNSSGLLQASVITLYTMFVTWSALSSIPEQKCNPHLPTQLGNETVVAGPEGY
ETQWWDAPSIVGLIIFLLCTLFISLRSSDHRQVNSLMQTEECPPMLDATQQQQQQVAACEGRA
FDNEQDGVITYSYSFFHFCLVLASLHVMMTLTNWYKPGETRMISTWTAVWVKICASWAGLLLY
LWTLVAPLLLRNRDFS

Signal sequence:
amino acids 1-20

Transmembrane domains:
amino acids 40-58, 101-116, 134-150, 162-178, 206-223, 240-257,
272-283, 324-340, 391-406, 428-444

FIGURE 49

[illegible]

50/615

FIGURE 50

MAGIPGLLFLFFLLCAVGQVSPYSAPWKPTWPAYRLPVVLPQSTLNLAKPDFGAEAKLEVSS
SCGPQCHKGTPLPTYEEAKQYLSYETLYANGSRTETQVGIYILSSSGDGAQHRDSGSSGKSRR
KRQIYGYDSRFSIFGKDFLLNYPFSTSVKLSTGCTGTLVAEKHVLTAAHCIHDGKTYVKGTQK
LRVGFLKPKFKDGGRGANDSTSAMPEQMKFQWIRVVRTHVPGWIKGNANDIGMDYDYALLEL
KKPHKRKFMKIGVSPPAKQLPGGRIHFSGYDNDRPGNLVYRFCDVKDETYDILLYQQCDAQPGA
SGSGVYVRMWKRQQQKWERKIIGIFSGHQWVDMNGSPQDFNVAVRITPLKYAQICYWIKGNYL
DCREG

Signal sequence:

amino acids 1-19

N-glycosylation site.

amino acids 93-97, 207-211

Glycosaminoglycan attachment site.

amino acids 109-113, 316-320

Casein kinase II phosphorylation site.

amino acids 77-81, 95-99, 108-112, 280-284, 351-355

N-myristoylation site.

amino acids 159-165, 162-168, 202-208, 205-211, 314-320, 338-344

Serine proteases, trypsin family, histidine active site.

amino acids 171-177

51/615

FIGURE 51

GGGAGGGGGCTCGGGCGCCGCGCAGCAGACCTGCTCCGGCCGCGCGCCTCGCCGCTGTCTCCGGGAGCGGCAG
CAGTAGCCCCGGGCGGCGAGGGCTGGGGGTTCTCGAGACTCTCAGAGGGGCGCCTCCCATCGGCGCCACCACC
CAACCTGTTCTCGCGCGCCACTGCGCTGCGCCCCAGGACCCGCTGCCAACAATGGATTTTCTCTGGCGCTGGT
GCTGGTATCTCGCTCTACCTGCAGGCGGCCGCGGAGTTTCGACGGGAGGTGGCCAGGCAAATAGTGTATCGAT
TGGCCTATGTCGTTATGGTGGGAGGATTGACTGCTGCTGGGGCTGGGCTCGCCAGTCTTGGGGACAGTGTACGCC
TGTGTGCCAACCACGATGCAAACATGGTGAATGTATCGGGCCAAACAAGTGCAAGTGTATCTCTGGTTATGCTGG
AAAAACCTGTAATCAAGATCTAAATGAGTGTGGCCTGAAGCCCCGGCCCTGTAAGCACAGGTGCATGAACACTTA
CGGCAGCTACAAGTGCTACTGTCTCAACGGATATATGCTCATGCCGGATGGTTCTGCTCAAGTGCCCTGACCTG
CTCCATGGCAAACCTGTGAGTATGGCTGTGATGTTGTTAAAGGACAAATACGGTGCCAGTGCCCATCCCCTGGCCT
GCACCTGGCTCTGATGGGAGGACCTGTGTAGATGTTGATGAATGTGCTACAGGAAGAGCCTCCTGCCCTAGATT
TAGGCAATGTGTCAACACTTTTGGGAGCTACATCTGCAAGTGTCTATAAAGGCTTCGATCTCATGTATATTGGAGG
CAAATATCAATGTGATGACATAGACGAATGCTCACTTGGTCAGTATCAGTGCAGCAGCTTTGCTCGATGTTATAA
CGTACGTGGGTCCTACAAGTGCAAATGTAAGAAGGATACCAGGGTGATGGACTGACTTGTGTGTATATCCCAA
AGTTATGATTGAACCTTCAGGTCCAATTCATGTACCAAAGGGAAATGGTACCATTTTAAAGGGTGACACAGGAAA
TAATAATTGGATTCTCTGATGTTGGAAGTACTTGGTGGCCTCCGAAGACACCATATATCTCTCTATCATTACCAA
CAGGCCACTTCTAAGCCAACAACAAGACCTACACCAAAGCCAACACCAATTCCTACTCCACCACCACCACCACC
CCTGCCAACAGAGCTCAGAACACCTCTACCACCTACAACCCAGAAAGGCCAACACCGGACTGACAACTATAGC
ACCAGCTGCCAGTACACCTCCAGGAGGGATTACAGTTGACAACAGGGTACAGACAGACCCTCAGAAACCCAGAGG
AGATGTGTTCAGTGTTCTGGTACACAGTTGTAATTTTGACCATGGACTTTGTGGATGGATCAGGGAGAAAGACAA
TGACTTGCACTGGGAACCAATCAGGGACCCAGCAGGTGGACAATATCTGACAGTGTCCGCAGCCAAAGCCCCAGG
GGGAAAAGCTGCACGCTTGGTGTCTACCTCTCGGCCGCGCCTCATGCATTCAGGGGACCTGTGCTGTCTATTAGGCA
CAAGGTGACGGGGCTGCACTCTGGCACACTCCAGGTGTTTGTGAGAAAACACGGTGCCACGGAGCAGCCCTGTG
GGGAAGAAATGGTGGCCATGGCTGGAGGCAAACACAGATCACCTTGCGAGGGGGCTGACATCAAGAGCGAATCACA
AAGATGAATTAAAGGGTTGGAAAAAAGATCTATGATGGAAAATTAAAGGAACCTGGGATTATTGAGCCTGGAGAAG
AGAAGACTGAGGGGCAAACCATTTGATGGTTTTCAAGTATATGAAGGGTTGGCACAGAGAGGGTGGCGACCAGCTG
TTCTCCATATGCACTAAGAATAGAACAAAGAGGAAACTGGCTTAGACTAGAGTATAAGGGAGCATTTCTTGGCAGG
GGCCATTGTTAGAATACTTCATAAAAAAAGAAGTGTGAAAATCTCAGTATCTCTCTCTCTTTCTAAAAAATTAGA
TAAAAATTTGCTATTTAAGATGGTTAAAGATGTTCTTACCCAAGGAAAAGTAACAAATATAGAATTTCCCAA
AGATGTTTTGATCTCTACTAGTAGTATGCAGTGAAAATCTTTAGAACTAAATAATTTGGACAAGGCTTAATTTAGG
CATTTCCCTCTTGACCTCCTAATGGAGAGGGATTGAAAGGGGAAGAGCCACCAAATGCTGAGCTCACTGAAATA
TCTCTCCCTTATGGCAATCCTAGCAGTATTAAGAAAAAAGGAACTATTTATTCCAAATGAGAGTATGATGGAC
AGATATTTTAGTATCTCAGTAATGTCCTAGTGTGGCGGTGGTTTTCAATGTTTCTTCATGGTAAAGGTATAAGCC
TTTCATTTGTTCAATGGATGATGTTTCAGATTTTTTTTTTTTTTAAAGAGATCCTTCAAGGAACACAGTTTCAGAGAG
ATTTTCATCGGGTGCACTCTCTCTGCTTCGTGTGTGACAAGTTATCTTGGCTGCTGAGAAAGAGTGCCCTGCCCC
ACACCGGCAGACCTTTCTTTACCTCATCAGTATGATTCAGTTTCTCTTATCAATTGGACTCTCCAGGTTCCAC
AGAACAGTAATATTTTTTTGAACAATAGGTACAATAGAAGGTCTTCTGTCAATTAACCTGGTAAAGGCAGGGCTGG
AGGGGGAAATAAATCATTAAGCCTTTGAGTAACGGCAGAATATATGGCTGTAGATCCATTTTAAATGGTTTCATT
TCCTTTATGGTCATATAACTGCACAGCTGAAGATGAAAGGGGAAATAAATGAAAATTTTACTTTTCGATGCCAA
TGATACATTGCACTAAACTGATGGAAGAAGTTATCCAAAGTACTGTATAACATCTTGTATTATTATTAATGTTTT
CTAAAAATAAAATGTTAGTGGTTTTCCAAATGGCCTAATAAAAAAATATTGTAATAAAAAACACTGTTAGTAAT

52/615

FIGURE 52

MDFLALVLVSSLYLQAAAEFDGRWPRQIVSSIGLCRYGGRIDCCWGWARQSWGQCQPVQCPR
CKHGECIGPNKCKCHPGYAGKTCNQDLNECGLKPRPCKHRCMNTYGSYKCYCLNGYMLMPDGS
CSSALTCSMANCQYGCDVVKQIRCQCPSPLHLAPDGRTCDVDVDECATGRASCPRFRQCVNT
FGSYICKCHKGFDLMYIGGKYQCHDIDECSLGQYQCSSFARCYNVRGSYKCKCKEGYQGDGLT
CVYIPKVMIEPSGPIHVPKNGTILKGDGTGNNNWIPDVGSTWWPPKTPYIPPIITNRPTSKPT
TRPTPKPTPIPTPPPPPLPTELRTPLPPTTTPERTTGLTTIAPAASTPPGGITVDNRVQTD
QKPRGDVFSVLVHSCNFDHGLCGWIREKDNDLHWEPIRDPAGGQYLTVSAAKAPGGKAARLVL
PLGRLMHSGDLCLSFRHKVTGLHSGTLQVFVRKHGAHGAALWGRNGGHGWRQTQITLRGADIK
SESQR

Signal sequence:

amino acids 1-17

N-glycosylation site.

amino acids 273-277

Casein kinase II phosphorylation site.

amino acids 166-170, 345-349

Tyrosine kinase phosphorylation site.

amino acids 199-206

N-myristoylation site.amino acids 109-115, 125-131, 147-153, 191-197, 221-227, 236-242,
421-427, 433-439, 462-468, 476-482**Aspartic acid and asparagine hydroxylation site.**

amino acids 104-116, 186-198, 231-243

Cell attachment sequence.

amino acids 382-385

EGF-like domain cysteine pattern signature.

amino acids 75-87

53/615

FIGURE 53

CGGGCCGCCCCCGGCCCCCATTCGGGCGGGCCCTCGCTGCGGCGGGCGACTGAGCCAGGCTGGG
CCGCGTCCCTGAGTCCCAGAGTCGGCGCGGGCGGGCAGGGGCAGCCTTCCACCACGGGGAGCC
CAGCTGTCAGCCGCCTCACAGGAAGATGCTGCGTCGGCGGGGCAGCCCTGGCATGGGTGTGCA
TGTGGGTGCAGCCCTGGGAGCACTGTGGTTCTGCCTCACAGGAGCCCTGGAGGTCCAGGTCCC
TGAAGACCCAGTGGTGGCACTGGTGGGCACCGATGCCACCCTGTGCTGCTCCTTCTCCCCTGA
GCCTGGCTTCAGCCTGGCACAGCTCAACCTCATCTGGCAGCTGACAGATACCAAACAGCTGGT
GCACAGCTTTGCTGAGGGCCAGGACCAGGGCAGCGCCTATGCCAACCGCACGGCCCTCTTCCC
GGACCTGCTGGCACAGGGCAACGCATCCCTGAGGCTGCAGCGCTGCGTGTGGCGGACGAGGG
CAGCTTACCTGCTTCTGCTGAGCATCCGGGATTTCCGGCAGCGCTGCCGTGAGCCTGCAGGTGGC
CGCTCCCTACTCGAAGCCCAGCATGACCCTGGAGCCCAACAAGGACCTGCGGCCAGGGGACAC
GGTGACCATCACGTGCTCCAGCTACCAGGGCTACCCTGAGGCTGAGGTGTTCTGGCAGGATGG
GCAGGGTGTGCCCTGACTGGCAACGTGACCACGTGCGCAGATGGCCAACGAGCAGGGCTTGTT
TGATGTGCACAGCGTCTTGC GG GTGGTGTGGGTGCGAATGGCACCTACAGCTGCCTGGTGGC
CAACCCCGTGTGCAGCAGGATGCGCACRGCTCTGTACCATCACAGGGCAGCCTATGACATT
CCCCCAGAGGGCCCTGTGGGTGACCGTGGGGCTGTCTGTCTGTCTCATTGCACTGCTGGTGGC
CCTGGCTTTCGTGTGCTGGAGAAAAGATCAAACAGAGCTGTGAGGAGGAGAATGCAGGAGCTGA
GGACCAGGATGGGGAGGGAGAAGGCTCCAAGACAGCCCTGCAGCCTCTGAAACACTCTGACAG
CAAAGAAGATGATGGACAAGAAATAGCCTGACCATGAGGACCAGGGAGCTGCTACCCCTCCCT
ACAGCTCCTACCCTCTGGCTGCAATGGGGCTGCCTGTGAGCCCTGCCCCCAACAGATGCATC
CTGCTCTGACAGGTGGGCTCCTTCTCCAAAGGATGCGATACACAGACCACTGTGCAGCCTTAT
TTCTCCAATGGACATGATTCCCAAGTCATCCTGCTGCCTTTTTTCTTATAGACACAATGAACA
GACCACCCACAACCTTAGTTCTCTAAGTCATCCTGCCTGCTGCCTTATTTACAGTACATACA
TTTCTTAGGGACACAGTACACTGACCACATCACCACCCTCTTCTTCCAGTGCTGCGTGGACCA
TCTGGCTGCCTTTTTTCTCCAAAAGATGCAATATTCAGACTGACTGACCCCTGCCTTATTTT
ACCAAAGACACGATGCATAGTCACCCCGGCCTTGTTTTCTCCAATGGCCGTGATACACTAGTGA
TCATGTTTCAGCCCTGCTTCCACCTGCATAGAATCTTTTCTTCTCAGACAGGGACAGTGCGGCC
TCAACATCTCCTGGAGTCTAGAAGCTGTTTCTTTCCCTCCTTCCCTCCCTGCCCCAAGTGAA
GACAGGGCAGGGCCAGGAATGCTTTGGGGACACCGAGGGGACTGCCCCCACCCTCCATGG
TGCTATTCTGGGGCTGGGGCAGTCTTTTCTGGCTTGCTCTGGCCAGCTCCTGGCCTCTGGT
AGAGTGAGACTTCAGACGTTCTGATGCCTTCCGGATGTCATCTCTCCCTGCCCCAGGAATGGA
AGATGTGAGGACTTCTAATTTAAATGTGGGACTCGGAGGGATTTGTAAACTGGGGGTATATT
TTGGGGAAAATAAATGTCTTTGTAAAAA

54/615

FIGURE 54

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA41386
><subunit 1 of 1, 316 aa, 1 stop, 1 unknown
><MW: -1, pI: 4.62, NX(S/T): 4
MLRRRGSPGMGVHVGAAALGALWFCLTGALEVQVPEDPVVALVGTDATLCCSFSPPEPGFSLAQL
NLIWQLTDTKQLVHSFAEGQDQGSAYANRTALFPDLLAQGNASRLRQVRVADEGSFTCFVSI
RDFGSAAVSLQVAAPYSKPSMTLEPNKDLRPGDTVTITCSSYQGYPEAEVFWQDQGQVPLTGN
VTTSQMANEQGLFDVHSVLRVVLGANGTYSCLVRNPVLQQDAHXSVTITGQPMTFPPEALWVT
VGLSVCLIALLLVALAFVCWRKIKQSCEEENAGAEDQDGEGEKSTALQPLKHSDSKEDDGQEIA
```

Important features:**Signal peptide:**

amino acids 1-28

Transmembrane domain:

amino acids 251-270

N-glycosylation site.

amino acids 91-94, 104-107, 189-192 and 215-218

Homologous region to Immunoglobulins and MHC

amino acids 217-234

55/615

FIGURE 55

GAGTCTTGACCGCCGCCGGGCTCTTGGTACCTCAGCGCGAGCGCCAGGCGTCCGGCCGCCGTG
GCT**ATG**TTTCGTGTCCGATTTCGCGAAAGAGTTCTACGAGGTGGTCCAGAGCCAGAGGGTCCTT
CTCTTCGTGGCCTCGGACGTGGATGCTCTGTGTGCGTGCAAGATCCTTCAGGCCTTGTTCCAG
TGTGACCACGTGCAATATACGCTGGTTCAGTTTCTGGGTGGCAAGAACTTGAAACTGCATTT
CTTGAGCATAAAGAACAGTTTCATTATTTTATTCTCATAAACTGTGGAGCTAATGTAGACCTA
TTGGATATTCTTCAACCTGATGAAGACACTATATTCTTTGTGTGTGACTCCCATAGGCCAGTC
AATGTCGTCAATGTATACAACGATACCCAGATCAAATTACTCATTAACAAGATGATGACCTT
GAAGTTCCCGCCTATGAAGACATCTTCAGGGATGAAGAGGAGGATGAAGAGCATTTCAGGAAAT
GACAGTGATGGGTGAGAGCCTTCTGAGAAGCGCACACGGTTAGAAGAGGAGATAGTGGAGCAA
ACCATGCGGAGGAGGCAGCGGCGAGAGTGGGAGGCCCGGAGAAGAGACATCCTCTTTGACTAC
GAGCAGTATGAATATCATGGGACATCGTCAGCCATGGTGATGTTTGAGCTGGCTTGATGCTG
TCCAAGGACCTGAATGACATGCTGTGGTGGGCCATCGTTGGACTAACAGACCAGTGGGTGCAA
GACAAGATCACTCAAATGAAATACGTGACTGATGTTGGTGTCTGCAGCGCCACGTTTCCCGC
CACAACCACCGGAACGAGGATGAGGAGAACACACTCTCCGTGGACTGCACACGGATCTCCTTT
GAGTATGACCTCCGCCTGGTGCTCTACCAGCACTGGTCCCTCCATGACAGCCTGTGCAACACC
AGCTATACCGCAGCCAGGTTCAAGCTGTGGTCTGTGCATGGACAGAAGCGGCTCCAGGAGTTC
CTTGACAGCATGGGTCTTCCCCTGAAGCAGGTGAAGCAGAAGTTCCAGGCCATGGACATCTCC
TTGAAGGAGAATTTGCGGGAAATGATTGAAGAGTCTGCAAATAAATTTGGGATGAAGGACATG
CGCGTGACAGCTTTTCAGCATTCAATTTGGGTTCAGCACAAAGTTTCTGGCCAGCGACGTGGTC
TTTGCCACCATGTCTTTGATGGAGAGCCCCGAGAAGGATGGCTCAGGGACAGATCACTTCATC
CAGGCTCTGGACAGCCTCTCCAGGAGTAACCTGGACAAGCTGTACCATGGCCTGGAACTCGCC
AAGAAGCAGCTGCGAGCCACCCAGCAGACCATTGCCAGCTGCCTTTGCACCAACCTCGTCATC
TCCCAGGGGCCTTTCTGTACTGCTCTCTCATGGAGGGCACTCCAGATGTCATGCTGTTCTCT
AGGCCGGCATCCCTAAGCCTGCTCAGCAAACACCTGCTCAAGTCCTTTGTGTGTTTCGACAAAG
AACCGGCGCTGCAAACCTGCTGCCCCCTGGTGATGGCTGCCCCCTGAGCATGGAGCATGGCACA
GTGACCGTGGTGGGCATCCCCCAGAGACCGACAGCTCGGACAGGAAGAACTTTTTTGGGAGG
GCGTTTGAGAAGGCAGCGGAAAGCACCAGCTCCCGGATGCTGCACAACCATTTTGACCTCTCA
GTAATTGAGCTGAAAGCTGAGGATCGGAGCAAGTTTCTGGACGCACTTATTTCCCTCCTGTCC
TAGGAAATTGATTCTTCCAGAATGACCTTCTTATTTATGTAAGTGGCTTTCATTTAGATTGTA
AGTTATGGACATGATTTGAGATGTAGAAGCCATTTTTTATTAAATAAAATGCTTATTTTAGGAAA

56/615

FIGURE 56

MFVSDFRKEFYEVVQSQRVLLFVASDVDALCACKILQALFQCDHVQYTLVPVSGWQELET AFL
EHKEQFHYFILINCGANVDLLDILQPDEDTIFFVCDSHRPVNVVNVYNDTQIKLLIKQDDDL E
VPAYEDIFRDEEEDEEHSGNDSGSEPSEKRTLEEEIVEQTMRRRQRREWEARRRDILFDYE
QYEHGTSSAMVMFELAWMLSKDLNDMLWWAIVGLTDQWVQDKITQMKYVTDVGV LQRHVSRH
NHRNEDEENTLSVDCTRISFEYDLRLVLYQHWSLHDSL CNTSYTAARFKLWSVHGQKRLQEFL
ADMGLPLKQVKQKFQAMDISLKENLREMIEESANKFGMKDMRVQTFSIHFGFKHKFLASDVVF
ATMSLMESPEKDGSGTDHFIQALDSLRSNLDKLYHGLELAKKQLRATQQTIASCLCTNLVIS
QGPFLYCSLMEGTPDVMLFSRPASLSLLSKHLLKSFVCSTKNRRCKLLPLVMAAPLSMEHGT V
TVVGIPPETDSSDRKNFFGRAFEKAAESTSSRMLHNF DL SVIELKAEDRSKFLDALISLLS

57/615

FIGURE 57

CGCCGCCGTTGGGGCTGGAAGTTCCCGCCAGGTCCGTGCCGGGCGAGAGAGATGCTGCCCGGC
CCGCCTCGGCTTTGAGGCGAGAGAAGTGTCCAGACCCATTTGCGCTTGCTGACGGCGTCGAG
CCCTGGCCAGACATGTCACAGGGTTCTCCTTCGGGTCCGGGACTCTGGGCTCCACCACCGTG
CCGCGCGGCGGGACCAGCACAGGCGGCGTTTTCTCCTTCGGAACGGGAACGTCTAGCAACCCT
TCTGTGGGGCTCAATTTTGGAATCTTGGAAGTACTTCAACTCCAGCAACTACATCTGCTCCT
TCAAGTGGTTTTGGAACCGGGCTCTTTGGATCTAAACCTGCCACTGGGTTCACTCTAGGAGGA
ACAAATACAGGTGCCTTGCACACCAAGAGGCCTCAAGTGGTCACCAATATGGAACCCCTGCAA
GAAAACAGATGCATGTGGGGAAGACACCCATCCAAGTCTTTTAGGAGTCCCCTTCTCCAGA
CCTCCTCTAGGTATCCTCAGGTTTGCACCTCCAGAACCCCGAGCCCTGGAAAGGAATCAGA
GATGCTACCACCTACCCGCCTGGATGGAGTCTCGCTCTGTGCCAGGCTGGAGTGCAGTGGCA
CGATCTCGGCTCACTGCAACCTCCGCCTCCCGGTTCAAGCGAGTCTCCTGCCTCAGCCTCTG
AGTGTCTGGGGCTACAGGTGCCTGCAGGAGTCTGGGGCCAGCTGGCCTCGATGTACGTCAGC
ACGCGGGAACGGTACAAGTGGCTGCGCTTCAGCGAGGACTGTCTGTACCTGAACGTGTACGCG
CCGGCGCGCGCGCCCGGGATCCCCAGCTGCCAGTGATGGTCTGGTTCCCGGGAGGCGCCTTC
ATCGTGGGCGCTGCTTCTTCGTACGAGGGCTCTGACTTGGCCGCCCGCGAGAAAGTGGTGCTG
GTGTTTTCTGCAGCACAGGCTCGGCATCTTCGGCTTCTCTGAGCACGGACGACAGCCACGCGCGC
GGAACTGGGGGCTGCTGGACCAGATGGCGGCTCTGCGCTGGGTGCAGGAGAACATCGCAGCC
TTCGGGGGAGACCCAGGAAATGTGACCCTGTTTCGGCCAGTCGGCGGGGGCCATGAGCATCTCA
GGACTGATGATGTACCCCTAGCCTCGGGTCTCTTCCATCGGGCCATTTCCCAGAGTGGCACC
GCGTTATTTCAGACTTTTTCATCACTAGTAACCCACTGAAAGTGGCCAAGAAGGTTGCCACCTG
GCTGGATGCAACCACAACAGCACACAGATCCTGGTAAACTGCCTGAGGGCACTATCAGGGACC
AAGGTGATGCGTGTGTCCAACAAGATGAGATTCTTCCAAGTGAAGTTCAGAGAGACCCGGAA
GAGATTATCTGGTCCATGAGCCCTGTGGTGGATGGTGTGGTGTATCCCAGATGACCCTTTGGTG
CTCCTGACCCAGGGGAAGGTTTCATCTGTGCCCTACCTTCTAGGTGTCAACAACCTGGAATTC
AATTGGCTCTTGCCTTATAATATCACCAAGGAGCAGGTACCACTTGTGGTGGAGGAGTACCTG
GACAATGTCAATGAGCATGACTGGAAGATGCTACGAAACCGTATGATGGACATAGTTCAAGAT
GCCACTTTCGTGTATGCCACACTGCAGACTGCTCACTACCACCGAGAAACCCCAATGATGGGA
ATCTGCCCTGCTGGCCACGCTACAACAAGGATGAAAAGTACCTGCAGCTGGATTTTACCACAA
GAGTGGGCATGAAGCTCAAGGAGAAGAAGATGGCTTTTTGGATGAGTCTGTACCAGTCTCAA
GACCTGAGAAGCAGAGGCAATTCTAAGGGTGGCTATGCAGGAAGGAGCCAAAGAGGGGTTTGC
CCCCACCATCCAGGCCCTGGGGAGACTAGCCATGGACATACTGGGGACAAGAGTTCTACCCA
CCCCAGTTTAGAACTGCAGGAGCTCCCTGCTGCCTCCAGGCCAAAGCTAGAGCTTTTGCCTGT
TGTGTGGGACCTGCACTGCCCTTTCAGCCTGACATCCCATGATGCCCTCTACTTCACTGTT
GACATCCAGTTAGGCCAGGCCCTGTCAACACCACACTGTGCTCAGCTCTCCAGCCTCAGGACA
ACCTCTTTTTTCCCTTCTTCAAATCCTCCCACCCTTCAATGTCTCCTTGTGACTCCTTCTTA
TGGGAGGTCGACCCAGACTGCCACTGCCCTGTCACTGCACCCAGCTTGGCATTTACCATCCA
TCCTGCTCAACCTTGTTCTGTCTGTTCACATTGGCCTGGAGGCCTAGGGCAGGTTGTGACAT
GGAGCAAACCTTTTGGTAGTTTGGGATCTTCTCTCCCACCCACACTTATCTCCCCAGGGCCAC
TCCAAAGTCTATACACAGGGGTGGTCTCTTCAATAAAGAAGTGTGATTAGAAAAAAAAA

58/615

FIGURE 58

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44179

<subunit 1 of 1, 545 aa, 1 stop

<MW: 58934, pI: 9.45, NX(S/T): 4

MSTGFSFGSGTLGSTITVAAGGTSTGGVFSFGTGTSSNPSVGLNFGNLGSTSTPATTSAPSSGF
GTGLFGSKPATGFTLGGTNTGALHTKRPQVVTKYGTLOGKQMHVGKTPIQVFLGVPPFSRPPLG
ILRFAPPEPPEPWKGIRDATTYPGWSLALSPGWSAVARSRLTATSASRVQASLLPQPLSVWG
YRCLQESWGQLASMYVSTRERYKWLRFSEDCLYLNVYAPARAPGDPQLPVMVWFPGGAFIVGA
ASSYEGSDLAAREKVVLVFLQHLRGIFGFLSTDDSHARGNWGLLDQMAALRWVQENIAAFGGD
PGNVTILFGQSAGAMSISGLMMSPLASGLFHRAISQSGTALFRLFITSNPLKVAKKVAHLACGN
HNSTQILVNCLRALSGTKVMRVS NKMRFLQLNFQRPDEEIIWSMSPVVDGVVIPDDPLVLLTQ
GKVSSVPYLLGVNNLEFNWLLPYNITKEQVPLVVEEYLDNVNEHDWKMLRNRMMDIVQDATFV
YATLQTAHYHRETPMMGICPAGHATTRMKSTCSWILPQEWA

Important features:**Signal peptide:**

amino acids 1-29

Carboxylesterases type-B serine active site.

amino acids 312-327

Carboxylesterases type-B signature 2.

amino acids 218-228

N-glycosylation sites.

amino acids 318-321, 380-383 and 465-468

59/615

FIGURE 59

CGGACGCGTGGGCTGGGCGCTGCAAAGCGTGTCCCGCCGGGTCCCCGAGCGTCCCGCGCCCTC
GCCCCGCCATGCTCCTGCTGCTGGGCGTGTGCCCTGGGGCTGTCCCTGTGTGTGGGGTCGCAGG
AAGAGGCGCAGAGCTGGGGCCACTCTTCGGAGCAGGATGGACTCAGGGTCCCGAGGCAAGTCA
GACTGTTGCAGAGGCTGAAAACCAACCTTTGATGACAGAATTCTCAGTGAAGTCTACCATCA
TTTCCCGTTATGCCTTCACTACGGTTTCCTGCAGAATGCTGAACAGAGCTTCTGAAGACCAGG
ACATTGAGTTCCAGATGCAGATTCCAGCTGCAGCTTTCATCACCAACTTCACTATGCTTATTG
GAGACAAGGTGTATCAGGGCGAAATTACAGAGAGAGAAAAGAAGAGTGGTGATAGGGTAAAAG
AGAAAAGGAATAAAACCACAGAAGAAAATGGAGAGAAGGGGACTGAAATATTCAGAGCTTCTG
CAGTGATTCCCAGCAAGGACAAAGCCGCTTTTTCTGAGTTATGAGGAGCTTCTGCAGAGGC
GCCTGGGCAAGTACGAGCACAGCATCAGCGTGC GGCCCCAGCAGCTGTCCGGGAGGCTGAGCG
TGGACGTGAATATCCTGGAGAGCGCGGGCATCGCATCCCTGGAGGTGCTGCCGCTTCACAACA
GCAGGCAGAGGGGCAGTGGGCGCGGGGAAGATGATTCTGGGCCTCCCCCATCTACTGTCATTA
ACCAAAATGAAACATTTGCCAACATAATTTTTTAAACCTACTGTAGTACAACAAGCCAGGATTG
CCCAGAATGGAATTTTGGGAGACTTTATCATTAGATATGACGTCAATAGAGAACAGAGCATTG
GGGACATCCAGGTTCTAAATGGCTATTTTGTGCACTACTTTGCTCCTAAAGACCTTCTCCTT
TACCCAAGAATGTGGTATTTCGTGCTTGACAGCAGTGCTTCTATGGTGGGAACCAAACTCCGGC
AGACCAAGGATGCCCTCTTACAATTCTCCATGACCTCCGACCCAGGACCGTTTTCAGTATCA
TTGGATTTTCCAACCGGATCAAAGTATGGAAGGACCACTTGATATCAGTCACTCCAGACAGCA
TCAGGGATGGGAAAGTGTACATTACCATATGTCACCCACTGGAGGCACAGACATCAACGGGG
CCCTGCAGAGGGCCATCAGGCTCCTCAACAAGTACGTGGCCCACAGTGGCATTGGAGACCGGA
GCGTGTCCCTCATCGTCTTCTGACGGATGGGAAGCCCACGGTCGGGGAGACGCACACCCTCA
AGATCCTCAACAACACCCGAGAGGCCGCCGAGGCCAAGTCTGCATCTTACCATTGGCATCG
GCAACGACGTGGACTTCAGGCTGCTGGAGAACTGTGCTGGAGAACTGTGGCCTCACACGGC
GCGTGCACGAGGAGGAGGACGCAGGCTCGCAGCTCATCGGGTTCTACGATGAAATCAGGACCC
CGCTCCTCTCTGACATCCGCATCGATTATCCCCCAGCTCAGTGGTGCAGGCCACCAAGACCC
TGTTCCCCAACTACTTCAACGGCTCGGAGATCATCATTGCGGGGAAGCTGGTGGACAGGAAGC
TGGATCACCTGCACGTGGAGGTCACCGCCAGCAACAGTAAGAAATTCATCATCCTGAAGACAG
ATGTGCCTGTGCGGCTCAGAAGGCAGGGAAAGATGTCACAGGAAGCCCCAGGCCTGGAGGCG
ATGGAGAGGGGGACACCAACCACATCGAGCGTCTCTGGAGCTACCTCACCACAAAGGAGCTGC
TGAGCTCCTGGCTGCAAAGTGACGATGAACCGGAGAAGGAGCGGCTGCGGCAGCGGGCCCAGG
CCCTGGCTGTGAGCTACCGCTTCTCACTCCCTTACCTCCATGAAGCTGAGGGGGCCGCTCC
CACGCATGGATGGCCTGGAGGAGGCCACGGCATGTGCGCTGCCATGGGACCCGAACCGGTGG
TGCAGAGCGTGCAGGAGCTGGCAGCAGCCAGGACCTTTGCTCAAGAAGCCAAACTCCGTCA
AAAAAAAACAAAACAAAACAAAAAAGACATGGGAGAGATGGTGTTCCTCTCCACCACC
TGGGGATACGATGAGAAGATGGCCACCTGCAAGCCAGGAAGACGGCCCTCACCAGACACCATG
TCTGCTGGCACCTTGATCTTGGACCTCCAGCCTCCAGAACTGTGAGAAATAAATGTGTTTTG
TTTAAGCTAAA

60/615

FIGURE 60

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44192

<subunit 1 of 1, 694 aa, 1 stop

<MW: 77400, pI: 9.54, NX(S/T): 6

MLLLGLCLGLSLCVGSQEAAQSWGHSSEQDGLRVPRQVRLQLRKTPLMTEFSVKSTIISR
YAFTTVSCRMLNRASEDQDIEFQMQUIPAAAFITNFTMLIGDKVYQGEITEREKKSGDRVKEKR
NKTTEENGEKGTETFRASAVIPSKDKAAFFLSYEELLQRRLGKYEHSISVRPQQLSGRLSVDV
NILESAGIASLEVLPLHNSRQRGSGRGEDDSGPPPSTVINQNETFANIIFKPTVVQQARIAQN
GILGDFIIRYDVNREQSIGDIQVLNGYFVHYFAPKDLPLPKNVVFLDSSASMVGTKLRQTK
DALFTILHDLRPQDRFSIIGFSNRIKVWKDHLISVTPDSIRDGKVYIHHMSPTGGTDINGALQ
RAIRLLNKYVAHSGIGDRSVSLIVFLTDGKPTVGETHTLKLNNNTREAARGQVCIFTIGIGND
VDFRLLEKLSLENCGLTRRVHEEEDAGSQLIGFYDEIRTPLLSDIRIDYPPSSVVQATKTLFP
NYFNGSEIIAGKLVDRKLDHLHVEVTASNSKKFIILKTDVPVRPQKAGKDVGTGSPRPGGDGE
GDTNHIERLWSYLTTKELLSSWLQSDDEPEKERLRQRAQALAVSYRFLTPFTSMKLRGPVPRM
DGLEEAHGMSAAMGPEPVVQSVRGAGTQPGPLLKKPNSVKKKQNKTKKRHGRDGVFPLHHLGIR

Signal sequence.

amino acids 1-14

N-glycosylation sites.

amino acids 97-101, 127-131, 231-235, 421-425, 508-512, 674-678

Glycosaminoglycan attachment sites.

amino acids 213-217, 391-395

N-myristoylation sites.

amino acids 6-12, 10-16, 212-218, 370-376, 632-638, 638-644

61/615

FIGURE 61

CAGGAACCCCTCTCTTTGGGTCTGGATTGGGACCCCTTTCCAGTACCATTTTTTCTAGTGAACC
ACGAAGGGACGATACCAGAAAACACCCTCAACCCAAAGGAAATAGACTACAGCCCCAATTGGC
TGACTTTGGCTATAGAAAAAGAAAGGAACGAAAAGAGACAGTTTTTTTTGGAAAGCTAAGTC
TTCCCTTTATCGAGTCAAGAAACCCCCCTTCTTGAGCTATTTACAGCTTTTAAACAATTGAGT
AAAGTACGCTCCGGTCACCA**ATG**GTGACAGCCGCCCTGGGTCCCGTCTGGGCAGCGCTCCTGCT
CTTTCTCCTGATGTGTGAGATCCGTATGGTGGAGCTCACCTTTGACAGAGCTGTGGCCAGCGG
CTGCCAACGGTGCTGTGACTCTGAGGACCCCTGGATCCTGCCCATGTATCCTCAGCCTCTTC
CTCCGGCCGCCCCACGCCCTGCCTGAGATCAGACCCTACATTAATATCACCATCCTGAAGGG
TGACAAAGGGGACCCAGGCCCAATGGGCCTGCCAGGGTACATGGGCAGGGAGGGTCCCCAAGG
GGAGCCTGGCCCTCAGGGCAGCAAGGGTGACAAGGGGGAGATGGGCAGCCCCGGCGCCCCGTG
CCAGAAGCGCTTCTTCGCCCTTCTCAGTGGGCCGCAAGACGGCCCTGCACAGCGCCGAGGACTT
CCAGACGCTGCTCTTCGAAAGGGTCTTTGTGAACCTTGATGGGTGCTTTGACATGGCGACCGG
CCAGTTTGCTGCTCCCTGCGTGGCATCTACTTCTTCAGCCTCAATGTGCACAGCTGGAATTA
CAAGGAGACGTACGTGCACATTATGCATAACCAGAAAGAGGCTGTATCCTGTACGCGCAGCC
CAGCGAGCGCAGCATCATGCAGAGCCAGAGTGTGATGCTGGACCTGGCCTACGGGGACCGCGT
CTGGGTGCGGCTCTTCAAGCGCCAGCGCGAGAACGCCATCTACAGCAACGACTTCGACACCTA
CATCACCTTCAGCGGCCACCTCATCAAGGCCGAGGACGACT**TA**GAGGGCCTCTGGGCCACCCCTCC
CGGCTGGAGAGCTCAGGTGCTGGTCCCGTCCCTGCAGGGCTCAGTTTGCACTGCTGTGAAGC
AGGAAGGCCAGGGAGGTCCCCGGGGACCTGGCATTCTGGGGAGACCCTGCTTCTATCTTGGCT
GCCATCATCCCTCCCAGCCTATTTCTGCTCCTCTCTCTCTCTCTTGGACCTATTTTAAGAAGCT
TGCTAACCTAAATATTCTAGAACTTTCCAGCCTCGTAGCCAGCACTTCTCAAACCTTGGAAA
TGCATGCGAATCACCCGGGGTTCGTGTAAATGCAGATTCTGACTCAGCAGGTCTGAGTGGGT
CCAGGATTCTGTGTTTCTCATATGTTCTGGGTGATGCTGATGGGGTCAGTCTATGAACCACA
CTGGAGCAACCAGGTTCTAGGACTTTCTCAATATTCTAGTACTTTCTGAACATTCTGGAATCC
TCCCCACATTCTAGAATTCTCCCAACATTTTTTTTTTCTTGAGACAGAGTCTTGCTCTGTTGCC
CAGGCTAGAGTGCAGTGGTGCAATCTCAGTTCACTGCAACCTCTGCCTCCCGGGTTCAGCGA
TTCTTCTGCCTCAGCCTCCCTAGTGGCTGGGATTACAGGCGCCTGCTACCATGCCTGGCTAAT
TTTTGTATTTTTAGTAGAGATGGGGTTTACCATATTGGCCAGGCTGGTCTTGAACCTCCTGAC
TTCAGGTGACCCACCCGCTCGGCCTCTCAAATGCTGGGATTACAGGTGTGAGCCACCGTGC
CTGGCCAATTCCAACATTCTTAAATTCTCTCATCCCTCCAGGGCTCCCCGTGCTATGTTCTCT
TTACCCCTTCCCCCTCTTCTCTTGCTCAGGCCTGCACCACTGCAGCCACCGTTCATTTTATTCA
TTCATTAAACACTGAGCACTCACTCTGTGCTGGGTCCCGGGAAGGGTGAGGGGGTTCAGACACA
GGCCCTGCCCTGCCCTCAGTGAAGTGGCCAGTCCAGCCCAGGCGGGGAGAGATGTGTACATAG
GTTTTAAAGCAGACCCAGAGCTCATGGGGGCCTGTGTTCTGGGTGTTCAAGGTGCTGCTGGTCC
TCCATTACCCACTGCTCCCCAAGGCTGGTGGGACGGGGTCCCGGTGGCAGGGGCAGGTATCTC
CTTCCCGTTTCTCATCCACCTGCCAGTGCTCATCGTTACAGCAAACCCAGGGGGCCTTGGC
CAGGTCAAGGGTTCTGTGAGGAGAGGACCCAGGAGTGTGGGGGCATTTGGGGGGTGAAGTGGC
CCCCGAAGAATGGAACCCACACCCATAGCTCTCCCCACAGCTGATACGGCATCCTGCGAGAAG
ACCTGCCCTCCTCACTGGGATCCCCTTCTGCTCCTCCCAGGGCTCTGCCAGGGCCTTGCTC
AGTCCCTTCCACCAAAGTCATCTGAACCTCCGTTTCCCCAGGGCCTCCAGCTGCCCTCAGACA
CTGATGTCTGTCCCCAGGTGCTCTCTGCCCTCATGCCCTCTCACCGGCCCCAGTGGCCCCGAC
TCTCCAGGCTTTATCAAGGTGCTAAGGCCCGGGTGGGCAGCTCCTCGTCTCAGAGCCCTCCTC
CGGCTGGTGCTGCCTTTACAAACACCTGCAGGAGAAGGGCCACGGAAGCCCCAGGCTTTAGA
GCCCTCAGCAGGTCTGGGGAGCTAGAGCAAAGGAGGGACCTCAGGCCTTCCGTTTCTTCTTCC
AGGGTGGGGTGGCCTGGTGTTCCTTAGCCTTCCAAACCCAGGTGGCCTGCCCTTCTCCCCAG
AGGGAGGCGGCCTCCGCCCATTTGGTGTCTATGCAGACTCTGGGGCTGAGGTGCCCGGGGGGT
GATCTCTGGTGCTCACAGCCGAGGGAGCCGTGGCTCCATGGCCAGATGACGGAAACAGGGTCT
GACCAAGTGCCAGGAAGACCTGTGCTATAAACACCCCTGCCTGATCCTGCCCTGCCTGACCC
CGCCACGCCCTGCCGTCCAGCATGATTAAAGTATGCTGTCTCCTCTTGAAAAA

62/615

FIGURE 62

MVTAALGPVWAALLLFLLMCEIRMVELTFDRAVASGCQRCCDSEDPLDPAHVSSASSSSGRPHA
LPEIRPYINITILKGDGDPGPMGLPGYMGREGPGQGEPPQGSKGDKGEMGSPGAPCQKRFFA
FSVGRKTALHSGEDFQTLLFERVFNLDGCFDMATGQFAAPLRGIYFFSLNVHSWNYKETIVH
IMHNQKEAVILYAQPSESRIMQSQSVMLDLAYGDRVVWVRLFKRQRENAIYSNDFDTYITFSGH
LIKAEDD

Important features:**Signal peptide:**

amino acids 1-20

N-glycosylation site.

amino acids 72-75

Clq domain proteins.

amino acids 144-178, 78-111 and 84-117

63/615

FIGURE 63

ATGGGAAGCCAGTAACACTGTGGCCTACTATCTCTTCCGTGGTGCCATCTACATTTTTTGGGAC
TCGGGAATTATGAGGTAGAGGTGGAGGCGGAGCCGGATGTCAGAGGTCTGAAATAGTCACCA
TGGGGGAAAATGATCCGCCTGCTGTTGAAGCCCCCTTCTCATTCCGATCGCTTTTTTGGCCTTG
ATGATTTGAAAATAAGTCCTGTTGCACCAGATGCAGATGCTGTTGCTGCACAGATCCTGTCAC
TGCTGCCATTGAAGTTTTTTCCAATCATCGTCATTGGGATCATTGCATTGATATTAGCACTGG
CCATTGGTCTGGGCATCCACTTCGACTGCTCAGGGAAGTACAGATGTCGCTCATCCTTTAAGT
GTATCGAGCTGATAGCTCGATGTGACGGAGTCTCGGATTGCAAAGACGGGGAGGACGAGTACC
GCTGTGTCCGGGTGGGTGGTCAGAAATGCCGTGCTCCAGGTGTTTACAGCTGCTTCGTGGAAGA
CCATGTGCTCCGATGACTGGAAGGGTCACTACGCAAATGTTGCCTGTGCCCAACTGGGTTTCC
CAAGCTATGTGAGTTCAGATAACCTCAGAGTGAGCTCGCTGGAGGGGCAGTTCGGGGAGGAGT
TTGTGTCCATCGATCACCTCTTGCCAGATGACAAGGTGACTGCATTACCACTCAGTATATG
TGAGGGAGGGATGTGCCTCTGGCCACGTGGTTACCTTGCAAGTGCACAGCCTGTGGTCATAGAA
GGGGCTACAGCTCACGCATCGTGGGTGGAAACATGTCCTTGCTCTCGCAGTGGCCCTGGCAGG
CCAGCCTTCAGTTCAGGGCTACCACTGTGCGGGGGCTCTGTATCACGCCCCTGTGGATCA
TCACTGCTGCACACTGTGTTTATGACTTGTACCTCCCCAAGTCATGGACCATCCAGGTGGGT
TAGTTTCCCTGTTGGACAATCCAGCCCCATCCCACTTGGTGGAGAAGATTGTCTACCACAGCA
AGTACAAGCCAAAGAGGCTGGGCAATGACATCGCCCTTATGAAGCTGGCCGGGGCACTCACGT
TCAATGAAATGATCCAGCCTGTGTGCCTGCCCACTCTGAAGAGAAGTTCCTCCCGATGGAAAAG
TGTGCTGGACCTCAGGATGGGGGGCCACAGAGGTGGAGGTGACGCCTCCCCTGTCTGAACC
ACGCGGGCCGTCCCTTTGATTTTCCAACAAGATCTGCAACCACAGGGACGTGTACGGTGGCATCA
TCTCCCCCTCCATGCTCTGCGGGGTACCTGACGGGTGGCGTGGACAGTGGCAGGGGGACA
GCGGGGGGGCCCCCTGGTGTGTCAAGAGAGGAGGCTGTGGAAGTTAGTGGGAGCGACCAGCTTTG
GCATCGGCTGCGCAGAGGTGAACAAGCCTGGGGTGTACACCCGTGTACCTCCTTCCTGGACT
GGATCCACGAGCAGATGGAGAGAGACCTAAAAACCT**TGA**AGAGGAAGGGGACAAGTAGCCACCT
GAGTTCCTGAGGTGATGAAGACAGCCCGATCCTCCCCTGGACTCCCGTGTAGGAACCTGCACA
CGAGCAGACACCCTTGGAGCTCTGAGTTCCGGCACCAGTAGCAGGCCCGAAAGAGGCACCCTT
CCATCTGATTCAGCACAACTTCAAGCTGCTTTTTTGTGTTTTTGTGTTTTTGTGAGGTGGAGTCT
CGCTCTGTTGCCAGGCTGGAGTGCAGTGGCGAAATCCCTGCTCACTGCAGCCTCCGCTTCCC
TGGTTCAAGCGATTCTCTTGCTCAGCTTCCCAGTAGCTGGGACCACAGGTGCCCGCCACCA
CACCCAACCTAATTTTTGTATTTTTTAGTAGAGACAGGGTTTTACCATGTTGGCCAGGCTGCTCT
CAAACCCCTGACCTCAAATGATGTGCCTGCTTCAGCCTCCACAGTGCTGGGATTACAGGCAT
GGGCCACCACGCCTAGCCTCACGCTCCTTTCTGATCTTCACTAAGAACAAAAGAAGCAGCAAC
TTGCAAGGGCGGCCTTTCCCACTGGTCCATCTGGTTTTTCTCTCCAGGGTCTTGCAAAATTCCT
GACGAGATAAGCAGTTATGTGACCTCACGTGCAAAGCCACCAACAGCCACTCAGAAAAGACGC
ACCAGCCCAGAAGTGCAAGCTGCAGTCACTGCACGTTTTTCATCTCTAGGGACCAGAACCAAA
CCCACCCTTTCTACTTCCAAGACTTATTTTACATGTGGGGAGGTTAATCTAGGAATGACTCG
TTTAAGGCCTATTTTTCATGATTTCTTTGTAGCATTGGTGCTTGACGTATTATTGTCTTTGA
TTCCAAATAATATGTTTCTTCCCTCATTGTCTGGCGTGTCTGCGTGGACTGGTGACGTGAAT
CAAAATCATCCACTGAAA

64/615

FIGURE 64

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45234
><subunit 1 of 1, 453 aa, 1 stop
><MW: 49334, pI: 6.32, NX(S/T): 1
MGENDPPAVEAPFSFRSLFGLDDLKISPVAPDADAVAAQILSLLPLKFFPIIVIGIIALILAL
AIGLGIHFDCSGKYRCRSSFKCIELIARCDGVSDCKDGEDEYRCVRVGGQNAVLQVFTAASWK
TMCSDDWKGHYANVACAQLGFPSYVSSDNLRVSSLEGQFREEFVSIDHLLPDDKV TALHHSVY
VREGCASGHVVT LQCTACGHRRGYSSRIVGGNMSLLSQWPWQASLQFQGYHLCGGSVITPLWI
ITAAHCVDLYLPKSWTIQVGLVSLLDNPAPSHLVEKIVYHSKYKPKRLGNDIALMKLAGPLT
FNEMI QPVCLPNSEENFPDGKVCWTSGWGATEDGGDASPVLNHAAPLISNKICNHRDVYGGI
ISPSMLCAGYLTGGVDSCQGDSSGGPLVCQERRLWKLVGATSGF GIGCAEVNKP G VYTRVTSFLD
WIHEQMERDLKT
```

Signal Peptide:
amino acids 1-20

Transmembrane domain:
amino acids 240-284

65/615

FIGURE 65

CGGGCCAGCCTGGGGCGGCCGGCCAGGAACCAACCCGTTAAGGTGTCTTCTCTTTAGGGATGGT
GAGGTTGGAAAAAGACTCCTGTAACCCCTCCTCCAGGATGAACCACTGCCAGAAGACATGGAG
AACGCTCTCACCGGGAGCCAGAGCTCCCATGCTTCTCTGCGCAATATCCATTCCATCAACCCC
ACACAACCTCATGGCCAGGATTGAGTCCTATGAAGGAAGGGAAAAGAAAGGCATATCTGATGTC
AGGAGGACTTTCTGTTTGTGTTGTCACCTTTGACCTCTTATTCGTAACATTACTGTGGATAATA
GAGTTAAATGTGAATGGAGGCATTGAGAACACATTAGAGAAGGAGGTGATGCAGTATGACTAC
TATTCCTTCATATTTTGATATATTTCTTCTGGCAGTTTTTCGATTTAAAGTGTTAATACTTGCA
TATGCTGTGTGCAGACTGCGCCATTGGTGGGCAATAGCGTTGACAACGGCAGTGACCAGTGCC
TTTTTACTAGCAAAAGTGATCCTTTCGAAGCTTTTCTCTCAAGGGGCTTTTGGCTATGTGCTG
CCCATCATTTTCATTCATCCTTGCCCTGGATTGAGACGTGGTTCCTGGATTTCAAAGTGTTACCT
CAAGAAGCAGAAGAAGAAAACAGACTCCTGATAGTTCAGGATGCTTCAGAGAGGGCAGCACTT
ATACCTGGTGGTCTTTCTGATGGTCAGTTTTATTCCCCTCCTGAATCCGAAGCAGGATCTGAA
GAAGCTGAAGAAAAACAGGACAGTGAGAAACCACTTTTAGAACTATGAGTACTACTTTTGTTA
AATGTGAAAAACCCTCACAGAAAGTCATCGAGGCAAAAAGAGGCAGGCAGTGAGTCTCCCTG
TCGACAGTAAAGTTGAAATGGTGACGTCCACTGCTGGCTTTATTGAACAGCTAATAAAGATTT
ATTTATTGTAATACCTCACAAACGTTGTACCATATCCATGCACATTTAGTTGCCTGCCTGTGG
CTGGTAAGGTAATGTCATGATTCATCCTCTCTTCAGTGAGACTGAGCCTGATGTGTTAACAAA
TAGGTGAAGAAAGTCTTGCTGTATTCTTAATCAAAAGACTTAATATATTGAAGTAACACTT
TTTTAGTAAGCAAGATACCTTTTTTATTTCAATTCACAGAATGGAATTTTTTTGTTTCATGTCT
CAGATTTATTTGTATTTCTTTTTTAACACTCTACATTTCCCTTGTTTTTAACTCATGCACA
TGTGCTCTTTGTACAGTTTTAAAAAGTGTAATAAAATCTGACATGTCAATGTGGCTAGTTTTTA
TTTTTCTTGTTTTGCATTATGTGTATGGCCTGAAGTGTTGGACTTGCAAAAGGGGAAGAAAGG
AATTGCGAATACATGTAAATGTCACCAGACATTTGTATTATTTTTATCATGAAATCATGTTT
TTCTCTGATTGTTCTGAAATGTTCTAAATACTCTTATTTTGAATGCACAAAATGACTTAAACC
ATTCATATCATGTTTCTTTGCGTTCAGCCAATTTCAATTAAAATGAACTAAATTAAAAA

66/615

FIGURE 66

MNHLPEDMENALTGSQSSHASLRNIHSINPTQLMARIESYEGREKKGISDVRRTFCLFVTFDL
LFVTLLWIIELNVNGGIENTLEKEVMQYDYYSSYFDIFLLAVFRFKVLILAYAVCRLRHWWAI
ALTTAVTSAFLLAKVILSKLFSQGAFGYVLPPIISFILAWIETWFLDFKVLQPQEAEEENRLLIV
QDASERAALIPGGLSDGQFYSPPESEAGSEEAEEKQDSEKPLLEL

Important features of the protein:**Signal peptide:**

amino acids 1-20

Transmembrane domains:

amino acids 54-72, 100-118, 130-144, 146-166

N-myristoylation sites.

amino acids 14-20, 78-84, 79-85, 202-208, 217-223

67/615

FIGURE 67

AATAAAGCTTCCTTAATGTTGTATATGTCTTTGAAGTACATCCGTGCATTTTTTTTTTAGCATC
CAACCATTCTCCCTTGTAGTTCTCGCCCCCTCAAATCACCTCTCCCGTAGCCACCCGACT
AACATCTCAGTCTCTGAAAATGCACAGAGATGCCTGGCTACCTCGCCCTGCCTTCAGCCTCAC
GGGGCTCAGTCTCTTTTCTCTTTGGTGCCACCAGGACGGAGCATGGAGGTCACAGTACCTGC
CACCTCAACGTCCTCAATGGCTCTGACGCCCCGCTGCCCTGCACCTTCAACTCCTGCTACAC
AGTGAACCACAAACAGTTCTCCCTGAACTGGACTTACCAGGAGTGCAACAACGTCTCTGAGGA
GATGTTCCCTCCAGTTCCGCATGAAGATCATTAACTGAAGCTGGAGCGGTTTCAAGACCGCGT
GGAGTTCTCAGGGAACCCAGCAAGTACGATGTGTCGGTGATGCTGAGAAACGTGCAGCCGGA
GGATGAGGGGATTTACAACCTGCTACATCATGAACCCCCCTGACCGCCACCGTGGCCATGGCAA
GATCCATCTGCAGGTCCCTCATGGAAGAGCCCCCTGAGCGGGACTCCACGGTGGCCGTGATTGT
GGGTGCCTCCGTGCGGGGCTTCTGGCTGTGGTCATCTTGGTGCTGATGGTGGTCAAGTGTGT
GAGGAGAAAAAAGAGCAGAAGCTGAGCACAGATGACCTGAAGACCGAGGAGGAGGGCAAGAC
GGACGGTGAAGGCAACCCGGATGATGGCGCCAAGTAGTGGGTGGCCGGCCCTGCAGCCTCCCG
TGTCCCGTCTCCTCCCCCTCTCCGCCCTGTACAGTGACCTGCCTGCTCGCTCTTGGTGTGCTT
CCCGTACCTAGGACCCAGGGCCCACTGCGGGCTCCTGAACCCCCGACTTCGTATCTCCCA
CCCTGCACCAAGAGTGACCCACTCTCTCCATCCGAGAAACCTGCCATGCTCTGGGACGTGTG
CGCCCTGGGGAGAGGAGAAAGGGCTCCACCTGCCAGTCCCTGGGGGGAGGCAGGAGGCAC
ATGTGAGGGTCCCCAGAGAGAAGGGAGTGGGTGGGCAGGGGTAGAGGAGGGGCCGCTGTCAAC
TGCCAGTGCTTGCCTGGCAGTGGCTTCAGAGAGGACCTGGTGGGGAGGGAGGGCTTTCTGT
GCTGACAGCGCTCCCTCAGGAGGGCTTGGCCTGGCACGGCTGTGCTCCTCCCCTGCTCCAG
CCCAGAGCAGCCATCAGGCTGGAGGTGACGATGAGTTCCTGAAACTTGGAGGGGCATGTTAAA
GGGATGACTGTGCATTCCAGGGCACTGACGGAAGCCAGGGCTGCAGGCAAAGCTGGACATGT
GCCCTGGCCCAGGAGGCCATGTTGGGCCCTCGTTTCCATTGCTAGTGGCCTCCTTGGGGCTCC
TGTTGGCTCCTAATCCCTTAGGACTGTGGATGAGGCCAGACTGGAAGAGCAGCTCCAGGTAGG
GGGCATGTTTCCCAGCGGGGACCCACCAACAGAGGCCAGTTTCAAAGTCAGCTGAGGGGCTG
AGGGGTGGGGCTCCATGGTGAATGCAGGTTGCTGCAGGCTCTGCCTTCTCCATGGGGTAACCA
CCCTCGCCTGGGCAGGGGCAGCCAAGGCTGGGAAATGAGGAGGCCATGCACAGGGTGGGGCAG
CTTTCTTTGGGGCTTCAGTGAGAACTCTCCAGTTGCCCTTGGTGGGGTTTCCACCTGGCTTT
TGGCTACAGAGAGGGAAGGGAAAGCCTGAGGCCGGCATAAGGGGAGGCCTTGGAACTGAGCT
GCCAATGCCAGCCCTGTCCCATCTGCGGCCACGCTACTCGCTCCTCTCCCAACAACCTCCCTTC
GTGGGGACAAAAGTGACAATTGTAGGCCAGGCACAGTGGCTCACGCCTGTAATCCCAGCACTT
TGGGAGGCCAAGGCGGGTGGATTACCTCCATCTGTTTAGTAGAAATGGGCAAAACCCCATCTC
TACTAAAAATACAAGAATTAGCTGGGCGTGGTGGCGTGTGCCTGTAATCCCAGCTATTTGGGA
GGCTGAGGCAGGAGAATCGCTTGAGCCCGGAAGCAGAGGTTGCAGTGAAGTGAATAGTAGTAT
AGTGCCACTGCAATTCAGCCTGGGTGACATAGAGAGACTCCATCTCAAAAAA

68/615

FIGURE 68

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45415
<subunit 1 of 1, 215 aa, 1 stop
<MW: 24326, pI: 6.32, NX(S/T): 4
MHRDAWLPRPAFSLTGLSLFFSLVPPGRSMEVTVPATLNVNLNGSDARLPCTFNSCYTVNHKQF
SLNWTYQECNNCSEEMFLQFRMKIINLKLRFQDRVEFSGNPSKYDVSVMRLRVQPEDEGIYN
CYIMNPPDRHRGHGKIHLQVLMEEPPERDSTVAVIVGASVGGFLAVVILVLMVVKCVRRKKEQ
KLSTDDLKTEEEGKTDGEGNPDDGAK
```

Important features:**Signal peptide:**

amino acids 1-20

Transmembrane domain:

amino acids 161-179

Immunoglobulin-like fold:

amino acids 83-127

N-glycosylation sites.

amino acids 42-45, 66-69 and 74-77

69/615

FIGURE 69

GGCGCCTGGTTCTGCGCGTACTGGCTGTACGGAGCAGGAGCAAGAGGTGCGCGCCAGCCTCCGCGCCGAGCCTC
GTTTCGTGTCCCCGCCCTCGCTCCTGCAGCTACTGCTCAGAAACGCTGGGGCGCCACCCTGGCAGACTAACGAA
GCAGCTCCCTTCCCACCCCAACTGCAGGTCTAATTTTGGACGCTTTGCCTGCCATTTCTCCAGGTTGAGGGAGC
CGCAGAGGCGGAGGCTCGCGTATTCCTGCAGTCAGCACCCACGTCGCCCCCGGACGCTCGGTGCTCAGGCCCTTC
GCGAGCGGGGCTCTCCGTCTGCGGTCCCTTGTGAAGGCTCTGGGCGGCTGCAGAGGCCGGCCGTCCGGTTTGGCT
CACCTCTCCCAGGAACTTCACACTGGAGAGCCAAAAGGAGTGGAAGAGCCTGTCTTGGAGATTTTCTGGGGAA
ATCCTGAGGTCATTCAATATGAAGTGTACCGCGCGGAGTGGCTCAGAGTAACCACAGTGCTGTTTCATGGCTAGA
GCAATTCAGCCATGGTGGTTCCCAATGCCACTTTATTGGAGAACTTTTGGAAAAATACATGGATGAGGATGGT
GAGTGGTGGATAGCCAAACAACGAGGGAAAGGGCCATCACAGACAATGACATGCAGAGTATTTTGGACCTTCAT
AATAAATTACGAAGTCAGGTGTATCCAACAGCCTCTAATATGGAGTATATGACATGGGATGTAGAGCTGGAAAGA
TCTGCAGAATCCTGGGCTGAAAGTTGCTTGTGGGAACATGGACCTGCAAGCTTGCTTCCATCAATTGGACAGAAT
TTGGGAGCCACACTGGGGAAGATATAGGCCCCCGACGTTTCATGTACAATCGTGGTATGATGAAGTGAAAGACTTT
AGCTACCCATATGAACATGAATGCAACCCATATTGTCCATTAGGTGTTCTGGCCCTGTATGTACACATTATACA
CAGGTCGTGTGGGCAACTAGTAACAGAATCGGTTGTGCCATTAATTTGTGTACATAACATGAACATCTGGGGGCGAG
ATATGGCCCAAGCTGTCTACCTGGTGTGCAATTAATCCCAAAGGGAACTGGTGGGGCCATGCCCTTACAAA
CATGGGCGGCCCTGTTCTGCTTGCCACCTAGTTTTGGAGGGGGCTGTAGAGAAAATCTGTGCTACAAAGAAGGG
TCAGACAGGTATTATCCCCCTCGAGAAGAGGAAACAAATGAAATAGAACGACAGCAGTCACAAGTCCATGACACC
CATGTCCGGACAAGATCAGATGATAGTAGCAGAAATGAAGTCATAAGCGCACAGCAATGTCCCAAATTGTTTCT
TGTGAAGTAAGATTAAAGATCAGTGCAAAGGAACAACCTGCAATAGGTACGAATGTCTGCTGGCTGTTTGGAT
AGTAAAGCTAAAGTTATTGGCAGTGTACATTATGAAATGCAATCCAGCATCTGTAGAGCTGCAATTCATTATGGT
ATAATAGACAATGATGGTGGCTGGGTAGATATCACTAGACAAGGAAGAAAGCATTATTTTCATCAAGTCCAATAGA
AATGGTATTCAAACAATTGGCAAAATATCAGTCTGCTAATTCCTTTCACAGTCTCTAAAGTAACAGTTTCAGGCTGTG
ACTTGTGAAACAACCTGTGGAACAGCTCTGTCCATTTCATAAGCCTGCTTCACATTGCCAAGAGTATACTGTCCCT
CGTAACCTGTATGCAAGCAAATCCACATTATGCTCGTGTAAATGGAACTCGAGTTTATTCTGATCTGTCCAGTATC
TGCAGAGCAGCAGTACATGCTGGAGTGGTTGCAAAATCACGGTGGTTATGTTGATGTAATGCCTGTGGACAAAAGA
AAGACCTACATTGCTTCTTTTCAGAATGGAATCTTCTCAGAAAGTTTACAGAATCCTCCAGGAGGAAAGGCATTTC
AGAGTGTTTGCTGTTGTGTGAAGTGAATACTTGGAGAGGACCATAAAGACTATTTCCAAATGCAATATTTCTGA
ATTTTGTATAAACTGTAACATTACTGTACAGAGTACATCAACTATTTTCAGCCCCAAAAGGTGCCAAATGCATA
TAAATCTTGATAAAACAAAGTCTATAAAATAAAACATGGGACATTAGCTTTGGGAAAAGTAAATGAAAATATAATGG
TTTTAGAAATCCTGTGTTAAATATTGCTATATTTTCTTAGCAGTTATTTCTACAGTTAATTACATAGTCATGATT
GTTCTACGTTTCATATATTATATGGTGTCTTGTATATGCCACTAATAAAATGAATCTAAACATTGAATGTGAATG
GCCCTCAGAAAATCATCTAGTCATTTAAAAATAATCGACTCTAAAACCTGAAAGAAACCTTATCACATTTTCCCC
AGTTCAATGCTATGCCATTACCAACTCCAAATAATCTCAAATAATTTTCCACTTAATAACTGTAAAGTTTTTTTC
TGTTAATTTAGGCATATAGAATATTAAATCTGATATTGCACCTCTTATTTTATATAAAATAATCCTTTAATATC
CAAATGAATCTGTTAAATGTTTGGATTTCCTTGGGAATGGCCTTAAAAATAAATGTAATAAAGTCAGAGTGGTGGT
ATGAAAACATTCTAGTGATCATGTAGTAAATGTAGGGTTAAGCATGGACAGCCAGAGCTTTCTATGTACTGTTA
AAATTGAGGTCACATATTTTCTTTGTATCCTGGCAAATACTCCTGCAGGCCAGGAAGTATAATAGCAAAAAGTT
GAACAAAGATGAACTAATGTATTACATTACCATTGCCACTGATTTTTTTTTAAATGGTAAATGACCTTGTATATAA
ATATTGCCATATCATGGTACCTATAATGGTGATATATTGTTTCTATGAAAAATGTATTGTGCTTTGATACTAAA
AATCTGTAAAAATGTTAGTTTTGGTAATTTTTTTTCTGCTGGTGGATTTACATATTAAATTTTTTCTGCTGGTGGAA
TAAACATTAAAAATTAATCATGTTTCAAAAAA

70/615

FIGURE 70

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45417
<subunit 1 of 1, 500 aa, 1 stop
<MW: 56888, pI: 8.53, NX(S/T): 2
MKCTAREWLRVTTVLFMARAI PAMVVPNATLLEK LLEKYMDEDGEWWIAKQRGKRAITDNDMQ
SILDLHNKLR SQVYPTASNMEYMTWDVELERSAESWAESCLWEHGPASLLPSIGQNLGAHWGR
YRPPTFHVQSWYDEVKDFSYPYEHECNPYCPFRCSGPVCTHYTQV VWATSNRIGCAINLCHNM
NIWGQIWPKAVYLV CNYSPKGNWWGHAPYKHGRPCSACPPSFGGGCRENLCYKEGSDRY YPPR
EETNEIERQQSQVHDTHVRTRSDDSSRNEVIS AQQMSQIVSCEVRLRDQCKGTT CNRYECPA
GCLDSKAKVIGSVHYEMQSSICRAAIHYGIIDNDGGWVDITRQGRKH YFIKSNRNGIQTIGKY
QSANSFTVSKVTVQAVTCETTVEQLCPFHKPASHCPRVYCPRNCMQANPHYARVIGTRVYSDL
SSICRAAVHAGVVRNHGGYVDVMPVDKRKTYIASFQNGIFSESLQNPPGGKA FRVFAVV
```

Important features:**Signal peptide:**

amino acids 1-20

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7 protein

amino acids 165-186, 196-218, 134-146, 96-108 and 58-77

N-glycosylation site

amino acids 28-31

71/615

FIGURE 71

CAGCCCCGCGCGCCGGCCGAGTCGCTGAGCCGCGGCTGCCGGACGGGACGGGACCGGCTAGGC
TGGGCGCGCCCCCGGGCCCCGCCGTGGGC**ATG**GGCGCACTGGCCCCGGGCGCTGCTGCTGCCT
CTGCTGGCCAGTGGCTCCTGCGCGCCGCCCGGAGCTGGCCCCGCGCCCTTCACGCTGCCC
CTCCGGGTGGCCGCGGCCACGAACCGCGTAGTTGCGCCACCCCGGGACCCGGGACCCCTGCC
GAGCGCCACGCCGACGGCTTGGCGCTCGCCCTGGAGCCTGCCCTGGCGTCCCCGCGGGCGCC
GCCAACTTCTTGGCCATGGTAGACAACCTGCAGGGGGACTCTGGCCGCGGCTACTACCTGGAG
ATGCTGATCGGGACCCCCCGCAGAAGCTACAGATTCTCGTTGACACTGGAAGCAGTAACTTT
GCCGTGGCAGGAACCCCCGCACTCCTACATAGACACGTACTTTGACACAGAGAGGTCTAGCACA
TACCGCTCCAAGGGCTTTGACGTCACAGTGAAGTACACACAAGGAAGCTGGACGGGCTTCGTT
GGGGAAGACCTCGTCACCATCCCCAAAGGCTTCAATACTTCTTTTCTTGTCAACATTGCCACT
ATTTTTGAATCAGAGAATTTCTTTTTGCGCTGGGATTAAATGGAATGGAATACTTGGCCTAGCT
TATGCCACACTTGCCAAGCCATCAAGTTCTCTGGAGACCTTCTTCGACTCCCTGGTGACACAA
GCAAACATCCCCAACGTTTTCTCCATGCAGATGTGTGGAGCCGGCTTGCCCGTTGCTGGATCT
GGGACCAACGGAGGTAGTCTTGTCTTGGGTGGAATTGAACCAAGTTTGTATAAAGGAGACATC
TGGTATACCCCTATTAAGGAAGAGTGGTACTACCAGATAGAAATTCTGAAATTGGAAATTGGA
GGCCAAAGCCTTAATCTGGACTGCAGAGAGTATAACGCAGACAAGGCCATCGTGGACAGTGGC
ACCACGCTGCTGCGCCTGCCCCAGAAGGTGTTTGATGCGGTGGTGGAAAGCTGTGGCCCGCGCA
TCTCTGATTCCAGAATTCTCTGATGGTTTTCTGGACTGGGTCCCAGCTGGCGTGCTGGACGAAT
TCGGAAACACCTTGGTCTTACTTCCCTAAAATCTCCATCTACCTGAGAGACGAGAACTCCAGC
AGGTCATTCCGTATCACAATCCTGCCTCAGCTTTACATTACAGCCCATGATGGGGGCCGGCCTG
AATTATGAATGTTACCGATTTCGGCATTTCCCCATCCACAAATGCGCTGGTGATCGGTGCCACG
GTGATGGAGGGCTTCTACGTCATCTTCGACAGAGCCCAGAAGAGGGTGGGCTTCGACGCGAGC
CCCTGTGCAGAAATTGCAGGTGCTGCAGTGTCTGAAATTTCCGGGCCTTCTCAACAGAGGAT
GTAGCCAGCAACTGTGTCCCCGCTCAGTCTTTGAGCGAGCCCATTTTGTGGATTGTGTCTTAT
GCGCTCATGAGCGTCTGTGGAGCCATCCTCCTTGTCTTAATCGTCCTGCTGCTGCTGCCGTTT
CGGTGTCAGCGTCGCCCCCGTGACCCTGAGGTCGTCAATGATGAGTCCTCTCTGGTCAGACAT
CGCTGGAAAT**TGA**ATAGCCAGGCCTGACCTCAAGCAACCATGAACTCAGCTATTAAGAAAATCA
CATTTCCAGGGCAGCAGCCGGGATCGATGGTGGCGCTTTCTCCTGTGCCCACCCGTCTTCAAT
CTCTGTTCTGCTCCCAGATGCCTTCTAGATTCACTGTCTTTGATTCTTGATTTTCAAGCTTT
CAAATCCTCCCTACTTCCAAGAAAAATAATTAAAAAAAACCTTCATTCTAA

72/615

FIGURE 72

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA45493
><subunit 1 of 1, 518 aa, 1 stop
><MW: 56180, pI: 5.08, NX(S/T): 2
MGALARALLLPLLAQWLLRAAPELAPAPFTLPLRVAAATNRVVAPTGP GPTPAERHADGLALA
LEPALASPAGAAANFLAMVDNLQGD SGRGYYLEMLIGTPPQKLQILVDTGSSNF AVAGTPHSYI
DTYFDTERSSTYRSKGFDTV KYTQGSWTGFVGEDLVTIPKGFNTSFLVNIATIF ESENFFLP
GIKWNGILGLAYATLAKPSSSLETFFDSLVTQANIPNVFSMQMCGAGLPVAGSGTNGGSLVLG
GIEPSLYKGD IWTPIKEEWYYQIEILKLEIGGQSLNLD CREYNADKAIVDSGTTLLRLPQKV
F DAVVEAVARASLIPEFSDGFWTGSQ LACWTNSETPWSYFPKISIYLRDENSSRSFRITILPQ
LYIQPMMGAGLNYECYRFGISPSTNALVIGATVMEGFYVIFDRAQKRVGFAASPCA EIAGAAV
SEISGPFSTEDVASNCVPAQSLSEPI LWIVSYALMSVC GAILLV LIVLLLLLPFR CQRRPRDPE
VVNDESSLVRHRWK
```

Important features:**Signal peptide:**

amino acids 1-20

Transmembrane domain:

amino acids 466-494

N-glycosylation sites.

amino acids 170-173 and 366-369

Leucine zipper pattern.

amino acids 10-31 and 197-118

Eukaryotic and viral aspartyl proteases

amino acids 109-118, 252-261 and 298-310

73/615

FIGURE 73

GCCGCGGCGAGAGCGCGCCAGCCCGCCGCGATGCCCGCGCGCCAGGACGCCTCCTCCCGCTGCTGGCCCCGGC
CGGCGGCCCTGACTGCGCTGCTGCTGCTGCTGCTGGGCCATGGCGGCGCGGGCGCTGGGGCGCCCCGGGCCAGG
AGGCGGCGGCGGCGGCGGCGGACGGGCCCCCGCGGCAGACGGCGAGGACGGACAGGACCCGCACAGCAAGCACC
TGTACACGGCCGACATGTTACGCACGGGATCCAGAGCGCCGCGCACTTCGTTCATGTTCTTCGCGCCCTGGTGTG
GACACTGCCAGCGGCTGCAGCCGACTTGAATGACCTGGGAGACAAATACAACAGCATGGAAGATGCCAAAGTCT
ATGTGGCTAAAGTGGACTGCACGGCCCACTCCGACGTGTGCTCCGCCCAGGGGGTGGCAGGATACCCCACTTAA
AGCTTTTCAAGCCAGGCCAAGAAGCTGTGAAGTACCAGGGTCCTCGGGACTTCCAGACACTGGAAAACTGGATGC
TGCAGACACTGAACGAGGAGCCAGTGACACCAGAGCCGGAAGTGAACCGCCCACTGCCCGGAGCTCAAGCAAG
GGCTGTATGAGCTCTCAGCAAGCAACTTTGAGCTGCACGTTGCACAAGGCGACCACTTTATCAAGTTCTTCGCTC
CGTGGTGTGGTCACTGCAAAGCCCTGGCTCCAACCTGGGAGCAGCTGGCTCTGGGCCTTGAACATTCGAAACTG
TCAAGATTGGCAAGGTTGATTGTACACAGCACTATGAACCTCTGCTCCGGAACCAAGGTTCTGGCTATCCCACTC
TTCTCTGGTTCCGAGATGGGAAAAAGGTGGATCAGTACAAGGAAAGCGGATTGAGTCACTGAGGGAGTACG
TGGAGTCGCAGCTGCAGCGCACAGAGACTGGAGCGACGGAGACCGTCACGCCCTCAGAGGCCCGGTTGCTGGCAG
CTGAGCCCGAGGCTGACAAGGGCACTGTGTTGGCACTCACTGAAAATAACTTCGATGACACCATTGCAGAAGGAA
TAACCTTCATCAAGTTTATGCTCCATGGTGTGGTCATTGTAAGACTCTGGCTCCTACTTTGGGAGGAACTCTCTA
AAAAGGAATTCCCTGGTCTGGCGGGGGTCAAGATCGCCGAAGTAGACTGCACTGCTGAACGGAATATCTGCAGCA
AGTATTCGGTACGAGGCTACCCACGTTATTGCTTTTCCGAGGAGGGAAGAAAGTCAGTGAGCACAGTGGAGGCA
GAGACCTTGACTCGTTACACCGCTTTGTCTGAGCCAAGCGAAAGACGAACCTTAGGAACACAGTTGGAGGTAC
CTCTCCTGCCAGCTCCCGCACCTGCGTTTAGGAGTTTCACTCCACAGAGGCCACTGGGTTCCAGTGGTGGCT
GTTCAGAAAGCAGAACATACTAAGCGTGAGGTATCTTCTTTGTGTGTGTGTTTTCCAAGCCAACACACTCTACAG
ATTCTTTATTAAGTTAAGTTTCTCTAAGTAAATGTGTAACCTCATGGTCACTGTGTAAACATTTTTAGTGGCGATA
TATCCCTTTGACCTTCTCTTGATGAAATTTACATGGTTTCTTTGAGACTAAAATAGCGTTGAGGGAAATGAAA
TTGCTGGACTATTTGTGGCTCCTGAGTTGAGTGATTTGGTGAAAGAAAGCACATCCAAAGCATAGTTTACCTGC
CCACGAGTTCTGGAAAGGTGGCCTTGTGGCAGTATTGACGTTCTCTGATCTTAAGGTACAGTTGACTCAATAC
TGTGTTGGTCCGTAGCATGGAGCAGATTGAAATGCAAAAACCCACACCTCTGGAAGATACCTTACGGCCGCTGC
TGGAGCTTCTGTTGCTGTGAATACTTCTCTCAGTGTGAGAGGTTAGCCGTGATGAAAGCAGCGTTACTTCTGACC
GTGCCTGAGTAAGAGAATGCTGATGCCATAACTTTATGTGTCGATACTTGTCAAATCAGTTACTGTTTCAGGGGAT
CCTTCTGTTTCTCACGGGGTGAAACATGTCTTTAGTTCTCATGTTAACACGAAGCCAGAGCCACATGAACTGT
TGGATGCTTCTCTTAGAAAGGGTAGGCATGGAAAATCCACGAGGCTCATTCTCAGTATCTCATTAACTCATGTA
AAGATTCCAGTTGTATTTGTACCTGGGGTGACAAGACCAGACAGGCTTTCCAGGCCTGGGTATCCAGGGAGGC
TCTGCAGCCCTGCTGAAGGGCCCTAACTAGAGTTCTAGAGTTTCTGATTCTGTTTCTCAGTAGTCCTTTTAGAGG
CTTGCTATACTTGGTCTGCTTCAAGGAGGTCGACCTTCTAATGTATGAAGAATGGGATGCATTTGATCTCAAGAC
CAAAGACAGATGTCAGTGGGCTGCTCTGGCCCTGGTGTGCACGGCTGTGGCAGCTGTTGATGCCAGTGTCTCTA
ACTCATGCTGTCCTTGTGATTAAACACCTCTATCTCCCTTGGGAATAAGCACATACAGGCTTAAGCTCTAAGATA
GATAGGTGTTTGCCTTTTACCATCGAGCTACTTCCATAATAACCACTTTGCATCCAACACTCTTACCCACCT
CCCATAACGCAAGGGGATGTGGATACTTGGCCCAAAGTAAGTGGTGGTAGGAATCTTAGAAACAAGACCACTTATA
CTGTCTGTCTGAGGCAGAAGATAACAGCAGCATCTCGACCAGCCTCTGCCTTAAAGGAAATCTTTATTAATCAGG
TATGGTTCACAGATAATTCTTTTTTAAAAAACCACCTCCTAGAGAAGCACAACTGTCAAGAGTCTTGTACA
CACAACCTCAGCTTGCATCAGGAGTCTTGATTCCAGAAAAATCAAAGTGGTACAATTTGTTTGTTTACACTAT
GATACTTTCTAAATAAACTCTTTTTTTTTTAA

74/615

FIGURE 74

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA46776
><subunit 1 of 1, 432 aa, 1 stop
><MW: 47629, pI: 5.90, NX(S/T): 0
MPARPGRLLPLLARPAALTALLLLLLLGHGGGGRWGARAQEAADGPPAADGEDGQDPHSK
HLYTADMETHGIQSAAHFVMFFAPWCGHCQRLQPTWNDLGDKYNSMEDAKVYVAKVDCTAHS
VCSAQGVRGYPTLKLFPKPGQEA VKYQGPRDFQTLNWMQLNEEPVTPEPEVEPPSAPELKQ
GLYELASNFELHVAQGDHFIKFFAPWCGHCKALAPTWEQLALGLEHSETVKIGKVDCTQH
YELCSGNQVRGYPTLLWFRDGGKVDQYKGRDLESLREYVESQLQRTETGATETVTPSEAPV
LAAEPEADKGTVLALTENNFDDTIAEGITFIKFYAPWCGHCKTLAPTWEELSKKEFPGLAGV
KIAEVDCTAERNICKYSVRGYPTLLLFRRGGKKVSEHSGGRDLDLHFRFVLSQAKDEL
```

Signal sequence:
amino acids 1-32

75/615

FIGURE 75A

CGGACGCGTGGGCGGACGCGTGGGCAAAAGAACTCGGAGTGCCAAAGCTAAATAAGTTAGCTGAGAAAACGCACG
CAGTTTGCAGCGCTGCGCCGGGTGCGCCAACTACGCAAAGACCAAGCGGGCTCCGCGCGGACCGGCCGCGGGG
TAGGGACCCGGCTTTGGCCTTCAGGCTCCCTAGCAGCGGGGAAAAGGAATTGCTGCCCGGAGTTTCTGCGGAGGT
GGAGGGAGATCAGGAAACGGCTTCTTCTCACTTCGCCGCTGGTGAAGTGTCGGGGAGATTGGCAAACGCCATAGG
AAAGGACTGGGGAAAATAGCCCTGGGAAAGTGGAGAAGGTGATCAGGAGGCCGGTCCACTACGGCAGTTTATCTG
TCTGATCAGAGCCAGACGCGACGCGTCCACTTCGAGTTCTTCCAGGTGTGGGGACCGCAGGACAGACGGCCGA
TCCCGCGCCCTCCGTACCAGCACTCCCAGGAGAGTCAGCCTCGCTCCCCAACGTCGAGGGCGCTCTGGCCACGA
AAAGTTCTGTCCACTGTGATTCTCAATTCCTTGCTTGGTTTTTTTCTCCAGAGAACTTTTGGGTGGAGATATTA
ACTTTTTTCTTTTTTTTTTCTTGGTGAAGCTGCTCTAGGGAGGGGGAGGAGGAGGAGAAAGTGAAATGTGC
TGGAGAAGAGCGAGCCCTCCTTGTCTTCCGGAGTCCCATCCATTAAGCCATCACTTCTGGAAGATTAAAGTTGT
CGGACATGGTGACAGCTGAGAGGAGAGGAGGATTTCTTGCCAGGTGGAGAGTCTTACCCTGTGTTGGGTGCATG
TGTGCGCCCGCAGCGGCGCGGGGCGCGTGGTTCTCCGCGTGGAGTCTCACCTGGGACCTGAGTGAATGGCTCCCA
GGGCTGTGCGGGCATCCGCTCCGCTTCTCCACAGGCCTGTGTCTGTCTGCTGGAAGATGCTAGCAATGGGGG
CGCTGGCAGGATTTGGATCCTCTGCCTCCTCACTTATGGTTACCTGTCTGGGGCCAGGCCCTTAGAAGAGGAGG
AAGAAGGGGCCCTTACTAGCTCAAGCTGGAGAGAACTAGAGCCAGCACAACCTCCACCTCCAGCCCCATCTCA
TTTTCATCTAGCGGATGATCAGGGATTTAGAGATGTGGGTTACCACGGATCTGAGATTAAAACACCTACTCTTG
ACAAGCTCGCTGCCGAAGGAGTTAAACTGGAGAAGTACTATGTCCAGCCTATTTGCACACCATCCAGGAGTCAGT
TTATTACTGGAAAGTATCAGATACACACCGGACTTCAACATTCTATCATAAGACCTACCCAACCCAACCTGTTTAC
CTCTGGACAATGCCACCTACCTCAGAACTGAAGGAGGTTGGATATTCAACGCATATGGTCGGAAGATGGCACT
TGGGTTTTTAACAGAAAAGATGCATGCCACCAGAAGAGGATTTGATACCTTTTTTGGTTCCCTTTTGGGAAGTG
GGGATTACTATACACACTACAAATGTGACAGTCCCTGGGATGTGTGGCTATGACTTGTATGAAAACGACAATGCTG
CCTGGGACTATGACAATGGCATATACTCCACAAGATGTACACTCAGAGAGTACAGCAAATCTTAGCTTCCCAT
ACCCACAAAGCCTATATTTTATATACTGCCATCAAGCTGTTTATTACCACTGCAAGCTCCTGGCAGGTATT
TCGAACACTACCGATCCATTATCAACATAAACAGGAGAAGATATGCTGCCATGCTTTCTGCTTAGATGAAGCAA
TCAACAACGTGACATTGGCTCTAAAGACTTATGGTTTCTATAACAACAGCATTATCATTTACTCTTCAGATAATG
GTGGCCAGCCTACGGCAGGAGGAGTAAGTGGCCTCTCAGAGGTAGCAAAGGAACATATTGGGAAGGAGGATCC
GGGCTGTAGGCTTTGTGCATAGCCCACTTCTGAAAACAGGGAACAGTGTGTAAAGGAACCTGTGCACATCACTG
ACTGGTACCCCACTCTCATTTCACTGGCTGAAGGACAGATTGATGAGGACATTCAACTAGATGGCTATGATATCT
AGGAGACCATAAGTGAGGGTCTTCGCTCACCCGAGTAGATATTTTGCATAACATTGACCCCTATACCAACAGGC
AAAAAATGGCTCCTGGGCAGCAGGCTATGGGATCTGGAACACTGCAATCCAGTCAGCCATCAGATGCACTG
GAAATTGCTTACAGGAAATCCTGGCTACAGCGACTGGGTCCCCCTCAGTCTTTCAGCAACCTGGGACCGAACC
GTGGCACAATGAACGGATCACCTTGTCAACTGGCAAAAGTGTATGGCTTTTCAACATCACAGCCGACCATATGA
GAGGGTGGACCTATCTAACAGGTATCCAGGAATCGTGAAGAAGCTCCTACGGAGGCTCTCACAGTTCAACAAAAC
TGCAGTGCCGGTCAGGTATCCCCCAAAGACCCAGAAAGTAAACCCTAGGCTCAATGGAGGGGTCTGGGGACCATG
GTCAAGAGGGAAGCAAGAAAAGAAAGCAAGCAAAATCAGGCTGAGAAAAGCAAAAGCAAAAGCAAAAGCA
GAAGAAGAAACAGCAGAAAGCAGTCTCAGGTAAACAGCAAAATTTGGCTCGATAATATCGCTGGCCCTAAGCGTCA
GGCTTGTGTTTTCATGCTGTGCCACTCCAGAGACTTCTGCCACCTGGCCGCCCACTGAAAAGTGTCTGCTCAGTG
CCAAGGTGCTACTCTTGAAGCCACACTTAGAGAGAGTGAGATGTTTATTTCTCTCGCTCCTTTAGAAAACGTG
GTGAGTCTGAGTTCCACTGCTGTGCTTCAGTCAACTGACCAAACACTGCTTTGAATTATAGGAGGAGAACATA
ACCTACCATCCGCAAGCATGCTAATTTGATGGAAGTTACAGGGTAGCATGATTAAAACCTACCTTTGATAAATTAC
AGTCAAAGATTGTGTACCTCAAAGGCCTTGAAGAATATATTTTCTTGGTGAATTTTGTATGTCTGTCAATGA
CACTTGGGTTTTTTAATTAATTCTATTTTATATATATAAATATATGTTTCTTTTCTGTGAAAAGCTGTTTTTCT
CACATGTGAACAGCTTGACCTCATTTTACCATGCGTGAGGGAATGGCAAATAAGAATGTTTGAGCACACTGCCC
ACAATGAATGTAATATTTTCTAAACACTTTACTAGAAGAACATTTTCAATATAAAAAACCTAATTTATTTTACA
GAAAAATATTTTGTGTTTTTATAAAAAGTTATGCAAATGACTTTTATTTTATTTTCTGCTATACCATTAGAAGA
ATTTTATTTTCAATTTCTCAAATTATCAAGCACTGTAATACTATAAATTAATGTAATACTGTGTGAATTCAGACTA
TAAAAACATCATTCAGAAAACCTTTATAATCGTCATTGTTCAATCAAGATTTTGAATGTAATAAGATGAATATAT
ATTACTTGGAAATTCATGTTTGTGTCAGAGTTGAGACAACCTTTATTGTTTCTATCATAAACTATTTATGTATCTT
AATTATTAATAATGATTTACTTTATGGCACTAGAAAATTTACTGTGGCTTTTCTGATCTAAGTCTAGCTAAAAT
GTATCATTTGCTCTAAAAAATAAAATCTTTACTAATAGGCAATTGAAGGAATGGTTTGTACAAACACAGTAA
TATAATATGATTTTACAGATAGATGCTTCCCTTGGCTATGACATGGAGAAAGATTTTCCCATATAATAACTAA
TATTATATTTAGTTGGTGCAAAACTAGTTCGGTTTTTCCATTAAAAGTAATAACCTTACTCTTATACAAAGT
GGACACTGTGGGGAGATACAGAGAAATGGAAGTACCGACTCCTGCCCTGGAGTAGGTAACCTTGCTTGGAAACCC
ACATGCAACGTGATGAGGAGAATTAAAGGAGTATTATCAGTAATGAAGTTTATCATGGGTGATCAATGAGCATA
GATTGGTGTGGATCCTGTAGACCCTGGTGTGTTTTCTTTGAAGTGCCCTCTCCTAATGCAGAGGCCTTGAAGCTTAC

FIGURE 75B

[illegible]

77/615

FIGURE 76

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48296
><subunit 1 of 1, 515 aa, 1 stop
><MW: 56885, pI: 6.49, NX(S/T): 5
MAPRGCAGHPPPPSPQACVCPGKMLAMGALAGFWILCLLTGYLSWGQALEEEEEGALLAQAGEKLEPSTTSTSQ
PHLIFILADDQGFRDVGYPHGSEIKTPTLDKLAAGVKLENYYVQPICTPSRSQFITGKYQIHTGLQHSIIRPTQP
NCLPLDNATLPQKLKEVGYSTHVMVGKWHLGFNKECMPTRRGFDFFGSLLGSGDYTHYKCDSPGMCYDLYEN
DNAAWDYDNGIYSTQMYTORVQQILASHNPTKPIFLYTAYQAVHSPLQAPGRYFEHYRSIININRRRYAAMLSC
DEAINNVTLALKTYGFYNNIIYSSDNGGQPTAGGSNWPLRGSKGTYWEGGIRAVGVFVHSPLLKNKGTVCVELV
HITDWYPTLISLAEGQIDEDIQLDGYDIWETISEGLRSPRVDILHNIDPYTPRQKMAPGQQAMGSGTLQSSQPSE
CSTGNCLQEILATATGSPLSLSATWDRTGGTMNGSPCQLAKVYGFSTSQPTHMRGWTYLTGIQES
```

Important Features:**Signal Peptide:**

amino acids 1-37

Sulfatases signature 1.

amino acids 120-132

Sulfatases signature 2.

amino acids 168-177

Tyrosine kinase phosphorylation site.

amino acids 163-169

N-glycosylation sites.

amino acids 157-160, 306-309 and 318-321

78/615

FIGURE 77

AAAAAAGCTCACTAAAGTTTCTATTAGAGCGAATACGGTAGATTTCCATCCCCTTTTGAAGAACAGTACTGTGGA
GCTATTTAAGAGATAAAAAACGAAATATCCTTTCTGGGAGTTCAAGATTGTGCAGTAATTGGTTAGGACTCTGAGC
GCCGCTGTTTACCAATCGGGGAGAGAAAAGCGGAGATCTGCTCGCCTTGCACGCGCCTGAAGCACAAAGCAGAT
AGCTAGGAATGAACCATCCCTGGGAGTATGTGGAAACAACGGAGGAGCTCTGACTTCCCAACTGTCCCATTCTAT
GGGCGAAGGAACTGCTCCTGACTTCAGTGGTTAAGGGCAGAATTGAAAATAATTCTGGAGGAAGATAAGAAATGAT
TCCTGCGCGACTGCACCGGGACTACAAAGGGCTTGTCTGCTGGGAATCCTCCTGGGGACTCTGTGGGAGACCGG
ATGCACCCAGATACGCTATTAGTTCGGGAAGAGCTGGAGAAAGGCTCTAGGGTGGGCGACATCTCCAGGGACCT
GGGGCTGGAGCCCCGGGAGCTCGCGGAGCGCGGAGTCCGCATCATCCCCAGAGGTAGGACGCAGCTTTTCGCCCT
GAATCCGCGCAGCGGCAGCTTGGTCACGGCGGGCAGGATAGACCGGGAGGAGCTCTGTATGGGGGCCATCAAGTG
TCAATTAATCTAGACATTCTGATGGAGGATAAAGTGAAAATATATGGAGTAGAAGTAGAAGTAAGGGACATTAA
CGACAATGCGCCTTACTTTCTGTAAGTGAATTAGAAATAAAAATTAGTGAAAATGCAGCCACTGAGATGCGGTT
CCCTCTACCCACGCTGGGATCCGGATATCGGGAAGAACTCTCTGCAGAGCTACGAGCTCAGCCCGAACACTCA
CTTCTCCCTCATCGTGCAAAATGGAGCCGACGGTAGTAAGTACCCGAATTGGTGCTGAAACGCGCCCTGGACCG
CGAAGAAAAGGCTGCTCACCACCTGGTCTTACGGCCTCCGACGGGGGCGACCCGGTGCGCACAGGCACCGCGCG
CATCCGCGTGATGGTTCTGGATGCGAACGACAACGCCACCGCGTTTGTCTAGCCCGAGTACCGCGCGAGCGTTCC
GGAGAATCTGGCCTTGGGCACGCAGCTGCTTGTAGTCAACGCTACCGACCCTGACGAAGGAGTCAATGCGGAAGT
GAGGTATTCTTCCGGTATGTGGACGACAAGGCGGCCCAAGTTTTCAAAGTAGATTGTAATTCAGGGACAATATC
AACAATAGGGGAGTTGGACCACGAGGAGTCAGGATTCTACCAGATGGAAGTGCAAGCAATGGATAATGCAGGATA
TTCTGCGCGAGCCAAAGTCTTGATCACTGTTCTGGACGTGAACGACAATGCCCGAGAAGTGGTCTCACCTCTCT
CGCCAGCTCGGTTCCCGAAACTCTCCAGAGGACATTAATTGCCCTTTTAAATGTAAATGACCAAGATTCTGA
GGAAAACGGACAGGTGATCTGTTTCTCATCAAGGAAATCTGCCCTTTTAAATAGAAAAATCTTACGGAAATTA
TAGTTTAGTCACAGACATAGTCTTGGATAGGGAACAGGTTTCTAGCTACAACATCACAGTGACCGCCACTGACCG
GGGAACCCCGCCCCATCCACGGAAACTCATATCTCGCTGAACGTGGCAGACACCAACGACAACCCGCCGCTCTT
CCCTCAGGCCTCCTATTCCGCTTATATCCAGAGAACAATCCAGAGGAGTTTCCCTCGTCTCTGTGACCGCCCA
CGACCCCGACTGTGAAGAGAACGCCAGATCACTTATCCCTGGCTGAGAACACCATCAAGGGGCAAGCCTATC
GTCCTACGTGTCCATCAACTCCGACACTGGGGTACTGTATGCGCTGAGCTCCTTCGACTACGAGCAGTTCCGAGA
CTTGCAAGTGAAAGTGATGGCGCGGGACAACGGGCACCCGCCCTCAGCAGCAACGTGTGCTTGAGCCTGTTCTG
GCTGGACCAGAACGACAATGCGCCCGAGATCCTGTACCCCGCCCTCCCCACGGACGGTTCCACTGGCGTGGAGCT
GGCTCCCCGCTCCGAGAGCCCGGCTACCTGGTGACCAAGGTGGTGGCGGTGGACAGAGACTCCGGCCAGAACGC
CTGGCTGTCTACCGTCTGCTCAAGGCCAGCGAGCCGGGACTCTTCTCGGTGGGTCTGCACACGGGCGAGGTGCG
CACGGCGGAGCCCTGTGGACAGAGACGCGCTCAAGCAGAGCCTCGTAGTGGCCGTCCAGGACCACGGCCAGCC
CCCTCTCTCCGCCACTGTACGCTCACCGTGGCCGTGGCCGACAGCATCCCCAAGTCTTGGCGGACCTCGGCAG
CCTCGAGTCTCCAGCTAACTCTGAAACCTCAGACCTCACTCTGTACCTGGTGGTAGCGGTGGCCGCGGTCTCCTG
CGTCTTCTGGCCTTCTGTCTGCTGCTGGCGCTCAGGCTGCGGCGCTGGCACAAGTCACGCTGCTGCAGGC
TTCAGGAGGCGGCTTGACAGGAGCGCCGGCGTCGCACTTTGTGGCGGTGGACGGGGTGCAGGCTTTCCTGCAGAC
CTATTTCCACGAGGTTTCCCTCACCACGGACTCGCGGAAGAGTCACCTGATCTTCCCCAGCCCAACTATGCAGA
CATGCTCGTCAGCCAGGAGAGCTTTGAAAAAAGCGAGCCCTTTTGTCTGTCAGGTGATTGCGTATTTTCTAAAGA
CAGTCATGGGTTAATTGAGGTGAGTTTATATCAAATCTTCTTTCTTTTCTTTTAAATTGCTCTGTCTCCCAAGC
TGGAGTGCAGCGGTACGATCATAGCTCACTGCGGCCTCAAACCTCCTAGGCTCAAGCAATTATCCACCTTTGCCT
CCGGTGTAAACAGGGACTACAGGTGCAAGCCACCTACTGTCTGCCTATCTATCTATCTATCTATCTATCTAT
CTATCTATCTATCTATCTATTACTTTCTTGTACAGACGGGAGTCTCAGCCTGTAATCCAGTACTTTGGGAGGC
CGAGGCGGGTGGATCACCTGAGGTTGGGAGTTTGGAGCAGCCTGACCAACATGGAGAAACCCCGTCTATACTAA
AAAAATACAAATTAGCCGGGCGTGGTGGTGCATGCTGTAATCCAGCTACTTGGGAGGCTGAGTCAGGAGAAT
TGCTTTAACTGGGAGGTGGAGGTGCAATGAGCTGAGATTGTGCCATTGCACTCCAGCCTGGGCAACAAGAGTG
AAACTCTATCTCA

79/615

FIGURE 78

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48306
><subunit 1 of 1, 916 aa, 1 stop
><MW: 100204, pI: 4.92, NX(S/T): 4
MIPARLHRDYKGLVLLGILLGTLWETGCTQIRYSVP EELEKGSRVGDISRDLGLEPRELAERGVRRIIPRGRTQLF
ALNPRSGSLVTAGRIDREELCMGAIKCQLNLDILMEDKVKIYGVEVEVRDINDNAPYFRESELEIKISENAATEM
RFPLPHAWDPDIGKNSLQSYELSPNTHFSLIVQNGADGSKYPELVLKRALDREEKAAHHLVLTASDGGDPVRTGT
ARIRVMVLDANDNAPAFAPQPEYRASVPENLALGTQLLVVNATDPDEGVNAEVRYSFRYVDDKAAQVFKLDCNSGT
ISTIGELDHEESGFGYQMEVQAMDNAGYSARAKVLITVLDVNDNAPEVVLTSLASSVPENSPRGTLIALLNVDQD
SEENGQVICFIQGNLPFKLEKSYGNYYSLVTDIVLDREQVPSYNITVTATDRGTPPLSTETHISLNVADTNDNPP
VFPQASYSAYIPENNPRGVSLVSVTAHDPDCEENAQITYSLAENTIQGASLSSYVSINSDTGVLYALSSFDYEQF
RDLQVKVMARDNGHPPPLSSNVSLSLFVLDQNDNAPEILYPALPTDGSTGVELAPRSAEPGYLVTKVVAVDRDSGQ
NAWLSYRLLKASEPGLFSVGLHTGEVRTARALLDRDALKQSLVVAVQDGHGQPPLSATVTLTVAVADSIPQVLADL
GSLESPANSETSDLTLYLVVAVAAVSCVFLAFVILLALLRLRRWHKSRLLQASGGGLTGAPASHFVGVDGVQAF
QTYSHEVSLTTDSRKSHLIFPQPNYADMLVSQESFEKSEPLLLSGDSVFSKDSHGLIEVSLYQIFFLFFFNCSVS
QAGVQRYDHSSLRPQTFRLLKQLSHLCLRCNRDVRCKPPTVCLSIYLSIYLSIYLSIYLLLSCTDGLTPVIPVLW
EAEAGGSPEVGS LRPA
```

Signal sequence:

amino acids 1-30

Transmembrane domains:

amino acids 693-711, 809-823, 869-888

80/615

FIGURE 79

AGCCGCTGCCCCGGGCGGGCGCCCGCGGGCACCATGAGTCCCCGCTCGTGCCCTGCGTTGCTGCGCCTCCTC
GTCTTCGCCGCTCTTCTCAGCCGCGCGAGCAACTGGCTGTACCTGGCCAAGCTGTGCTCGGTGGGGAGCATCTCA
GAGGAGGAGACGTGCGAGAACTCAAGGGCCTGATCCAGAGGCAGGTGCAGATGTGCAAGCGGAACCTGGAAGTC
ATGGACTCGGTGCGCCGCGGTGCCAGCTGGCCATTGAGGAGTGCCAGTACCAGTTCGGGAACGGCGCTGGAAC
TGCTCCACACTCGACTCCTTGCCCGTCTTCGGCAAGGTGGTGACGCAAGGGACTCGGGAGGCGGCCCTTCGTGTAC
GCCATCTCTTCGGCAGGTGTGGCCTTTCAGTGACGCGGGCGTGACGAGTGGGGAGCTGGAGAAGTGCGGCTGT
GACAGGACAGTGCATGGGGTCAGCCACAGGGCTTCCAGTGGTCAGGATGCTCTGACAACATCGCCTACGGTGTG
GCCTTCTCACAGTCGTTTGTGGATGTGCGGGAGAGAAGCAAGGGGGCCTCGTCCAGCAGAGCCCTCATGAACCTC
CACAACAATGAGGCGGGCAGGAAGGCCATCCTGACACACATGCGGGTGGAATGCAAGTGCCACGGGGGTGTCAGGC
TCCTGTGAGGTAAAGACGTGCTGGCGAGCCGTGCCGCCCTTCCGCCAGGTGGGTACGCACTGAAGGAGAAGTTT
GATGGTGCCACTGAGGTGGAGCCACGCCGCTGGGCTCCTCCAGGGCACTGGTACCACGCAACGCACAGTTCAAG
CCGCACACAGATGAGGACCTGGTGTACTTGGAGCCTAGCCCCGACTTCTGTGAGCAGGACATGCGCAGCGGCGTG
CTGGGACAGAGGGGCGCACATGCAACAAGACGTCCAAGGCCATCGACGGCTGTGAGCTGCTGTGCTGTGGCCGC
GGCTTCCACACGGCGCAGGTGGAGCTGGCTGAACGCTGCAGCTGCAAATTCACCTGGTGCTTTCGTCAAGTGC
CGGCAGTGCCAGCGGCTCGTGGAGTTGCACACGTGCCGATGCACCGCTGCCTAGCCCTGCGCCGGCAACCACCTA
GTGGCCCAGGGAAGGCCGATAATTTAAACAGTCTCCCACCACCTACCCCAAGAGATACTGGTTGTATTTTTTGT
CTGGTTTGGTTTTTGGGTCTCATGTTATTTATTGCCGAAACCAGGCAGGCAACCCCAAGGGCACCAACCAGGGC
CTCCCCAAAGCCTGGGCCCTTGTGGCTGCCACTGACCAAAGGGACCTTGCTCGTGCCGCTGGCTGCCCCGATGTG
GCTGCCACTGACCACTCAGTTGTTATCTGTGTCCGTTTTTCTACTTGCAGACCTAAGGTGGAGTAACAAGGAGTA
TTACCACCACATGGCTACTGACCGTGTCTCGGGGAAGAGGGGGCCTTATGGCAGGGAATAGGTACCGACTTG
ATGGAAGTCACACCCTCTGGAAAAAAGAACTCTTAACTCTCCAGCACACATACACATGGACTCCTGGCAGCTTGA
GCCTAGAAGCCATGTCTCTCAAATGCCCTGAGAAAGGGAACAAGCAGATACCAGGTCAAGGGCACCAAGGTTTCATT
TCAGCCCTTACATGGACAGCTAGAGGTTTCGATATCTGTGGGTCTTCCAGGCAAGAAGAGGGAGATGAGAGCAAG
AGACGACTGAAGTCCCACCCTAGAACCCAGCCTGCCCCAGCCTGCCCCTGGGAAGAGGAACTTAACCCTCCCC
AGACCCACCTAGGCAGGCATATAGGCTGCCATCCTGGACCAGGGATCCCGGCTGTGCCTTTGCAGTCATGCCCGA
GTCACCTTTCACAGCGCTGTTCTCCATGAAACTGAAAAACACACACACACACACACACACACACACACACAC
ACACACACACGGACACACACACACACCTGCGAGAGAGAGGGAGGAAAGGGCTGTGCCTTTGCAGTCATGCCCGAG
TCACCTTTCACAGCACTGTTCTC

81/615

FIGURE 80

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48328
<subunit 1 of 1, 351 aa, 1 stop
<MW: 39052, pI: 8.97, NX(S/T): 2
MSPRSCLRSLRLLVFAVFSAAASNWLYLAKLSSVGSISEEETCEKLGKLIQRQVQMCKRNLEVMDSVRRGAQLAI
EECQYQFRNRRWNCSTLDSLVPFGKVVTQGTREAAFVYAISSAGVAFVTRACSSGELEKCGCDRTVHGVSPQGF
QWSGCSDNIAYGVAFSQSFDVVRERSKGASSSRALMNLHNNEAGRKAILTHMRVECKCHGVSGSCEVKTCWRAVP
PFRQVGHALKEKFDGATEVEPRRVGSSRALVPRNAQFKPHTDEDLVYLEPSPDFCEQDMRSGVLGTRGRTCNKTS
KAIDGCELLCCGRGFHTAQVELAERCSCKFHWCCFVKCRQCQRLVELHTCR
```

Important features:**Signal peptide:**

amino acids 1-22

N-glycosylation sites.

amino acids 88-91 and 297-300

Wnt-1 family signature.

amino acids 206-215

Homologous region to Wnt-1 family proteins

amino acids 183-235, 305-350, 97-138, 53-92 and 150 -174

82/615

FIGURE 81

CCGAGCCGGGCGCGCAGCGACGGAGCTGGGGCCGGCCTGGGACCATGGGCGTGAGTGCAATCTACGGATCAGTCT
CTGATGGTGGGTCGTTAACCTCAGTGGGGACTCCAAGATTTCCATGAAGAAAATCAGTTGTCTTCATTCAAGAAT
TGGGGTCTGGCTCAGAATTCCTGCAGCTGGTGAAAATCTGTTTTCTAGAAGAGGTTTAATTAATGCCTGCAGTCT
GACATGTTCCCGATTTGAGGTGAAACCATGAAGAGAAAATAGAATACTTAATAATGCTTTTTCCGCAACCGCTTCT
TGCTGCTGCTGGCCCTGGCTGCGCTGCTGGCCTTTGTGAGCCTCAGCCTGCAGTCTTCCACCTGATCCCGGTGT
CGACTCCTAAGAATGGAATGAGTAGCAAGAGTCGAAAGAGAATCATGCCCCGACCTGTGACGGAGCCCCCTGTGA
CAGACCCCGTTTATGAAGCTCTTTTGTACTGCAACATCCCCAGTGTGGCCGAGCGCAGCATGGAAGGTGATGCCC
CGCATCATTTTAAGCTGGTCTCAGTGCATGTGTTTCATTGCCCACGGAGACAGGTACCCACTGTATGTCATTCCCA
AAACAAAGCGACCAGAAAATTGACTGCACCTCTGGTGGCTAACAGGAAACCGTATCACCCAAAACCTGGAAGCTTCA
TTAGTCACATGTCAAAAGGATCCGGAGCCTCTTTGAAAAGCCCTTGAACCTCTTGCTCTTTACCCAAATCACC
CATTGTGTGAGATGGGAGAGCTCACACAGACAGGAGTTGTGCAGCATTTCAGAACGGTCAGTCTGTGAGGGATA
TCTATCTAAAGAAACAAAACCTCTGCCCCAATGATTGGTCTGCAGACCAGCTCTATTTAGAGACCCTGGGAAAA
GCCGGACCTACAAAGTGGGCTGGCCTTGCTTTATGGCTTTCTCCAGATTTTGACTGGAAGAAGATTTATTTCA
GGCACCAGCCAAGTGGCTGTTCTGCTCTGGAAGCTGCTATTGCCCGGTAAGAAACAGTATCTGGAAGGAGGAGC
AGCGTCGTGAGTACCTCCTACGTTTGAAAAACAGCCAGCTGGAGAAGACCTACGGGGAGATGGCCAAGATCGTGG
ATGTCCCCACCAAGCAGCTTAGAGCTGCCAACCCCATAGACTCCATGCTCTGCCACTTCTGCCACAATGTCAGCT
TTCCCTGTACCAGAAATGGCTGTGTTGACATGGAGCACTTCAAGGTAATTAAGACCCATCAGATCGAGGATGAAA
GGGAAAGACGGGAGAGAAATTGTACTTCGGGTATTCTCTCCTGGGTGCCACCCCATCCTGAACCAAACCATCG
GCCGATGCAGCGTGCCACCGAGGGCAGGAAAGAGCTCTTTGCCCTCTACTCTGCTCATGATGTCAGTCTGT
CACCAGTTCTCAGTGCCCTTGGGCTTTTCAAGCCAGGTTCCCAAGGTTTGAGCCAGGTTGATCTTTGAGCTTT
GGCAAGACAGAGAAAAGCCAGTGAACATTCCGTCCGGATTCTTTACAATGGCGTCGATGTCACATTCCACACCT
CTTTCTGCCAAGACCACCACAAGCGTTCTCCCAAGCCCATGTGCCCGCTTGAAAACCTGGTCCGCTTTGTGAAAA
GGGACATGTTTGTAGCCCTGGGTGGCAGTGGTACAAATTATTATGATGCATGTCACAGGGAAGGATTCTAAAAGG
TATGCAGTACAGCAGTATAGAATCCATGCCAATACAGAGCATAGGGAAAGGTCCACTTCTAGTTTTGTCTGTAC
TAAGGGTAGAAGATTATGCTTTTAAAGGCTAAATATTGTTTGTGGGAACCAAGATGGTTGGGGTTGAACAGT
AAGCACATTGCTGCAATGTGGTACGTGAATTGCTTGGTACAAAATGGCCAGTTCACAGAGGAATAGAAGGTACTT
TATCATAGCCAGACTTCGCTTAGAATGCCAGAATAATATAGTTCAAGACCTGAAGTTGCCAATCCAAGTTTGCAC
TCTTCTGGCCTGCCCCATGTTACTATGTGATGGAACAGCACACCTCAACCAAATTTTTTTAATCTTAGACATT
TTTACCTTGTCTTGTAAAGATTTCTTGAAGTGATTTATCTAAAAATAAGGTTGGCAAACCTTTTCTGTAAAGG
GCCAGATTGTAAATATTTTCACTGTGTGGACCAAAAGGCCACATACAGTCTCTGTCTATACTACTCAACTCTGT
TTCTGAAGCAGGAAAGCCACCACAGACAGTACATAAAGGAATATGTGTAGCTGGGTTCCCAGGCCAGACAAAACA
GATGGTGACCAGACTTGCCCCCTGGGCTGTAGTTTGTGCTGACCCCTCATCTAAAAAATAGGCTATACTACAATTGC
ACTTCCAGCACTTTGAGAACGAGTTGAATACCAAGAATTATTCAATGGTTCTCCAGTAACCTCTGCTAGAAAACA
CAGAATTTGGTCTGTATCTGACACTAGAACAAAACCTTGAGGGTAAATAAACATTGAATTAGAATGAATCATAGAA
AACTGATTAGAAGAATACTTGATGTTTATGATGATTGTGGTACAAGATAGTTTTAAGTATGTTCTAAATATTTGT
CTGCTGTAGTCTATTTGCTGTATATGCTGAAATTTTGTATGCCATTTAGTATTTTTATAGTTTAGGAAAATATT
TTCTAAGACCAGTTTTAGATGACTCTTATTCCTGTAGTAATATTCAATTTGCTGTACCTGCTTGGTGGTTAGAAG
GAGGCTAGAAGATGAATTCAGGCACTTTCTTCCAATAAAAATAATTATGGCTCATTCCCTTTGACAAGCTGTAGA
ACTGGATTCATTTTAAACCATTTTCATCAGTTTCAAATGGTAAATTCGATTGATTTTTAAATGCGTTTTTGGGA
AGAACTTTGCTATTAGGTAGTTTACAGATCTTTATAAGGTGTTTTATATATTAGAAGCAATTATAATTACATCTG
TGATTTCTGAACATAATGGTGCTAATTGAGAGAAATGGAAAGTGAAAGTGAGATTCTCTGTTGTATCGGCATTCC
AACTTTTTCTCTTTGTTTTTGTCCAGTGTTCATTTGAATATGTCTGTTTCTATAATAAATTTTTTAAGAATAA

83/615

FIGURE 82

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA48329
><subunit 1 of 1, 480 aa, 1 stop
><MW: 55240, pI: 9.30, NX(S/T): 2
MLFRNRFLLLLALAALLAFVSLQFFHLIPVSTPKNGMSSKSRKRIMDPVTEPPVTDPVYEALLYCNIPSVAE
RSMEGHAPHHFKLVSVHVFIRHGDRYPYVIPKTKRPEIDCTLVANRKPYHPKLEAFISHMSKSGSGASFESPLNS
LPLYPNHPLCEMGELTQTGVVQHLQNGQLLRDIYLLKKHKLLPNDWSADQLYLETTGKSRTLQSGLALLYGFLPDF
DWKKIYFRHQPSALFCSGSCYCPVRNQYLEKEQRRQYLLRLKNSQLEKTYGEMAKIVDVPTKQLRAANPIDSMC
HFCHNVSPCTRNGCVDMEHFKVIKTHQIEDERERREKKLYFGYSLLGAHPILNQTIGRMQRATEGRKEELFALY
SAHDVTLSPVLSALGLSEARFPFAARLIFELWQDREKPSSEHSVRILYNGVDVTFHTSFCQDHHKRSKPKMCPLE
NLVRFVKRDMFVALGGSGTNYDACHREGF
```

Signal sequence:
amino acids 1-18

84/615

FIGURE 83

TCTCGCAGATAGTAAATAATCTCGGAAAGGCGAGAAAGAAGCTGTCTCCATCTTGTCTGTATCCGCTGCTCTTGT
GACGTTTGTGGAGATGGGGGAGCGTCCTGGGGCTGTGCTCCATGGCGAGCTGGATACCATGTTTGTGTGGAAGTGCC
CCGTGTTTGTCTATGCCGATGCTGTCCTAGTGGAAACAACCTCCACTGTAACCTAGATTGATCTATGCACCTTTCTTG
CTTGTGGAGTATGTGTAGCTTGTGTAATGTTGATACCAGGAATGGAAGAACAACCTGAATAAGATTCTCGGATTT
TGTGAGAATGAGAAAGGTGTTGTCCCTTGTAACATTTTGGTTGGCTATAAAGCTGTATATCGTTTGTGCTTTGGT
TTGGCTATGTTCTATCTTCTTCTCTTTACTAATGATCAAAGTGAAGAGTAGCAGTGATCCTAGAGCTGCAGTG
CACAATGGATTTTGGTTCCTTTAAATTTGCTGCAGCAATTGCAATTATTATTGGGGCATCTTTCATTCCAGAAGGA
ACTTTTACAACCTGTGTGGTTTTATGTAGGCATGGCAGGTGCCTTTTGTTCATCCTCATACAACCTAGTCTTACTT
ATTGATTTTGCACATTCATGGAATGAATCGTGGGTTGAAAAATGGAAGAAGGGAACCTCGAGATGTTGGTATGCA
GCCTTGTATCAGCTACAGCTCTGAATTATCTGCTGTCTTTAGTTGCTATCGTCTGTTCTTTGTCTACTACACT
CATCCAGCCAGTTGTTTCAGAAAAACAAGGCGTTTCATCAGTGTCAACATGCTCCTCTGCGTTGGTGCTTCTGTAATG
TCTATACTGCCAAAAATCCAAGATCACAACCAAGATCTGGTTTGTACAGTCTTCAGTAATTACAGTCTACACA
ATGATTTTGACATGGTCAGCTATGACCAATGAACCAGAAACAATTTGCAACCAAGTCTACTAAGCATAATTGGC
TACAATACAACAAGCACCTGTCCAAAGGAAGGGCAGTCAGTCCAGTGGTGGCATGCTCAAGGAATTATAGGACTA
ATTCTCTTTTTGTTGTGTATTTTATTCCAGCATCCGTACTTCAAACAATAGTCAGGTTAATAAACTGACTCTA
ACAAGTGAATCTACATTAATAGAAGATGGTGGAGCTAGAAGTGATGGATCACTGGAGGATGGGGACGATGTT
CACCGAGCTGTAGATAATGAAAGGGATGGTGTCACTTACAGTTATTCCCTTCTTCACTTCATGCTTTTCTGGCT
TCACTTTATATCATGATGACCTTACCAACTGGTCCAGGTATGAACCTCTCGTGAGATGAAAAGTCAGTGGACA
GCTGTCTGGGTGAAATCTCTTCCAGTTGGATTGGCATCGTGTCTGTATGTTTGGACACTCGTGGCACCCTTGT
CTTACAAATCGTGATTTTGAAGTTGTGTATGTTTTGCTTCCCATGTAACCTCTCCAGTGTCTGGCATGAATTA
GATTTTACTGCTTGTCAATTTGTTATTTTCTTACCAAGTGCATTGATATGTGAAGTAGAATGAATTGCAGAGGAA
AGTTTTATGAATATGGTGATGAGTTAGTAAAAGTGGCCATTATTGGGCTTATTCTCTGCTCTATAGTTGTGAAAT
GAAGAGTAAAAACAATTTGTTGACTATTTTAAATTAATATTAGACCTTAAGCTGTTTGTAGCAAGCATTAAAGC
AAATGTATGGCTGCCTTTGAAATATTTGATGTGTTGCCCTGGCAGGATACTGCAAAGAACATGGTTTATTTTAA
ATTTATAACAAGTCACTTAAATGCCAGTTGTCTGAAAAATCTTATAAGGTTTTACCCTTGATACGGAATTTTACA
CAGGTAGGGAGTGTGTTAGTGGACAATAGTGTAGGTTATGGATGGAGGTGTGCGGTACTAAATTAACAGAGTAA
ATAATCTTACTTGGGTAGAGATGGCCTTTGCCAACAAAGTGAAGTGTGTTTGGTTGTTTTAACTCATGAAGTATG
GGTTCAGTGGAAATGTTTGGAACTCTGAAGGATTTAGACAAGGTTTTGAAAAGGATAATCATGGGTTAGAAGGAA
GTGTTTTGAAAGTCACTTTGAAAGTGTGTTTTGGGCCAGCAGCGTAGCTCACCTTGGTAATCCCAGCACCTTG
GGAGCTTAAGTGGGTAGATTACTTGAGCCCAGGAATTCAGACCAGCTTGGCAGATGGTGAACCTGTTCTATAAAA
ATAATCTGGCTTTGAGCATATGCTGTGGTCCAGCACTGAGAGGCTAGTGAAGATTGCTGAGCCAGAGCCAAAG
GTTGCAGTGAGCAAGTCACGTCACTGCACTCTAGCTGGCAGAGTAAGCCAAAAAATATATATATATTGAAAT
CAAGGAGGCAAAATTTGACAGGGAAGGAAGTAAGTGAACCACTAGGCTTTAGTAGGTACTTATATAAAATC
TAGTCCAGTTCTCTCATTTAAAAAATGAAGACACTGAAATACAGACTTAAATAGCTCAGATAGCTAATTAGGAA
ATTTCAAGTTGGCCAAATAGCATTCTCTGACATTTAAAAATAATTTCTATTCAAAATACATGCATATTGAT
TTACACCTCATACTGTGATAATTAATGTGATGTGGATTGCTGGTGTCCAGCATGACCCATAAACAGGTCAGAAGA
ATGATGGAATGTTTTAGAATAAACTCCTGCTTATAGTATACTACACAGTTCAAAAGATGTTTAAATGCTTTTGT
ATTTACTGCCATGTAATTGAAATATATAGATTATGTAACCTTTCAACCTGAAATCAAGCAGTATGAGAGTTTA
GTTATTTGTATGTGCTAGTGTCTAATGAAGCTTTTAAATCTACAATTTCTTCTTTAAAAATATTTTAAAT
GTGAATGGAATATAACAATTGAGCTTAATTTCCCAACCTTATTCTGTGTGTAGACATTGTATTCCACAATTTTGA
ATGGCTGTGTTTTACCTCTAAATAAATGAATTCAGAGAAAAA

85/615

FIGURE 84

MGSVLGLCSMASWIPCLCGSAPCLLCRCCPSGNNSTVTRLIYALFLLVGVCVACVMLIPGMEEQLNKIPGFCENE
KGVVPCNILVGKAVYRLCFGLAMFYLLSLLMIKVKSSSDPRAAVHNGFWFFKFAAAIAIIIGAFFIPEGTFTT
VWFYVGMAGAFCFILIQVLVLLIDFAHSWNEVWEKMEEGNSRCWYAALLSATALNYLLSLVAIVLFFVYYTHPAS
CSENKAFISVNMLLCVGASVMSILPKIQESQPRSGLLQSSVITVYTMVLTWSAMTNEPETNCNPSLLSIIGYNTT
STVPKEGQSVQWWHAQGIIGLILFLLCVFYSSIRTSNNSQVNKLTLTSDESTLIEDGGARSDGSLEDGDDVHRAV
DNERDGVITYSYSFFHFMLFLASLYIMMTLTNWSRYEPSREMKSQWTAVVWKISSWIGIVLYVWTLVAPLVLTNRDFD

86/615

FIGURE 85

AACAAAGTTCAGTGACTGAGAGGGCTGAGCGGAGGCTGCTGAAGGGGAGAAAGGAGTGAGGAGCTGCTGGGCAGA
GAGGGACTGTCCGGCTCCCAGATGCTGGGCCTCCTGGGGAGCACAGCCCTCGTGGGATGGATCACAGGTGCTGCT
GTGGCGGTCTGCTGCTGCTGCTGCTGCTGGCCACCTGCCTTTTCCACGGACGGCAGGACTGTGACGTGGAGAGG
AACCGTACAGCTGCAGGGGAAACCGAGTCCGCCGGGCCAGCCTTGGCCCTTCCGGCGGCGGGGCCACCTGGGA
ATCTTTCACCATCACCGTCATCCTGGCCACGTATCTCATGTGCCGAATGTGGGCCTCCACCACCACCACCC
CGCCACACCCCTCACCACTCCACCACCACCACCCCCACCGCCACCATCCCCGCCACGCTCGCTGAAGGCTGC
TGTCGCCGGTGCTGTGGACAGCAGCTGCCCCTGCCCTCCCATCTGTTCCCAGGACAAGTGGACCCCATGTTTCC
ATGTGGAAGGATGCATCTCTGGGGTGAACGAGGGGAACAATAGACTGGGGCTTGCTCCAGCTGCATTTGCATGGC
ATGCCCCAGTGTAATGAGCAGCAGAGAATGGAGGAACACTGGGTCTGCAGTGCTGAAGGCTTTGGGGAGTGGAG
AGCAAGGGTGCTCTTTCGGGGCTGGACAGCCCGTCTTGTGACAGTGACTCCAGTGAGCCCCAGAAATGACAAGC
GTGTCTTGGCAGAGCCAGCACACAAGTGGATGTGAAGTGCCCGTCTTGACCTCCTCATCAGGCTGCTGCAGGCCT
CTGGCGGGCAGGGCACTGGGAGAGGCCCTGAGAATGTCTTTTGGTTTGGAGAAGGCAGTGTGAGGCTGCACAGT
CAATTCATCGGTGCCTTAGTCCAAGAAAATAAAAAACCCTAAGAAGCTTTAAAAAAAAAAAAAAAAAAAAA

87/615

FIGURE 86

MLGLLGSTALVGWITGAAVAVLLLLLLLATCLFHGRQDCDVERNRTAAGGNRVRRAPWPFRRRGHLGIFHHHRH
PGHVSHVPNVGLHHHHHPRHTPHHLHHHHHPRHHPRHAR

88/615

FIGURE 87

CCCACGCGTCCGTCCTAGTCCCCGGGCCAACTCGGACAGTTTGCTCATTATTGCAACGGTCAAGGCTGGCTTGT
GCCAGAACGGCGCGCGCGCGCACGACACACACGCGGGGAACTTTTTTAAAAATGAAAGGCTAGAAGA
GCTCAGCGCGCGCGCGCGCGCTGCGCGAGGGCTCCGGAGCTGACTCGCCGAGGCAGGAAATCCCTCCGGTCGCGA
CGCCCGGCCCCGGCTCGGCGCCCCGCTGGGATGGTGCAGCGCTCGCCGCGGGCCCCGAGAGCTGCTGCACTGAAG
GCCGGCGACGATGGCAGCGCGCCCCGCTGCCCCGTGCCCCGCGCGCCCTCCTGCTCGCCCTGGCCGGTGCTCT
GCTCGCGCCCTGCGAGGCCCCGAGGGGTGAGCTTATGGAACCAAGGAAGAGCTGATGAAGTTGTCAGTGCCCTCTGT
TCGGAGTGGGGACCTCTGGATCCCAGTGAAGAGCTTCGACTCCAAGAATCATCCAGAAGTGCTGAATATTCGACT
ACAACGGGAAAGCAAAGAACTGATCATAAATCTGGAAGAAATGAAGTCTCATTGCCAGCAGTTTCACGGAAAC
CCACTATCTGCAAGACGGTACTGATGTCTCCCTCGCTCGAAATTACACGGGTCAGTGTACTACCATGGACATGT
ACGGGGATATTCTGATTGAGCAGTCAGTCTCAGCACGTGTTCTGGTCTCAGGGGACTTATTGTGTTTGAAGATGA
AAGCTATGTCTTAGAACCAATGAAAAGTGCAACCAACAGATACAACTCTTCCAGCGAAGAAGCTGAAAAGCGT
CCGGGGATCATGTGGATCACATCACAAACACCAAACCTCGCTGCAAGAATGTGTTTCCACCACCTCTCAGAC
ATGGGCAAGAAGGCATAAAAGAGAGACCCTCAAGGCAACTAAGTATGTGGAGCTGGTGATCGTGGCAGACAACCG
AGAGTTTTCAGAGGCAAGGAAAAGATCTGGAAGAAAGTTAAGCAGCGATTAAAGAGATTGCTAATCAGTTGACAA
GTTTTACAGACCACTGAACATTTCGGATCGTGTGGTAGGCGTGGAAAGTGTGGAATGACATGGACAAATGCTCTGT
AAGTCAGGACCCATTACACAGCCTCCATGAATTTCTGGACTGGAGGAAGATGAAGCTTCTACCTCGCAATCCCA
TGACAATGCGCAGCTTGTGAGTGGGGTTTATTTCCAAGGGACCACCATCGGCATGGCCCCAATCATGAGCATGTG
CACGGCAGACCACTGCGGGGAATTGTGATGGACCATTCAGACAATCCCTTGGTGCAGCCGTGACCCCTGGCACA
TGAGCTGGGCCACAATTTCCGGATGAATCATGACACACTGGACAGGGGCTGTAGCTGTCAAATGGCGGTTGAGAA
AGGAGGCTGCATCATGAACGCTTCCACCGGGTACCCATTTCCCATGGTGTTCAGCAGTTGCAGCAGGAAGGACTT
GGAGACCAGCCTGGAGAAAGGAATGGGGGTGTGCTGTTTAACTGCGGGAAGTCAGGGAGTCTTTCGGGGGCCA
GAAGTGTGGGAACAGATTTGTGGAAGAAGGAGAGGAGTGTGACTGTGGGGAGCCAGAGGAATGTATGAATCGCTG
CTGCAATGCCACCCTGTACCTGAAGCCGACGCTGTGTGCGCAGATGGGCTGTGCTGTGAAGACTGCCAGCT
GAAGCCTGCAGGAACAGCGTGCAGGGACTCCAGCAACTCCTGTGACCTCCAGAGTTCTGCACAGGGGCCAGCCC
TCACTGCCAGCCAATGTGTACCTGCACGATGGGCACTCATGTGAGGATGTGGACGGCTACTGCTACATGGCAT
CTGCCAGACTCACGAGCAGCAGTGTGTACGCTCTGGGGACAGGTGCTAAACCTGCCCTGGGATCTGCTTTGA
GAGAGTCAATTCTGCAGGTGATCCTTATGGCAACTGTGGCAAAGTCTCGAAGAGTTCTTTGCCAAATGCGAGAT
GAGAGATGCTAAATGTGGAAGAAATCCAGTGTCAAGGAGGTGCCAGCCGGCCAGTCATTGGTACCAATGCCGTTTC
CATAGAAACAAACATCCCTCTGCAGCAAGGAGGCGCGGATTCTGTGCGGGGGACCCACGTGTACTTGGGCGATGA
CATGCCGGACCCAGGGCTTGTGCTTGCAGGCACAAAGTGTGCAGATGGAAAAATCTGCCTGAATCGTCAATGTCA
AAATATTAGTGTCTTGGGGTTCACGAGTGTGCAATGCAGTGCCACGGCAGAGGGGTGTGCAACAACAGGAAGAA
CTGCCACTGCGAGGGCCCACTGGGCACCTCCCTTCTGTGACAAGTTTGGCTTTGGAGGAAGCACAGACAGCGGCC
CATCCGGCAAGCAGAAGCAAGGCAGGAAGCTGCAGAGTCCAACAGGGAGCGCGGCCAGGGCCAGGAGCCCGTGGG
ATCGCAGGAGCATGCGTCTACTGCCTCACTGACACTCATCTGAGCCCTCCCATGACATGGAGACCGTGACCAGTG
CTGCTGCAGAGGAGGTACGCGTCCCCAAGGCCTCCTGTGACTGGCAGCATTGACTCTGTGGCTTTGCCATCGTT
TCCATGACAACAGACACAACACAGTTCTCGGGGCTCAGGAGGGGAAGTCCAGCCTACCAGGCACGTCTGCAGAAA
CAGTGCAAGGAAGGGCAGCGACTTCTGGTTGAGCTTCTGCTAAACATGGACATGCTTCAGTGTCTCTCTGAG
AGAGTAGCAGTTTACCCTCTGGCAGGCCCCAGCCCTGCAGCAAGGAGGAAGAGGACTCAAAAGTCTGGCCTTTC
ACTGAGCCTCCACAGCAGTGGGGGAGAAGCAAGGGTGGGCCCAGTGTCCCTTTCCCAAGTACACCTCAGCCT
TGGCAGCCCTGATGACTGCTCTGGCTGCAACTTAATGCTCTGATATGGCTTTTAGCATTTATTATATGAAAT
AGCAGGGTTTTAGTTTTTAATTTATCAGAGACCTGCCACCCATTCCATCTCCATCCAAGCAAACTGAATGGCAA
TGAAACAACTGGAGAAGAAGGTAGGAGAAAGGGCGGTGAACTCTGGCTCTTGTGCTGTGGACATGCGTGACCAGC
AGTACTCAGGTTTGGGGTTTGCAGAAAGCCAGGGAACCCAGAGTCACCAACCCTTCATTTAACAAGTAAGAA
TGTTAAAAAGTGAAAACAATGTAAGAGCCTAACTCCATCCCCGTGGCCATTACTGCATAAAATAGAGTGCATTT
GAAAT

89/615

FIGURE 88

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA49624
><subunit 1 of 1, 735 aa, 1 stop
><MW: 80177, pI: 7.08, NX(S/T): 5
MAARPLPVSPARALLLAGALLAPCEARGVSLWNQGRADEVVVSASVRSGDLWIPVKSFDKSNHPEVLNIRLQRE
SKELIINLERNEGLIASSFTETHYLQDGTDVSLARNYTGHCIYHGHVRYSDSAVSLSTCSGLRGLIVFENESYV
LEPMKSATNRYKLFPAKKLKSVRGSCGSHHNTPNLAAKNVFPPPSQTWARRHKRETLKATKYVELVIVADNREFQ
RQGDLEKVKQRLIEIANHVDKFYRPLNIRIVLVGVEVWMDMDKCSVSQDPFTSLHEFLDWRKMKLLPRKSHDNA
QLVSGVYFQGTIGMAPIMSMCTADQSGGIVMDHSDNPLGAAVTLAHELGHNFNMNHDTLDRGCSCQMAVEKGGC
IMNASTGYPPPMVFSSCSRKDLETSLEKGMGVCLFNLPEVRESFVGQKCGNRFVEEGEECDCEPEECMNRCCNA
TTCTLKPDCAVCAHGLCCEDCQLKPAGTACRDSSNSCDLPEFCTGASPHCPANVYLHDGHSCQDVGICYNGICQT
HEQQCVTLWGPAGKAPAGICFERVNSAGDPYGNCCKVSKSSFAKCEMRDAKCGKIQCGGASRPVIGTNAVSIET
NIPLQGGGRILCRGTHVYLGDDMPDPGLVLAGTKCADGKICLNRCQONISVFGVHECAMQCHGRGVCNNRKNCHC
EAHWAPPFCDFGFGGSTDSGPIRQAEARQEAAESNRERGGQGEVPGSQEHASTASLTLI
```

Signal peptide:
amino acids 1-28

90/615

FIGURE 89

CTGCTGCATCCGGGTGTCTGGAGGCTGTGGCCGTTTTGTTTTCTTGGCTAAAAATCGGGGGAGTGAGGCGGGCCGG
CGCGGCGCGACACCGGGCTCCGGAACCACTGCACGACGGGGCTGGACTGACCTGAAAAAAATGCTCTGGATTTCTA
GAGGGCTTGAGATGCTCAGAATGCATTGACTGGGGGGAAAAGCGCAATACTATTGCTTCCATTGCTGCTGGTGTA
CTATTTTTTACAGGCTGGTGGATTATCATAGATGCAGCTGTTATTTATCCCACCATGAAAGATTTCAACCACTCA
TACCATGCCTGTGGTGTATAGCAACCATAGCCTTCCTAATGATTAATGCAGTATCGAATGGACAAGTCCGAGGT
GATAGTTACAGTGAAGGTTGTCTGGGTCAAACAGGTGCTCGCATTTGGCTTTTCGTTGGTTTTCATGTTGGCCTTT
GGATCTCTGATTGCATCTATGTGGATTCTTTTTGGAGGTTATGTTGCTAAAGAAAAAGACATAGTATACCCCTGGA
ATTGCTGTATTTTTCCAGAATGCCTTCATCTTTTTTGGAGGGCTGGTTTTTAAGTTTGGCCGCACTGAAGACTTA
TGGCAGTGAACACATCTGATTTCCACAGCACAACAGCCCTGCATGGGTTTGTGTTTTTTTTACTGCTCACTCC
CAACCTTTTGTAAATGCCATTTTCTAACTTATTTCTGAGTGTAGTCTCAGCTTAAAGTTGTGTAATACTAAAATC
ACGAGAACACCTAAACAACAACCAAAAATCTATTGTGGTATGCACTTGATTAAGTTTATAAAATGTTAGAGGAAAC
TTTCACATGAATAATTTTGTCAAATTTTATCATGGTATAATTTGTAAAAATAAAAAGAAATTACAAAAGAAATT
ATGGATTTGTCAATGTAAGTATTTGTCATATCTGAGGTCCAAAACCACAATGAAAGTGCTCTGAAGATTTAATGT
GTTTATTTCAAATGTGGTCTCTTCTGTGTCAAATGTTAAATGAAATATAAACATTTTTTAGTTTTTAAATATTCC
GTGGTCAAATTTCTTCTCACTATAATTGGTATTTACTTTTTACCAAAAATTCTGTGAACATGTAATGTAAGTGGC
TTTTGAGGGTCTCCCAAGGGGTGAGTGGACGTGTTGGAAGAGAGAAGCACCATGGTCCAGCCACCAGGCTCCCTG
TGTCCCTTCCATGGGAAGGTCTTCCGCTGTGCCTCTCATTCCAAGGGCAGGAAGATGTGACTCAGCCATGACACG
TGGTTCTGGTGGGATGCACAGTCACTCCACATCCACCACTG

91/615

FIGURE 90

MSGFLEGLRCSECIDWGEKRNTIASIAAGVLFFTCGWWIIIDA AVIYPTMKDFNHSYHACGVIATIAFLMINAVSN
GQVRGDSYSEGCLGQTGARIWLFVGFMLAFGSLIASMWILFGGYVAKEKDIVYPGIAVFFQNAFIFFGGLVFKFG
RTEDLWQ

92/615

FIGURE 91

CGACGCCGGCGTGA~~AT~~GTGGCTTCCGCTGGTGCTGCTCCTGGCTGTGCTGCTGCTGGCCGTCTCTGCAAAGTTTA
CTTGGGACTATTCTCTGGCAGCTCCCCGAATCCTTTCTCCGAAGATGTCAAACGGCCCCAGCGCCCCCTGGTAAC
TGACAAGGAGGCCAGGAAGAAGGTTCTCAAACAAGCTTTTTACAGCAACCAAGTCCCGGAGAAGCTGGATGTGGT
GGTAATTGGCAGTGGCTTTGGGGGCTGGCTGCAGCTGCAATCTAGCTAAAGCTGGCAAGCGAGTCTGGTGCT
GGAAACAACATAACCAAGGCAGGGGGCTGCTGTACATACCTTTGGAAAGAATGGCCTTGAATTTGACACAGGAATCCA
TTACATTGGGCGTATGGAAGAGGGCAGCATTGGCCGTTTTATCTTGGACCAGATCACTGAAGGGCAGCTGGACTG
GGCTCCCCTGTCTCTCCTTTTGACATCATGGTACTGGAAGGGCCCAATGGCCGAAAGGAGTACCCCATGTACAG
TGGAGAGAAAGCCTACATTCAGGGCCTCAAGGAGAAGTTTCCACAGGAGGAAGCTATCATTGACAAGTATATAAA
GCTGGTTAAGGTGGTATCCAGTGGAGCCCTCATGCCATCCTGTTGAAATTCCTCCCATTGCCCGTGGTTCAGCT
CCTCGACAGGTGTGGGCTGCTGACTCGTTTCTCTCCATTCTTCAAGCATCCACCCAGAGCCTGGCTGAGGTCT
GCAGCAGCTGGGGGCTCCTCTGAGCTCCAGGCAGTACTCAGCTACATCTTCCCCTTACGGTGTACCCCCAA
CCACAGTGCCTTTTCCATGCACGCCCTGCTGGTCAACCACTACATGAAAGGAGGCTTTTATCCCCGAGGGGGTTC
CAGTGAAATTGCCTTCCACACCATCCCTGTGATTACAGCGGGCTGGGGGCGCTGTCTCACAAAGGCCACTGTGCA
GAGTGTGTTGCTGGACTCAGCTGGGAAAGCCTGTGGTGTGAGTGTGAAGAAGGGGCATGAGCTGGTGAACATCTA
TTGCCCATCGTGGTCTCCAACGCAGGACTGTTCAACACCTATGAACACCTACTGCCGGGGAACGCCCGCTGCCT
GCCAGGTGTGAAGCAGCAACTGGGGACGGTGGGGCCCGGCTTAGGCATGACCTCTGTTTTCTATCTGCCTGCGAGG
CACCAGGAAGACCTGCATCTGCCGTCCACCAACTACTATGTTTACTATGACACGGACATGGACCCAGGCGATGGA
GCGCTACGTCTCCATGCCAGGGAAGAGGCTGCGGAACACATCCCTCTTCTCTTCTCGCTTTCCCATCAGCCAA
AGATCCGACCTGGGAGGACCGATTCCCAGGCCGGTCCACCATGATCATGCTCATACCCACTGCCTACGAGTGGTT
TGAGGAGTGGCAGGCGGAGCTGAAGGGAAGCGGGGCGAGTGACTATGAGACCTTCAAAAACCTCCTTTGTGGAAGC
CTCTATGTAGTGGTCTGAACTGTTCCACAGCTGGAGGGGAAGGTGGAGAGTGTGACTGCAGGATCCCCACT
CACCAACCAGTTCTATCTGGCTGCTCCCCGAGGTGCTGCTACGGGGCTGACCATGACCTGGGCCGCTGCACCC
TTGTGTGATGGCTCCTTGAGGGCCAGAGCCCCATCCCCAACCTCTATCTGACAGGCCAGGATATCTTCACCTG
TGGACTGGTCCGGGGCCCTGCAAGGTGCCCTGCTGTGCAGCAGCGCATCCTGAAGCGGAAGTGTACTCAGACCT
TAAGAATCTTGATTCTAGGATCCGGGCACAGAAGAAAAAGAATTAGTTCCATCAGGGAGGAGTCAGAGGAATTTG
CCCAATGGCTGGGGCATCTCCCTTGACTTACCCATAATGTCTTTCTGCATTAGTTCTTGCAGTATAAAGCACT
CTAATTTGGTTCTGATGCCTGAAGAGAGGCTAGTTTAAATCACAATCCGAATCTGGGGCAATGGAATCACTGC
TTCCAGCTGGGGCAGGTGAGATCTTTACGCCTTTTATAACATGCCATCCCTACTAATAGGATATTGACTTGGATA
GCTTGATGTCTCATGACGAGCGGCGCTCTGCATCCCTACCCATGCCTCCTAAGTCACTGATCAAGCGAATATT
CCATCTGTGGATAGAACCCCTGGCAGTGTGTGTCAGCTCAACCTGGTGGGTTCAGTTCTGTCTGAGGCTTCTGCT
CTCATTCAATTTAGTGCTACGCTGCACAGTTCTACACTGTCAAGGGAAGGGAGACTAATGAGGCTTAACCTCAA
ACCTGGGCGTGGTTTTGGTTGCCATTCCATAGGTTTGGAGAGCTCTAGATCTCTTTGTGCTGGGTTCACTGGCT
CTTCAGGGGACAGGAAATGCCTGTGTCTGGCCAGTGTGGTTCTGGAGCTTTGGGGTAACAGCAGGATCCATCAGT
TAGTAGGGTGCATGTGAGATGATCATATCCAATTCATATGGAAGTCCCGGTCTGTCTTCTTATCATCGGGTG
GCAGCTGGTTCTCAATGTGCCAGCAGGGACTCAGTACCTGAGCCTCAATCAAGCCTTATCCACCAAAATACACAGG
GAAGGGTGTATGCAGGGAAGGGTGACATCAGGAGTCAGGGCATGGACTGGTAAAGTGAATACTTTGCTGGGCTGAA
GCAGGCTGCAGGGCATTCAGCCAAGGGCACAGCAGGGGACAGTGCAGGGAGGTGTGGGGTAAGGGAGGGAAGTC
ACATCAGAAAAGGGAAAGCCACGGAATGTGTGTGAAGCCCAGAAATGGCATTTGCAGTTAATTAGCACATGTGAG
GGTTAGACAGGTAGGTGAATGCAAGCTCAAGGTTTGGAAAAATGACTTTTCAGTTATGTCTTTGGTATCAGACAT
ACGAAAGGTCTCTTTGTAGTTCTGTGTTAATGTAACATTAATAAATTTATTGATTCCATTGCTTTAAAAA

93/615

FIGURE 92

MWLPLVLLLAVLLLAVLCKVYLGLFSGSSPNPFSEDVKRPPAPLVTDKEARKKVLKQAFSANQVPEKLDVVVIGS
GFGGLAAAAILAKAGKRVLVLEQHTKAGGCCHTFGKNGLEFDTGIHYIGRMEEGSIGRFILDQITEGQLDWAPLS
SPFDIMVLEGPNGRKEYPMYSGEKAYIQGLKEFPQEEAIIDKYIKLVKVSSGAPHAILLKFLPLPVVQLLDRC
GLLTRFSPFLQASTQSLAEVLQQLGASSELQAVLSYIFPTYGVTPNHSAFSMHALLVNHYMKGGFYPRGGSSEIA
FHTIPVIQRAGGAVLTATVQSVLLDSAGKACGVSVKKGHELVNIYCPIVVSNAGLENTYEHLLPGNARCLPGVK
QQLGTVRPGLGMTSVFICLRGTEKEDLHLPSTNYYVYDMDQAMERYVSMPEEAAEHIPLLFFAFPSAKDPTW
EDRFPGRSTMIMLIPTAYEWFEWQAEKKGKRGSDYETFKNSFVEASMSVVLKLFPOLEGKVESVTAGSPLTNQF
YLAAPRGACYGADHDLGRLHPCVMASLRAQSPIPNLYLTGQDIFTCLVGLQGALLCSSAILKRNLSDLNLD
SRIRAQKKKN

94/615

FIGURE 93

GGGAAAGATGCGGCGGACTCTGGGACCCCTTGGGTCTGGCAGCAGTGGCGGCGATGTTTGTGGCTCGGGATGG
GTCCAGGATGTTACTCCTTCTTCTTTTGTGGGGTCTGGGCAGGGGCCACAGCAAGTCGGGGCGGGTCAAACGTT
CGAGTACTTGAAACGGGAGCACTCGCTGTGGAAGCCCTACCAGGGTGTGGGCACAGGCAGTTCCTCACTGTGGAA
TCTGATGGGCAATGCCATGGTGATGACCCAGTATATCCGCCCTTACCCAGATATGCAAAGTAAACAGGGTGCCTT
GTGGAACCGGTGCCATGTTTCTGAGAGACTGGGAGTTGCAGGTGCACTTCAAAATCCATGGACAAGGAAAGAA
GAATCTGCATGGGGATGGCTTGGCAATCTGGTACACAAAGGATCGGATGCAGCCAGGGCCTGTGTTTGGAAACAT
GGACAAATTTGTGGGGCTGGGAGTATTTGTAGACACCTACCCCAATGAGGAGAAGCAGCAAGAGCGGGTATTCCC
CTACATCTCAGCCATGGTGAACAACGGCTCCCTCAGCTATGATCATGAGCGGGATGGGCGGCCTACAGAGCTGGG
AGGCTGCACAGCCATTGTCCGCAATCTTCATTACGACACCTTCCTGGTGATTTCGCTACGTCAAGAGGCATTTGAC
GATAATGATGGATATTGATGGCAAGCATGAGTGGAGGGACTGCATTGAAGTGCCCGGAGTCCGCCTGCCCGCGG
CTACTACTTCGGCACCTCCTCCATCACTGGGGATCTCTCAGATAATCATGATGTCATTTCTTGAAGTTGTTTGA
ACTGACAGTGGAGAGAACCCAGAAAGAGGAAAGCTCCATCGAGATGTGTTCTTGCCTCAGTGGACAATATGAA
GCTGCCTGAGATGACAGCTCCACTGCCGCCCCCTGAGTGGCCTGGCCCTCTTCTCATCGTCTTTTTCTCCCTGGT
GTTTTCTGTATTTGCCATAGTCATTGGTATCATACTCTACAACAAATGGCAGGAACAGAGCCGAAAGCGCTTCTA
CTGAGCCCTCCTGCTGCCACCACTTTTGTGACTGTCAACCCATGAGGTATGGAAGGAGCAGGCCTGGCCTGAGCA
TGCAGCCTGGAGAGTGTTCTTGTCTCTAGCAGCTGGTTGGGACTATATTCTGTCACTGGAGTTTGAATGCAGG
GACCCCGCATTTCCCATGGTTGTGCATGGGGACATCTAACTCTGGTCTGGGAAGCCACCCACCCAGGGCAATGCT
GCTGTGATGTGCCCTTCCCTGCAGTCCCTCCATGTGGGAGCAGAGGTGTGAAGAGAATTTACGTGGTTGTGATGC
CAAAATCACAGAACAGAAATTCATAGCCCAGGCTGCCGTGTTGTTGACTCAGAAGGCCCTTCTACTTCAGTTTT
GAATCCACAAAGAATTAAAACTGGTAACACCACAGGCTTCTGACCATCCATTCGTTGGGTTTTGCATTTGACC
CAACCTCTGCCTACCTGAGGAGCTTTCTTTGGAAACAGGATGGAAACTTCTTCCCTGCCTTACCTTCCTTTCA
CTCCATTCAATTGCTCTCTGTGTGCAACCTGAGCTGGGAAAGGCATTTGGATGCCTCTCTGTTGGGGCCTGGGG
CTGCAGAACACACCTGCGTTTCACTGGCCTTCATTAGGTGGCCCTAGGGAGATGGCTTTCTGCTTTGGATCACTG
TTCCCTAGCATGGGTCTTGGGTCTATTGGCATGTCCATGGCCTTCCCAATCAAGTCTCTTCAGGCCCTCAGTGAA
GTTTGGCTAAAGGTTGGTGTAAAAATCAAGAGAAGCCTGGAAGACATCATGGATGCCATGGATTAGCTGTGCAAC
TGACCAGCTCCAGGTTTGATCAAACCAAAGCAACATTTGTCTATGTGGTCTGACCATGTGGAGATGTTTCTGGAC
TTGCTAGAGCCTGCTTAGCTGCATGTTTTGTAGTTACGATTTTTGGAATCCCACTTTGAGTGCTGAAAGTGTAAG
GAAGCTTTCTTCTTACACCTTGGGCTTGGATATTGCCAGAGAAGAAATTTGGCTTTTTTTTTCTTAATGGACAA
GAGACAGTTGCTGTTCTCATGTTCCAAGTCTGAGAGCAACAGACCCTCATCATCTGTGCCTGGAAGAGTTCACTG
TCATTGAGCAGCACAGCCTGAGTGCTGGCCTCTGTCAACCTTATTCCACTGCCTTATTTGACAAGGGGTTACAT
GCTGCTCACCTTACTGCCCTGGGATTAATCAGTTACAGGCCAGAGTCTCCTTGGAGGGCCTGGAACCTCTGAGTC
CTCCTATGAACCTCTGTAGCCTAAATGAAATTTCTTAAATCACCAGTGGAAACCAAAAAAAAAAAAAAAAAAGGGCG
GCCGCGACTCTAGAGTCGACCTGCAGTAGGGATAACAGGGTAATAAGCTTGGCCGCCATGG

95/615

FIGURE 94

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA50911
><subunit 1 of 1, 348 aa, 1 stop
><MW: 39711, pI: 8.70, NX(S/T): 1
MAATLGPLGSWQQWRRCLSARDGSRMLLLLLLLGSGQGPPQVGAGQTFEYLKREHSLSKPYQGVGTGSSSLWNLM
GNAMVMTQYIRLTPDMQSKQGALWNRVPCFLRDWELQVHFQIHGQKKNLHGDGLAIWYTKDRMQPGPVFGNMDK
FVGLGVFVDTPNEEKQQERVFPYISAMVNNGSLSYDHERDGRPTELGGCTAIVRNLYDTFLVIRYVKRHLTIM
MDIDGKHEWRDCIEVPGVRLPRGYFSGTSSITGDLSDNHDVISLKLFEFTVERTPEEEKLHRDVFLLPSVDNMKLP
EMTAPLPPLSGLALFLIVFFSLVFSVFAIVIGIILYNKWQEQSRKRFY
```

Signal sequence:

amino acids 1-38

Transmembrane domain:

amino acids 310-329

96 / 615

FIGURE 95

CCTGTGTTAAAGCTGAGGTTTCCCTAGATCTCGTATATCCCAACACATACCTCCACGCACACACATCCCCAAGA
 ACCTCGAGCTCACACCAACAGACACACGCGCGCATACACACTCGCTCTCGCTTGTCCATCTCCCTCCCGGGGGAG
 CCGGCGCGCGCTCCCACCTTTGCCGCACACTCCGGCGAGCCGAGCCCGCAGCGCTCCAGGATTCTGCGGCTCGGA
 ACTCGGATTGCACTCTGAACCCCCATGGTGGTTTTTTAAACACTTCTTTTCTTCTCTTCTCGTTTTTGATTGC
 ACCGTTTCCATCTGGGGCTAGAGGAGCAAGGCAGCAGCCTTCCAGCCAGCCCTTGTGGCTTGGCATCGTCCA
 TCTGGCTTATAAAAGTTTGTCTGAGCGAGTCCAGAGGGCTGCGTCTCTCGTCCCTCGGCTGCGAGAAGGGGTAC
 ACGCTGGGCAGCGGCGAGGAGCGCGCGCTGCGCTCTGGCGGGCTTTTCGGCTTGAGGGGCAAGGTGAAGAGCGCAG
 CGGCCGTGGGGTTTACCGAGCTGGATTGTATGTTGCACCATGCTTCTTGGATCGGGGCTGTGATTCTTCCCCT
 CTTGGGGCTGCTGCTCTCCCTCCCGCGCGGGGCGGATGTGAAGGCTCGGAGCTGCGGAGAGGTCCGCCAGGCGTA
 CGGTGCCAAGGGATTGACCTTGGCGGACATCCCCCTACCAGGAGATCGCAGGGGAACACTTAAGAATCTGTCTCA
 GGAATATACATGCTGCACCAAGAAATGGAAGCAAGTTAAGCCAACAAAGCAAACCTGCAATTTGAAAACCTTGT
 GGAAGAGACAAGCCATTTTGTGCGCACCACCTTTTGTCTCAGGCACAGAATTTGACGAATTTTCCGAGAGCT
 CCTGGAGAATGCAGAAAAGTCACTAAATGATATGTTTGTACGGACCTATGGCATGCTGTACATGCAGAATTCAGA
 AGTCTTCCAGGACCTCTTACAGAGCTGAAAAGGTACTACACTGGGGGTAAATGTGAATCTGGAGGAAATGCTCAA
 TGACTTTTGGGCTCGGCTCCTGGAACGGATGTTTCACTGATAAACCTCAGTATCACTTCAGTGAAGACTACCT
 GGAATGTGTGAGCAAATCACTTGACCACTCAAGCCATTTGGAGACGTGCCCGGAAACTGAAGATTGAGGTTAC
 CCGCGCCTTCATTGCTGCCAGGACCTTTGTCTCAGGGGCTGACTGTGGGCAGAGAAGTTGCAAAACCGAGTTTCCAA
 GGTGACCCCAACCCCAAGGTTGATTCGTGCCCTCATGAAGATGCTGTACTGCCCTACTGTTCGGGGGCTTCCCA
 TGTGAGGCCCTGCAACAACTACTGTCTCAACGTCATGAAGGGCTGCTTGGCAAATCAGGCTGACCTCGACACAGA
 GTGGAATCTGTTTATAGATGCAATGCTCTTGGTGGCAGAGCGACTGGAGGGGCCATTCAACATTGAGTCGGTCAT
 GGACCCGATAGATGTCAAGATTTCTGAAGCCATTATGAACATGCAAGAAAACAGCATGCAGGTGTCTGCAAAGGT
 CTTTCAGGAGATGTGGTCAGCCAAACCTGCTCCAGCCCTCAGATCTGCCCGCTCAGCTCCTGAAAATTTTAATAC
 ACGTTTCAGGCCCTACAATCTGAGGAAGAGCAACAACTGCTGCAGGCACAAGCTTGGACCGGCTGGTCAGAGA
 CATAAAAGAGAAATTGAAGCTCTCTAAAAAGGTCTGGTCAGCATTACCTTACACTATCTGCAAGGACGAGAGCGT
 GACAGCGGGCACGTCCAACGAGGAGGAATGCTGGAACGGGCACAGCAAAGCCAGATACTTGCTGAGATCATGAA
 TGATGGGCTCACCAACCAGATCAACAATCCCGAGGTGGATGTGGACATCACTCGGCCTGACACTTTCATCAGACA
 GCAGATTATGGCTCTCCGTGTGATGACCAACAAACTAAAAAACGCCTACAATGGCAATGATGTCAATTTCCAGGA
 CACAAGTGATGAATCCAGTGGCTCAGGAGTGGCAGTGGGTGAGCATGGATGACGTGTGCCACGGAGTTTGGATT
 TGTCAACCAAGAGGCCCGCGAGTGGATCCCGACCGGAGAGGTTGACTCTTCTGACGCCAGCTGGCCACTC
 CCTGCTCTCCTGGTCTCTCACCTGCATTGTCTTGGCACTGCAGAGACTGTGCAGATTAATCTTGGGTTTTTGGTCA
 GATGAAACTGCATTTTAGCTATCTGAATGGCCAACCTCACTTCTTTTCTTACACTCTTGGACAATGGACCATGCCA
 CAAAACTTACCGTTTTCTATGAGAAGAGAGCAGTAATGCAATCTGCCTCCCTTTTTTGTTCCTCAAAGAGTACC
 GGGTGCCAGACTGAACCTGCTTCTCTTCTTCACTGATCTGTGGGGACCTTGTATTCTAGAGAGAATTCCTTA
 CTCAAATTTTTCTGATCCAGGAGATTTTCTTACCTTCATTTGCTTTTATGCTGCAGAAGTAAAGGAATCTCACGTT
 GTGAGGGTTTTTTTTTCTCATTTAAAAAT

97/615

FIGURE 96

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA50914

><subunit 1 of 1, 555 aa, 1 stop

><MW: 62736, pI: 5.36, NX(S/T): 0

MPSWIGAVILPLLGLLLSLPAGADVKA RSCGEVRQAYGAKGFS LADIPYQEIAGEHLRICPQEYTCCTTEMEDKL
SQQSKLEFENLVEETSHFVRTTFVSRHKKFDEFFRELLENAEKSLNDMFVRTYGM LYMQNSEVFQDLFTELKRY Y
TGGNVNLEEMLNDFWARLLERMFQLINPQYHFSE DYLECVSKYTDQLKPF G DVPRKLKIQVTRAFIAARTFVQGL
TVGREVANRVSKVSPTPGCIRALMKMLYCPYCRGLPTVRPCNNYCLNVMKGCLANQADLDTEWNL FIDAMLLVAE
RLEGPFNIESVMDPIDVKISEAIMNMQENSMQVS AKVFQCGQPKPAPALRSARSAPENFNTRFRPYNPEERPTT
AAGTSLDRLVTDIKEKLKLSKKVWSALPYTICKDES VTAGTSNEEECWNGH SKARYLPEIMNDGLTNQINNPEVD
VDITRPDTFIRQQIMALRVMTNKLKNAYNGNDVNFQDTSDESSGSGSGSGCMDDVCPT EFEFVTTEAPAVDPDRR
EVDSSAAQRGHSLLSWSLTCIVLALQRLCR

Signal peptide:

amino acids 1-23

98/615

FIGURE 97

GGCGGCGTCCGTGAGGGGCTCCTTTGGGCAGGGGTAGTGTGTTGGTGTCCCTGTCTTGCGTGATATTGACAAACTG
AAGCTTTTCTGCACCACTGGACTTAAGGAAGAGTGTACTCGTAGGCGGACAGCTTTAGTGGCCGGCCGGCCGCTC
TCATCCCCCGTAAGGAGCAGAGTCCTTTGTACTGACCAAGATGAGCAACATCTACATCCAGGAGCCTCCACAGAA
TGGAAGGTTTTATTGAAACTACAGCTGGAGATATTGACATAGAGTTGTGGTCCAAAGAAGCTCCTAAAGCTTG
CAGAAATTTTATCCAACCTTTGTTTGAAGCTTATTATGACAATACCATTTTTCATAGAGTTGTGCCTGGTTTCAT
AGTCCAAGGCGGAGATCCTACTGGCACAGGGAGTGGTGGAGAGTCTATCTATGGAGCGCCATTCAAAGATGAATT
TCATTACGGTTGCGTTTTAATCGGAGAGGACTGGTTGCCATGGCAAATGCTGGTTCTCATGATAATGGCAGCCA
GTTTTTCTTCACACTGGGTCGAGCAGATGAACCTTAACAATAAGCATAACCATCTTTGGAAAGGTTACAGGGGATAC
AGTATATAACATGTTGCGACTGTCAGAAGTAGACATTGATGATGACGAAAGACCACATAATCCACACAAAATAAA
AAGCTGTGAGGTTTTGTTTAAATCCTTTTGATGACATCATTCCAAGGGAAATTAAAAGGCTGAAAAAGAGAAACC
AGAGGAGGAAGTAAAGAAATTGAAACCCAAAGGCACAAAAAATTTTAGTTTACTTTTCAATTTGGAGAGGAAGCTGA
GGAAGAAGAGGAGGAAGTAAATCGAGTTAGTCAGAGCATGAAGGGCAAAAGCAAAAGTAGTCATGACTTGCTTAA
GGATGATCCACATCTCAGTTCTGTTCCAGTTGTAGAAAGTGAAAAAGGTGATGCACCAGATTTAGTTGATGATGG
AGAAGATGAAAGTGACAGAGCATGATGAATATATTGATGGTGATGAAAAGAACCCTGATGAGAGAAAGAATTGCCAA
AAAATTAAGGACACAAGTGCGAATGTTAAATCAGCTGGAGAAGGAGAAGTGGAGAAGAATCAGTCAGCCG
CAGTGAAGAGCTCAGAAAAGAAGCAAGACAATTAACCGGGAACCTCTTAGCAGCAAAACAAAAAAGTAGAAAA
TGCAGCAAAACAAGCAGAAAAAGAAGTGAAGAGGAAGAAGCCCTCCAGATGGTGCTGTTGCCGAATACAGAAG
AGAAAAGCAAAAGTATGAAGCTTTGAGGAAGCAACAGTCAAAGAAGGGAACCTCCCGGGAAGATCAGACCTTGC
ACTGCTGAACAGTTTAAATCTAACTCACTCAAGCAATTGCTGAAACACCTGAAAATGACATTCCTGAAACAGA
AGTAGAAGATGATGAAGGATGGATGTCACATGTACTTCAGTTTGAGGATAAAAGCAGAAAAGTGAAGATGCAAG
CATGCAAGACTCAGATACATTTGAAATCTATGATCCTCGGAATCCAGTGAATAAAAGAAGGAGGGAAGAAAGCAA
AAAGCTGATGAGAGAGAAAAAGAAGAAGATATAAATGAGAATAATGATAACCAGAACTTGCTGGAAATGTGCCT
ACAATGGCCTTGTAACAGCCATTGTTCCCAACAGCATCACTTAGGGGTGTGAAAAGAAGTATTTTGAACCTGTT
GTCTGGTTTTGAAAAACAATTATCTTGTGTTTGCATTTGTGGAATGATGTAAGCAAATGCTTTTGGTTACTGGTA
CATGTGTTTTTCTAGCTGACCTTTTATATTGCTAAATCTGAAATAAAATAACTTTCCTCCACAAAAA
AAAAAAAAAAAAAAAAAAAA

99/615

FIGURE 98

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA50919
><subunit 1 of 1, 472 aa, 1 stop
><MW: 53847, pI: 5.75, NX(S/T): 2
MSNIYIQEPPTNGKVLKLTAGDIDIELWSKEAPKACRNFIQLCLEAYDNTIFHRVVPGFIVQGDPDTGTGSGG
ESIYGAPFKDEFHSRLRFNRRLGLVAMANAGSHDNGSQFFFTLGRADELNNKHTIFGKVTGDTVYNMLRLSEVDID
DDERPHNPHKIKSCEVLFPNPFDDIIPREIKRLKKEKPEEEVKKLKPKGTKNFSLLSFGEAESEEEEEVNVRVSQSM
KKGSKSSHDLKDDPHLSSVPVVESEKGDAPDLVDGDESAEHDEYIDGDEKNLMRERI AKKLKKDTSANVKSA
GEGEVEKKSVSRSEELRKEARQLKRELLAAKQKKVENAAKQAEKRSEEEAAPDGAVAEYRREKQKYEALRKQQS
KKGTSREDQTLALLNQGFKSKLTQAI AETPENDIPETEVEDDEGWMSHVLQFEDKSRKVKDASMQSDSTFEIYDPR
VNVNKKRRREESKLMREKKERR
```

Important features:

Signal peptide:

amino acids 1-21

N-glycosylation sites.

amino acids 109-112 and 201-204

Cyclophilin-type peptidyl-prolyl cis-trans isomerase signature.

amino acids 49-66

Homologous region to Cyclophilin-type peptidyl-prolyl cis-trans isomerase

amino acids 96-140, 49-89 and 22-51

100/615

FIGURE 99

CTTTTCTGAGGAACCAACAGCAATGAATGGCTTTGCATCCTTGCTTCGAAGAAACCAATTTATCCTCCTGGTACTA
TTTCTTTTGCAAATTCAGAGTCTGGGTCTGGATATTGATAGCCGTCCTACCGCTGAAGTCTGTGCCACACACACA
ATTTCAACAGGACCCAAAGGAGATGATGGTGAAAAAGGAGATCCAGGAGAAGAGGGAAAGCATGGCAAAGTGGGA
CGCATGGGGCCGAAAGGAATTAAAGGAGAACTGGGTGATATGGGAGATCAGGGCAATATTGGCAAGACTGGGCCC
ATTGGGAAGAAGGGTGACAAAGGGGAAAAAGGTTTGCTTGAATACCTGGAGAAAAAGGCAAAGCAGGTACTGTC
TGTGATTGTGGAAGATAACGGAAATTTGTGGACAACGGATATTAGTATTGCTCGGCTCAAGACATCTATGAAG
TTTGTCAAGAATGTGATAGCAGGGATTAGGGAACTGAAGAGAAATTCTACTACATCGTGCAGGAAGAGAAGAAC
TACAGGGAATCCCTAACCCACTGCAGGATTCGGGGTGAATGCTAGCCATGCCAAGGATGAAGCTGCCAACACA
CTCATCGCTGACTATGTTGCCAAGAGTGGCTTCTTTCGGGTGTTTCATTGGCGTGAATGACCTTGAAAGGGAGGGA
CAGTACATGTCCACAGACAACACTCCACTGCAGAACTATAGCAACTGGAATGAGGGGGAACCCAGCGACCCCTAT
GGTCATGAGGACTGTGTGGAGATGCTGAGCTCTGGCAGATGGAATGACACAGAGTGCCATCTTACCATGTACTTT
GTCTGTGAGTTCATCAAGAAGAAAAAGTAACTTCCCTCATCCTACGTATTTGCTATTTTCCTGTGACCGTCATTA
CAGTTATTGTTATCCATCCTTTTTTTCCTGATTGTACTACATTTGATCTGAGTCAACATAGCTAGAAAATGCTAA
ACTGAGGTATGGAGCCTCCATCATCAAAAAAAAAAAAAAAAAA

101/615

FIGURE 100

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA50980
><subunit 1 of 1, 277 aa, 1 stop
><MW: 30645, pI: 7.47, NX(S/T): 2
MNGFASLLRRNQFILLVLFLLQIQSLGLDIDSRPTAEVCATHTISPGPKGDDGEKGDPEEGKHGKVGRMGPKGI
KGELGDMGDQGNIGKTGPIGKKGDKGEKLLGIPGEKGKAGTVCDGGRYRKFGVGLDISIARLKTSMKFVKNVIA
GIRETEEFYIIVQEEKNYRESLTHCRIRGGMLAMPKDEAANTLIADYVAKSGFFRVFIGVNDLEREGQYMSTDN
TPLQNYSNWNEGEPSDPYGHEDCVEMLSGRWNDTECHLTMYFVCEFIKKKK
```

Signal peptide:
amino acids 1-25

102/615

FIGURE 101

GCAACCTCAGCTTCTAGTATCCAGACTCCAGCGCCGCCCCGGGCGCGGACCCCAACCCCGACCCAGAGCTTCTCC
AGCGGCGGCGCAGCGAGCGGGCTCCCCGCCCTTAACCTTCCTCCGCGGGGCCCAGCCACCTTCGGGAGTCCGGGTT
GCCACCTGCAAACCTCTCGGCTTCTGCACCTGCCACCCCTGAGCCAGCGCGGGGCCCCGAGCGAGTCA**TGGCCA**
ACGCGGGGCTGCAGCTGTTGGGCTTCATTCTCGCCTTCCTGGGATGGATCGGCGCCATCGTCAGCACTGCCCTGC
CCCAGTGGAGGATTACTCCTATGCCGGCGACAACATCGTGACCGCCAGGCCATGTACGAGGGGCTGTGGATGT
CCTGCGTGTGCGAGAGCACCGGGCAGATCCAGTGCAAAGTCTTTGACTCCTTGCTGAATCTGAGCAGCACATTGC
AAGCAACCCGTGCCCTTGATGGTGGTTGGCATCCTCCTGGGAGTGATAGCAATCTTTGTGGCCACCGTTGGCATGA
AGTGTATGAAGTGCTTGGGAAGCGATGAGGTGCAGAAGATGAGGATGGCTGTCAATTGGGGGTGCGATAATTCTTC
TTGCAGGTCTGGCTATTTTAGTTGCCACAGCATGGTATGGCAATAGAATCGTTCAGAATCTATGACCCATATGA
CCCCAGTCAATGCCAGGTACGAATTTGGTCAGGCTCTCTTCACTGGCTGGGCTGCTGCTTCTCTGCTTCTGCTG
GAGGTGCCCTACTTTGCTGTTCCCTGTCCCCGAAAAACAACCTCTTACCCAACACCAAGGCCCTATCCAAAACCTG
CACCTTCCAGCGGGAAAGACTACGTG**TGAC**CACAGAGGCAAAAGGAGAAATCATGTTGAAACAAACCGAAAATGG
ACATTGAGATACTATCATTAAACATTAGGACCTTAGAATTTTGGGTATTGTAATCTGAAGTATGGTATTACAAAAC
AAACAAACAAACAAAAAACCCATGTGTTAAATACTCAGTGCTAAACATGGCTTAATCTTATTTTATCTTCTTC
CTCAATATAGGAGGGAAGATTTTCCATTTGTATTACTGCTTCCCATTGAGTAATCATACTCAATGGGGGAAGG
GGTCTCCTTAAATATATATAGATATGTATATACATGTTTTCTATTAAAAATAGACAGTAAATACTATTCT
CATTATGTTGATACTAGCATACTTAAATATCTCTAAATAGGTAAATGTATTTAATTCCATATTGATGAAGATG
TTTATTGGTATATTTTCTTTTCGTCCTTATATACATATGTAACAGTCAAATATCATTTACTCTTCTTATTAGC
TTTGGGTGCCCTTTGCCACAAGACCTAGCCTAATTTACCAAGGATGAATTCCTTCAATTCCTCATGCGTGCCCTTT
TCATATACTTATTTTATTTTACCATAATCTTATAGCACTTGCATCGTTATTAAGCCCTTATTTGTTTTGTGTT
TCATTGGTCTCTATCTCCTGAATCTAACACATTTTCATAGCCTACATTTTAGTTTCTAAAGCCAAGAAGAATTTAT
TACAAATCAGAACTTTGGAGGCAAATCTTCTGCATGACCAAAGTGATAAATTCCTGTTGACCTTCCCACACAAT
CCCTGTACTCTGACCCATAGCACTCTTGTGTTGCTTTGAAAATATTTGTCCAATTGAGTAGCTGCATGCTGTTCCC
CCAGGTGTTGTAACACAACCTTATTGATTGAATTTTAAGCTACTTATTCATAGTTTTATATCCCCCTAAACTAC
CTTTTTGTTCCCATTCCTTAATTGTATTGTTTTCCCAAGTGTAATTATCATGCGTTTTATATCTTCTTAATAAG
GTGTGGTCTGTTTGTCTGAACAAAGTGCTAGACTTTCTGGAGTGATAATCTGGTGACAAATATTCTCTCTGTAGC
TGTAAGCAAGTCACTTAATCTTTCTACCTCTTTTTCTATCTGCCAAATTGAGATAATGATACTTAACCAGTTAG
AAGAGGTAGTGTGAATATTAATTAGTTTATATTACTCTTATTCTTTGAACATGAACATATGCCTATGTAGTGTCTT
TATTTGCTCAGCTGGCTGAGACACTGAAGAAGTCACTGAACAAAACCTACACACATACCTTCATGTGGTTCAGTGCCTTCCT
CCTTCCTCTCTCTACCACTATTTCCACTGAACAAAACCTACACACATACCTTCATGTGGTTCAGTGCCTTCCT
CTCTCTACCACTCTATTTCCACTGAACAAAACCTACGCACATACCTTCATGTGGCTCAGTGCCTTCCTCTCTCTA
CCAGTCTATTTCCATTCTTTAGCTGTGTCTGACATGTTTGTGCTCTGTTCCATTTTAACAACCTGCTCTTACTTT
TCCAGTCTGTACAGAATGCTATTTCACTTGAGCAAGATGATGTAATGGAAAGGGTGTGGCACTGGTGTCTGGAG
ACCTGGATTTGAGTCTTGGTGCTATCAATCACCGTCTGTGTTTGAGCAAGGCATTTGGCTGCTGTAAGCTTATTG
CTTCATCTGTAAGCGGTGGTTTGTAAATCCTGATCTTCCACCTCACAGTGATGTTGTGGGGATCCAGTGAGATA
GAATACATGTAAGTGTTGTTTGTAAATTTAAAAAGTGCTATACTAAGGGAAGAATTGAGGAATTAACGCATAC
GTTTTGGTGTGCTTTTCAAATGTTTGAAAATAAAAAAATGTTAAG

103/615

FIGURE 102

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA52185
><subunit 1 of 1, 211 aa, 1 stop
><MW: 22744, pI: 8.51, NX(S/T): 1
MANAGLQLLGFI LAF LGWIGAI VSTAL PQWRIYSYAGDNIVTAQAMY EGLWMSCVSQSTGQIQCKVFD SLLNLSS
TLQATRALMVVGILLGVIAIFVATVGMKCMKCLEDDEVQKMRMAVIGGAI FLLAGLAILVATAWYGNRIVQEFYD
PMTFVNARYEFGQALFTGWAAASLCLLGALLCCSCPRKTTSYPTPRPYPKPAPSSGKD YV
```

Important features:**Signal peptide:**

amino acids 1-21

Transmembrane domains:

amino acids 82-102, 118-142 and 161-187

N-glycosylation site.

amino acids 72-75

PMP-22 / EMP / MP20 family proteins

amino acids 70-111

ABC-2 type transport system integral membrane protein

amino acids 119-133

104/615

FIGURE 103

CCCACGCGTCCGCGGACGCGTGGGCTGGACCCAGGTCTGGAGCGAATTCCAGCCTGCAGGGCTGATAAGCGAGG
CATTAGTGAGATTGAGAGAGACTTTACCCCGCCGTGGTGGTTGGAGGGCGCGCAGTAGAGCAGCAGCACAGGCGC
GGGTCCCGGGAGGCCGGCTCTGCTCGCGCCGAGATGTGGAATCTCCTTCACGAAACCGACTCGGCTGTGGCCACC
GCGCGCCGCCGCGCTGGCTGTGCGCTGGGCGCTGGTGTGGCGGGTGGCTTCTTTCTCCTCGGCTTCTCTTCTC
GGGTGGTTTATAAAATCCTCCAATGAAGCTACTAACATTACTCCAAGCATAATATGAAAGCATTTTTGGATGAA
TTGAAAGCTGAGAACATCAAGAAGTTCTTACATAATTTTACACAGATACCACATTTAGCAGGAACAGAACAAAAC
TTTCAGCTTGCAAAGCAAATTAATCCCAGTGGAAGAATTTGGCCTGGATTCTGTTGAGCTAGCTCATTATGAT
GTCCTGTTGTCTACCCAAATAAGACTCATCCCACTACATCTCAATAATTAATGAAGATGGAAATGAGATTTTC
AACACATCATTATTTGAACCACCTCCTCCAGGATATGAAAATGTTTCGGATATTGTACCACCTTTCAGTGCTTTC
TCTCCTCAAGGAATGCCAGAGGGCGATCTAGTGTATGTTAACTATGCACGAAGTGAAGACTTCTTTAAATTGGAA
CGGACATGAAAATCAATTGCTCTGGGAAAATTTGTAATTGCCAGATATGGGAAAGTTTTCAGAGGAAATAAGGTT
AAAAATGCCAGCTGGCAGGGGCCAAAGGAGTCATTCTCTACTCCGACCCTGCTGACTACTTTGCTCCTGGGGTG
AAGTCTATCCAGACGGTTGGAATCTTCTGGAGGTGGTGTCCAGCGTGGAAATATCCTAAATCTGAATGGTGCA
GGAGACCTCTCACACCAGGTTACCCAGCAAATGAATATGCTTATAGGCGTGGAATTGCAGAGGCTGTTGGTCTT
CCAAGTATCTCTGTTTCAATCCAAATGGATACTATGATGCACAGAAGCTCCTAGAAAAAATGGGTGGCTCAGCACC
CCAGATAGCAGCTGGAGAGGAAGTCTCAAAGTGCCCTACAATGTTGGACCTGGCTTTACTGGAACTTTTCTACA
CAAAAAGTCAAGATGCACATCCACTCTACCAATGAAGTGACGAGAATTTACAATGTGATAGGTACTCTCAGAGGA
GCAGTGAACACAGACAGATATGTCATTCTGGGAGGTCACCGGGACTCATGGGTGTTTGGTGGTATTGACCCCTCAG
AGTGGAGCAGCTGTTGTTTCATGAAATTTGTGAGGAGCTTTGGAACACTGAAAAAGGAAGGTGGAGACCTAGAAGA
ACAATTTTGTGTTGCAAGCTGGGATGCAGAAGAATTTGGTCTTCTTGGTTCTACTGAGTGGGCAGAGGAGAATTC
AGACTCCTTCAAGAGCGTGGCGTGGCTTATATTAATGCTGACTCATCTATAGAAGGAACTACACTCTGAGAGTT
GATTGTACACCGCTGATGTACAGCTTGGTACACAACCTAACAAAAGAGCTGAAAAGCCCTGATGAAGGCTTTGAA
GGCAAATCTCTTTATGAAAGTTGGACTAAAAAAGTCCTTCCCCAGAGTTCAGTGGCATGCCAGGATAAGCAA
TTGGGATCTGGAATGATTTTGAGGTGTTCTTCCAACGACTTGAATGCTTCAGGCAGAGCACGGTATACTAAA
AATTGGGAAACAAACAAATTCAGCGGCTATCCACTGTATCACAGTGTCTATGAAACATATGAGTTGGTGGAAAAG
TTTTATGATCCAATGTTTAAATATCACCTCACTGTGGCCAGGTTTCGAGGAGGGATGGTGTGAGCTAGCCAA
TCCATAGTGCTCCCTTTTGATTGTGAGATTATGCTGTAGTTTTAAGAAAGTATGCTGACAAAATCTACAGTATT
TCTATGAAACATCCACAGGAAATGAAGACATACAGTGTATCATTTGATTCACTTTTTTCTGCAGTAAAGAATTT
ACAGAAATGCTTCCAAGTTCAGTGAGAGACTCCAGGACTTTGACAAAAGCAACCCAATAGTATTAAGAATGATG
AATGATCAACTCATGTTTCTGGAAAGAGCATTTATTGATCCATTAGGGTTACCAGACAGGCCTTTTTATAGGCAT
GTCATCTATGCTCCAAGCAGCCACAACAAGTATGCAGGGGAGTCATTCCAGGAATTTATGATGCTCTGTTTGAT
ATTGAAAGCAAAGTGGACCCCTCCAAGGCCTGGGAGAAAGTGAAGAGACAGATTTATGTTGCAGCCTTCACAGTG
CAGGCAGCTGCAGAGACTTTGAGTGAAGTAGCCTTAAGAGGATTTTTTAGAGAATCCGTATTGAATTTGTGTGTA
TGCTACTCAGAAAGAATCGTAATGGGTATATTGATAAATTTTAAATTTGGTATATTTGAAATAAAGTTGAATATT
ATATATAA

105/615

FIGURE 104

```
></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA52756
><subunit 1 of 1, 750 aa, 1 stop
><MW: 84305, pI: 6.93, NX(S/T): 10
MWNLLHETDSAVATARRPRWLCAGALVLAGGFFLLGFLFGWFIKSSNEATNITPKHNMKAFDELKAENIKKFLH
NFTQIPHLAGTEQNFQLAKQIQSQWKEFGLDSVELAHYDVLLSYPNKTHPNYISIINEDGNEIFNTSLFEP PPPG
YENVSDIVPPFSAFSPQGMPEGDLVYVNYARTEDFFKLERDMKINCSGKIVIARYGKVFRGNKVKNQAQLAGAKGV
ILYSDPADYFAPGVKSYPDGWNLPGGGVQGRNINLNLNGAGDPLTPGYPANAYARRGIAEAVGLPSIPVHPIGYY
DAQKLLLEKMGGSAAPPDSSWRGSLKVPYNVGPFGFTGNFSTQKVMMHISTNEVTRIYNVIGTLRGAVEPDRYVILG
GHRDSWVFGGIDPQSGAAVVHEIVRSFGLTKKEGWRPRRTILFASWDAEEFGLLGSTEWAEENSRLQERGVAI
NADSSIEGNYTLRVDCTPLMYSLVHNLTKEKSPDEGFEGKSLYESWTKKSPSPFSGMPRISKLGSGNDFEVFF
QRLGIASGRARYTKNWETNKFSGYPLYHSVYETYELVEKFYDPMFKYHLTVAQVRGGMVFE LANSIVLPFDCRDY
AVVLRKYADKIYSISMKHPQEMKTYSVSFDSLFSVAVKNFTEIASKFSERLQDFDKSNPIVLRMMNDQLMFLERAF
IDPLGLPDRPFYRHVIYAPSSH NKYAGESFPFGIYDALFDIESKVDPSKAWGEVKRQIYVAAFTVQAAAETLSEVA
```

Signal sequence:

amino acids 1-40

N-glycosylation sites.amino acids 76-80, 121-125, 140-144, 153-157, 195-199, 336-340, 459-463,
476-480, 638-642**Tyrosine kinase phosphorylation sites.**

amino acids 363-372, 605-613, 606-613, 617-626

N-myristoylation sites.amino acids 85-91, 168-174, 252-258, 256-262, 282-288, 335-341, 360-366,
427-433, 529-535, 707-713

106/615

FIGURE 105

TGAAGAGTAATAGTTGGAATCAAAAGAGTCAACGCAATGAAGTGTATTTACTGCTGCGTTTTATGTTGGGAATT
CCTCTCCTATGGCCTTGTCTTGGAGCAACAGAAAACCTCTCAAACAAAGAAAGTCAAGCAGCCAGTGGCATCTCAT
TTGAGAGTGAAGCGTGGCTGGGTGTGGAACCAATTTTTTGTACCAGAGGAAATGAATACGACTAGTCATCACATC
GGCCAGCTAAGATCTGATTTAGACAATGGAACAATTCTTTCCAGTACAAGCTTTTGGGAGCTGGAGCTGGAAGT
ACTTTTATCATTGATGAAGAACAGGTGACATATATGCCATACAGAAGCTTGATAGAGAGGAGCGATCCCTCTAC
ATCTTAAGAGCCCAGGTAATAGACATCGCTACTGGAAGGGCTGTGGAACCTGAGTCTGAGTTGTGCATCAAAGTT
TCGGATATCAATGACAATGAACCAAAATTCCTAGATGAACCTTATGAGGCCATTGTACCAGAGATGTCTCCAGAA
GGAACATTAGTTATCCAGGTGACAGCAAGTGATGCTGACGATCCCTCAAGTGGTAATAATGCTCGTCTCCTCTAC
AGCTTACTTCAAGGCCAGCCATATTTTTCTGTTGAACCAACAACAGGAGTCATAAGAATATCTTCTAAAATGGAT
AGAGAACTGCAAGATGAGTATTGGGTAATCATTCAAGCCAAGGACATGATTGGTCAGCCAGGAGCGTTGTCTGGA
ACAACAAGTGTATTAATTAACCTTTCAGATGTTAATGACAATAAGCCTATATTTAAAGAAAGTTTATACCGCTTG
ACTGTCTCTGAATCTGCACCCACTGGGACTTCTATAGGAACAATCATGGCATATGATAATGACATAGGAGAGAAT
GCAGAAATGGATTACAGCATTGAAGAGGATGATTGCGAAACATTTGACATTATTACTAATCATGAAACTCAAGAA
GGAATAGTTATATTAAGAAAGAAAGTGGATTTTGAGCACCAGAACCACTACGGTATTAGAGCAAAAGTTAAAAAC
CATCATGTTCTGAGCAGCTCATGAAGTACCACACTGAGGCTTCCACCACTTTCATTAAGATCCAGGTGGAAGAT
GTTGATGAGCCTCCTCTTTTCTCCTTCCATATTATGTATTGAAGTTTTTGAAGAAACCCACAGGGATCATTT
GTAGGCGTGGTGTCTGCCACAGACCCAGACAATAGGAAATCTCCTATCAGGTATTCTATTACTAGGAGCAAAGTG
TTCAATATCAATGATAATGGTACAATCACTACAAGTAACCTCACTGGATCGTGAATCAGTGCTTGGTACAACCTA
AGTATTACAGCCACAGAAAAATACAATATAGAACAGATCTTTCGATCCCACTGTATGTGCAAGTTCTTAACATC
AATGATCATGCTCCTGAGTTCTCTCAATACTATGAGACTTATGTTTGTGAAAATGCAGGCTCTGGTCAGGTAATT
CAGACTATCAGTGCAGTGGATAGAGATGAATCCATAGAAGAGCACCATTTTTACTTTAATCTATCTGTAGAAGAC
ACTAACAATTCAGTTTTTACAATCATAGATAATCAAGATAACACAGCTGTCATTTTGACTAATAGAAGTGGTTTT
AACCTTCAAGAAGAACCTGTCTTCTACATCTCCATCTTAATTGCCGACAATGGAATCCCGTCACTTACAAGTACA
AACACCTTACCATCCATGTCTGTGACTGTGGTGACAGTGGGAGCACACAGACCTGCCAGTACCAGGAGCTTGTG
CTTTCCATGGGATTCAAGACAGAAGTTATCATTGCTATTCTCATTTCATTATGATCATATTTGGGTTTATTTTT
TTGACTTTGGGTTTTAAACAACGGAGAAAAACAGATTCTATTTCTGAGAAAAGTGAAGATTTAGAGAGAAATATA
TTCCAATATGATGATGAAGGGGTGGAGAAGAAGATACAGAGGCCTTTGATATAGCAGAGCTGAGGAGTAGTACC
ATAATGCGGGAACGCAAGACTCGGAAAACCAAGCGCTGAGATCAGGAGCCTATACAGGCAGTCTTTGCAAGTT
GGCCCCGACAGTGCCATATTCAGGAAATTCATTCTGGAAAAGCTCGAAGAAGCTAATACTGATCCGTGTGCCCT
CCTTTTGATTCCCTCCAGACCTACGCTTTTGAGGGAACAGGGTCATTAGCTGGATCCCTGAGCTCCTTAGAATCA
GCAGTCTCTGATCAGGATGAAAGCTATGATTACCTAATGAGTTGGGACCTCGCTTTAAAGATTAGCATGCATG
TTTGGTTCTGCAGTGCAGTCAAATAATTAGGGCTTTTTACCATCAAATTTTTAAAGTGCTAATGTGTATTGCA
ACCCAATGGTAGTCTTAAAGAGTTTTGTGCCCTGGCTCTATGGCGGGGAAAGCCCTAGTCTATGGAGTTTTCTGA
TTTCCCTGGAGTAAATACTCCATGGTTATTTAAGCTACCTACATGCTGTCATTGAACAGAGATGTGGGGAGAAA
TGTAACAATCAGCTCACAGGCATCAATACAACCAGATTTGAAGTAAATAATGTAGGAAGATATTAAGTAGA
TGAGAGGACACAAGATGTAGTCGATCCTTATGCGATTATATCATTATTTACTTAGGAAAGAGTAAAAATACCAA
CGAGAAAATTTAAAGGAGCAAAAATTTGCAAGTCAAATAGAAATGTACAAATCGAGATAACATTTACATTTCTAT
CATATTGACATGAAAATTGAAAATGTATAGTCAGAGAAATTTTCATGAATTATTCATGAAGTATTGTTTCCTTT
ATTTAAA

107/615

FIGURE 106

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA53906
><subunit 1 of 1, 772 aa, 1 stop
><MW: 87002, pI: 4.64, NX(S/T): 8
MNCYLLLRFMLGIPLLWPCLGATENSQTKKVKQPVRSHLRVKGWVWNQFFVPEEMNTTSHHIGQLRSDLDNGNN
SFQYKLLGAGAGSTFIIDERTGDIYAIQKLDREERSLYILRAQVIDIATGRAVEPESEFVIKVSNDINDNEPKFLD
EPYEAIVPEMSPEGTLVIQVTASDADDPSSGNNARLLYSLQGPYFSVEPTTGVIIRISSKMDRELQDEYWVIIQ
AKDMIGQPGALSGTTSVLIKLSDVNDNKPIFKESLYRLTVSESAPTGTSGITIMAYDNDIGENAEMDYSIEEDDS
QTFDIITNHETQEGIVILKKKVD FEHQNHYGIRAKVKNHHVPEQLMKYHTEASTTFIKIQVEDVDEPPLFLLPYY
VFEVFEETPQGSFVGVSATDPDNRKSPIRYSITRSKVFNINDNGTITTSNSLDREISAWYNLSITATEKYNIEQ
ISSIPLYVQVLNINDHAPEFSQYYETYVCENAGSGQVIQTISAVDRDESIEHHFYFNLSVEDTNNSSFTIIDNQ
DNTAVILTNRTGENLQEEPVFYISILIA DNGIPSLTSTNTLTIHVCDGDSGSTQTCQYQELVLSMGFKTEVIIA
ILICIMIIFGFIFLTLGLKQRRKQILFPEKSEDFRENIFQYDEGGGEEDTEAFDIAELRSSTIMRERKTRKTTS
AEIRSLYRQSLQVGPDSAIFRKFILEKLEEANTDPCAPPFDSLQTYAFEGTGS LAGSLSSLESASVSDQDESYDYL
NELGPREFKRLACMFGSAVQSNN

Important features:**Signal peptide:**

amino acids 1-21

Transmembrane domain:

amino acids 597-617

N-glycosylation sites.

amino acids 57-60, 74-77, 419-423, 437-440, 508-511, 515-518, 516-519 and 534-537

Cadherins extracellular repeated domain signature.

amino acids 136-146 and 244-254

108/615

FIGURE 107

ATCTGGTTGAACTACTTAAGCTTAATTTGTTAAACTCCGGTAAGTACCTAGCCCACATGATTTGACTCAGAGATT
CTCTTTTGTCCACAGACAGTCATCTCAGGGGCAGAAAGAAAAGAGCTCCCAAATGCTATATCTATTTCAGGGGCTC
TCAAGAACAATGGAATATCATCCTGATTTAGAAAATTTGGATGAAGATGGATATACTCAATTACACTTCGACTCT
CAAAGCAATACCAGGATAGCTGTTGTTTCAGAGAAAGGATCGTGTGCTGCATCTCCTCCTTGGCGCCTCATTGCT
GTAATTTTGGGAATCCTATGCTTGGTAATACTGGTGATAGCTGTGGTCCTGGGTACCATGGGGGTTCTTTCCAGC
CCTTGTCCTCCTAATTGGATTATATATGAGAAGAGCTGTTATCTATTTCAGCATGTCACTAAATTCCTGGGATGGA
AGTAAAAGACAATGCTGGCAACTGGGCTCTAATCTCCTAAAGATAGACAGCTCAAATGAATTGGGATTTATAGTA
AAACAAGTGTCTTCCCAACCTGATAATTCATTTTGGATAGGCCTTTCTCGGCCCCAGACTGAGGTACCATGGCTC
TGGGAGGATGGATCAACATTCTCTTCTAATTATTTTCAGATCAGAACCACAGCTACCCAAGAAAACCCATCTCCA
AATTGTGTATGGATTCACGTGTGAGTCATTTATGACCAACTGTGTAGTGTGCCCTCATATAGTATTTGTGAGAAG
AAGTTTTCAATGTAAGAGGAAGGGTGGAGAAGGAGAGAGAAATATGTGAGGTAGTAAGGAGGACAGAAAACAGAA
CAGAAAAGAGTAACAGCTGAGGTCAAGATAAATGCAGAAAATGTTTAGAGAGCTTGGCCAAGTGAATCTTAACC
AAGAAATTGAAGGGAGAGGCTGTGATTTCTGTATTTGTGACCTACAGGTAGGCTAGTATTATTTTCTAGTTAG
TAGATCCCTAGACATGGAATCAGGGCAGCCAGCTTGAGTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTT
GTCTCACTTTGTACCCAGGCTGGAGTGCAGTGGCACAATCTCGACTCACTGCAGCTATCTCTCGCCTCAGCCCC
TCAAGTAGCTGGGACTACAGGTGCATGCCACCATGCCAGGCTAATTTTGGTGTTTTTTGTAGAGACTGGGTTTT
GCCATGTTGACCAAGCTGGTCTCTAACTCCTGGGCTTAAGTGATCTGCCCGCCTTGGCCTCCCAAAGTCTGGGA
TTACAGATGTGAGCCACCACACCTGGCCCCAAGCTTGAATTTTCATTCTGCCATTGACTTGGCATTACCTTGGG
TAAGCCATAAGCGAATCTTAATTTCTGGCTCTATCAGAGTTGTTTCATGCTCAACAATGCCATTGAAGTGCACGG
TGTGTTGCCACGATTTGACCCTCAACTTCTAGCAGTATATCAGTTATGAAGTGAAGGTGAAATATATTTCTGAAT
AGCTAAATGAAGAAATGGGAAAAAATCTTCACCACAGTCAGAGCAATTTTATTTATTTTATTTTATTTTATTTT
TTATGATTATCATCTTAGTAAAAAGCAGGAACCTCTACTTTTTCTTTATCAATTAAATAGCTCAGAGAGTACATC
TGCCATATCTCTAATAGAATCTTTTTTTTTTTTTTTTTTTTTTGTAGACAGAGTTTCGCTCTTGTGCCCAGGCTG
GAGTGCAACGGCACGATCTCGGCTCACCGCAACCTCCGCCCCCTGGGTTCAAGCAATTCCTCTGCCTCAGCCTCC
CAAGTAGCTGGGATTACAGTCAGGCACCACCACACCCGGCTAATTTTGTATTTTTTTAGTAGAGACAGGTTTCT
CCATGTCGGTCAGGGTAGTCCCGAAGTCTGACCTCAAGTGATCTGCCTGCCTCGGCCTCCCAAGTGTGGGATT
ACAGGCGTGAGCCACTGCACCCAGCCTAGAATCTTGTATAATATGTAATTGTAGGGAACTGCTCTCATAGGAAA
GTTTTCTGCTTTTTAAATACAAAATACATAAAAATACATAAAATCTGATGATGAATATAAAAAAGTAACCAACC
TCATTGGAACAAGTATTAACATTTTGAATATGTTTTATTAGTTTTGTGATGTACTGTTTTACAATTTTACCAT
TTTTTTCAGTAATTACTGTAAAATGGTATTATTGGAAATGAACTATATTTCTCATGTGCTGATTTGTCTTATTT
TTTTCATACTTTCCCACTGGTGCTATTTTTTATTTTCCAATGGATATTTCTGTATTACTAGGGAGGCATTTACAGTC
CTCTAATGTTGATTAATATGTGAAAAGAAATGTACCAATTTTACTAAATTATGCAGTTTAAATGGATGATTTT
ATGTTATGTGGATTTTCAATTAATAAAAAAACTCTTATCAAAAAAATAAAAAAAAAAAAAAAAAAAAAAAAAA

109/615

FIGURE 108

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA53912
<subunit 1 of 1, 201 aa, 1 stop
<MW: 22563, pI: 4.87, NX(S/T): 1
MEYHPDLENLDEDGYTQLHFDSQSNTRIAVVSEKGSAAAPPWRLLIAVILGILCLVILVIAVVLGTMGVLSSPCP
PNWIIYEKSCYLFMSLSNSWDGSKRQCWQLGSLNLLKIDSSNELGFIVKQVSSQPDNSFWIGLSRPQTEVPWLWED
GSTFSSNLFQIRTTATQENPSPNCVWIHVSVIYDQLCSVPSYSICEKKFSM

Important features:**Type II transmembrane domain:**

amino acids 45-65

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 197-200

N-myristoylation sites.

amino acids 35-40 and 151-156

Homologous region to LDL receptor

amino acids 34-67 and 70-200.

110/615

FIGURE 109

CTGCAAGTTGTTAACGCCTAACACACAAGTATGTTAGGCTTCCACCAAAGTCTCAATATACCTGAATACGCACA
ATATCTTAACCTCTTCATATTTGGTTTTGGGATCTGCTTTGAGGTCCCATCTTCATTTAAAAAAAATACAGAGAC
CTACCTACCCGTACGCATACATACATATGTGTATATATATGTAACTAGACAAAGATCGCAGATCATAAAGCAAG
CTCTGCTTTAGTTTCCAAGAAGATTACAAAGAATTTAGAGATGTTATTTGTCAAGATCCCTGTGATTTCATGCCCT
TTGGGTTACGGTGTCTCAGTGATGCAGCCCTACCTTTGGTTTGGGGACATTATGATTTGTGTAAGACTCAGAT
TTACACGGAAGAAGGGAAAGTTTGGGATTACATGGCCTGCCAGCCGGAATCCACGGACATGACAAAATATCTGAA
AGTGAAACTCGATCCTCCGGATATTACCTGTGGAGACCCTCCTGAGACGTTCTGTGCAATGGGCAATCCCTACAT
GTGCAATAATGAGTGTGATGCGAGTACCCCTGAGCTGGCACACCCCCCTGAGCTGATGTTTGATTTTGAAGGAAG
ACATCCCTCCACATTTTGGCAGTCTGCCACTTGAAGGAGTATCCCAAGCCTCTCCAGGTTAACATCACTCTGTC
TTGGAGCAAAACCATTGAGCTAACAGACAACATAGTTATTACCTTTGAATCTGGGCGTCCAGACCAAATGATCCT
GGAGAAGTCTCTCGATTATGGACGAACATGGCAGCCCTATCAGTATTATGCCACAGACTGCTTAGATGCTTTTCA
CATGGATCCTAAATCCGTGAAGGATTTATCACAGCATACGGTCTTAGAAATCATTTGCACAGAAGAGTACTCAAC
AGGGTATACAACAAATAGCAAAATAATCCACTTTGAAATCAAAGACAGGTTGCGGCTTTTTGCTGGACCTCGCCT
ACGCAATATGGCTTCCCTCTACGGACAGCTGGATACAACCAAGAACTCAGAGATTTCTTTACAGTCACAGACCT
GAGGATAAGGCTGTTAAGACCAGCCGTTGGGGAATATTTGTAGATGAGCTACACTTGGCAGCTACTTTTACGC
GATCTCAGACATAAAGGTGCGAGGAAGGTGCAAGTGAATCTCCATGCCACTGTATGTGTGTATGACAACAGCAA
ATTGACATGCCAATGTGAGCACAACACTACAGGTCCAGACTGTGGGAAATGCAAGAAGAATTATCAGGGCCGACC
TTGGAGTCCAGGCTCCTATCTCCCCATCCCCAAGGCACTGCAATACCTGTATCCCCAGTATTTCCAGTATTGG
TACGAATGTCTGCGACAACGAGCTCCTGCACTGCCAGAACGGAGGGACGTGCCACAACAACGTGCGCTGCCCTGTG
CCCGGCCGATACACGGGCATCCTCTGCGAGAAGCTGCGGTGCGAGGAGGCTGGCAGCTGCGGCTCCGACTCTGG
CCAGGGCGCGCCCCCGCACGGCACCCAGCGCTGCTGCTGCTGACCACGCTGCTGGGAACCGCCAGCCCCCTGGT
GTTCTAGGTGTACCTCCAGCCACACCGGACGGGCTGTGCCGTGGGGAAGCAGACACAACCCAAACATTTGCTA
CTAACATAGGAAACACACACATACAGACACCCCACTCAGACAGTGTACAACTAAGAAGGCCTAACTGAACTAA
GCCATATTTATCACCCGTGGACAGCACATCCGAGTCAAGACTGTTAATTTCTGACTCCAGAGGAGTTGGCAGCTG
TTGATATTATCACTGCAATCACATTGCCAGCTGCAGAGCATATTGTGGATTGGAAAGGCTGCGACAGCCCCCA
AACAGGAAAGCAAAAAACAAACAATCAACCGACCTAAAAACATTGGCTACTCTAGCGTGCTGCGCCCTAGTAC
GACTCCGCCCAGTGTGTGGACCAACCAATAGCATTCTTTGCTGTGAGGTGCATTGTGGGCATAAGGAAATCTGT
TACAAGCTGCCATATTGGCCTGCTTCCGTCCCTGAATCCCTTCCAACCTGTGCTTTAGTGAACGTTGCTCTGTAA
CCCTCGTTGGTTGAAAGATTTCTTTGTCTGATGTTAGTGATGCACATGTGTAAACAGCCCCCTCTAAAAGCGCAAG
CCAGTCATACCCCTGTATATCTTAGCAGCACTGAGTCCAGTGCGAGCACACACCCCACTATACAAGAGTGGCTATA
GGAAAAAAGAAAGTGTATCTATCCTTTTGTATTCAAATGAAGTTATTTTTCTTGAACACTGTAATATGTAGATT
TTTTGTATTATTGCCAATTTGTGTTACCAGACAATCTGTTAATGTATCTAATTCGAATCAGCAAAGACTGACATT
TTATTTTGTCTCTTTCTGTTTGTGTTTCACTGTGCAGAGATTTCTCTGTAAGGGCAACGAACGTGCTGGCA
TCAAAGAATATCAGTTTACATATATAACAAGTGAATAAGATTCCACCAAAGGACATTCTAAATGTTTTCTTGT
GCTTTAACACTGGAAGATTTAAAGAATAAACTCCTGCATAAACGATTTTCAAGGATTTGTATTGCAATTTCTTA
AGATGAAAGGAACAGCCCAAGCAGTTTCACTCACTTTACTGATTTCTGTGTGGACTGAGTACATTACAGCTG
ACGAATTTAGTTCCCAGGAAGATGGATTGATGTTCACTAGCTTGGACAACCTCTGCAAAATATGAGACTATTTCC
ACTTGGGAAAAATTACAACAGCAAAAAAAAAAAAAAAAAAAAAA

111/615

FIGURE 110

MYLSRSLSIHALWVTVSSVMQPYPLVWGHYDLCKTQIYTEEGKVWDYMACQPESTDMTKYLKVKLDPPDITCGDP
PETFCAMGNPYMCNNECDASTPELAHPPELMFDFEGRHPSTFWQSATWKEYPKPLQVNITLSWSKTIELTDNIVI
TFESGRPDQMLEKSLDYGRWQPYQYYATDCLDAFHMDPKSVKDLSQHTVLEIICTEEYSTGYTTNSKIIHFEI
KDRFALFAGPRLRNMASLYGQDFTTKLRDFFTVDLRIRLLRPVGEIFVDELHLARYFYAISDIKVRGRCKCN
LHATVCVYDNSKLTCECEHNTTGPDCGKCKKNYQGRPWSPGSYLPIPKGTANTCIPSISSIGTNVCDNELLHCQN
GGTCHNNVRCLCPAAYTGILCEKLRCEEAGSCGSDSGQAPPHGTPALLLTLLGTASPLVF

112/615

FIGURE 111

GCCTGCCGTCAGCTCGCCGGGCACCGCGGCCTCGCCCTCGCCCTCCGCCCTGCGCCTGCACCGCGTAGACCGAC
CCCCCCTCCAGCGCGCCACCCGGTAGAGGACCCCGCCCGTGCCCGACCGGTCCCCGCCTTTTTGTAAAAC
TAAAGCGGGCGCAGCATTAACGCTTCCCGCCCCGGTGACCTCTCAGGGGTCTCCCGCCAAAGGTGCTCCGCCGC
TAAGGAACATGGCGAAGGTGGAGCAGGTCTGAGCCTCGAGCCGACGACGAGCTCAAATTCCGAGGTCCCTTCA
CCGATGTTGTCACCACCAACCTAAAGCTTGGCAACCCGACAGACCGAAATGTGTGTTTTAAGGTGAAGACTACAG
CACCACGTAGGTACTGTGTGAGGCCCAACAGCGGAATCATCGATGCAGGGGCCTCAATTAATGTATCTGTGATGT
TACAGCCTTTTCGATTATGATCCCAATGAGAAAAGTAAACACAAGTTTATGGTTTCAGTCTATGTTTGCTCCAACTG
ACACTTCAGATATGGAAGCAGTATGGAAGGAGGCAAAACCGGAAGACCTTATGGATTCAAACTTAGATGTGTGT
TTGAATTGCCAGCAGAGAATGATAAACACATGATGTAGAAATAAATAAATTATATCCCAACTGCATCAAAGA
CAGAAACACCAATAGTGTCTAAGTCTCTGAGTTCTTCTTTGGATGACACCGAAGTTAAGAAGGTTATGGAAGAAT
GTAAGAGGCTGCAAGGTGAAGTTCAGAGGCTACGGGAGGAGAACAAGCAGTTCAAGGAAGAAGATGGACTGCGGA
TGAGGAAGACAGTGCAGAGCAACAGCCCCATTTAGCATTAGCCCCAACTGGGAAGGAAGAAGGCCCTTAGCACCC
GGCTCTTGGCTCTGGTGGTTTTGTTCTTTATCGTTGGTGAATTATTGGGAAGATTGCCTTGAGAGGTAGCATG
CACAGGATGGTAAATTGGATTGGTGGATCCACCATATCATGGGATTTAAATTATCATAACCATGTGTAAGAAAGA
AATTAATGTATGATGACATCTCACAGGTCTTGCCTTTAAATTACCCCTCCCTGCACACACATACAGATACACA
CACACAAATATAATGTAACGATCTTTTAGAAAGTTAAAAATGTATAGTAAGTATTGAGGGGGAAAAAGAAATGAT
CTTTATTAATGACAAGGGAAACCATGAGTAATGCCACAATGGCATATTGTAAATGTCATTTTAAACATTGGTAGG
CCTTGGTACATGATGCTGGATTACCTCTCTTAAATGACACCTTCCTCGCCTGTTGGTGTGGCCCTTGGGGAG
CTGGAGCCCAGCATGCTGGGGAGTGCGGTACAGCTCCACACAGTAGTCCCCACGTGGCCCACTCCCGGCCAGGCT
GCTTTCGGTGTCTTCAGTTCTGTCCAAGCCATCAGCTCCTTGGGACTGATGAACAGAGTCAGAAGCCCAAAGGAA
TTGCACTGTGGCAGCATCAGACGTACTCGTCATAAGTGAGAGGCGTGTGTTGACTGATTGACCCAGCGCTTTGGA
AATAAATGGCAGTGCTTTGTTCACTTAAAGGGACCAAGCTAAATTTGTATTGGTTCATGTAGTGAAGTCAAAC
TTATTTCAGAGATGTTTAAATGCATATTTAACTTATTTAATGTATTTTCATCTCATGTTTTCTTATTGTCACAAGAGT
ACAGTTAATGCTGCGTGCTGCTGAAGTCTGTTGGGTGAAGTGGTATTGCTGCTGGAGGGCTGTGGGCTCCTCTGT
CTCTGGAGAGTCTGGTTCATGTGGAGGTGGGGTTTTATTGGGATGCTGGAGAAGAGCTGCCAGGAAGTGTTTTTCT
GGGTGAGTAAATAACAACCTGTCATAGGGAGGGAATTTCTCAGTAGTGACAGTCAACTCTAGGTTACCTTTTTTAA
TGAAGAGTAGTCAGTCTTCTAGATTGTTCTTATACCACTCTCAACCATTACTCACACTTCCAGCGCCAGGTCC
AAGTCTGAGCCTGACCTCCCCTTGGGGACCTAGCCTGGAGTCAGGACAAATGGATCGGGCTGCAGAGGGTTAGAA
GCGAGGGCACCAGCAGTTGTGGGTGGGGAGCAAGGGAAGAGAGAACTCTTCAGCGAATCCTTCTAGTACTAGTT
GAGAGTTTACTGTGAATTAATTTTATGCCATAAAAGACCAACCCAGTTCTGTTTACTATGTAGCATCTTGAAA
AGAAAAATTATAATAAAGCCCCAAAATTAAGAAA

113/615

FIGURE 112

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA53977

<subunit 1 of 1, 243 aa, 1 stop

<MW: 27228, pI: 7.43, NX(S/T): 2

MAKVEQVLSLEPQHELKFRGPFETDVVTTNLKLGNPTRNVCFKVKTTAPRRYCVRPNSGIIDAGASINVSVMLQP
FDYDPNEKSKHKFMVQSMFAPDTSDMEAVWKEAKPEDLMDSKLRVFEPAENDKPHDVEINKIISTTASKTET
PIVSKSLSSSLDDTEVKKVMEECKRLQGEVQRLREENKQFKEEDGLRMRKTVQSNPISALAPTGKEEGLSTRLL
ALVVLEFFIVGVIIGKIAL**Important features:****Transmembrane domain:**

amino acids 224-239

N-glycosylation site.

amino acids 68-71

N-myristoylation site.

amino acids 59-64, 64-69 and 235-240

114/615

FIGURE 113

CCCACGCGTCCGGGTGACCTGGGCCGAGCCCTCCCGGTCGGCTAAGATTGCTGAGGAGGCGGCGGGTAGCTGGCA
GGCGCCGACTTCCGAAGGCCGCGTCCGGGCGAGGTGCCTCATGACTTCTCTTGTGGACCA**ATGT**CCGTGATCTT
TTTTGCCTGCGTGGTACGGGTAAGGGATGGACTGCCCCCTCTCAGCCTCTACTGATTTTTACCACACCCAAGATTT
TTTGAATGGAGGAGACGGCTCAAGAGTTTAGCCTTGCGACTGGCCCAGTATCCAGGTCGAGGTTCTGCAGAAGG
TTGTGACTTTAGTATACATTTTTCTTCTTTTCGGGGACGTGGCCTGCATGGCTATCTGCTCCTGCCAGTGTCCAGC
AGCCATGGCCTTCTGCTTCCTGGAGACCCTGTGGTGGGAATTACAGCTTCCTATGACACTACCTGCATTGGCCT
AGCCTCCAGGCCATACGCTTTTCTTGAGTTTGACAGCATCATTAGAAAGTGAAGTGGCATTTTAACTATGTAAG
TTCCTCTCAGATGGAGTGCAGCTTGAAAAAATTCAGGAGGAGCTCAAGTTGCAGCCTCCAGCGGTTCTCACTCT
GGAGGACACAGATGTGGCAATGGGGTGATGAATGGTCACACACCGATGCACTTGGAGCCTGCTCCTAATTTCCG
AATGGAACCACTGACAGCCCTGGGTATCCTCTCCCTCATTCTCAACATCATGTGTGCTGCCCTGAATCTCATTCTG
AGGAGTTCACCTTGCAGAACATTCTTTACAGGATCCAAGGAGCTGGTTCTGCTGGTTGGACCAAACCTCG**TGAGC**
CAGCCACCCCTGACCCAAATGAGGAGAGCTCTGATTCTCCCATCCGGGAGCAGTGATGTCAAACCTCTGCTGCTG
GGGAAATCTCATCAGCAGGGAGCCTGTGGAAAAGGGCATGTCAGTGAAATCTGGGAATGGCTGGATTCCGAAACA
TCTGCCCATGTGTATTGATGGCAGAGCTGTTGCCACAAGCGCCTTTTATTTAGGGTAAAAATTAACAAATCCATT
CTATTCTCTGACCCATGCTTAGTACATATGACCTTTAACCCCTTACATTTATATGATTCTGGGGTTGCTTCAGAA
GTGTTATTTTCATGAATCATTCATATGATTTGATCCCCAGGATTCTATTTTGTTTAATGGGCTTTTCTACTAAAA
GCATAAAATACTGAGGCTGATTTAGTCAGGGCAAAACCATTTACTTTACATATTCGTTTTCAATACTTGCTGTTT
ATGTTACACAAGCTTCTTACGGTTTTCTTGTAACAATAAATATTTTGAGTAAATAATGGGTACATTTTAACAAAC
TCAGTAGTACAACCTAACTTGTATAAAAGTGTGTAAAAATGTATAGCCATTTATATCCTATGTATAAATTAAAT
GAGGTGGCTTCAGAAATGGCAGAATAAATCTAAAGTGTTTATTAATAAAAAAAAAAAAAAAAAAAAAAAG

115/615

FIGURE 114

MSVIFACVVRVRDGLPLSASTDFYHTQDFLEWRRRLKSLALRLAQYPGRGSAEGCDFSIHFSSFGDVACMAICS
CQCPAAMAFCFLET LWWEFTASYDTTCIGLASRPYAFLEFDSIIQVKWHFNYVSSSQMECSLEKIQEELKLQPP
AVLTLEDTDVANGVMNGHTPMHLEPAPNFRMEPV TALGILSLILNIMCAALNLIRGVHLAEHSLQDPRSWFCWLDQTS

116/615

FIGURE 115

CTCAGCGGCGCTTCCTCGTAGCGAGCCTAGTGGCGGGTGTTTGCAATTGAAACGTGAGCGCGACCCGACCTTAAAG
AGTGGGGAGCAAAGGGAGGACAGAGCCCTTTAAACGAGGCGGGTGGTGCCTGCCCTTTAAGGGCGGGGCGTCC
GGACGACTGTATCTGAGCCCCAGACTGCCCCGAGTTTCTGTGCGAGGCTGCGAGGAAAGGCCCTTAGGCTGGGTG
TGGGTGCTTGGCGGCGGCGGCTTCCTCCCCGCTCGTCCCTCCCGGGCCAGAGGCACCTCGGCTTCAGTCATGCT
GAGCAGAGTATGGAAGCACCTGACTACGAAGTGCTATCCGTGCGAGAACAGCTATTCCACGAGAGGATCCGCGAG
TGTATTATATCAACACTTCTGTTTGCAACACTGTACATCCTCTGCCACATCTTCCTGACCCGCTTCAAGAAGCCT
GCTGAGTTTACCACAGTGGATGATGAAGATGCCACCGTCAACAAGATTGCGCTCGAGCTGTGCACCTTTACCCCTG
GCAATTGCCCTGGGTGCTGTCTGCTCCTGCCCTTCTCCATCATCAGCAATGAGGTGCTGCTCCTCGCTCGG
AACTACTACATCCAGTGGCTCAACGGCTCCCTCATCCATGGCCTCTGGAACCTTGTTTTCTCTTCCCCAACCTG
TCCCTCATCTTCCTCATGCCCTTTGCATATTTCTTCACTGAGTCTGAGGGCTTTGCTGGCTCCAGAAAGGTGTC
CTGGGCGGGTCTATGAGACAGTGGTGATGTTGATGCTCCTCACTCTGCTGGTGCTAGGTATGGTGTGGGTGGCA
TCAGCATTGTGGACAAGAACAAGGCCAACAGAGAGTCACTCTATGACTTTTGGGAGTACTATCTCCCTACCTC
TACTCATGCATCTCCTTCCTTGGGGTTCTGCTGCTCCTGGTGCTACTCCACTGGGTCTCGCCCGCATGTTCTCC
GTCACTGGGAAGCTGCTAGTCAAGCCCCGGCTGCTGGAAGACCTGGAGGAGCAGCTGTACTGCTCAGCCTTTGAG
GAGGCAGCCCTGACCCGAGGATCTGTAATCCTACTTCTGCTGGCTGCCCTTAGACATGGAGCTGCTACACAGA
CAGGTCTGGCTCTGCAGACACAGAGGGTCCCTGCTGGAGAAGAGGCGGAAGGCTTCAGCCTGGCAACGGAACCTG
GGCTACCCCTGGCTATGCTGTGCTTGTGGTGCTGACGGGCTGTCTGTGCTCATTGTGGCCATCCACATCCTG
GAGCTGCTCATCGATGAGGCTGCCATGCCCCGAGGCATGCAGGGTACCTCCTTAGGCCAGGTCTCCTTCTCCAAG
CTGGGCTCCTTTGGTGCCGTCAATTCAGGTTGTACTCATCTTTTACCTAATGGTGTCTCAGTTGTGGGCTTCTAT
AGCTCTCCACTCTTCCGGAGCCTGCGGCCAGATGGCACGACACTGCCATGACGCAGATAATTGGGAACGTGTGTC
TGTCTCCTGGTCTTAAGCTCAGCACTTCCTGTCTTCTCTCGAACCTGGGGCTCACTCGCTTTGACCTGCTGGGT
GACTTTGGACGCTTCAACTGGCTGGGCAATTTCTACATTGTGTTCTCTACAACGCAGCCTTTGCAGGCCTCACC
ACACTCTGTCTGGTGAAGACCTTCACTGCAGCTGTGCGGGCAGAGCTGATCCGGGCTTTGGGCTGGACAGACTG
CCGCTGCCCGTCTCCGGTTTCCCCCAGGCATCTAGGAAGACCCAGCACCAGTGAACCTCCAGCTGGGGGTGGGAAG
GAAAAAAGTGGACACTGCCATCTGCTGCCTAGGCCTGGAGGGAAGCCCAAGGCTACTTGGACCTCAGGACCTGGA
ATCTGAGAGGGTGGGTGGCAGAGGGGAGCAGAGCCATCTGCACTATTGCATAATCTGAGCCAGAGTTTGGGACCA
GGACCTCCTGCTTTCCATACTTAAGTGTGCCTCAGCATGGGGTAGGGCTGGGTGACTGGGTAGCCCCCTGAT
CCCAAATCTGTTTACACATCAATCTGCCTCACTGCTGTTCTGGGCCATCCCCATAGCCATGTTTACATGATTTGA
TGTGCAATAGGGTGGGTAGGGGCAGGGAAGGACTGGGCCAGGGCAGGCTCGGGAGATAGATTGTCTCCCTTGC
CTCTGGCCCAGCAGAGCCTAAGCACTGTGCTATCCTGGAGGGGCTTTGGACCCTGAAAGACCAAGGGGATAGG
GAGGAGGAGGCTTCAGCCATCAGCAATAAAGTTGATCCCAGGGAAAAAA

117/615

FIGURE 116

MEAPDYEVLSVREQLFHERIRECIISTLLFATLYILCHIFLTRFKKPAEFTTVDDDEDATVUNKIALELCTFTLAIA
LGAVLLLPPFSIISNEVLLSLPRNYYIQWLNGLIHGLWNLVFLFPNLSLIFLMPFAYFFTESEGFAGSRKGVLR
VYETVVMLMLLTLLVLGMVWVASAIVDKNKANRESLYDFWEYYPYLYSCISFLGVLLLLVCTPLGLARMFSVTG
KLLVKPRLLEDLEEQLYCSAFEEAALTRRICNPTSCWLPLDMELLHRQVLALQTRVLLLEKRRKASAWQRNLGYP
IAMLCLLVLTGLSVLIVAIHILELLIDEAAMPGRMQGTSLGQVSFSKLGSGGAVIQVVLIFYLMVSSVVGIFYSSP
LFRSLRPRWHDAMTQIIGNCVCLLVLSALPVFSRTLGLTRFDLLGDFGRFNWLGNFYIVFLYNAAFAGLTTLIC
LVKTFTAARAEILIRAFGLDRLPLPVSGFPQASRKTQHQ

FIGURE 117

[illegible]

119/615

FIGURE 118

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA54002
><subunit 1 of 1, 544 aa, 1 stop
><MW: 60268, pI: 9.53, NX(S/T): 3
MLLPILLSSLLGGSQAMDGRFWIRVQESVMVPEGLCISVPCSFYSYPRQDWTGSTPAYGYWFKAVTETTTKGAPVAT
NHQSREVEEMSTRGRFQLTGDPKAGNCSLVIRDAQMDESYFFRVERGSYVTYNFMNDGFFLKVTVLSTPRPQD
HNTDLTCHVDFSRKGVSAQRTVRLRVAYAPRDLVISISRDNTPALEPQPQGNVPYLEAQKGQFLRLLCAADSQPP
ATLSWVLQNRVLSSSHPWGPRPLGLELPGVKAGDSGRYTCRAENRLGSQQRALDLSVQYPPENLRVMVSQANRTV
LENLNGTSLPVLEGQSLCLVCVTHSSPPARLSWTQRGQVLSPSQPSDPGVLELPRVQVEHEGEFTCHARHPLGS
QHVSLSLSVHYKKGLISTAFSNGAFLGIGITALLEFLCLALIIMKILPKRRTQTETPRPRFSRHSTILDYINNVPT
AGPLAQKRNQKATPNSPRTPPPPGAPSPESKKNQKKQYQLPSFPEPKSSTQAPESQESQEELHYATLNFPGVRPR
PEARMPKGTQADYAEVKFQ

Important features:**Signal peptide:**

amino acids 1-15

Transmembrane domain:

amino acids 399-418

N-glycosylation site.

amino acids 100-103, 297-300 and 306-309

Immunoglobulins and major histocompatibility complex proteins signature.

amino acids 365-371

120/615

FIGURE 119

CTCGCGCAGGGATCGTCCC**ATG**CGCGGGGCTCGGAGCCGCGACCCTTGGGGGGCCTCCGGGATTTGCTACCTTTT
TGGCTCCCTGCTCGTGAAGTCTCTTCTACGGGCTGTCCGCTTCAATCTGGACGTGATGGGTGCTTGGCGAA
GGAGGGCGAGCCAGGCAGCCTCTTCGGCTTCTGTGGCCCTGCACCCGCGAGTTGCAGCCCCGACCCAGAGCTG
GCTGCTGGTGGGTGCTCCCCAGGCCCTGGCTCTTCTGGGAGCAGGCGAATCGCACTGGAGGCTCTTCGCTTG
CCCCTTGAGCCTGGAGGAGACTGACTGCTACAGAGTGGACATCGACCAGGGAGCTGATATGCAAAAGGAAAGCAA
GGAGAACCAGTGTTGGGAGTCACTGTTTCGGAGCCAGGGGCTGGGGGCAAGATTGTTACCTGTGCACACCGATA
TGAGGCAAGGCAGCGAGTGGACCAGATCCTGGAGACGCGGGATATGATTGGTTCGCTGCTTTGTGCTCAGCCAGGA
CCTGGCCATCCGGGATGAGTTGGATGGTGGGGAATGGAAGTTCTGTGAGGGACGCCCCAAGGCCATGAACAATT
TGGGTTCTGCCAGCAGGGCACAGCTGCCGCTTCTCCCTGATAGCCACTACCTCCTCTTTGGGGCCCCAGGAAC
CTATAATTGGAAGGGCACGGCCAGGGTGGAGCTCTGTGCACAGGGCTCAGCGGACCTGGCACACCTGGACGACGG
TCCCTACGAGGCGGGGGGAGAGAAGGAGCAGGACCCCCGCTCATCCCGTCCCTGCCAACAGCTACTTTGGCTT
CTCTATTGACTCGGGGAAAGGTCTGGTGCCTGCAGAGAGCTGAGCTTTGTGGCTGGAGCCCCCGGCCAACCA
CAAGGGTGTGTGGTCACTCTGCGCAAGGACAGCGCCAGTCCGCTGGTGGCGAGGTTATGCTGTCTGGGGAGCG
CCTGACCTCCGGCTTTGGCTACTCACTGGCTGTGGCTGACCTCAACAGTGTGGCTGGCCAGACCTGATAGTGGG
TGCCCCCTACTCTTTGAGCGCCAAGAAGAGCTGGGGGTGCTGTGTATGTGTAAGTGAACAGGGGGGTCACTG
GGCTGGGATCTCCCTCTCCGGCTCTGCGGCTCCCTGACTCCATGTTCCGGGATCAGCCTGGCTGTCTGGGGGA
CCTCAACCAAGATGGCTTTCCAGATATTGCAGTGGGTGCCCTTTGATGGTGTGGGAAAGTCTTCATCTACCA
TGGGAGCAGCCTGGGGGTTGTGCCAAACCTTCACAGGTGCTGGAGGGCGAGGCTGTGGGCATCAAGAGCTTCGG
CTACTCCCTGTGAGGCAGCTTGATATGGATGGGAACCAATACCCTGACCTGCTGGTGGGCTCCCTGGCTGACAC
CGCAGTGTCTTCAGGGCCAGACCCATCCTCCATGTCTCCCATGAGGTCTCTATTGCTCCAGAACATCGACCT
GGAGCAGCCCACTGTGCTGGCGGCCACTCGGTCTGTGTGGACCTAAGGGTCTGTTTCAGCTACATTGCAGTCCC
CAGCAGCTATAGCCCTACTGTGGCCCTGGACTATGTGTTAGATGCGGACACAGACCGGAGGCTCCGGGGCCAGGT
TCCCCGTGTGACGTTCTGAGCCGTAACCTGGAAGAACCAGCACCAGGCTCGGGCACCGTGTGGCTGAAGCA
CCAGCATGACCGAGTCTGTGGAGACGCCATGTTCCAGCTCCAGGAAAATGTCAAAGACAGCTTCGGGCCATTGT
AGTGACCTTGTCTACAGTCTCCAGACCCCTCGGCTCCGGCGACAGGCTCCTGGCCAGGGGCTGCCTCCAGTGGC
CCCCATCCTCAATGCCCAACAGCCAGCCAGCAGCCAGGGGAGAGATCCACTTCTGAAGCAAGGCTGTGGTGAAGA
CAAGATCTGCCAGAGCAATCTGCAGCTGGTCCACGCCCCGCTTCTGTACCCGGGTGAGCGACACCGAATTCCAACC
TCTGCCATGGATGTGGATGGAACAACAGCCCTGTTTGCAGTGTGGGAGCCAGTCACTGGCTGGAGCTGAT
GGTCACCAACCTGCCATCGGACCCAGCCAGCCAGGCTGATGGGGATGATGCCATGAAGCCAGCTCCTGGT
CATGCTTCTGACTCACTGCACTACTCAGGGGTCCGGGCCCTGGACCTGCGGAGAAGCCACTCTGCCTGTCCAA
TGAGAAATGCTCCCTGAGTGTGAGTGGGGAACCCATGAAGAGAGGTGCCAGGTACCTTCTACCTCAT
CCTTAGCACCTCCGGGATCAGCATTGAGACCAAGGAGGTAGAGCTGCTGTTGGCCAGGATCAGTACGCA
GGAGCTGCATCCAGTCTCTGCACGAGCCCGTGTCTTATTGAGTGTCCACTGTCCATTGCAGGAATGGCCATTCC
CCAGCAACTCTTCTTCTGTGTGGTGGTGGGGGCGAGAGCCATGCAGTCTGAGCGGATGTGGGAGCAAGGT
CAAGTATGAGGTACGGTTTCCAACCAAGGCCAGTCTGCTCAGAACCTGGGCTCTGCCTTCTCAACATCATGTG
GCCTCATGAGATTGCCAATGGGAAGTGGTTGCTGTACCAATGCAGGTTGAGCTGGAGGGCGGGCAGGGGCTGG
GCAGAAAGGGCTTTGCTCTCCAGGCCAACATCCTCCACCTGGATGTGGACAGTAGGGATAGGAGGCGCGGGA
GCTGGAGCCACCTGAGCAGCAGGAGCCTGGTGGAGCGGAGGAGCCAGCATGTCTGGTGGCCAGTGTCTCTGC
TGAGAAAGAAAACATCACCTGGACTGCGCCCGGGGACGGCCAACTGTGTGGTGTTCAGCTGCCACTCTA
CAGCTTTGACCGCGCGGCTGTGCTGCATGTCTGGGGCTCTCTGGAACAGCACCTTTCTGGAGGAGTACTCAGC
TGTGAAGTCCCTGGAAGTGTGTCGGGGCAACATCACAGTGAAGTCTCCATAAAGAACTTGATGCTCCGAGA
TGCTCCACAGTATCCAGTGTGGTATACTTGGACCCATGGCTGTGGTGGCAGAAGGAGTGCCTGGTGGGT
CATCTCTGGCTGTACTGGCTGGGCTGCTGGTGCTAGCTGCTGGTGTGCTGCTCTGTGGGAAGATGGGATTCTT
CAACCGGGCGAAGCACCCCGAGGCCACCGTGCCTCAGTACCATGCGGTGAAGATTCTCGGGGAAGACCGACAGCA
GTTCAAGGAGGAGAAGACGGGACCATCCTGAGGAACAACTGGGGCAGCCCCCGCGGGAGGGCCCCGGATGCACA
CCCCATCCTGGCTGCTGACGGGCATCCGAGCTGGGCCCCGATGGGCATCCAGGGCCAGGCACCGCT**TAG**GTTCC
CATGTCCCAGCCTGGCCTGTGGCTGCCCTCCATCCCTTCCCCAGAGATGGCTCCTTGGGATGAAGAGGGTAGAGT
GGGCTGCTGGTGTGCATCAAGATTGGCAGGATCGGCTTCTCAGGGGCACAGACCTCTCCACCCACAAGAAC
TCTCCCAACCACTTCCCTTAGAGTGTGTGAGATGAGAGTGGGTAAATCAGGGACAGGGCCATGGGGTAGGG
TGAGAAGGGCAGGGGTGTCTGATGCAAGGTGGGGAGAAGGGATCCTAATCCCTTCTCTCCCATCCCTGT
GTAACAGGACCCCAAGGACCTGCCTCCCCGAAGTGCCTTAACCTAGAGGGTGGGGAGGAGGTTGTGTCACTGA
CTCAGGCTGCTCCTTCTAGTTTCCCTCTCATCTGACCTTAGTTTGTGCTGCCATCAGTCTAGTGGTTTCGTGGT
TTCGTCTATTTATTAATAAATATTTGAGAACAATAAAAAAAAAAAAAAAAAA

121/615

FIGURE 120

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA55737
><subunit 1 of 1, 1141 aa, 1 stop
><MW: 124671, pI: 5.82, NX(S/T): 5
MAGARSRDPWGASGICYLFGSLLVELLFSRAVAFNLDVMGALRKEGEPGSLFGFSVALHRQLQPRPQSWLLVGAP
QALALPGQQANRTGGGLFACPLSLEETDCYRVDIDQGADMQKESKENQWLGVSVRSQGGPKIVTCAHRYEARQRV
DQILETRDMIGRCFVLSQDLAIRDELGGGEWKFCGRPQGHEQFGFCQQGTAAAFSPDSHYLLFGAPGTYNWKGT
ARVELCAQGSADLAHLDDGPYEAGGEKEQDPRLIPVPANSYFGFSIDSGKGLVRAEELS FVAGAPRANHKGAVVI
LRKDSASRLVPEVMLSGERLTSGFGYSLAVADLNSDGWPD LIVGAPYFFERQEELGGAVYVYLNQGGHWAGISPL
RLCGSPDSMFGISLAVLGDNLNQDGFDPDIAGAPFDGDKGVFIYHGSSLGVVAKPSQVLEGEAVGIKSFYSLSGS
LDMGDNQYPDLLVGLADTAVLFRARPILHVSHEVSIAPRSIDLEQPN CAGGHSVCVDLRVCF SYIAVPSSYSPT
VALDYVLDADTDRLRGQVPRVTFILSRNLEEPKHQASGT VWLKHQHDRVCGDAMFQLQENVKDKLRAIVVTL SYS
LQTPRLRRQAPGQGLPPVAPILNAHQ PSTQRAEIHFLKQCGCEDKICQSNLQLVHARFCTRVSDTEFQPLPMDVD
GTTALFALSGQPVIGLELMVTNLPSDPAQPQADGDDAHEAQLLVM LPSLHYS GVRALDPAEKPLCLSNENASHV
ECELG NPMKRGAQVTFFYLILSTSGIS IETTELEVELLLATISEQELHPVSARARVFIELPLSIAGMAIPQQLFFS
GVVRGERAMQSERDVGSKVKYEVT VSNQGQSLRTLGS AFLNIMWPHEIANGK WLLYPMQVELEGGQGPQKGLCS
PRPNILHLDVDSRDRRRRELEPPEQQEPGERQE PSMWWPVSSAEKKKNITLDCARGTANC VVFSCPLYSFDRAA
VLHVWGRLWNSTFLEEYS AVKSLEVIVRANITVKSSIKNLMLRDASTVIPVMVYLDPM AVVAEGVPWWVILLAVL
AGLLVLALLVLLLWKMGFFKRAKHPEATVPQYH AVKIPREDRQQFK EEXTGTILRNNWGS PRREGPDAHPILAAD
GHPELGPDGHPGPGTA
```

Important features:**Signal peptide:**

amino acids 1-33

Transmembrane domain:

amino acids 1040-1062

N-glycosylation sites.

amino acids 86-89, 746-749, 949-952, 985-988 and 1005-1008

Integrins alpha chain proteins.

amino acids 1064-1071, 384-408, 1041-1071, 317-346, 443-465, 385-407, 215-224, 634-647, 85-99, 322-346, 470-479, 442-466, 379-408 and 1031-1047

122/615

FIGURE 121

GGCACGAGGCGGCGGGGCGAGTCGCGGGGATGCGCCCCGGGAGCCACAGCCTGAGGCCCTCAGGTCTCTGCAGGTGTC
GTGGAGGAACCTAGCACCTGCCATCCTCTTCCCCAATTTGCCACTTCCAGCAGCTTTAGCCCATGAGGAGGATGT
GACCGGGGACTGAGTCAGGAGCCCTCTGGAAGCATGGAGACTGTGGTGATTGTTGCCATAGGTGTGCTGGCCACCA
TCTTTCTGGCTTCGTTTGCAGCCTTGGTGCTGGTTTGCAGGCAGCGCTACTGCCGGCCGCGAGACCTGCTGCAGC
GCTATGATTCTAAGCCCATTGTGGACCTCATTGGTGCCATGGAGACCCAGTCTGAGCCCTCTGAGTTAGAAGTGG
ACGATGTCGTTATCACCACCCCCACATTGAGGCCATTCTGGAGAATGAAGACTGGATCGAAGATGCCCTCGGGTC
TCATGTCCCACTGCATTGCCATCTTGAAGATTTGTCACTCTGACAGAGAAGCTTGTGGCCATGACAATGGGCT
CTGGGGCCAAGATGAAGACTTCAGCCAGTGTGACGACATCATTGTGGTGGCCAAGCGGATCAGCCCCAGGGTGG
ATGATGTTGTGAAGTCGATGTACCCTCCGTTGGACCCCAAACCTCTGGACGCACGGACGACTGCCCTGCTCCTGT
CTGTGAGTCACCTGGTGCTGGTGACAAGGAATGCCTGCCATCTGACGGGAGGCCTGGACTGGATTGACCAGTCTC
TGTCGGCTGCTGAGGAGCATTGGAAGTCCTTCGAGAAGCAGCCCTAGCTTCTGAGCCAGATAAAGGCCTCCCAG
GCCCTGAAGGCTTCCTGCAGGAGCAGTCTGCAATTTTAGTGCCTACAGGCCAGCAGCTAGCCATGAAGGCCCTGC
CGCCATCCCTGGATGGCTCAGCTTAGCCTTCTACTTTTTCTATAGAGTTAGTTGTTCTCCACGGCTGGAGAGTT
CAGCTGTGTGTGCATAGTAAAGCAGGAGATCCCCGTCAGTTTATGCCTCTTTTGCAGTTGCAAACTGTGGCTGGT
GAGTGGCAGTCTAATACTACAGTTAGGGGAGATGCCATTCACTCTCTGCAAGAGGAGTATTGAAAAGTGGTGGAC
TGTCAGCTTTATTTAGCTCACCTAGTGTCTTCAAGAAAATTGAGCCACCGTCTAAGAAAATCAAGAGGTTTCACAT
TAAAATTAGAATTTCTGGCCTCTCTCGATCGGTGAGAATGTGTGGCAATTCTGATCTGCATTTTCAGAAGAGGAC
AATCAATTGAACTAAGTAGGGGTTTCTTCTTTGGCAAGACTTGTACTCTCTCACCTGGCCTGTTTCATTTATT
TGTATTATCTGCCTGGTCCCTGAGGCGTCTGGGTCTCTCCTCTCCCTTGAGGTTTGGGTTTGAAGCTGAGGAAC
TACAAAGTTGATGATTTCTTTTTATCTTTATGCCTGCAATTTTACCTAGCTACCACTAGGTGGATAGTAAATTT
ATACTTATGTTTCCCTCAAAAAAAAAAAAAA

123/615

FIGURE 122

METVVIVAIGVLATIFLASFAALVLVCRQRYCRPRDLLQRYDSKPIVDLIGAMETQSEPSELEDDVVITNPHIE
AILENEDWIEDASGLMSHCIAILKICHTLTEKLVAMTMGSGAKMKTSASVSDIIVVAKRISPRVDDVVKSMYPPL
DPKLLDARTTALLSVSHLVLVTRNACHLTGGLDWIDQSLSAEEHLEVLREAALASEPDKGLPGPEGFLQEQSAI

124/615

FIGURE 123

CCCTTACATCCTCCTAGGACCCGGTCGGTAGTCGTGCCCCAGCCCCGCGGGGGCGCAGCGCCCGAGCCGCGGCC
CTCGAGACGGGACCGAGAGCATCATGGGCAGCACTGTCCCGCGCTCCGCCTCCGTGCTGCTTCTGCTGCTGCTCC
TGCGCCGGGGCCGAGCAGCCCTGCGGGGCGGAGCTCACCTTCGAGCTGCCGGACAACGCCAAGCAGTGCTTCCACG
AGGAGGTGGAGCAGGGCGTGAAGTTCTCCCTGGATTACCAGGTCATCACTGGAGGCCACTACGATGTTGACTGCT
ATGTAGAGGACCCCGAGGGGAACACCATCTACAGAGAAACGAAGAAGCAGTACGACAGCTTACGTACCGGGCTG
AAGTCAAGGGCGTTTATCAGTTTGGCTTCAGTAATGAGTTTCCACCTTCTCTCACAGACCGTCTACTTTGACT
TTCAAGTGGGCGATGAGCCTCCCATTTCTCCAGACATGGGGAACAGGGTCACAGCTCTCACCCAGATGGAGTCCG
CCTGCGTGACCATCCATGAGGCTCTGAAAACGGTGATTGACTCCAGACGCATTACCGGCTGCGGGAGGCCCAGG
ACCGGGCCCCGAGCGGAAGACCTTAATAGCCGAGTCTTTACTGGTCTGTTGGCGAGACGATTGCCCTGTTTCGTGG
TCAGCTTCAGTCAGGTGCTACTGTTGAAAAGCTTCTTCACAGAAAAACGACCCATCAGCAGGGCAGTCCACTCCT
AGCCCCGGCATCCTGCTCTAGGGCCCCCTCATGCCCCAGGCTGGAGCAGCTCTCCTAGGTCACAGCCTGCTGGGCT
GGGTGCGGTAGCCAGGGTGGAGGCAGAACGATGCTGCTGTGGTAGCCCTTTGCCTTTCATGCCCATGCTTGATT
CTTGACCTCAGCAGCTGAAGGTCTCAGAGACCAGTAATCAGAAGGCATCCGACTGCATTAAGTGTGCAGCGCTG
AAAAGACATTTACAAGTAGGCCAGGGATTAGCCACTGTGGGAGGGTGGACAGGCAATGGTTCAGTGGCCTGGCTG
TTGGCAGGAAGTCCAAGTGCCGAGCCTCTTGGGCAGCTTAGGGCCCTGCCTCTGTTTCATGATGCATGGGTCT
TTGTCTTGGGTGTCCTATCCCATATGGAGAAGAAAGGGGCTCTAAGTTCTGGCTCTTCTTTCTTTGGGGTTCTCT
GTACCTGAGGAAACAGGCCCTGGGTGACTTTGCAGATCTGCTCACCTCGGTGAGCAACAGTGTCTAGCCATGCA
AGCAGGACAGAATGGTGACTGGGTGCCCTTGGTGAGCTGTGTATTTCTAGGAGGTAGAAAACTGTGGGAACTG
TGGCTAATAAAAACTAAGTGTGAGCGTCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

125/615

FIGURE 124

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56052
<subunit 1 of 1, 217 aa, 1 stop
<MW: 24777, pI: 5.55, NX(S/T): 0
MGSTVPRSASVLLLLLLLLRRAEQPCGAELTFELPDNAKQCFHEEVEQGVKFSLDYQVITG
GHYDVDCYVEDPQGNTIYRETKKQYDSFTYRAEVKGVYQFCFSNEFSTFSHKTVYFDFQV
GDEPPILPDMGNRVLTALQMESACVTIHEALKTVIDSQTHYRLREAQDRARAEDLNSRVS
YWSVGETIALFVVSFSQVLLKSFTEKRPISRAVHS
```

Important features:**Signal peptide:**

amino acids: 1-23

Transmembrane domain:

amino acids: 187-201

N-myristoylation sites:

amino acids: 26-32, 48-54, 131-137

Tyrosine kinase phosphorylation site:

amino acids: 82-91

Glycosyl hydrolases family 25 proteins:

amino acids: 53-61

126/615

FIGURE 125

GGCACGAGGCGCTGTCCACCCGGGGGCGTGGGAGTGAGGTACCAGATTGAGCCCATTTGGCCCCGACGCCTCTGT
TCTCGGAATCCGGGTGCTGCGGATTGAGGTCCCGGTTCTAACGGACTGCAAGATGGAGGAAGGCGGGAACCTAG
GAGGCCTGATTAAGATGGTCCATCTACTGGTCTTGTCAGGTGCCTGGGGCATGCAAAATGTGGGTGACCTTCGTCT
CAGGCTTCCTGCTTTTCCGAAGCCTTCCCCGACATACCTTCGGACTAGTGCAGAGCAAACCTCTTCCCTTCTACT
TCCACATCTCCATGGGCTGTGCCTTCATCAACCTCTGCATCTTGGCTTCACAGCATGCTTGGGCTCAGCTCACAT
TCTGGGAGGCCAGCCAGCTTTACCTGCTGTTCTGAGCCTTACGCTGGCCACTGTCAACGCCCGCTGGCTGGAAC
CCCGCACCACAGCTGCCATGTGGGCCCTGCAAACCGTGGAGAAGGAGCGAGGCCTGGGTGGGGAGGTACCAGGCA
GCCACCAGGGTCCCGATCCCTACCGCCAGCTGCGAGAGAAGGACCCCAAGTACAGTGCTCTCCGCCAGAATTTCT
TCCGCTACCATGGGCTGTCTCTCTTTGCAATCTGGGCTGCGTCCTGAGCAATGGGCTCTGTCTCGCTGGCCTTG
CCCTGGAAATAAGGAGCCTCTAGCATGGGCCCTGCATGCTAATAAATGCTTCTTCAGAAATGAAAAAAAAAAAA
AAAAAA

127/615

FIGURE 126

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56107

<subunit 1 of 1, 231 aa, 1 stop

<NX(S/T): 0

MEEGGLGGLIKMVHLLVLSGAWGMQMWVTFVSGFLLFRSLPRHTFGLVQSKLFPFYFHISMGCAFINLCILASQ
HAWAQLTFWEASQLYLLFSLTLATVNARWLEPRTTAAMWALQTVEKERGLGGEVPGSHQGPDPYRQLREKDPKY
SALRQNFRRYHGLSSLCNLGCVLSNGLCLAGLALEIRSL

Signal peptide:

amino acids 1-24

Transmembrane domain:

amino acids 86-103, 60-75

Casein kinase II phosphorylation site.

amino acids 82-86

Tyrosine kinase phosphorylation site.

amino acids 144-151

N-myristoylation site.

amino acids 4-10, 5-11, 47-53, 170-176, 176-182

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 54-65

G-protein coupled receptors proteins.

amino acids 44-85

128/615

FIGURE 127

GCTTCATTTCTCCCGACTCAGCTTCCCACCCTGGGCTTTCGAGGTGCTTTCGCCGCTGTCCCCACCACTGCAGC
CATGATCTCCTTAACGGACACGCAGAAAATTGGAATGGGATTAACAGGATTGGAGTGTTTTCTGTTCTTTGG
AATGATTCTCTTTTTTGACAAAGCACTACTGGCTATTGGAAATGTTTTATTTGTAGCCGGCTTGGCTTTTGTAAAT
TGGTTTAGAAAGAAACATTCAGATTCTTCTTCCAAAAACATAAAATGAAAGCTACAGGTTTTTTCTGGGTGGTGT
ATTTGTAGTCCTTATTGGTTGGCCTTTGATAGGCATGATCTTCGAAATTTATGGATTTTTCTCTTGTTTCAGGGG
CTTCTTTCCTGTCGTTGTTGGCTTTATTAGAAGAGTGCCAGTCCTTGGATCCCTCCTAAATTTACCTGGAATTAG
ATCATTGTAGATAAAGTTGGAGAAAGCAACAATATGGTATTAACAACAAGTGAATTTGAAGACTCATTTAAAATA
TTGTGTTATTTATAAAGTCATTTGAAGAATATTCAGCACAAAATTAAATTACATGAAATAGCTTGTAATGTTCTT
TACAGGAGTTTTAAACGTATAGCCTACAAAGTACCAGCAGCAAATTAGCAAAGAAGCAGTGAAAACAGGCTTCTA
CTCAAGTGAAGTAAAGAAGAGTCAGCAAGCAAAGTGAAGAGGTGAAATCCATGTTAATGATGCTTAAGAACTC
TTGAAGGCTATTTGTGTTGTTTTCCACAATGTGCGAAACTCAGCCATCCTTAGAGAACTGTGGTGCCTGTTTCT
TTTCTTTTTATTTTGAAGGCTCAGGAGCATCCATAGGCATTTGCTTTTTAGAAAGTGTCCTGCAATGGCAAAAA
TATTTCCAGTTGCACTGTATCTCTGGAAGTGATGCATGAATTCGATTGGATTGTGTCATTTTAAAGTATTAAAC
CAAGGAAACCCCAATTTTGATGTATGGATTACTTTTTTTTTGNGCNCAGGGCC

129/615

FIGURE 128

MISLTDLTQKIGMGLTGFGVFFLEFFGMILFFDKALLAIGNVLEFVAGLAFVIGLERTFRFFFQKHMKATGFFLGGV
FVVLIGWPLIGMIFEIYGFFLLFRGFFPVVVGFIIRVPVLGSLNLEPGIRSFVDKVGESNNMV

Important features:

Transmembrane domains:

amino acids 12-30 (typeII), 33-52, 69-89 and 93-109

N-myristoylation sites.

amino acids 11-16, 51-56 and 116-121

Aminoacyl-transfer RNA synthetases class-II protein.

amino acids 49-59

130/615

FIGURE 129

AATTCAGATTTTAAGCCCATTTCTGCAGTGGAATTTTCATGAACTAGCAAGAGGACACCATCTTCTTGATTATACA
AGAAAGGAGTGTTACCTATCACACACAGGGGGAAAAATGCTCTTTTGGGTGCTAGGCCTCCTAATCCTCTGTGGTT
TTCTGTGGACTCGTAAAGGAAAACTAAAGATTGAAGACATCACTGATAAGTACATTTTATCACTGGATGTGACT
CGGGCTTTGGAACTTGGCAGCCAGAATTTTGATAAAAAGGGATTTTCATGTAATCGCTGCCTGTCTGACTGAAT
CAGGATCAACAGCTTTAAAGGCAGAAACCTCAGAGAGACTTCGTACTGTGCTTCTGGATGTGACCGACCCAGAGA
ATGTCAAGAGGACTGCCCAGTGGGTGAAGAACCAGTTGGGGAGAAAGGTCTCTGGGGTCTGATCAATAATGCTG
GTGTTCCCGGCGTGCTGGCTCCCACTGACTGGCTGACACTAGAGGACTACAGAGAACCTATTGAAGTGAACCTGT
TTGGACTCATCAGTGTGACACTAAATATGCTTCCTTTGGTCAAGAAAGCTCAAGGGAGAGTTATTAATGTCTCCA
GTGTTGGAGGTCGCCTTGCAATCGTTGGAGGGGGCTATACTCCATCCAAATATGCAGTGGAAGGTTTCAATGACA
GCTTAAGACGGGACATGAAAGCTTTTGGTGTGCACGTCTCATGCATTGAACCAGGATTGTTCAAAACAAACTTGG
CAGATCCAGTAAAGGTAATTGAAAAAACTCGCCATTTGGGAGCAGCTGTCTCCAGACATCAAACAACAATATG
GAGAAGGTTACATTGAAAAAGTCTAGACAACTGAAAGGCAATAAATCCTATGTGAACATGGACCTCTCTCCGG
TGGTAGAGTGCATGGACCACGCTCTAACAAGTCTCTCCCTAAGACTCATTATGCCGCTGGAAAAGATGCCAAAA
TTTTCTGGATACCTCTGTCTCACATGCCAGCAGCTTTGCAAGACTTTTTATTGTTGAAACAGAAAGCAGAGCTGG
CTAATCCCAAGGCAGTGTGACTCAGCTAACCACAAATGTCTCCTCCAGGCTATGAAATTGGCCGATTTCAGAAC
ACATCTCCTTTTCAACCCCATTCCTTATCTGCTCCAACCTGGACTCATTTAGATCGTGCTTATTTGGATTGCAAA
AGGGAGTCCCACCATCGCTGGTGGTATCCCAGGTCCCTGCTCAAGTTTCTTTGAAAAGGAGGGCTGGAATGGT
ACATCACATAGGCAAGTCCTGCCCTGTATTTAGGCTTTGCTGCTTGGTGTGATGTAAGGGAAATTGAAAGACTT
GCCCATTCAAAATGATCTTTACCGTGGCCTGCCCCATGCTTATGGTCCCAGCATTACAGTAACCTGTGAATGT
TAAGTATCATCTCTTATCTAAATATTAAAAGATAAGTCAACCCAAAAA
AA

131/615

FIGURE 130

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56406
><subunit 1 of 1, 319 aa, 1 stop
><MW: 35227, pI: 8.97, NX(S/T): 3
MLFWVLGLLLILCGFLWTRKGLKIEDITDKYIFITGCDSGFGNLAARTFDKKGFHVIAACLTESGSTALKAETSE
RLRTVLLDVTDPENVKRTAQWVKVQVGEKGLWGLINNAGVPGVLAPTDWLTLEDYREPIEVNLFGLISVTLNMLP
LVKKAQGRVINVSSVGGRLAIVGGGYTPSKYAVEGFNDLRRDMKAFGVHVSCEPGLFKTNLADPVKVIEKKLA
IWEQLSPDIKQQYGEQYIEKSLDKLKGKNSYVNMDLSPVVECMDHALTSLFPKTHYAAGKDAKIFWIPLSHMPAA
LQDFLLLLKQKAE LANPKAV
```

Important features of the protein:**Signal peptide:**

amino acids 1-17

Transmembrane domain:

amino acids 136-152

N-glycosylation sites.

amino acids 161-163, 187-190 and 253-256

Glycosaminoglycan attachment site.

amino acids 39-42

N-myristoylation sites.

amino acids 36-41, 42-47, 108-113, 166-171, 198-203 and 207-212

132/615

FIGURE 131

AGACAGTACCTCCTCCCTAGGACTACACAAGGACTGAACCAGAAGGAAGAGGACAGAGCAAAGCC**ATGA**ACATCA
TCCTAGAAATCCTTCTGCTTCTGATCACCATCATCTACTCCTACTTGGAGTCGTTGGTGAAGTTTTTCATTCCCTC
AGAGGAGAAAAATCTGTGGCTGGGGAGATTGTTCTCATTACTGGAGCTGGGCATGGAATAGGCAGGCAGACTACTT
ATGAATTTGCAAAACGACAGAGCATATTGGTTCTGTGGGATATTAATAAGCGCGGTGTGGAGGAAACTGCAGCTG
AGTGCCGAAAACTAGGCGTCACTGCGCATGCGTATGTGGTAGACTGCAGCAACAGAGAAGAGATCTATCGCTCTC
TAAATCAGGTGAAGAAAGAAGTGGGTGATGTAACAATCGTGGTGAATAATGCTGGGACAGTATATCCAGCCGATC
TTCTCAGCACCAAGGATGAAGAGATTACCAAGACATTTGAGGTCAACATCCTAGGACATTTTTGGATCACAAAAG
CACTTCTTCCATCGATGATGGAGAGAAATCATGGCCACATCGTCACAGTGGCTTCAGTGTGCGGCCACGAAGGGA
TTCTTACCTCATCCCATATTGTTCCAGCAAATTTGCCGCTGTTGGCTTTCACAGAGGTCTGACATCAGAACTTC
AGGCCTTGGGAAAAACTGGTATCAAACCTCATGTCTCTGCCAGTTTTTGTGAATACTGGGTTCACCAAAAATC
CAAGCACAGATTATGGCCTGTATTGGAGACAGATGAAGTCGTAAGAAGTCTGATAGATGGAATACTTACCAATA
AGAAAATGATTTTTGTTCCATCGTATATCAATATCTTTCTGAGACTACAGAAGTTTTCTTCCGAAACGCGCCTCAG
CGATTTTAAATCGTATGCAGAATATTCAATTTGAAGCAGTGGTTGGCCACAAAATCAAATGAAAT**TGA**AATAAATA
AGCTCCAGCCAGAGATGTATGCATGATAATGATATGAATAGTTTCGAATCAATGCTGCAAAGCTTTATTTACAT
TTTTTCAGTCCTGATAATATTAAAAACATTGGTTTGGCACTAGCAGCAGTCAAACGAACAAGATTAATTACCTGT
CTTCTGTTTCTCAAGAATATTTACGTAGTTTTTCATAGGTCTGTTTTCTTTTCATGCCTCTTAAAAACTTCTG
TGCTTACATAAAACATACTTAAAAGGTTTTCTTTAAGATATTTATTTTTCCATTTAAAGGTGGACAAAAGCTACC
TCCCTAAAAGTAAATACAAAGAGAAGTTATTTACACAGGGAAGGTTTAAGACTGTTCAAGTAGCATTCCAATCTG
TAGCCATGCCACAGAATATCAACAAGAACACAGAATGAGTGCACAGCTAAGAGATCAAGTTTCAGCAGGCAGCTT
TATCTCAACCTGGACATATTTTAAGATTTCAGCATTGAAAGATTTCCCTAGCCTCTTCCTTTTTTCATTAGCCCAA
AACGGTGCAACTCTATTCTGGACTTTATTACTTGATTCTGTCTTCTGTATAACTCTGAAGTCCACCAAAAAGTGGA
CCCTCTATATTTCTCCCTTTTTATAGTCTTATAAGATACATTATGAAAGGTGACCGACTCTATTTTAAATCTCA
GAATTTTAAGTTCTAGCCCCATGATAACCTTTTTCTTTGTAATTTATGCTTTTCATATATCCTTGGTCCCAGAGAT
GTTTAGACAATTTTAGGCTCAAAAATTAAAGCTAACACAGGAAAAGGAACTGTACTGGCTATTACATAAGAAACA
ATGGACCCAAGAGAAGAA

133/615

FIGURE 132

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56409

<subunit 1 of 1, 300 aa, 1 stop

<MW: 33655, pI: 9.31, NX(S/T): 1

MNIILEILLLLITIIYSYLESIVKFFIPQRRKSVAGEIVLITGAGHGIGRQTTYEFAKRQSILVLWDINKRGVEE
TAAECRKLGVTAHAYVVDCSNREEIYRSLNQVKKEVGDTVIVVNNAGTVYPADLLSTKDEEITKTTFEVNIGHFW
ITKALLPSMMERNHGHIVTVASVCGHEGIPYLI PYCSSKFAAVGFHRGLTSELQALGKTGIKTSCLCPVFVNTGF
TKNPSTRLWPVLETDEVVRSLIDGILTNNKMFVPSYINIFLRLQKFLPERASAILNRMQNIQFEAVVGHKIKMK

Important features:**Signal peptide:**

amino acids 1-19

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 30-33 and 58-61

Short-chain alcohol dehydrogenase family protein

amino acids 165-202, 37-49, 112-122 and 210-219

134/615

FIGURE 133

CTGAGGCGGCGGTAGCATGGAGGGGGAGAGTACGTGCGCGGTGCTCTCGGGCTTTGTGCTCGGCGCACTCGCTTT
CCAGCACCTCAACACGGACTCGGACACGGAAGGTTTCTTCTTGGGGAAGTAAAAGGTGAAGCCAAGAACAGCAT
TACTGATTCCCAAATGGATGATGTTGAAGTTGTTTATACAATTGACATTCAGAAATATATTCCATGCTATCAGCT
TTTGTAGCTTTTATAATTCCTCAGGCGAAGTAAATGAGCAAGCACTGAAGAAAATATTATCAAATGTCAAAAAGAA
TGTGGTAGGTTGGTACAAATTCGGTCGTCAATTCAGATCAGATCATGACGTTTAGAGAGAGGCTGCTTCACAAAAA
CTTGCAGGAGCATTTCACAAACCAAGACCTTGTTTTCTGCTATTAAACACCAAGTATAATAACAGAAAGCTGCTC
TACTCATCGACTGGAACATTCTTATATAAACCTCAAAAAGGACTTTTTCACAGGGTACCTTTAGTGGTTGCCAA
TCTGGGCATGTCTGAACAACCTGGGTTATAAACTGTATCAGGTTCCCTGTATGTCCACTGGTTTTAGCCGAGCAGT
ACAAACACACAGCTCTAAATTTTTGAAGAAGATGGATCCTTAAAGGAGGTACATAAGATAAATGAAATGTATGC
TTCATTACAAGAGGAATTAAAGAGTATATGCAAAAAGTGAAGACAGTGAACAAGCAGTAGATAAACTAGTAAA
GGATGTAAACAGATTAAACGAGAAATTGAGAAAAGGAGAGGAGCACAGATTCAGGCAGCAAGAGAGAAGAACAT
CCAAAAAGACCCTCAGGAGAACATTTTTCTTTGTCAGGCATTACGGACCTTTTTCCAAATTCCTGAATTTCTTCA
TTCATGTGTTATGTCTTTAAAAAATAGACATGTTTCTAAAAGTAGCTGTAACATAACACCACATCTCGATGTAGT
AGACAATCTGACCTTAATGGTAGAACACACTGACATTCCTGAAGCTAGTCCAGCTAGTACACCACAAATCATTAA
GCATAAAGCCTTAGACTTAGATGACAGATGGCAATTCAGAGATCTCGGTTGTTAGATACACAAGACAAACGATC
TAAAGCAAATACTGGTAGTAGTAACCAAGATAAAGCATCCAAAATGAGCAGCCCAGAAACAGATGAAGAAATTGA
AAAGATGAAGGGTTTTGGTGAATATTCACGGTCTCCTACATTTTGAATCCTTTTAAACCTTACAAGGAGATTTTTTT
ATTTGGCTGATGGGTAAAGCCAAACATTTCTATTGTTTTACTATGTTGAGCTACTTGCACTAAGTTCATTTGTT
TTTACTATGTTACCTGTTTGCACTAATACACAGATAACTCTTAGTGCAATTTACTTCACAAAGTACTTTTTCAAA
CATCAGATGCTTTTATTTCCAAACCTTTTTTTCACCTTTCCTAAGTTGTTGAGGGGAAGGCTTACACAGACACA
TTCTTTAGAATTGGAAAAGTGAGACCAGGCACAGTGGCTCACACCTGTAATCCCAGCACTTAGGGAAGACAAGTC
AGGAGGATTGATTGAAGCTAGGAGTTAGAGACCAGCCTGGGCAACGTATTGAGACCATGTCTATTAAAAAATAAA
ATGGAAAAGCAAGAATAGCCTTATTTTCAAATATGGAAAGAAATTTATATGAAAATTTATCTGAGTCATTAAAA
TTCTCCTTAAGTGATACTTTTTTAGAAGTACATTATGGCTAGAGTTGCCAGATAAAATGCTGGATATCATGCAAT
AAATTTGCAAAACATCATCTAAAATTTAAAAAAAAAAAAAAAAAAAAA

135/615

FIGURE 134

MEGESTSAVLSGFVLGALAFQHLNTDSDTEGFLLEVKGEAKNSITDSQMDDVEVVYTTIDIQKYIPCYQLFSFYN
SSGEVNEQALKKILSNVKKNVVGWYKFRRHSDQIMTFRERLLHKNLQEHFSNQDLVFLLLTPSIITESCSTHRL
HSLYKPQKGLFHRVPLVVANLGMSEQLGYKTVSGSCMSTGFSRAVQTHSSKFFEEEDGSLKEVHKINEMYASLQEE
LKSICKKVEDSEQAVDKLVKDVNRLKREIEKRRGAQIQAAAREKNIQKDPQENIFLCQALRTFFPNSEFLHSCVMS
LKNRHVSKSSCNYNHHLVDVNDLTLMEHTDIPEASPASTPQIIKHKALDLDLDRWQFKRSRLDTPQDKRSKANTG
SSNQDKASKMSSPETDEEIEKMKGFGEYSRSPTF

136/615

FIGURE 135

GGCACAGCCGCGCGGGGAGGGCAGAGTCAGCCGAGCCGAGTCCAGCCGGACGAGCGGACCAGCGCAGGGCAGCC
CAAGCAGCGCGCAGCGAACGCCCCGCGCCGCCCCACACCCCTCTGCGGTCCCCGCGGCGCCTGCCACCCCTTCCCTCC
TTCCCCGCGTCCCCGCTCGCCGGCCAGTCAGCTTGCCGGGTTCGCTGCCCGCGAAACCCCGAGGTACCAGCC
CGCGCCTCTGCTTCCCTGGGCGCGCGCCGCTCCACGCCCTCCTTCTCCCTGGCCCGGCGCCTGGCACCGGGG
ACCGTTGCCTGACGCGAGGCCCAGCTCTACTTTTGGCCCCGCGTCTCTCCGCTGCTCGCCTCTTCCACCAACT
CCAACCTCTTCTCCCTCCAGCTCCACTCGCTAGTCCCCGACTCCGCCAGCCCTCGGCCCGCTGCCGTAGCGCCGC
TTCCCGTCCGGTCCCAAAGGTGGGAACGCGTCCGCCCGGCCCCGACCAATGGCACGGTTCCGGCTTGCCCCGCGCTT
CTCTGCACCCCTGGCAGTGCTCAGCGCCGCGCTGCTGGCTGCCGAGCTCAAGTCGAAAAGTTGCTCGGAAGTGCGA
CGTCTTTACGTGTCCAAAGGCTTCAACAAGAACGATGCCCCCTCCACGAGATCAACGGTGATCATTTGAAGATC
TGTCCCAGGGTTCTACCTGCTGCTCTCAAGAGATGGAGGAGAAGTACAGCCTGCAAAGTAAAGATGATTTCAA
AGTGTGGTCAGCGAACAGTGCAATCATTTGCAAGCTGTCTTGCTTACGTTACAAGAAGTTGATGAATTCTTC
AAAGAACTACTTGAAAATGCAGAGAAATCCCTGAATGATATGTTTGTGAAGACATATGGCCATTTATACATGCAA
AATTCTGAGCTATTTAAAGATCTCTTCGTAGAGTTGAAACGTTACTACGTGGTGGGAAATGTGAACCTGGAAGAA
ATGCTAAATGACTTCTGGGCTCGCCTCCTGGAGCGGATGTTCCGCCCTGGTGAACCTCCAGTACCACCTTTACAGAT
GAGTATCTGGAATGTGTGAGCAAGTATACGGAGCAGCTGAAGCCCTTCGGAGATGTCCCTCGCAAATTGAAGCTC
CAGGTTACTCGTGCTTTTGTAGCAGCCGTACTTTTCGCTCAAGGCTTAGCGGTTGCGGGAGATGTCTGAGCAAG
GTCTCCGTGGTAAACCCACAGCCAGTGTACCCATGCCCTGTTGAAGATGATCTACTGCTCCCACTGCCGGGGT
CTCGTGACTGTGAAGCCATGTTACAATACTGCTCAACATCATGAGAGGCTGTTTGCCCAACCAAGGGGATCTC
GATTTTGAATGGAACAATTTTATAGATGCTATGCTGATGGTGGCAGAGAGGCTAGAGGGTCTTTCAACATTGAA
TCGGTCATGGATCCCATCGATGTGAAGATTTCTGATGCTATTATGAACATGCAGGATAATAGTGTTCAGAGTGCT
CAGAAGGTTTTCCAGGGATGTGGACCCCCAAGCCCTCCAGCTGGACGAATTTCTCGTTCATCTCTGAAAGT
GCCTTCAGTGCTCGCTTCAGACCACATCACCCCGAGGAACGCCCAACCACAGCAGCTGGCACTAGTTTGACCGA
CTGGTTACTGATGTCAAGGAGAACTGAAACAGGCCAAGAAATTTCTGGTCTCCCTTCCGAGCAACGTTTGCAAC
GATGAGAGGATGGCTGCAGGAAACGGCAATGAGGATGACTGTTGGAATGGGAAAGGCAAAAGCAGGTACCTGTTT
GCAGTGACAGGAAATGGATTAGCCAACCAGGGCAACAACCCAGAGGTCCAGGTTGACACCAGCAAACAGACATA
CTGATCCTTCGTCAAATCATGGCTCTTCGAGTGATGACCAGCAAGATGAAGAATGCATACATGGGAACGACGTG
GACTTCTTTGATATCAGTGATGAAAGTAGTGGAGAAGGAAGTGAAGTGGCTGTGAGTATCAGCAGTGCCCTTCA
GAGTTTGACTACAATGCCACTGACCATGCTGGGAAGAGTGCCAATGAGAAAGCCGACAGTGCTGGTGTCCGTCT
GGGGCACAGGCCTACCTCCTCACTGTCTTCTGCATCTTGTTCCTGGTTATGCAGAGAGAGTGGAGATAATTCTCA
AACTCTGAGAAAAAGTGTTTCATCAAAAAGTTAAAAGGCACCAAGTTATCACTTTTCTACCATCCTAGTGACTTTGC
TTTTTAAATGAATGGACAACAATGTACAGTTTTTACTATGTGGCCACTGGTTTAAAGAAGTGCTGACTTTGTGTTT
TCATTCAAGTTTTGGGAGGAAAAGGGACTGTGCATTGAGTTGGTTCTGCTCCCCCAAACCATGTTAAACGTGGCT
AACAGTGATAGGTACAGAACTATAGTTAGTTGTGCATTTGTGATTTTATCACTCTATTATTTGTTTGTATGTTTTT
TTCTCATTTTCGTTTGTGGGTTTTTTTTTCCAAGTGTGATCTCGCCTTGTTTCTTACAAGCAAACAGGGTCCCTT
CTTGGCACGTAACATGTACGTATTTCTGAAATATTAAATAGCTGTACAGAAGCAGGTTTTATTTATCATGTTATC
TTATTAAAAGAAAAAGCCCAAAAGC

137/615

FIGURE 136

MARFGLPALLCTLAVLSAALLAAELKSKSCSEVRRLYVSKGFNKNDAPLHEINGDHLKICPQGSTCCSQEMEKEY
SLQSKDDFKSVVSEQCNHLQAVFASRYKKFDEFFKELLENAEKSLNDMFVKTYGHLYMQNSELFKDLEVELKRY
VVGNNLEEMLNDFWARLLERMFLVNSQYHFTDEYLECVSKYTEQLKPFQDVPRKLLQVTRAFVAARTFAQGL
AVAGDVVSKVSVNPTAQCTHALLKMIYCSHCRGLVTVKPCYNYCSNIMRGCLANQGDLD FEWNNFIDAMLMVAE
RLEGPFNIESVMDPIDVKISDAIMNMQDNSVQVSQKVFQCGPPKPLPAGRISRSISESAFSARFRPHHPEERPT
TAAGTSLDRLVTDVKEKLKQAKKFWSSLPSNVCNDERMAAGNGNEDDCWNGKGKSRYLFAVTGNGLANQGNNEV
QVDTSKPDILILRQIMALRVMTSKMKNAYNGNDVDFDISDESSGEGSGSGCEYQQCPSEFDYNATDHAGKSANE
KADSAGVRPGAQAYLLTVFCILFLVMQREWR

138/615

FIGURE 137

GCGGGCTGTTGACGGCGCTGCCATCGGCTGCCTGCGAGGGCAGGAGAAGCGGAGCTCTCGGTTCTCTCAGTCGGGA
CTTCCTGACGCCGCCAGTGGCGGGGCCCCCTTGGGCCGTCGCCACCACTGTAGTCATGTACCCACCGCCGCCGCC
GCCGCCTCATCGGGACTTCATCTCGGTGACGCTGAGCTTTGGCGAGAGCTATGACAACAGCAAGAGTTGGCGGGCG
GCGCTCGTGCTGGAGGAAATGGAAGCAACTGTCGAGATTGCAGCGGAATATGATTCTCTTCTCCTTGCCTTTCT
GCTTTTCTGTGGACTCCTCTTCTACATCAACTTGGCTGACCATTGGAAAGCTCTGGCTTTCAGGCTAGAGGAAGA
GCAGAAGATGAGGCCAGAAATGCTGGGTTAAAACCAGCAAATCCACCGTCTTACCAGCTCCTCAGAAGGCGGA
CACCGACCTGAGAACTTACCTGAGATTTGCTCACAGAAGACACAAAGACACATCCAGCGGGGACCACCTCACCT
GCAGATTAGACCCCAAGCCAAGACCTGAAGGATGGGACCCAGGAGGAGGCCACAAAAGGCAAGAAGCCCTGT
GGATCCCCGCGGGAAGGAGATCCGCAGAGGACAGTCATCAGCTGGAGGGGAGCGGTGATCGAGCCTGAGCAGGG
CACCGAGCTCCCTTCAAGAAGAGCAGAAGTGCCACCAAGCCTCCCTGCCACCGGCCAGGACACAGGGCACACC
AGTGCATCTGAACATATCGCCAGAAGGGCGTGATTGACGTCTTCTGTCATGCATGGAAAGGATACCGCAAGTTTGC
ATGGGGCCATGACGAGCTGAAGCCTGTGTCCAGGTCTTCACTGAGTGGTTTGGCCTCGGTCTCACACTGATCGA
CGCGCTGGACACCATGTGGATCTTGGGTCTGAGGAAAGAATTTGAGGAAGCCAGGAAGTGGGTGTGGAAGAAGTT
ACACTTTGAAAAGGACGTGGACGTCAACCTGTTTGAGAGCAGCATCCGCATCCTGGGGGGGCTCCTGAGTGCCTA
CCACCTGTCTGGGGACAGCCTCTTCTGAGGAAAAGCTGAGGATTTTGGAAATCGGCTAATGCCTGCCTTCAGAAC
ACCATCCAAGATTCCTTACTCGGATGTGAACATCGGTACTGGAGTTGCCACCCGCCACGGTGGACCTCCGACAG
CACTGTGGCCGAGGTGACCAGATTGAGCTGGAGTTCCGGGAGCTCTCCGTCTCACAGGGGATAAGAAGTTTCA
GGAGGCAGTGGAGAAGGTGACACAGCACATCCACGGCCTGTCTGGGAAGAAGGATGGGCTGGTGCCCATGTTTCA
CAATACCCACAGTGGCCTCTTACCCACCTGGGCGTATTACGCTGGGCGCCAGGGCCGACAGCTACTATGAGTA
CCTGTGAAGCAGTGGATCCAGGGCGGGAAGCAGGAGACACAGCTGCTGGAAGACTACGTGGAAGCCATCGAGGG
TGTCAGAACGCACCTGCTGCGGCACTCCGAGCCAGTAAGCTCACCTTTGTGGGGGAGCTTGCCACGGCCGCTT
CAGTGCCAAGATGGACCACCTGGTGTGCTTCTGCCAGGGACGCTGGCTCTGGGCGTCTACCACGGCCTGCCCGC
CAGCCACATGGAGCTGGCCCGAGGAGCTCATGGAGACTTGTTACCAGATGAACCGGCAGATGGAGACGGGGCTGAG
TCCCGAGATCGTGCACTTCAACCTTTACCCCCAGCGGGCGCTCGGGACGTGGAGGTCAAGCCAGCAGACAGGCA
CAACCTGCTGCGGCCAGAGACCGTGGAGAGCCTGTTCTACCTGTACCGCGTCACAGGGGACCGCAAATACCAGGA
CTGGGGCTGGGAGATTCTGCAGAGCTTCAGCCGATTACACAGGGTCCCTCGGGTGGCTATTCTTCCATCAACAA
TGTCAGGATCCTCAGAAGCCCCGAGCCTAGGGACAAGATGGAGAGCTTCTTCTGGGGGAGACGCTCAAGTATCT
GTTCTTGCTCTTCTCCGATGACCCAAACCTGCTCAGCCTGGACGCCTACGTGTTCAACACCGAAGCCCCACCTCT
GCCTATCTGGACCCCTGCCATAGGGTGGATGGCTGCTGGTGTGGGGAAGTTCGGGTGGGCAGAGGCACCTTGCTGGG
TCTGTGGCATTTCCTCAAGGGCCACGTAGCACCGGCCAACCGCCAAGTGGCCAGGCTCTGAACTGGCTCTGGGCT
CCTCCTCGTCTCTGCTTAAATCAGGACACCGTGAGGACAAGTGAGGCCGTGAGTCTTGGTGTGATGCGGGGTGGG
CTGGGGCTGGGAGCTCCGCCTGCTTCTCCAGAAGACACGAATCATGACTCACGATTGCTGAAGCCTGAGCAG
GTCTCTGTGGGCCGACCAGAGGGGGGCTTCGAGGTGGTCCCTGGTACTGGGGTGACCGAGTGGACAGCCCCAGGGT
GCAGCTCTGCCCCGGGCTCGTGAAGCCTCAGATGTCCCAATCCAAGGGTCTGGAGGGGCTGCCGTGACTCCAGAG
GCCTGAGGCTCCAGGGCTGGCTCTGGTGTTCACAGCTGGACTCAGGGATCCTCCTGGCCGCCCGCAGGGGGCT
TGGAGGGCTGGACGGCAAGTCCGTCTAGCTCACGGGCCCTCCAGTGGATGGGTCTTTTCGGTGGAGATAAAAG
TTGATTTGCTCTAACGCAA

139/615

FIGURE 138

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56529
><subunit 1 of 1, 699 aa, 1 stop
><MW: 79553, pI: 7.83, NX(S/T): 0
MAACEGRRSGALGSSQSDFLTPPVGGAPWAVATTVMYPPPPPPPHRDFISVTLSFGESYDNSKSWRRRSCWRKW
KQLSRLQRNMILFLLAFLLFCGLLFYINLADHWKALAFRLSEEQMRPEIAGLKPANPPVLPAPOKADTDPENLP
EISSQKTQRHIQRGPPHLQIRPPSQDLKDGTQEEATKRQEAPVDPRPEGDPQRTVISWRGAVIEPEQGTELPSSR
AEVPTKPPPLPPARTQGTVPVHLNRYRQKGVIDVFLHAWKGYRKFAWGHDELKPVSRSFSEWFGLGLTLIDALDTMWI
LGLRKEFEEARKWVSKKLHFEKDVDVNLFESTITIRILGGLLSAYHLSGDSLFLRKAEDFGNRLMPAFRTPSKIPYS
DVNIGTGVAHPPRWTSdstVAEVTsiQLEFRELsRLTGDKKFQEAveKVTQHihGLSGKKDGLVPMFINthSGLF
THLGVFTLgarADsYyEYLLQWiqGGKQETQLLEDYVEAIEGVrTHLLRHSEPSKLTfVGELAHGRfSAKMDHL
VCFLPGTLALGVYHGLPASHMELAQELMETCYQMNROMETGLSPEIVHFNLyPQPGRRDVEVKPADRHNLRLRPET
VESLFYLYRVTGDRKYQDWGWEILQSFsRfTRVPSGGYSSINNvQDPQKPEPRDKMESFFLGETLKYLFLLfSDD
PNLLSLDAYVFNTeAHPLPIWTPA
```

Important features of the protein:**Transmembrane domain:**

amino acids 21-40 and 84-105 (type II)

140/615

FIGURE 139

CTCGCCCTCAAATGGGAACGCTGGCCTGGGACTAAAGCATAGACCACCAGGCTGAGTATCCTGACCTGAGTCATC
CCCAGGGATCAGGAGCCTCCAGCAGGGAACCTTCCATTATATTCTTCAAGCAACTTACAGCTGCACCGACAGTTG
CGATGAAAGTTCTAATCTCTTCCCTCCTCCTGTTGCTGCCACTAATGCTGATGTCCATGGTCTCTAGCAGCCTGA
ATCCAGGGGTGCGCAGAGGCCACAGGGACCGAGGCCAGGCTTCTAGGAGATGGCTCCAGGAAGGCGGCCAAGAAT
GTGAGTGCAAAGATTGGTTCTGAGAGCCCCGAGAAGAAAATTGATGACAGTGTCTGGGCTGCCAAAGAAGCAGT
GCCCCGTGTGATCATTTCAGGGCAATGTGAAGAAAACAAGACACCAAAGGCACCACAGAAAGCCAAACAAGCATT
CCAGAGCCTGCCAGCAATTTCTCAAACAATGTCAGCTAAGAAGCTTTGCTCTGCCTTTGTAGGAGCTCTGAGCGC
CCTCTTCCAATTAACATTCTCAGCCAAGAAGACAGTGAGCACACCTACCAGACACTCTTCTTCTCCACCTC
ACTCTCCCACTGTACCCACCCCTAAATCATTCCAGTGCTCTCAAAAAGCATGTTTTTCAAGATCATTTTGTTTGT
TGCTCTCTCTAGTGTCTTCTCTCTCGTCAGTCTTAGCCTGTGCCCTCCCCTTACCCAGGCTTAGGCTTAATTAC
CTGAAAGATTCCAGGAACTGTAGCTTCCTAGCTAGTGTCAATTAACCTTAAATGCAATCAGGAAAGTAGCAAAC
AGAAGTCAATAAATATTTTAAATGTCAAAAAAAAAAAAAAAAAA

141/615

FIGURE 140

MKVLISL L L L L L P L M L M S M V S S L N P G V A R G H R D R G Q A S R R W L Q E G G Q E C E C K D W F L R A P R R K F M T V S G L P K K Q C
P C D H F K G N V K K T R H Q R H R K P N K H S R A C Q Q F L K Q C Q L R S F A L P L

142/615

FIGURE 141

AATGGCTGTCTTAGTACTTCGCCTGACAGTTGTCCTGGGACTGCTTGTCTTATTCCTGACCTGCTATGCAGACGA
CAAACCAGACAAGCCAGACGACAAGCCAGACGACTCGGGCAAAGACCCAAAGCCAGACTTCCCCAAATTCCTAAG
CCTCCTGGGCACAGAGATCATTGAGAATGCAGTCGAGTTCATCCTCCGCTCCATGTCCAGGAGCACAGGATTTAT
GGAATTTGATGATAATGAAGGAAAACATTCATCAAAG**TGAC**ATCCTCAGGACACACCCATGTGGCTCCTGGACAA
TCCAAGAGCAGCCAAATCCTGCTTTTCCAGTTTGGCTCCACAAGTCCTCCAGGACAGAGCCCTCAAAGCAACTCC
CAACGAGTTCTCAGGATTCAGGCTCTGGCTTCAACCAAACAGAACTCATTTTGAACACCCTGACTGCATTTTGC
TTTGTAGAAAGTTAGAATAAATATGGCGCTTTGGGATCACATAGTTGATGGAGAGGAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAA

143/615

FIGURE 142

MAVLVLRRLTVVLGLLVFLTCYADDKPKDPDDKPDGKDPKDFPKFLSLLGTEIIENAVEFILRSMRSTGFM
EFDDNEGKHSSK

144/615

FIGURE 143

GGACGCCAGCGCCTGCAGAGGCTGAGCAGGGAAAAAGCCAGTGCCCCAGCGGAAGCACAGCTCAGAGCTGGTCTG
CCATGGGACATCCTGGTCCCCTCCTGCAGCTGCTGGTGCTGCTTCTTACCCTGCCCCCTGCACCTCATGGCTCTGC
TGGGCTGCTGGCAGCCCCCTGTGCAAAAGCTACTTCCCCTACCTGATGGCCGTGCTGACTCCCAAGAGCAACCGCA
AGATGGAGAGCAAGAAACGGGAGCTCTTCAGCCAGATAAAGGGGCTTACAGGAGCCTCCGGGAAAGTGGCCCTAC
TGGAGCTGGGCTGCGGAACCGGAGCCAACTTTCACTTCTACCCACCGGGCTGCAGGGTCACCTGCCTAGACCCAA
ATCCCCACTTTGAGAAGTTCCTGACAAAGAGCATGGCTGAGAACAGGCACCTCCAATATGAGCGGTTTGTGGTGG
CTCCTGGAGAGGACATGAGACAGCTGGCTGATGGCTCCATGGATGTGGTGGTCTGCACTCTGGTGCTGTGCTCTG
TGCAGAGCCCAAGGAAGGTCTTGCAGGAGGTCCGGAGAGTACTGAGACCGGGAGGTGTGCTCTTTTTCTGGGAGC
ATGTGGCAGAACCATATGGAAGCTGGGCCTTCATGTGGCAGCAAGTTTTCGAGCCCACCTGGAAACACATTGGGG
ATGGCTGCTGCCTCACCAGAGAGACCTGGAAGGATCTTGAGAACGCCCAGTTCTCCGAAATCCAAATGGAACGAC
AGCCCCCTCCCTTGAAGTGGCTACCTGTTGGGCCCCACATCATGGGAAAGGCTGTCAAACAATCTTTCCCAAGCT
CCAAGGCACTCATTTGCTCCTTCCCCAGCCTCCAATTAGAACAAGCCACCCACCAGCCTATCTATCTTCCACTGA
GAGGGACCTAGCAGAATGAGAGAAGACATTATGTACCACCTACTAGTCCCTCTCTCCCCAACCTCTGCCAGGGC
AATCTCTAACTTCAATCCCGCCTTCGACAGTGAAAAAGCTCTACTTCTACGCTGACCCAGGGAGGAAACACTAGG
ACCCTGTTGTATCCTCAACTGCAAGTTTCTGGACTAGTCTCCCAACGTTTGCCTCCCAATGTTGTCCCTTTCTCT
CGTTCCCATGGTAAAGCTCCTCTCGCTTTCTCCTCTGAGGCTACACCCATGCGTCTCTAGGAACTGGTCACAAAAG
TCATGGTGCCTGCATCCCTGCCAAGCCCCCTGACCCTCTCTCCCCACTACCACCTTCTTCTGAGCTGGGGGCA
CCAGGGAGAATCAGAGATGCTGGGGATGCCAGAGCAAGACTCAAAGAGGCAGAGGTTTTGTTCTCAAATATTTTT
TAATAAATAGACGAAACCACG

145/615

FIGURE 144

MDILVPLLQLLVLLLTPLPLHLMALLGCWQPLCKSYFPYLMAVLTPKSNRKMESKKRELFSSQIKGLTGASGKVALL
ELGCGTGANFQFYPPGCRVTCIDPNPHFEKFLTKSMAENRHLQYERFVVAPGEDMRQLADGSMDVVVCTLVLCVS
QSPRKVLQEVRRVLRPGGVLFWEHVAEPYGSWAFMWQQVFPTWKHIGDGCCLTRETWKDLENAQFSEIQMERQ
PPPLKWLPVGPHIMGKAVKQSFPSKALICSFPSLQLEQATHQPIYLPPLRGT

146/615

FIGURE 145

GTGGGATTTATTTGAGTGCAAGATCGTTTTCTCAGTGGTGGTGGAAAGTTGCCTCATCGCAGGCAGATGTTGGGGC
TTTGTCCGAACAGCTCCCCTCTGCCAGCTTCTGTAGATAAGGGTTAAAACTAATATTTATATGACAGAAGAAAA
AGATGTCATTCCGTAAAGTAAACATCATCATCTTGGTCCTGGCTGTTGCTCTCTTCTTACTGGTTTTGCACCATTA
ACTTCCTCAGCTTGAGCAGTTTGTTAAGGAATGAGGTTACAGATTGAGGAATTGTAGGGCCTCAACCTATAGACT
TTGTCCCAAATGCTCTCCGACATGCAGTAGATGGGAGACAAGAGGAGATTCTGTGGTCATCGCTGCATCTGAAG
ACAGGCTTGGGGGGGCCATTGCAGCTATAAACAGCATTCAGCACAACTCGCTCCAATGTGATTTTCTACATTG
TTACTCTCAACAATACAGCAGACCATCTCCGGTCCTGGCTCAACAGTGATTCCCTGAAAAGCATCAGATACAAAA
TTGTCAATTTTGACCTAAACTTTTGAAGGAAAAGTAAAGGAGGATCCTGACCAGGGGGAATCCATGAAACCTT
TAACCTTTGCAAGGTTCTACTTGCCAATTCTGGTTCCCAGCGCAAAGAAGGCCATATACATGGATGATGATGTAA
TTGTGCAAGGTGATATTCTTGCCCTTTACAATACAGCACTGAAGCCAGGACATGCAGCTGCATTTTCAGAAGATT
GTGATTCAGCCTCTACTAAAGTTGTCATCCGTGGAGCAGGAAACCAGTACAATTACATTGGCTATCTTGACTATA
AAAAGGAAAGAATTCTGTAAGCTTTCCATGAAAGCCAGCACTTGCTCATTTAATCCTGGAGTTTTTGTGCAAAACC
TGACGGAATGGAACGACAGAATATACTAACCACCTGGAAAAATGGATGAAACTCAATGTAGAAGAGGGACTGT
ATAGCAGAACCCTGGCTGGTAGCATCACAACACCTCCTCTGCTTATCGTATTTTATCAACAGCACTTACCATCG
ATCCTATGTGGAATGTCCGCCACCTTGGTTCCAGTGCTGGAAGAACGATATTCACCTCAGTTTGTAAAGGCTGCCA
AGTTACTCCATTGGAATGGACATTTGAAGCCATGGGGGAAGGACTGCTTCATATACTGATGTTTGGGAAAAATGGT
ATATTCCAGACCCAACAGGCAAATTCACCTAATCCGAAGATATACCGAGATCTCAACATAAAGTGAACAGAA
TTTGAAGTGTAAAGCAAGCATTTCTCAGGAAGTCCTGGAAGATAGCATGCATGGGAAGTAACAGTTGCTAGGCTTC
AATGCCTATCGGTAGCAAGCCATGGAAAAAGATGTGTCAGCTAGGTAAAGATGACAACTGCCCTGTCTGGCAGT
CAGCTTCCCAGACAGACTATAGACTATAAATATGTCTCCATCTGCCTTACCAAGTGTTCCTTACTACAATGCTG
AATGACTGGAAAGAAGAAGTATGGCTAGTTCAGCTAGCTGGTACAGATAATTCAAAAGTCTGTTGGTTTTTA
ATTTTGTAACTGTGGCCTGATCTGTAAATAAACTTACATTTTTTC

147/615

FIGURE 146

MSFRKVNIIILVLAVALFLLVLHHNFLSLSSLLRNEVTDSGIVGPQPIDFVPNALRHAVDGRQEEIPVVIAASED
RLGGAIAAINSIOHNTRSNVIFYIVTLNNTADHLRSWLNSDSLKSIRYKIVNFDPKLLEGKVKEDPDQGESMKPL
TFARFYLPILVPSAKKAIYMDDDVIVQGDILALYNTALKPGHAAAFSEDCDSASTKVIVIRGAGNQYNYIGYLDYK
KERIRKLSMKASTCSFNPGVFVANLTEWKRONITNQLEKWMKLNVEEGLYSRTLGSITTPPLLIVFYQQHSTID
PMWNVRLGSSAGKRYSPQFVKAALLHWNGHLKPWGRTASYTDVWEKWYIPDPTGKFNLIRRYTEISNIK

148/615

FIGURE 147

GTTTGAATTCCTTCAACTATACCCACAGTCCAAAAGCAGACTCACTGTGTCCCAGGCTACCAGTTCCTCCAAGCA
AGTCATTTCCCTTATTTAACCAGATGTGTCCCTCAAACACCTGAGTGCTACTCCCTATTTGCATCTGTTTTGATAA
ATGATGTTGACACCCTCCACCGAATTCTAAGTGGAATCATGTTCGGGAAGAGATACAATCCTTGGCCTGTGTATCC
TCGCATTAGCCTTGTCTTTGGCCATGATGTTTACCTTCAGATTCATCACCACCCTTCTGGTTCACATTTTCATTT
CATTGGTTATTTTGGGATTGTTGTTTGTCTGCGGTGTTTTATGGTGGCTGTATTATGACTATACCAACGACCTCA
GCATAGAATTGGACACAGAAAGGGAAAATATGAAGTGCGTGCTGGGGTTTGCTATCGTATCCACAGGCATCACGG
CAGTGCTGCTCGTCTTGATTTTGTCTCAGAAAGAGAATAAAATTGACAGTTGAGCTTTTCCAAATCACAAATA
AAGCCATCAGCAGTGCTCCCTTCCTGCTGTTCCAGCCACTGTGGACATTTGCCATCCTCATTTTCTTCTGGGTCC
TCTGGGTGGCTGTGCTGCTGAGCCTGGGAAGTGCAGGAGCTGCCAGGTTATGGAAGGCGGCCAAGTGGAATATA
AGCCCCTTTCGGGCATTCCGGTACATGTGGTTCGTACCATTTAATTGGCCTCATCTGGACTAGTGAATTCATCCTTG
CGTGCCAGCAAATGACTATAGCTGGGGCAGTGGTACTTGTTATTTCAACAGAAGTAAAAATGATCCTCCTGATC
ATCCCATCCTTTCGTCTCTCTCCATTCTCTTCTTCTACCATCAAGGAACCGTTGTGAAAGGGTCATTTTAAATCT
CTGTGGTGAGGATTCGAGAATCATTGTCTGATGTACATGCAAAACGCACTGAAAGAACAGCAGCATGGTGCATTGT
CCAGGTACCTGTTCCGATGCTGCTACTGCTGTTTCTGGTGTCTTGACAAATACCTGCTCCATCTCAACCAGAATG
CATATACTACAACCTGCTATTAATGGGACAGATTTCTGTACATCAGCAAAAGATGCATTCAAAATCTTGTTCCAAGA
ACTCAAGTCACTTTACATCTATTAACCTGCTTTGGAGACTTCATAATTTTTCTAGGAAAGGTGTTAGTGGTGTGTT
TCACTGTTTTTGGAGGACTCATGGCTTTTAACTACAATCGGGCATTCCAGGTGTGGGCAGTCCCTCTGTTATTGG
TAGCTTTTTTGCCTACTTAGTAGCCCATAGTTTTTATCTGTGTTTGAAACTGTGCTGGATGCACTTTTCTCTGT
GTTTTGCTGTTGATCTGGAACAAATGATGGATCGTCAGAAAAGCCCTACTTTATGGATCAAGAATTTCTGAGTT
TCGTAAAAAGGAGCAACAAATTAACAATGCAAGGGCACAGCAGGACAAGCACTCATTAAGGAATGAGGAGGGAA
CAGAACTCCAGGCCATTGTGAGATAGATAACCCATTTAGGTATCTGTACCTGGAAAACATTTCTTCTAAGAGCCA
TTTACAGAATAGAAGATGAGACCACTAGAGAAAAGTTAGTGAATTTTTTTTTTAAAAGACCTAATAAACCCCTATTC
TTCTTCAAAA

149/615

FIGURE 148

MSGRDTILGLCILALALSLAMMFTFRFITTLVHIFISLVILGLLFVCGVLWWLYDYTDNLSIELDTERENMKC
VLGFAIVSTGITAVLLVLIFVLRKRIKLTVELFQITNKAISSAPFLLFQPLWTFAILIFFWVLWVAVLLSLGTAG
AAQVMEGGQVEYKPLSGIRYMWSYHLIGLIWTSEFILACQQMTIAGAVVTCYFNRSKNDDPPDHPILSSLSILFFY
HQGTVVKGSFLISVVRIPRIIVMYMQNALKEQQHGALSRYLFRCCYCCFWCLDKYLLHLNQAYTTTAINGTDFC
TSAKDAFKILSKNSSHFTSINCFGDFIIFLGKVLVVCFTVFGGLMAFNYNRAQVWAVPLLLVAFFAYLVAHSFL
SVFETVLDALFLCFAVDLETNDGSSEKPYFMDQEFLSFVKRSNKLNNARAQQDKHSLRNEEGTELQAIVR

FIGURE 149

[illegible]

151/615

FIGURE 150

MRTVVLTMKASVIEMFLVLLVTGVHSNKETAKKIKRPKFTVPQINCDVKAGKIIDPEFIVKCPAGCQDPKYHVYG
TDVYASYSSVCGAAVHSGVLDNMSGGKILVRKVAGQSGYKGSYSNGVQSLSLPRWRESFIVLESKPCKGVTYPSAL
TYSSSKSPAAQAGETTKAYQRPPIPGTTAQPVTLMQLLAVTVAVATPTTLPRPSPSAASTTSIPRPQSVGHRSQE
MDLWSTATYTSSQNRPRADPGIQRQDPSGAAFQKPVGADVSLGLVPKEELSTQSLEPVSLGDPNCKIDLSFLIDG
STSIGKRRFRIQKQLLADVQAALDIGPAGPLMGVVQYGDNPATHFNLKHTNSRDLKTAIEKITQRGGLSNVGRA
ISFVTKNFFSKANGNRSGAPNVVVVMVDGWPTDKVEEASRLARESGINIFFITIEGAAENEKQYVVEPNFANKAV
CRTNGFYSLHVQSWFGLHKTLOPLVKRVCDTDLACSKTCLNSADIGFVIDGSSSVGTGNFRTVLQFVTNLTKEF
EISDTRIGAVQYTYEQRLEFGFDKYSSKPDILNAIKRVGYWGGTSTGAAINFALEQLFKKSKPNKRKLMILI
TDGRSYDDVRIPAMAAHLKGVITYAIGVAWAAQEELEVIATHPARDHSFFVDEFDNLHQYVPRIIQNICTEFNSQPRN

152/615

FIGURE 151

CAGGATGAACTGGTTGCAGTGGCTGCTGCTGCTGCGGGGGCGCTGAGAGGACACGAGCTCTATGCTTTCCGGCT
GCTCATCCCGCTCGGCCTCCTGTGCGCGCTGCTGCCTCAGCACCATGGTGCGCCAGGTCCCGACGGCTCCGCGCC
AGATCCCGCCCACTACAGTTTTTCTCTGACTCTAATTGATGCACTGGACACCTTGCTGATTTGGGGGAATGTCTC
AGAATTCCAAAGAGTGGTTGAAGTGTCCAGGACAGCGTGGACTTTGATATTGATGTGAACGCCCTCTGTGTTTGA
AACAAACATTCGAGTGGTAGGAGGACTCCTGTCTGCTCATCTGCTCTCAAGAAGGCTGGGGTGAAGTAGAGGC
TGGATGGCCCTGTTCCGGGCCTCTCCTGAGAATGGCTGAGGAGGCGGCGCCGAAAACCTCCCTCCAGCCTTTCAGAC
CCCCACTGGCATGCCATATGGAACAGTGAACCTACTTCATGGCGTGAACCCAGGAGAGACCCCTGTACCTGTAC
GGCAGGGATTGGGACCTTCATTGTTGAATTTGCCACCCTGAGCAGCCTCACTGGTGACCCGGTGTTTGAAGATGT
GGCCAGAGTGGCTTTGATGCGCCTCTGGGAGAGCCGGTCAGATATCGGGCTGGTCGGCAACCACATTGATGTGCT
CACTGGCAAGTGGGTGGCCAGGACGCGAGGCATCGGGGCTGGCGTGGACTCCTACTTTGAGTACTTGGTGAAAGG
AGCCATCCTGCTTCAGGATAAGAAGCTCATGGCCATGTTCTTAGAGTATAACAAAGCCATCCGGAACCTACACCCG
CTTCGATGACTGGTACCTGTGGGTTGAGATGTACAAGGGGACTGTGTCCATGCCAGTCTTCCAGTCCCTGGAGGC
CTACTGGCCTGGTCTTCAGAGCCTCATTGGAGACATTGACAATGCCATGAGGACCTTCCTCACTACTACACTGT
ATGGAAGCAGTTTGGGGGGCTCCCGGAATTTCTACAACATTCTCAGGGATACACAGTGGAGAAGCGAGAGGGCTA
CCCCTTCGGCCAGAACTTATTGAAAGCGCAATGTACCTCTACCGTGCCACGGGGGATCCACCCCTCCTAGAACT
CGGAAGAGATGCTGTGGAATCCATTGAAAAAATCAGCAAGGTGGAGTGCGGATTTGCAACAATCAAAGATCTGCG
AGACCACAAGCTGGACAACCGCATGGAGTCGTTCTTCTGCGCGAGACTGTGAAATACCTTACCTCCTGTTTGA
CCCAACCAACTTCATCCACAACAATGGGTCCACCTTCGACGCGGTGATCACCCCTATGGGGAGTGCATCCTGGG
GGCTGGGGGTACATCTTCAACACAGAAGCTCACCCATCGACCTTGCCGCCCTGCACTGCTGCCAGAGGCTGAA
GGAAGAGCAGTGGGAGGTGGAGGACTTGATGAGGGAATTCTACTCTCTCAAACGGAGCAGGTGAAATTTGAGAA
AAACACTGTAGTTGCGGGCCATGGGAACCTCCAGCAAGGCCAGGAACACTCTTCTCACCAGAAAACCATGACCA
GGCAAGGGAGAGGAAGCCTGCCAAACAGAAGGTCCCACTTCTCAGCTGCCCCAGTCAGCCCTTCACCTCCAAGTT
GGCATTACTGGGACAGGTTTTCTAGACTCCTCATTAACCACTGGATAATTTTTTTATTTTTATTTTTTTGAGGCT
AAACTATAATAAATTGCTTTTGGCTATCATAAAA

153/615

FIGURE 152

MPFRLLIPLGLLCALLPQHHGAPGPDGSAPDPAHYSFSLTLIDALDTLLILGNVSEFQRVVEVLQDSVDFDIDVN
ASVFETNIRVVGGLLSAHLISKAGVEVEAGWPCSGPLLRMAEEAARKLLPAFQTPTGMPYGTVNLLHGVNPGET
PVTCTAGIGTFIVEFATLSSLTGDPVFEDVARVALMRLWESRSDIGLVGNHIDVLTGKWVAQDAGIGAGVDSYFE
YLVKGAILLQDKKLMAMFLEYNKAIRNYTRFDDWYLWVQMYKGTVSMFVQSLEAYWPGLSLIGDIDNAMRTFL
NYYTVWKQFGGLPEFYNIPOGYTVEKREGYPLRPELIESAMYLYRATGDPITLLELGRDAVESIEKISKVECGFAT
IKDLRDHKLDRMESFFLAETVKYLYLLFDPTNFIHNNGSTFDAVITPYGECILGAGGYIFNTEAHPIDLAALHC
CQRLKEEQWEVEDLMREFYSLKRSRSKFQKNTVSSGPWEPPARPGTLFSPENHDQARERKPAKQKVPLLSQPSQ
FTSKLALLGQVFLDSS

154/615

FIGURE 153

CGGACGCGTGGGCGGACGCGTGGGCGGACGCGTGGGTTGGGAGGGGGCAGGATGGGAGGGAAAGTGAAGAAAACA
GAAAAGGAGAGGGACAGAGGCCAGAGGACTTCTCATACTGGACAGAAACCGATCAGGCATGGAAGTCCCTTCGT
CACTCACCTGTTCTTGCCCCCTGGTGTTCCTGACAGGTCTCTGCTCCCCCTTTAACCTGGATGAACATCACCCACG
CCTATTCCCAGGGCCACCAGAAGCTGAATTTGGATACAGTGTCTTACAACATGTTGGGGGTGGACAGCGATGGAT
GCTGGTGGGCGCCCCCTGGGATGGGCCTTCAGGCGACCGGAGGGGGGACGTTTATCGCTGCCCTGTAGGGGGGGC
CCACAATGCCCCATGTGCCAAGGGCCACTTAGGTGACTACCAACTGGGAAATTTCATCTCATCCTGCTGTGAATAT
GCACCTGGGGATGTCTCTGTTAGAGACAGATGGTGATGGGGGATTTCATGGTGAGCTAAGGAGAGGGTGGTGGCAG
TGTCTCTGAAGGTCCATAAAAAGAAAAAGAGAAGTGTGTAAGGGAATGGTCTGTGTGGAGGGGTCAAGGAGT
TAAAAACCTAGAAAGCAAAAGGTAGGTAATGTGAGGGAGTAGTCTTCATGCCTCCTTCAACTGGGAGCATGTTT
TGAGGGTGCCCTCCCAAGCCTGGGAGTAACATTTCCCCCATCCCCAGGCCTGTGCCCTCTCTGGTCTCGTGCT
TGTGGCAGCTCTGTCTTCAGTTCTGGGATATGTGCCCGTGTGGATGCTTCATTCCAGCCTCAGGGAAGCCTGGCA
CCCACTGCCCAACGTGAGCCAGAGGAAGGCTGAGTACTTGGTTCCCAGAAGGAGATACTGGGTGGGAAAAAGATG
GGGCAAAGCGGTATGATGCCCTGGCAAAGGGCCTGCATGGCTATCCTCATTGCTACCTAATGTGCTTGCAAAAGCT
CCATGTTTCCTAACAGATTCAGACTCCTGGCCAGGTGTGGTGGCCACACCTGTAATTCAGCACTTTGGGAGGC
CAAGGTGGGCGAGTCACTTGAGGTGAGGAGTTCAGACACAGCCTGGCCAACATGGTGAAACTCCATCTCTACTAA
AAAAAAAAAATACAAAAATTAGCTGGGTGCGTAGTGCATGCCTGTAATCTCATCTACTCGGGAGGCTAAGACA
GGAGACTCTCACTTCAACCCAGGAGGTGGAGGTTGCGGTGAGCCAAGATTGTGCCTCTGCACTCTAGCGTGGGTG
ACAGAGTAAGCGAGACTCCATCTCAAAAATAATAATAATAATTCAGACTCCTTATCAGGAGTCCATGATCTG
GCCTGGCACAGTAACTCATGCCTGTAATCCCAACATTTGGGAGGCCAACGCAGGAGGATTGCTTGAGGTCTGGA
GGTTTGAGACCAGCCTGGGCAACATAGAAAGACCCCATCTCTAAATAAATGTTTTAAAAAT

155/615

FIGURE 154

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA57039
><subunit 1 of 1, 124 aa, 1 stop
><MW: 13352, pI: 5.99, NX(S/T): 1
MELPFVTHLFLPLVFLTGLCSPFNLDEHHPRLFPGPPEAEFGYSVLQHVGGGQRWMLVGAPWDGPGDRRGDVYR
CPVGGAHNAPCAKGHLDGYQLGNSSHPAVNMHLGMSLLETGDGGFMVS
```

Important features:**Signal peptide:**

amino acids 1-22

Cell attachment sequence.

amino acids 70-73

N-glycosylation site.

amino acids 98-101

Integrins alpha chain proteins

amino acids 67-81

156/615

FIGURE 155

GCAGCTCCGGGTGCTGTGGCCCGGCTTGGCGGGGCGGCCCTCCGGCTCAGGCTGGCTGAGAGGCTCCAGCTGC
AGCGTCCCCGCCCGCCTCCTCGGGAGCTCTGATCTCAGCTGACAGTGCCCTCGGGGACCAACAGCCTGGCAGG
GTCTCACTTTGTTGCCAGGCTGGAGTTCAGTGCCATGATCATGGTTTACTGCAGCCTTGACCTCCTGGGTCAA
GCGATCCTGCTGAGTAGCTGGGACTACAGGACAAAATTAGAAGATCAAAATGGAAAATATGCTGCTTTGGTTGAT
ATTTTTACCCCTGGGTGGACCCCTCATGATGGATCTGAAATGGAATGGGATTTTATGTGGCAGTTGAGAAAGGT
ACCCCGGATTGTGAGTGAAGGACTTTCATCTCACCAGCCCCGCATTGAGGCAGATGCTAAGATGATGGTAAA
TACAGTGTGTGGCATCGAATGCCAGAAAGAACTCCCACTCCAGCCTTTCTGAATTGGAGGATTATCTTTCTTA
TGAGACTGTCTTTGAGAATGGCACC CGAACCTTAACCAGGGTGAAAGTTCAAGATTTGGTTCTTGAGCCGACTCA
AAATATCACCACAAAGGGAGTATCTGTTAGGAGAAAGAGACAGGTGTATGGCACCGACAGCAGGTTGAGCATCTT
GGACAAAAGGTTCTTAACCAATTTCCCTTTCAGCACAGCTGTGAAGCTTTCCACGGGCTGTAGTGGCATTCTCAT
TTCCCTCAGCATGTTCTAACTGCTGCCACTGTGTTTCATGATGGAAGGACTATGTCAAAGGGAGTAAAAAGCT
AAGGGTAGGGTTGTTGAAGATGAGGAATAAAAGTGGAGGCAAGAAACGTCGAGGTTCTAAGAGGAGCAGGAGAGA
AGCTAGTGGTGGTGACCAAGAGAGGGTACCAGAGAGCATCTGCAGGAGAGAGCGAAGGGTGGGAGAAGAAGAAA
AAAATCTGGCCGGGTGAGAGGATTGCCGAAGGGAGGCCTTCCCTTTCAGTGGACCCGGGTCAAGAATACCCACAT
TCCGAAGGGCTGGGCACGAGGAGGCATGGGGACGCTACCTTGACTATGACTATGCTCTTCTGGAGCTGAAGCG
TGCTCACAAAAGAAATACATGGAATCGGCCAACGATCAAGAAAATGCCTGGTGGATGATCCACTT
CTCAGGATTTGATAACGATAGGGCTGATCAGTTGGTCTATCGGTTTTGAGTGTGTCCGACGAATCCAATGATCT
CCTTTACCAATACTGCGATGCTGAGTCGGGCTCCACCGGTTCCGGGGTCTATCTGCGTCTGAAAGATCCAGACAA
AAAGAATTGGAAGCGCAAAATCATTGCGGTCTACTCAGGGCACCAGTGGGTGGATGTCCACGGGGTTCAGAAGGA
CTACAACGTTGCTGTTGCGATCACTCCCTAAAATACGCCAGATTGCTCTGGATTACGGGAACGATGCCAA
TTGTGCTTACGGCTAAACAGAGACCTGAAACAGGGCGGTGTATCATCTAAATCACAGAGAAAACAGCTCTGCTTA
CCGTAGTGAGATCACTTCATAGGTTATGCCTGGACTTGAATCTGTCAATAGCATTTCACATTTTCAAATCA
GGAGATTTTCGTCCATTTAAAAATGTATAGGTGCAGATATTGAACTAGGTGGGCACTTCAATGCCAAGTATAT
ACTCTTCTTTACATGGTGATGAGTTTCATTTGTAGAAAAATTTTGTGCTTCTTAAAAATTAGACACACTTTAA
ACCTTCAAACAGGTATTATAAATAACATGTGACTCCTTAATGGACTTATTCTCAGGGTCTACTCTAAGAAGAAT
CTAATAGGATGCTGGTTGTGTATTAAATGTGAAATTGCATAGATAAAGGTAGATGGTAAAGCAATTAGTATCAGA
ATAGAGACAGAAAGTTACAACACAGTTTGTACTACTCTGAGATGGATCCATTGAGCTCATGCCCTCAATGTTTAT
ATTGTGTTATCTGTTGGGTCTGGGACATTTAGTTTATTTTTTGAAGAATTACAAATCAGAAGAAAAAGCAAGC
ATTATAAACAAAACATAAATGTTTTACTGCTTTAAGAAATAACAATTACAATGTGTATTATTTAAAAATGGGA
GAAATAGTTTGTCTATGAAATAAACCTAGTTTAGAAATAGGGAAGCTGAGACATTTTAAGATCTCAAGTTTTTA
TTTAATAATACTCAAAATATGGACTTTTCATGTATGCATAGGGAAGACACTTCACAAATTATGAATGATCATGT
GTTGAAAGCCACATTATTTTATGCTATACATTCTATGTATGAGGTGCTACATTTTATAGGACAAAGAATTCTGTAA
TCTTTTTCAAGAAAGAGTCTTTTTCTCCTTGACAAAATCCAGCTTTTGTATGAGGACTATAGGGTGAATTCTCTG
ATTAGTAATTTTAGATATGTCCTTTCCTAAAAATGAATAAAATTTATGAATATGA

157/615

FIGURE 156

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA57253
<subunit 1 of 1, 413 aa, 1 stop
<MW: 47070, pI: 9.92, NX(S/T): 3
MENMLLWLIFFTPGWTLIDGSEMEWDFMWHLRKVPRIVSERTFHLTSPAFAEADAKMMVNTVCGIECQKELPTPSL
SELEDYLSYETVFENGTRTLTRVKVQDLVLEPTQNITTKGVSVRRKRQVYGTDSRFSILDKRFLTNFPFSTAVKL
STGCSGILISPQHVLTAAHCVHDKDYVKGSKKLRVGLLKMRNKSGGKKRRGSKRSRREASGGDQREGTREHLQE
RAKGRRRRKKSGRGORIAEGRPSFQWTRVKNTHIPKGWARGGMDATLDYDYALLELKRAHKKKYMELGISPTIK
KMPGGMIHFSGFDNDRADQLVYRFCSVDESNDLLYQYCDAESGSTGSGVYLRLKDPDKKNWKRKIIAVYSGHQW
VDVHGVQKDYNAVAVRITPLKYAQICLWIHGNDANCAYG
```

Important features:**Signal peptide:**

amino acids 1-16

N-glycosylation sites.

amino acids 90-93, 110-113 and 193-196

Glycosaminoglycan attachment site.

amino acids 236-239

Serine proteases, trypsin family, histidine active site.

amino acids 165-170

158/615

FIGURE 157

GGGACCCATGCGGCCGTGACCCCGGCTCCCTAGAGGCCAGCGCAGCCGACGGGACAAAGGAGCATGTCCGCG
CCGGGGAAGCCCGCTCCTCCGGCCGCCATAAGGCTCCGGTCGCCGCTGGGCCCCGCGCCGCTCCTGCCCGCCCC
GGCTCCGGGGCGGCCCGCTAGGCCAGTGCGCCCGCGCTCGCCCCGCAGGCCCGGCCGAGCATGGAGCCACCC
GGACGCCGGCGGGGCGCGCGCAGCCCGCGCTGTTGCTGCCGCTCTCGCTGTTAGCGCTGCTCGCGCTGCTGGGA
GGCGGCGCGGGCGGCCGCCGCGCGCTGCCCGCCGGCTGCAAGCACGATGGGCGGCCCGAGGGGCTGGCAGG
GCGGCGGGCGGCCCGAGGGCAAGGTGGTGTGCAGCAGCCTGGAACCTCGCGCAGGTCTGCCCGCAGATACTCTG
CCCAACCGCACGGTCACCTGATTCTGAGTAACAATAAGATATCCGAGCTGAAGAATGGCTCATTTTTCTGGGTTA
AGTCTCCTTGAAAGATTGGACCTCCGAAACAATCTTATTAGTAGTATAGATCCAGGTGCCCTCTGGGACTGTCA
TCTCTAAAAAGATTGGATCTGACAAACAATCGAATAGGATGTCTGAATGCAGACATATTTTCGAGGACTCACCAAT
CTGGTTCGGCTAAACCTTTTCGGGAATTTGTTTTCTTCATTATCTCAAGGAACCTTTTGATTATCTTGCCTCATT
CGGTCTTTGGAATTCAGACTGAGTATCTTTTGTGTGACTGTAACATACTGTGGATGCATCGCTGGGTAAAGGAG
AAGAACATCACGGTACGGGATACAGGTGTGTTTATCCTAAGTCACTGCAGGCCCAACAGTCACAGGCGTGAAG
CAGGAGCTGTTGACATGCGACCCCTCCGCTTGAATTGCCGTCTTTCTACATGACTCCATCTCATCGCCAAGTTGTG
TTTGAAGGAGACAGCCTTCCCTTTCCAGTGCATGGCTTCATATATTGATCAGGACATGCAAGTGTGTGGTATCAG
GATGGGAGAAATAGTTGAACCGATGAATCGCAAGGTATTTTTGTTGAAAAGAACATGATTCACAACTGCTCCTTG
ATTGCAAGTGCCTAACCATTTCTAATATTAGGCTGGATCTACTGGAATTTGGGGCTGTCTGTCCAGACCAAA
CGTGGGAAATAATACGAGGACTGTGGATATTGTGGTATTAGAGAGTTCTGCACAGTACTGTCTCCAGAGAGGGTG
GTAAACAACAAAGGTGACTTCAGATGGCCAGAACATTGGCAGGCATTACTGCATATCTGCAGTGTACGCGGAAC
ACCCATGGCAGTGGGATATATCCCGGAAACCCACAGGATGAGAGAAAAGCTTGGCGCAGATGTGATAGAGGTGGC
TTTTGGGCAGATGATGATTATTCTCGCTGTGAGTATGCAATGATGTCACTAGAGTTCTTTATATGTTTAAATCAG
ATGCCCTCAATCTTACCAATGCCGTGGCAACAGCTCGACAGTTACTGGCTTACACTGTGGAAGCAGCCAACCTT
TCTGACAAATGGATGTTATATTGTGGCAGAAATGATTGAAAAATTTGGAAGATTTACCAAGGAGGAAAAATCA
AAAGAGCTAGGTGACGTGATGGTTGACATTGCAAGTAACATCATGTTGGCTGATGAACGTGTCTGTGGCTGGCG
CAGAGGGAAGCTAAAGCCTGCAGTAGGATTGTGCAGTGTCTTCAGCGCATTGCTACCTACCGGCTAGCCGGTGGG
GCTCACGTTTATTCAACATATTCACCAATATTGCTCTGGAAGCTTATGTCAAGTCTACTGGCTTCACGGGG
ATGACCTGTACCGTGTTCAGAAAGTGGCAGCCTCTGATCGTACAGGACTTTTCGGATTATGGGAGGCGGGATCCA
GAGGGAACCTGGATAAGCAGCTGAGCTTTAAGTGAATGTTTCAAATACATTTTCGAGTCTGGCACTAAAGGTA
TGTTACATTCTGCAATCATTTAAGACTATTTACAGTTAAATTAGAATGCTCCAAATGTTCTGCTTCGCAAAATAA
CCTTATTAAGATTTTTTTTTTTCAGGAGATAGGTATTATTGCTTTTGCTACTGTTTTAAAGAAAATAACCAG
GAAGAACTGCATTACGACTTTCAAGGGCCCTAGGCATTTTGCCTTTGATTCCCTTTCTTCACATAAAAAATATCA
GAAATTACATTTTATACTGCAGTGGTATAAATGCAATATACTATTGTTACATGTGAAAAATTTTATTTGACT
TAAAGTTTATTTATTTGTTTTTTGCTCCTGATTTTAAAGACAATAAGATGTTTTCATGGGCCCTAAAAGTATC
ATGAGCCTTTGGCACTGCGCCTGCCAAGCCTAGTGGAGAAGTCAACCCTGAGACCAGGTGTTTAAATCAAGCAAGC
TGTATATCAAAATTTTTTGGCAGAAAACACAAATATGTCATATATCTTTTTTAAAAAAGTATTTTATTGAAGCA
AGCAAAATGAAAGCATTTTTTACTGATTTTTAAATTTGGTGTCTTAGATATATTTGACTACACTGTATTGAAGCAA
ATAGAGGAGGCACAACCTCCAGCACCTAATGGAACCACATTTTTTCACTTAGCTTTCTGTGGGCATGTGTAATT
GTATCTCTGCGGTTTTTAACTCTCACAGTACTTTATTTCTGTCTTGTCCCTCAATAATATCACAAACAATATTC
AGTCATTTAATGGCTGCATAATACTGATCCAACAGGTGTTAGGTGTTCTGGTTTAGTGTGAGCACTCAATAAA
TATTGAATGAATGAACGAAAAAAAAAAAAAAAAA

159/615

FIGURE 158

MEPPGRRRGRAQPPLLLPLSLALLALLGGGGGGGAAALPAGCKHDGRPRGAGRAAGAAEGKVVCSSLELAQVLP
PDTLPNRTVTLLLSNNKISELKNGSFSGLSLLERLDLRNNLISSIDPGAFLWGLSSSLKRLDLTNNRIGCLNADIFR
GLTNLVRNLNSGNLFSSLSQGTFDYLASLSLEFQTEYLLCDCNILWMHRWVKEKNITVRDTRCVYPKSLQAQPV
TGVKQELLTCDPPELPSFYMTPSHRQVVFEGDSLFPQCMASYIDQDMQVLWYQDGRIVETDESQGI FVEKNMIH
NCSLIASALTISNIQAGSTGNWGCCHVQTKRGNNTRTVDIVVLESSAQYCPPERVVNNKGDFRWPRTLGITAYLQ
CTRNTHGSGIYPGNPQDERKAWRRCDRGGFWADDDYSRCQYANDVTRVLYMFNQMPNLNTNAVATARQLLAYTVE
AANFSDKMDVIFVAEMIEKFGRFTKEEKSKELGDMVMDIASNIMLADERVLWLAQREAKACSRIVQCLQRIATYR
LAGGAHVYSTYSPNIALEAYVIKSTGFTGMTCTVFQKVAASDRGTGLSDYGRRDPEGNLDKQLSFKCNVSNTFSSL
ALKVCYILQSFKTIYS

Signal peptide:

amino acids 1-33

Transmembrane domain:

amino acids 13-40 (type II)

N-glycosylation site.amino acids 81-85, 98-102, 159-163, 206-210, 301-305, 332-336, 433-437,
453-457, 592-596**N-myristoylation site.**amino acids 29-35, 30-36, 31-37, 32-38, 33-39, 34-40, 51-57, 57-63, 99-105,
123-129, 142-148, 162-168, 317-323, 320-326, 384-390, 403-409, 554-560

160/615

FIGURE 159

GGGGAATCTGCAGTAGGTCTGCCGGCGATGGAGTGGTGGGCTAGCTCGCCGCTTCGGCTCTGGCTGCTGTTGTTTC
CTCCTGCCCTCAGCGCAGGGCCGCCAGAAGGAGTCAGGTTCAAAATGGAAAGTATTTATTGACCAAATTAACAGG
TCTTTGGAGAATTACGAACCATGTTCAAGTCAAACTGCAGCTGCTACCATGGTGTATAGAAGAGGATCTAACT
CCTTTCCGAGGAGGCATCTCCAGGAAGATGATGGCAGAGGTAGTCAGACGGAAGCTAGGGACCCACTATCAGATC
ACTAAGAACAGACTGTACCGGGAAAATGACTGCATGTCCCCTCAAGGTGTAGTGGTGTGAGCACTTTATTTTG
GAAGTGATCGGGCGTCTCCCTGACATGGAGATGGTGATCAATGTACGAGATTATCCTCAGGTTTCTAAATGGATG
GAGCCTGCCATCCCAGTCTTCTCCTTCAGTAAGACATCAGAGTACCATGATATCATGTATCCTGCTTGGACATTT
TGGGAAGGGGGACCTGCTGTTTGGCCAATTTATCCTACAGGTCTTGGACGGTGGGACCTCTTCAGAGAAGATCTG
GTAAGGTGAGCAGCACAGTGGCCATGGAAAAAGAAAACTCTACAGCATATTTCCGAGGATCAAGGACAAGTCCA
GAACGAGATCCTCTCATTCTTCTGTCTCGGAAAAACCCAAAACCTTGTGATGCAGAATACACCAAAAACAGGCC
TGGAAATCTATGAAAGATACCTTAGGAAAGCCAGCTGCTAAGGATGTCCATCTTGTGGATCACTGCAAATACAAG
TATCTGTTTAATTTTCGAGGCGTAGCTGCAAGTTTCCGGTTTAAACACCTCTTCCTGTGTGGCTCACTTGTTTTC
CATGTTGGTGATGAGTGGCTAGAATTCTTCTATCCACAGCTGAAGCCATGGGTTCACTATATCCCAGTCAAAACA
GATCTCTCCAATGTCCAAGAGCTGTTACAATTTGTAAGCAAAATGATGATGTAGCTCAAGAGATTGCTGAAAGG
GGAAGCCAGTTTATTAGGAACCATTTGCAGATGGATGACATCACCTGTTACTGGGAGAACCTCTTGAGTGAATAC
TCTAAATTCCTGTCTTATAATGTAACGAGAAGGAAAGGTTATGATCAAATTATCCCAAATGTTGAAAACCTGAA
CTATAGTAGTCATCATAGGACCATAGTCCTCTTGTGGCAACAGATCTCAGATATCCTACGGTGAGAAGCTTACC
ATAAGCTTGGCTCCTATACCTTGAATATCTGCTATCAAGCCAAATACCTGGTTTTCTTATCATGCTGCACCCAG
AGCAACTCTTGAGAAAGATTTAAAATGTGTCTAATACACTGATATGAAGCAGTTCAACTTTTGGATGAATAAGG
ACCAGAAATCGTGAGATGTGGATTTTGAACCCAACTCTACCTTTTCATTTTCTTAAGACCAATCACAGCTTGTGCC
TCAGATCATCCACCTGTGTGAGTCCATCACTGTGAAATTGACTGTGTCCATGTGATGATGCCCTTTGTCCATT
TTTGGAGCAGAAAATTCGTCAATTTGGAAGTAGTACAACCTATTGCTGGAATTGTGAAATTATTCAAGGCGTGATC
TCTGTCACTTTATTTTAAATGTAGGAAACCTATGGGGTTTATGAAAATACTTGGGGATCATTCTCTGAATGGTC
TAAGGAAGCGGTAGCCATGCCATGCAATGATGTAGGAGTTCTCTTTTGTAAAACCATAAACTCTGTTACTCAGGA
GTTTTCTATAATGCCACATAGAAAGAGGCCAATTGCATGAGTAATTATTGCAATTGGATTTCAGGTTCCCTTTT
GTGCCCTTCATGCCCTACTTCTTAATGCCTCTCTAAAGCCAAA

161/615

FIGURE 160

MEWWASSPLRLWLLLFLLPSAQGRQKESGSKWKVFIDQINRSLENYEPCSSQNCSCYHGVIEEDLTPFRGGISRK
MMAEVVRRKLGTHYQITKNRLYREND CMFPSRCSGVEHFILEVIGRLPDMEMVINVRDYPQVPKWMEPAIPVFSF
SKTSEYHDIMYPAWTFWEGGPAVWPIYPTGLGRWDLFREDLVRSAQWPWKKKNSTAYFRGSRTSPERDPLILLS
RKNPKLVD AEYTKNQAWKSMKDTLGKPAAKDVHLVDHCKYKYLNFNFRGVAASFRFKHLFLCGSLVFHVGDWLEF
FYPQLKPWVHYIPVKTDLSNVQELLQFVKANDDVAQEIAERGSQFIRNHLQMD DITCYWENLLSEYSKFLSYNVT
RRKGYDQIIPKMLKTEL

162/615

FIGURE 161

CCGAGCACAGGAGATTGCCTGCGTTTAGGAGGTGGCTGCGTTGTGGGAAAAGCTATCAAGGAAGAAATTGCCAAA
CCATGTCTTTTTTCTGTTTTTCAGAGTAGTTCAACACAGATCTGAGTGTTTAATTAAGCATGGAATACAGAAAA
CAACAAAAAACTTAAGCTTTAATTTTCATCTGGAAATCCACAGTTTTCTTAGCTCCCTGGACCCGGTTGACCTGTT
GGCTCTTCCCGCTGGCTGCTCTATCACGTGGTGTCTCCGACTACTACCCCGAGTGTAAGAACCTTCGGCTCG
CGTGCTTCTGAGCTGCTGTGGATGGCCTCGGCTCTCTGGACTGTCCTCCGAGTAGGATGTCACTGAGATCCCTC
AAATGGAGCCTCCTGCTGCTGTCACTCCTGAGTTTCTTTGTGATGTGGTACCTCAGCCTTCCCCACTACAATGTG
ATAGAACGCGTGAACCTGGATGTACTTCTATGAGTATGAGCCGATTTACAGACAAGACTTTCACTTCACACTTCGA
GAGCATTCAAACCTGCTCTCATCAAAATCCATTTCTGGTCATTCTGGTGACCTCCCACCCTTCAGATGTGAAAGCC
AGGCAGGCCATTAGAGTTACTTGGGGTGAAAAAAGTCTTGGTGGGGATATGAGGTTCTTACATTTTTCTTATTA
GGCCAAGAGGCTGAAAAGGAAGACAAAATGTTGGCATTGTCTTATAGAGGATGAACACCTTCTTTATGGTGACATA
ATCCGACAAGATTTTTTAGACACATATAATAACCTGACCTTGAAAACCATTATGGCATTCAAGGTGGGTAACCTGAG
TTTTGCCCCAATGCCAAGTACGTAATGAAGACAGACACTGATGTTTTTCATCAATACTGGCAATTTAGTGAAGTAT
CTTTTAAACCTAAACCACTCAGAGAAGTTTTTCACAGGTTATCCTCTAATTGATAATTATTCCTATAGAGGATTT
TACCAAAAAACCCATATTTCTTACCAGGAGTATCCTTTCAAGGTGTTCCCTCCATACTGCAGTGGGTTGGGTTAT
ATAATGTCCAGAGATTTGGTGCCAAGGATCTATGAAATGATGGGTACGTAAAACCCATCAAGTTTGAAGATGTT
TATGTGCGGATCTGTTTGAATTTATTTAAAAGTGAACATTCATATTCCAGAAGACACAAATCTTTCTTTCTATAT
AGAATCCATTTGGATGTCTGTCAACTGAGACGTGTGATTGCAGCCCATGGCTTTCTTCCAAGGAGATCATCACT
TTTTGGCAGGTCATGCTAAGGAACACCACATGCCATTATTAACCTTCACATTCTACAAAAAGCCTAGAAGGACAGG
ATACCTTGTGGAAAGTGTTAAATAAAGTAGGTACTGTGGAAAATTCATGGGGAGGTCAGTGTGCTGGCTTACACT
GAACCTGAAACTCATGAAAAACCCAGACTGGAGACTGGAGGGTTACACTTGTGATTTATTAGTCAGGCCCTTCAAA
GATGATATGTGGAGGAATTAATATAAAGGAATTGGAGGTTTTTGCTAAAGAAATTAATAGGACCAACAAATTTG
GACATGTCACTCTGTAGACTAGAATTTCTTAAAAGGGTGTTACTGAGTTATAAGCTCACTAGGCTGTAAAAACAA
AACAAATGTAGAGTTTTATTTATTGAACAATGTAGTCACTTGAAGGTTTTGTGTATATCTTATGTGGATTACCAAT
TTAAAAATATATGTAGTTCTGTGTCAAAAACTTCTTCACTGAAGTTATACTGAACAAAATTTTACCTGTTTTTG
GTCATTTATAAAGTACTTCAAGATGTTGCAGTATTTACAGTTATTATTATTTAAAATTACTTCACTTTGTGTT
TTTAAATGTTTTGACGATTTCAATACAAGATAAAAAGGATAGTGAATCATTCTTACATGCAACATTTTCCAGT
TACTTAACTGATCAGTTTATTATTGATACATCACTCCATTAATGTAAAGTCATAGGTCATTATTGCATATCAGTA
ATCTCTTGGACTTTGTAAATATTTTACTGTGGTAATATAGAGAAGAATTAAAGCAAGAAAATCTGAAAA

163/615

FIGURE 162

MASALWTVLPSRMSLRSLKWSLLLLSLLSFFVMWYLSLPHYNVIERVNWMYFYEYEPYRQDFHFTLREHSNC SH
QNPFLVILVTSHPSDVKARQAIRVTWGEKKSWWGYEVLTFLLGQEA EKDKMLALSLEDEHLLYGDII RQDFLD
TYNNLT LKTIMAFRWVTEFCPNAKYVMKTD TDVFINTGNLVKYLNLN HSEKFFTGYPLIDNYSYRGFYQK THIS
YQEYPFKVFPPYCSGLGYIMSRDLVPRIYEMMGHV KPIKFEDVYVGICLNLLKVNIHIPEDTNLFFLYRIHLDVC
QLRRVIAAHGFSSKEIITFWQVMLRNTTCHY

164/615

FIGURE 163

CATTTCTGAACTAATCGTGTGAGAATTGACTTTGAAAAGCATTGCTTTTTACAGAAGTATATTAACCTTTTTAGG
AGTAATTTCTAGTTTGGATTGTAATATGAAATAATTTAAAAGGGCTTCGCTCATATATAGGAAAATCGCATATGG
TCCTAGTATTAAATTCCTATTGCTTACTGATTTTTTTGAGTTAAGAGTTGTTATATGCTAGAATATGAGGATGTG
AATATAAATAAGAGAAGAAAAAGAATAAAGTAGATTGAGTCTCCAATTTTATGTAAGCTTCAGAAGAAGTGGTT
TGTTTACATGCAAGCTTATAGTTGAAATATTTTTTCAGGAATTACATGAATGACAGTCTTGAACCAATGTGTTTG
TTCGATTTCAACCAGAGACTATAGCATGTGCTTGCATCTACCTTGCAGCTAGAGCACTTCAGATTCCGTTGCCAA
CTCGTCCCCATTGGTTTCTTCTTTTTGGTACTACAGAAGAGGAAATCCAGGAAATCTGCATAGAAACACTTAGGC
TTTATACCAGAAAAAGCCAAACTATGAATTACTGGAAAAAGAAGTAGAAAAAGAAAGTAGCCTTACAAGAAG
CCAAATTAAAAGCAAAGGGATTGAATCCGGATGGAATCCAGCCCTTTCAACCCTGGGTGGATTTTCTCCAGCCT
CCAAGCCATCATCACCAAGAGAAGTAAAAGCTGAAGAGAAATCACCAATCTCCATTAATGTGAAGACAGTCAAAA
AAGAACCTGAGGATAGACAACAGGCTTCCAAAAGCCCTTACAATGGTGTAAAGAAAAGACAGCAAGAGAAGTAGAA
ATAGCAGAAGTGCAAGTCGATCGAGGTCAAGAACACGATCACGTTCTAGATCACATACTCCAAGAAGACACTATA
ATAATAGGCGGAGTCGATCTGGAACATACAGCTCGAGATCAAGAAGCAGGTCCCGCAGTCACAGTGAAAGCCCTC
GAAGACATCATAATCATGGTTCTCCTCACCTTAAGGCCAAGCATACCAGAGATGATTTAAAAAGTTCAAACAGAC
ATGGTCATAAAAGGAAAAAATCTCGTTCTCGATCTCAGAGCAAGTCTCGGGATCACTCAGATGCAGCCAAGAAAC
ACAGGCATGAAAGGGGACATCATAGGGACAGGCGTGAACGATCTCGCTCCTTTGAGAGGTCCCATAAAAGCAAGC
ACCATGGTGGCAGTCGCTCAGGACATGGCAGGCACAGGCGCTTGACTTTCTCTTCTTTGAGCCTGCATCAGTTCT
TGGTTTTGCCTATCTACAGTGTGATGTATGGACTCAATCAAAAACATTAAACGCAAACTGATTAGGATTTGATTT
CTTGAAACCCTCTAGGTCTCTAGAACACTGAGGACAGTTTCTTTGAAAAGAACTATGTTAATTTTTTGCACAT
TAAATGCCCTAGCAGTATCTAATTA AAAAACCATGGTCAGGTTCAATTGTACTTTATTATAGTTGTGTATTGTTT
ATTGCTATAAGAACTGGAGCGTGAATTCTGTAAAAATGTATCTTATTTTTATACAGATAAAATTGCAGACACTGT
TCTATTTAAGTGGTTATTTGTTTAAATGATGGTGAATACTTTCTTAACACTGGTTTGTCTGCATGTGTAAAGATT
TTTACAAGGAATAAAATACAAATCTTGTTTTTCTAAAAA AAAAAAAAAAAAAAAGT

165/615

FIGURE 164

MNDSLRTNVFVRFQPETIACACIYLAARALQIPLPTRPHWFLFLFGTTEEEIQEICIETLRLYTRKKPNYELLEKE
VEKRKVALQEAKLKAKGLNPDGTPALSTLGGFSPASKPSSPREVKAEKSPISINVKTVKKEPEDRQQASKSPYN
GVRKDSKRSRNSRSASRSRSTRSRSRSHTPRRHYNNRRSRSGTYSSRSRSTRSRSHSESPRRHHNHGSPHLKAKH
TRDDLKSSNRHGHKRKKSRSRSQSKSRDHSDAAKKHRHERGHHRDRRERSRSFERSHKSKHHGGSRSRSGHGRHR

166/615

FIGURE 165

GGTTCCTACATCCTCTCATCTGAGAATCAGAGAGCATAATCTTCTTACGGGCCCCGTGATTTATTAACTGGCTTA
ATCTGAAGGTTCTCAGTCAAATTTCTTTGTGATCTACTGATTGTGGGGGCATGGCAAGGTTTGCTTAAAGGAGCTT
GGCTGGTTTGGGCCCTTGTAGCTGACAGAAGGTGGCCAGGGAGAATGCAGCACACTGCTCGGAGAAATGAAGGCGC
TTCTGTTGCTGGTCTTGCCTTGGCTCAGTCTGTCTAACTACATTGACAATGTGGGCAACCTGCACTTCTGTATT
CAGAACTCTGTAAAGGTGCCTCCCACTACGGCCTGACCAAAGATAGGAAGAGGCGCTCACAAGATGGCTGTCCAG
ACGGCTGTGCGAGCCTCACAGCCACGGCTCCCTCCCCAGAGGTTTCTGCAGCTGCCACCATCTCCTTAATGACAG
ACGAGCCTGGCCTAGACAACCTGCTTACGTGTCTCGGCAGAGGACGGGCAGCCAGCAATCAGCCCAGTGGACT
CTGGCCGGAGCAACCGAAGTACGGGCACGGCCCTTTGAGAGATCCACTATTAGAAGCAGATCATTTAAAAAATAA
ATCGAGCTTTGAGTGTCTTCGAAGGACAAAGAGCGGGAGTGCAGTTGCCAACCATGCCGACCAGGGCAGGGAAA
ATTCTGAAAACACCACTGCCCCGTAAGTCTTTCCAAGTTGTACCACCTGATTCCAGATGGTGAAATTACCAGCA
TCAAGATCAATCGAGTAGATCCCACTGAAAGCCTCTCTATTAGGCTGGTGGGAGGTAGCGAAACCCCACTGGTCC
ATATCATTATCCAACATTTATCGTGATGGGGTGATCGCCAGAGACGGCCGGCTACTGCCAGGAGACATCATTC
TAAAGGTCAACGGGATGGACATCAGCAATGTCCCTCACAACCTACGCTGTGCGTCTCCTGCGGCAGCCCTGCCAGG
TGCTGTGGCTGACTGTGATGCGTGAACAGAAGTTCCGCAGCAGGAACAATGGACAGGCCCCGGATGCCACAGAC
CCCAGATGACAGCTTTCATGTGATTCTCAACAAAAGTAGCCCCGAGGAGCAGCTTGAATAAACTGGTGGCA
AGGTGGATGAGCCTGGGGTTTTATCTTCAATGTGCTGGATGGCGGTGTGGCATATCGACATGGTCAGCTTGAGG
AGAATGACCGTGTGTTAGCCATCAATGGACATGATCTTCGATATGGCAGCCCAGAAAGTGGCGCTCATCTGATTC
AGGCCAGTGAAAGACGTGTTACCTCGTGTGTCGCCAGGTTCCGCAGCGGAGCCCTGACATCTTTCAGGAAG
CCGGCTGGAACAGCAATGGCAGCTGGTCCCCAGGGCCAGGGGAGAGGAGCAACACTCCCAAGCCCTCCATCCTA
CAATTACTTGTGATGAGAAGGTGGTAAATATCCAAAAGACCCCGGTGAATCTCTCGGCATGACCGTCGCAGGGG
GAGCATCACATAGAGAATGGGATTTGCCTATCTATGTCATCAGTGTGAGCCCGGAGGAGTCATAAGCAGAGATG
GAAGAATAAAAACAGGTGACATTTTGTGTAATGTGGATGGGGTCAACTGACAGAGGTGAGCCGGAGTGAGGCAG
TGGCATTATTGAAAAGAACATCATCTCGATAGTACTCAAAGCTTTGGAAGTCAAAGAGTATGAGCCCCAGGAAG
ACTGCAGCAGCCCAGCAGCCCTGGACTCCAACCACAACATGGCCCCACCCAGTGAAGTGGTCCCCATCCTGGGTCA
TGTGGCTGGAATTACCACGGTGTGTATAACTGTAAAGATATTGTATTACGAAGAAACACAGCTGGAAGTCTGG
GCTTCTGCATTGTAGGAGGTATGAAGAATACAATGGAAACAAACCTTTTTTTCATCAAATCCATTGTTGAAGGAA
CACCAGCATACAATGATGGAAGAATTAGATGTGGTGATATTCTTCTGTGTCAATGGTAGAAGTACATCAGGAA
TGATACATGCTTGCTTGCAAGACTGCTGAAAGAACTTAAAGGAAGAATTACTCTAACTATTGTTTTCTGGCCTG
GCACTTTTTTATAGAATCAATGATGGGTGAGGAGGAAACAGAAAAATCACAAATAGGCTAAGAAGTTGAAACACT
ATATTTATCTTGTGCTGATTTTTATATTTAAAGAAAGAATACATTGTAAAAATGTCAGGAAAAGTATGATCATCTAA
TGAAAGCCAGTTACACCTCAGAAAATATGATTCCAAAAAATTAAGAACTACTAGTTTTTTTCAGTGTGGAGGAT
TTCTCATTACTCTACAACATTGTTTATATTTTTCTATTCAATAAAAAGCCCTAAAACAATAAATGATTGATT
TGTATACCCCACTGAATTCAGCTGATTTAAATTTAAATTTGGTATATGCTGAAGTCTGCCAAGGGTACATTAT
GGCCATTTTTTAATTTACAGCTAAAATATTTTTTAAATGCATTGCTGAGAAACGTTGCTTTCATCAAACAAGAAAT
AAATATTTTTTCAGAAAGTTAAA

167/615

FIGURE 166

MKALLLLVLPWLSPANYIDNVGNLHFLYSELCKGASHYGLTKDRKRRSQDGCPCDGCASLTATAPSPEVSAAATIS
LMTDEPGLDNPAYVSSAEDGQPAISPVDSGRSNRTRARPFERSTIRSRSFKKINRALSVLRRTKSGSAVANHADQ
GRESENTTAPEVFPRLYHLIPDGEITSIKINRVDPSESLSIRLVGGSETPLVHIIIQHIYRDGVIARDGRLPG
DIILKVNMGDISNVPHNYAVRLLRQPCQVLWLTVMREQKFRSRNNGQAPDAYRPRDDSFHVILNKSSPEEQLGIK
LVRKVDEPGVFI FNVLDGGVAYRHGQLEENDRVLAINGHDLRYGSPESAHLIQASERRVHLVVSQRQRSPDI
FQEAGWNSNGSWSPGPGERSNTPKPLHPTITCHEKVVNIQKDPGESLGMTVAGGASHREWDLPYVISVEPGGVI
SRDGRIKTGDILLNVDGVELTEVSRSEAVALLKRTSSSIVLKALEVKEYEPQEDCSSPAALDSNHNMAPPSDWSP
SWVMWLELPRCLYNCKDIVLRRNTAGSLGFCIVGGYEEYNGNKPFFIKSIVEGTPAYNDGRIRCGDILLAVNGRS
TSGMIHACLARLLKELKGRITLTIVSWPGTFL

168/615

FIGURE 167

GGGAAAGCCATTTGCGAAAACCCATCTATACAACTATATATTTTCATTTCTGCTGCTAGCTGCCTTGGGCCTCAC
AATTTTCATTCTGTTTTCTGACTTTCAAGTTATATACCGTGGAATGGAGTTGATCCCAACCATAACATCGTGGAG
GGTTTAAATTTGGTGGTAGCCCTCACCCAATTCTGGTGTGGCTTTCTTGCAGAGGATTCCACCTTCAAAATCA
TGAATCTGGCTGTTGATCAAAAGAGAATTTGGATTCTACTCTAAAAGTCAATATAGGACTTGGCAAAAGAAGCT
AGCAGAAGACTCAACCTGGCCTCCCATAAACAGGACAGATTATTCAGGTGATGGCAAAAATGGATTCTACATCAA
CGGAGGCTATGAAAGCCATGAACAGATTCCAAAAAGAAAACCTCAAATTGGGAGGCCAACCCACAGAACAGCATTT
CTGGGCCAGGCTGTAATCAGAATTGTCGTCGTACATGCTCAACAGCATTGCTTTTTTCCCCAAAATTAACACATT
GTGGAGAAGTGATGATACTCTCCCTTACCTTTCTCTCCATTCAAGCATTCAAAGTATATTTTCAATGAATT
AAACCTTGCAGCAAGGGACCTTAGATAGGCTTATTCTGACTGTATGCTTTACCAATGAGAGAAAAAATGCATTT
CCTGTATCATCCTTTTCAATAAACTGTATTCATTTGAAAAAAAAAAAAAAAAAAAAA

169/615

FIGURE 168

MELIPTITSWRVLILVVALTQFWCGFLCRGFHLQNHLEWLLIKREFGFYSKSQYRTWQKKLAEDSTWPPINRTDY
SGDGKNGFYINGGYESHEQIPKRKLKLGGOPTQHFWARL

FIGURE 169

[illegible]

171/615

FIGURE 170

MELGCWTQLGLTFLQLLLISSLPREYTVINEACPGAENIMCRECCEYDQIECVCPGKREVVGYTIPCCRNENE
CDSCLIHPGCTIFENCKSCRNGSWGGLDDEFYVKGIFYCAECRAGWYGDCMRCGQVLRAPKGQILLESYPLNAHC
EWTIHAKPGFVIQLRFVMLSLEFDYMCQYDYVEVRDGDNRDQIIKRVCGNERPAPIQSIGSSLHVLHSDGSKN
FDGFHAIYEEITACSSSPCFHDGTCVLDKAGSYKCACLAGYTGQRCENLLEERNCSDPGGPVNGYQKITGGPGLI
NGRHAKIGTVVSFFCNSYVLSGNEKRTCQONGEWSGKQPICIKACREPKISDLVRRRVLPQVQSRETPLHQLY
SAAFSKQKLSAPTCKKPALPFGDLPMGYQHLHTQLQYECISPFYRRLGSSRRTCLRTGKWSGRAPSCIPICGKIE
NITAPKTQGLRWPQAAIYRRTSGVHDGSLHKGAWFLVCSGALVNERTVVVAHCVTDLGKVTMIKTADLKVVVG
KFYRDDDRDEKTIQSLQISAILHPNYDPILLDADIAILKLLDKARISTRVQPICLAASRDLSTSFQESHITVAG
WNVLADVRSFGFKNDTLRSGVSVVDSLLCEEQHEDHGIPVSVTDNMFCASWEPTAPSDICTAETGGIAAVSFPG
RASPEPRWHLMLVSWSYDKTCSHRLSTAFTKVLFPKDWIERNMK

172/615

FIGURE 171

CTGTCGTCTTTGCTTCAGCCGAGTCGCCACTGGCTGCCTGAGGTGCTCTTACAGCCTGTTCCAAGTGTGGCTTA
ATCCGTCTCCACCACCAGATCTTTCTCCGTGGATTCCCTCTGCTAAGACCGCTGCCATGCCAGTGACGGTAACCCG
CACCACCATCACAACCACCACGACGTCATCTTCGGGGCTGGGGTCCCCCATGATCGTGGGGTCCCCTCGGGCCCT
GACACAGCCCCCTGGGTCTCCTTCGCCTGCTGCAGCTGGTGTCTACCTGCGTGGCCTTCTCGCTGGTGGCTAGCGT
GGGCGCCTGGACGGGGTCCATGGGCAACTGGTCCATGTTACCTGGTGTCTCTGCTTCTCCGTGACCCTGATCAT
CCTCATCGTGGAGCTGTGCGGGCTCCAGGCCCGCTTCCCCCTGTCTTGGCGCAACTTCCCCATCACCTTCGCCTG
CTATGCGGCCCTCTTCTGCCCTCTCGGCCTCCATCATCTACCCACCACCTATGTCCAGTTCCTGTCCCCACGGCCG
TTCGCGGGGACCACGCCATCGCCGCCACCTTCTTCTCCTGCATCGCGTGTGTGGCTTACGCCACCAGTGGCCTG
GACCCGGGCCCCGGCCGAGATCACTGGCTATATGGCCACCGTACCCGGGCTGCTGAAGGTGCTGGAGACCTT
CGTTGCCTGCATCATCTTCGCGTTCATCAGCGACCCCAACCTGTACCAGCACCAGCCGGCCCTGGAGTGGTGGT
GGCGGTGTACGCCATCTGCTTCATCCTAGCGGCCATCGCCATCCTGCTGAACCTGGGGGAGTGCACCAACGTGCT
ACCCATCCCCCTTCCCCAGCTTCCTGTGCGGGCTGGCCTTGTCTGTCTGTCTCCTCTATGCCACCGCCCTTGTTC
CTGGCCCCCTCTACCAGTTCGATGAGAAGTATGGCGGCCAGCCTCGGCGCTCGAGAGATGTAAGCTGCAGCCGAG
CCATGCCCTACTACGTGTGTGCCTGGGACCGCCGACTGGCTGTGGCCATCCTGACGGCCATCAACCTACTGGCGTA
TGTGGCTGACCTGGTGCATCTGCCCACCTGGTTTTTGTCAAGGTCTTAAGACTCTCCCAAGAGGCTCCCGTTCCC
TCTCCAACCTCTTTGTTCTTCTTGCCGAGTTTTCTTTATGGAGTACTTCTTTCCTCCGCCTTTCCTCTGTTTT
CTCTTCCTGTCTCCCCTCCCTCCCACCTTTTTCTTTCCTTCCCAATCCTTGCACTCTAACCAGTTCCTTGGATGC
ATCTTCTTCTTCCCTTTCCTCTGCTGTTTTCTTCTGTGTTGTTTTGTTGCCACATCCTGTTTTCAACCCTG
AGCTGTTTCTCTTTTTCTTTCTTTCTTTTTTTTTTTTTTTTTTAAGACGGATTCTCACTCTGTGGCCAGGCTG
GAGTGCAGTGGTGCGATCTCAGCTCACTGCAACCCCGCCTCCTGGGTCAAGCGATTCTCCTCCCCAGCCTCC
CAAGTAGCTGGGAGGACAGGTGTGAGCTGCCGCACCCAGCCTGTTTCTTTTTTCCACTCTTCTTTTTTCTCATC
TCTTTTCTGGGTTGCCTGTGCGCTTTCTTATCTGCCTGTTTTGCAAGCACCTTCTCCTGTGTCTTGGGAGCCCT
GAGACTTCTTTCTCTCCTTGCTCCACCCACCTCCAAAGGTGCTGAGCTCACATCCACACCCCTTGACGCCGTCC
ATGCCACAGCCCCCAAGGGGCCCCATTGCCAAAGCATGCCTGCCACCCCTCGCTGTGCCTTAGTCAGTGTGTAC
GTGTGTGTGTGTGTGTGTTGGGGGGTGGGGGGTGGGTAGCTGGGGATTGGGCCCTCTTCTCCAGTGGAGGAA
GGTGTGCAGTGTACTTCCCCTTTAAATTAAAAAACATATATATATATATTTGGAGGTCAAGTAATTTCCAATGG
GCGGGAGGCATTAAGCACCGACCCTGGGTCCCTAGGCCCGCCTGGCACTCAGCCTTGCCAGAGATTGGCTCCAG
AATTTTTGCCAGGCTTACAGAACCCCACTGCCTAGAGGCCATCTTAAAGGAAGCAGGGGCTGGATGCCTTTCAT
CCCAACTATTCTCTGTGTATGAAAAAG

173/615

FIGURE 172

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58727

<subunit 1 of 1, 322 aa, 1 stop

<MW: 35274, pI: 8.57, NX(S/T): 1

MPVTVTTRTTITTTTSSSGLGSPMIVGSPRALTQPLGLLRLLQLVSTCVAFSLVASVGAWTGSMGNWSMFTWCFC
FSVTLLIILIVELCGLQARFPLSWRNFPITFACYAALFCLSASIIYPTTYVQFLSHGRSRDHAI AATFFSCIACVA
YATEVAWTRARPGEITGYMATVPGLLKVLETFVACII FAFISDPNLYQHQP ALEWCVAVYAICFILAAI AILLNL
GECTNVLPIPFPSFLSGLALLSVLLYATALVLWPLYQFDEKYGGQPRRSRDVSCSRSHAYYVCAWDRRLAVAILT
AINLLAYVADLVHSAHLVFVKV

Important features:**Transmembrane domains:**

amino acids 41-60 (type II), 66-85, 101-120, 137-153, 171-192, 205-226, 235-255 and 294-312

N-glycosylation site.

amino acids 66-69

Glycosaminoglycan attachment site.

amino acids 18-21

174/615

FIGURE 173

GAACGTGCCACCATGCCCAGCTAATTTTTGTATTTTTAGTAGAGACGGGGTTTCACCATGTTGGCCAGGCTGGTC
TTGAACTCGTGACCTCATGATCCGCTCACCTCGGCCCTCCCAAAGTGCTGGGATTACAGGCATGAGCCACTGACGC
CTGGCCAGCCTATGCATTTTTAAGAAATTATTCTGTATTAGGTGCTGTGCTAAACATTGGGCACTACAGTGACCA
AAACAGACTGAATTCCCCAAGAGCCAAAGACCAGTGAGGGAGACCAACAAGAAACAGGAAATGCAAAAGAGACCA
TTATTACTCACTATGACTAAGGGTCACAAATGGGGTACGTTGATGGAGAGTGATTTGTTAAGAGACTACAGAGGG
AGGACAGACTACCAAGAGGGGGGCCAGGAAAGCTCCTCTGACGAGGTGGTATTTACAGCCAAACTGGAAGAATGA
GAAAGAGCTAGCCAGCCATCAGAATAGTCCAGAAGAGATGGGGAGCACTACACTCACTACACTTTGGCCTGAGAA
AATAGCATGGGATTGGAGGAGGCTGGGGGAACACCATTCTGCCGACCTGGGCAGGAGGCATTGAGGGCTTGAGA
AAGGGCAATGGCAGTAGCAGTAGAAAGGACAGGGTAGGAGCAGGGACTTTGCAGGTGGAATCATTAGGTCTTATC
AACAGATATGGGCAAGCAAAGCCAGGGGAGAATTGATGGTAATGCTGAGGTTTGGAGCCAGGCTAGATGGGACAG
TGGTGGGTGATGCAAAGGAAAGAGGTGAGGAAGCAGGGCCAGACGTGGGGAGAAGGTGTGGGGGTTTGGTTTCCA
TCTTGCCGAGTCTGCCGGAATGTGGATGGGAAGACCAAGAGGAGGAGCAAGGGGCAGAGGGGAAGGGAATCTTAA
AGAAGTCTGGATGCCACACTCTTCTCCTTCTCCTCCTCCTCCTCCTCCTCAGAGGTCTCACTCGTGGTTCTTCAT
TTCTTGCCCTGCCTCCATCTCCTCTGGGTGCTGGGAAAGTGGAGGATTAGCTGAAGTTTTGCTTCTCGGGGCTG
TCTGAATCTCCATTGCTTTCTGGGAGGACATAATTACCTGTCTAGCTTCTTATCATCTTACATTTCCTGTAG
CCACTGGGACATATGTGGTGTCTTCTTAGCTCCTGTCTCCTCCTCATGCCTTTGCTGGGTATGGGCATGTTAG
GGGGAAGGTCAATTGCTGTGAGAGGGCACTGACTTTCTAATGGTGTTACCCAAGGTGAATGTGGAGACACAGTC
GCGATGCTGCCAAGTCCCGGCGAGCCCTAACTATCCAGGAGATCGCTGCGCTGGCCAGGTCTCCTGCATGGT
ATGCAGCCCTCCATGTTTCTGGCCACTTTGTCTTTCTCCTCCGTTTGCACATCCCTTTGGAAGTGTTCCT
GTGAGTACATGCTGGGGTCTCCCTTTCTTCCCTTGCTCAGGTGAATCTCAGCCCTTCTCCACCCAAAGGTTT
ACATGGATCCTAACTACTGCCACCCTTCCACCTCCCTGCACCTGTGCTCCCTGGCCTGGTCTTTACCAGGCTTC
TCCACCTCCCTATCTCCAGGTATTTCCAGGTGGTGAAGGACCACGTGACCAAGCCTACCGCCATGGCCAGG
GCCGAGTGGCTCACCTCATTGAGTGGAGGGGCTGGAGCAAGCCGAGTGACTCACCTGCTGCCCTGGAATCAGCCT
TTTCTCCTATTACAGCCTCAGCGAGGGCGAACAAGAGGCTCGCTTTCAGCAGGAGTGGCTGAGCAGTTTGCCA
TCGCGGAAGCCAAAGCTCCGAGCATGGTCTTCGGTGGATGGCGAGGACTCCACTGATGACTCCTATGATGAGGACT
TTGCTGGGGGAATGGACACAGACATGGCTGGGCAGCTGCCCTGGGGCCGCACCTCCAGGACCTGTTACCCGGCC
ACCGGTTCTCCCGGCTGTGCGCCAGGGCTCCGTGGAGCCTGAGAGCGACTGCTCACAGACCGTGTCCCCAGACA
CCCTGTGCTCTAGTCTGTGAGCCTGGAGGATGGGTGTGGGGCTCCCGGGCCCGGCTGGCTCCAGCTGCTGG
GCGATGAGCTGCTTCTCGCCAAACTGCCCCCAAGCGGGAAAGTGCTTCCGCAGCCTGGGCCCCACTGGAGGCCC
AGGACTCACTCTAAACTCGCCCCCTACAGAGTCTGCTTTTCCCCCGGAGGAGGAGCCAGCCCCCTGCAAGG
ATGCCAGCCACTCTGCCCAACCACTAACGGGCAGCTGGGAACGGCAGCGGCAAGCCTCTGACCTGGCCTCTTCTG
GGGTGGTGTCTTAGATGAGGATGAGGCAGAGCCAGAGGAACAGTGAACCATCATGCCTGGCAGTGGCATGCA
TCCCCCGGCTGCTGCCAGGGGCAGAGCCTCTGTGCCAAGTGTGGGCTCAAGGCTCCAGCAGAGCTCCACAGCC
TAGAGGGCTCCTGGGAGCGCTCGCTTCTCCGTTGTGTGTTTTGCATGAAAGTGTGGAGAGGAGGCAGGGGCTG
GGCTGGGGGCGCATGTCTGCCCCCACTCCCGGGGCTTGCCGGGGGTTGCCCGGGGCTCTGGGGCATGGCTACA
GCTGTGGCAGACAGTGATGTTTCAATGTTCTTAAATGCCACACACATTTCTCCTCGGATAATGTGAACCACTA
AGGGGTTGTGACTGGGCTGTGTGAGGGTGGGGTGGGAGGGGGCCAGCAACCCCCACCTCCCCATGCCTCTC
TCTTCTGCTTTTCTTCTCACTTCCGAGTCCATGTGCACTGCTTGATAGAATCACCCCCACCTGGAGGGGCTGG
CTCCTGCCCTCCCGAGCCTATGGGTTGAGCCGTCCCTCAAGGGCCCCCTGCCAGCTGGGCTCGTGTGTGCTTC
ATTACCTCTCCATCGTCTCTAATCTTCTCTTTTTTCTTAAAGACAGAAGGTTTTTGGTCTGTTTTTTCAGTC
GGATCTTCTCTCTGAGGAGGCTTTGGAATGATGAAAGCATGTACCCTCCACCCTTTTCTGGCCCCCTAATGG
GCTTGGGCCCTTTCCCAACCCCTCCTAGGATGTGCGGGCAGTGCTGGCGCCTCACAGCCAGCCGGGCTGCC
ATTCACGCAGAGCTCTCTGAGCGGGAGGTGGAAGAAAGGATGGCTCTGGTTGCCACAGAGCTGGGACTTCATGTT
CTTCTAGAGAGGGCCACAAGAGGGCCACAGGGGTGGCCGGGAGTTGTGAGCTGATGCCCTGCTGAGAGGCAGGAAT
TGTGCCAGTGAGTGACAGTCATGAGGGAGTGTCTTCTTGGGGAGGAAAGAAGGTAGAGCCTTCTGTCTGAAT
GAAAGGCCAAGGCTACAGTACAGGGCCCCGCCAGCCAGGGTGTAAATGCCACGTAGTGGAGGCTCTGGCAG
ATCCTGCAATTCAGGTCACTGGACTGTACGTTTTATGGTTGTGGGAAGGGTGGGTGGCTTTAGAATTAAGGGC
CTTGAGGCTTTGGCAGGTAAAGAGGGCCCAAGGTAAGAAGCAGAGGCCAACGGGCACAAGCATTCTATATATAAGT
GGCTCATTAGGTGTTTATTTTGTCTATTTAAGAATTTGTTTTATTAAATTAATATAAAAATCTTTGTAAATCTC
TAAAA

175/615

FIGURE 174

MFLATLSFLLPFAHPFGTVSCEYMLGSPLSSLAQVNLSPFShPKVHMDPNYCHPSTSLHLCSLAWSFTRLLHPPL
SPGISQVVKDHSVTKPTAMAQGRVAHLIEWKGWSKPSDSPAALSAFSSYSDLSEGEQEARFAAGVAEQFAIAEAK
LRAWSSVDGEDSTDDSYDEDFAGGMDTDMAGQLPLGPHLQDLFTGHRFSRPVRQGSVEPESDCSQTVSPDTLCSS
LCSLEDGLLGSPARLASQLLGDELLAKLPPSRESAFRSIGPLEAQDSLNSPLTESCLSPAEEEEPAPCKDCQPL
CPPLTGSWERQRQASDLASSGVVSLDEDEAEPEEQ

Signal peptide:

amino acids 1-15

Casein kinase II phosphorylation site.amino acids 123-127, 128-132, 155-159, 162-166, 166-170, 228-232, 285-289,
324-328**Tyrosine kinase phosphorylation site.**

amino acids 44-52

N-myristoylation site.

amino acids 17-23, 26-32, 173-179

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 11-22

176/615

FIGURE 175

GGTTCCTGGGCGCTCTGTTACACAAGCAAGATACAGCCAGCCCCACCTAATTTGTTTCCCTGGCACCCCTCCTGC
TCAGTGCGACATTGTACACTTAACCCATCTGTTTTCTCTAATGCACGACAGATTCCTTTTCAGACAGGACAACCTG
TGATATTTTCAGTTCCTGATTGTAAATACCTCCTAAGCCTGAAGCTTCTGTTACTAGCCATTGTGAGCTTCAGTTT
CTTCATCTGCAAAATGGGCATAATACAATCTATTCTTGCCACATCAAGGGATTGTTATTCCTTTAAAAAAAACC
AATACCAAAGAAGCCTACAATGTTGGCCTTAGCCAAAATCTGTTGATTTCACGTTGTTTTATTCACTTCTATC
GGGGAGCCATGGAAAAGAAAATCAAGACATAAACACAACACAGAACATTGCAGAAGTTTTTAAAACAATGGAAAA
TAAACCTATTTCTTTGGAAAGTGAAGCAAACCTTAACTCAGATAAAGAAAATATAACCACTCAAATCTCAAGGC
GAGTCATTCCCCTCCTTTGAATCTACCCAACAACAGCCACGGAATAACAGATTTCTCCAGTAACCTATCAGCAGA
GCATTCTTTGGGCAGTCTAAAACCCACATCTACCATTTCCACAAGCCCTCCCTTGATCCATAGCTTTGTTTCTAA
AGTGCCTTGGAAATGCACCTATAGCAGATGAAGATCTTTTGCCCATCTCAGCACATCCCAATGCTACACCTGCTCT
GTCTTCAGAAAACCTTCACCTGGTCTTTGGTCAATGACACCGTGAAAACCTCCTGATAACAGTTCATTACAGTTAG
CATCTCTCTTCAGAACCAACTTCTCCATCTGTGACCCCTTGATAGTGAACCAAGTGGATGGCTTACCACAAA
CAGTGATAGCTTCAGTGGGTTACCCCTTATCAAGAAAAACAACCTCTACAGCCTACCTTAAAATTACCAATAA
TTCAAAACCTCTTTCCAAATACGTGAGATCCCCAAAAGAAAATAGAAATACAGGAATAGTATTGGGGGCCATTTT
AGGTGCTATTCTGGGTGTCTCATTGCTTACTCTTGTGGGCTACTTGTTGTGTGGAAAAAGGAAAACGGATTCAAT
TTCCCATCGGCGACTTTATGACGACAGAAATGAACAGTTCTGCGATTAGACAATGCACCGGAACCTTATGATGT
GAGTTTTGGGAATTCTAGCTACTACAATCCAACCTTGAATGATTTCAGCCATGCCAGAAAGTGAAGAAAATGCACG
TGATGGCATTCCCTATGGATGACATACCTCCACTTCGTACTTCTGTATAGAACTAACAGCAAAAAGGCGTTAAACA
GCAAGTGTCTATCTACATCCTAGCCTTTTGACAAATTCATCTTTCAAAGGTTACACAAAATTACTGTCACGTGGA
TTTTGTCAAGGAGAATCATAAAAGCAGGAGACCAGTAGCAGAAATGTAGACAGGATGTATCATCAAAGGTTTTCT
TTTCTTACAATTTTTGGCCATCCTGAGGCATTTACTAAGTAGCCTTAATTTGTATTTTAGTAGTATTTCTTAGT
AGAAAATATTTGTGGAATCAGATAAACTAAAAGATTTCAACATTACAGCCCTGCCTCATAACTAAATAATAAAA
ATTATTCCACCAAAAAATTCTAAAACAATGAAGATGACTCTTTACTGCTCTGCCTGAAGCCCTAGTACCATAATT
CAAGATTGCATTTTCTTAAATGAAAATTGAAAGGGTGCTTTTTTAAAGAAAATTTGACTTAAAGCTAAAAGAGGA
CATAGCCCAGAGTTTCTGTTATTGGGAAATTGAGGCAATAGAAATGACAGACCTGTATTCTAGTACGTTATAATT
TTCTAGATCAGCACACATGATCAGCCCACTGAGTTATGAAGCTGACAATGACTGCATTCAACGGGGCCATGGC
AGGAAAGCTGACCCTACCCAGGAAAGTAATAGCTTCTTTAAAAGTCTTCAAAGGTTTTGGGAATTTTAACTTGTC
TTAATATATCTTAGGCTCAATTATTTGGGTGCCTTAAAACTCAATGAGAATCATGGT

177/615

FIGURE 176

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58732
><subunit 1 of 1, 334 aa, 1 stop
><MW: 36294, pI: 4.98, NX(S/T): 13
MLALAKILLISTLFYSLISGSHGKENQDINTTQNIAEVFKTMENKPISLESEANLNSDKENITTSNLKASHSPPL
NLPNNSHGITDFSSNSSAEHSLGSLKPTSTISTSPPLIHSFVSKVPWNAPIADEDLLPISAHPNATPALSSSEFT
WSLVNDTVKTPDNSSITVSILSSEPTSPSVTPLIVEPSGWLTTNSDSFTGFTPYQEKTTLQPTLKFTNNSKLFNP
TSDPQKENRNTGIVFGAILGAILGVSLTLVGILLCGKRKTDSEFSHRRLYDDRNEPVLRLDNAPEPYDVSEFGNSS
YYNPTLNSAMPESEENARDGIPMDDIPPLRTSV
```

Signal peptide:
amino acids 1-23

Transmembrane domain:
amino acids 235-262

N-glycosylation site.
amino acids 30-34, 61-65, 79-83, 90-94, 148-152, 155-159, 163-167, 218-222,
225-229, 298-302, 307-311

178/615

FIGURE 177

ACCAGGCATTGTATCTTCAGTTGTCATCAAGTTCGCAATCAGATTGGAAAAGCTCAACTTGAAGCTTTCTTGCCT
GCAGTGAAGCAGAGAGATAGATATTATTCACGTAATAAAAAACATGGGCTTCAACCTGACTTTCCACCTTTCCCTA
CAAATTCGATTACTGTTGCTGTTGACTTTGTGCCTGACAGTGTTGGGTGGGCCACCAGTAACACTACTTCGTGGG
TGCCATTCAAGAGATTCCATAAGCAAAGGAGTTCATGGCTAATTTCCATAAGACCCCTCATTTTGGGGAAGGGAAA
AACTCTGACTAATGAAGCATCCACGAAGAAGGTAGAACTTGACAACGTCTCTGTGTCTCCTTACCTCAGAGG
CCAGAGCAAGCTCATTTTCAAACCAGATCTCACTTTGGAAGAGGTACAGGCAGAAAATCCCAAAGTGTCCAGAGG
CCGGTATCGCCCTCAGGAATGTAAAGCTTTACAGAGGGTTCGCCATCCTCGTTCCCCACCGGAACAGAGAGAAACA
CCTGATGTACCTGCTGGAACATCTGCATCCCTTCTGTCAGAGGCAGCAGCTGGATTATGGCATCTACGTCATCCA
CCAGGCTGAAGGTAAAAAGTTTAATCGAGCCAACTCTTGAATGTGGGCTATCTAGAAGCCCTCAAGGAAGAAAA
TTGGGACTGCTTTATATTCCACGATGTGGACCTGGTACCCGAGAATGACTTTAACCTTTACAAGTGTGAGGAGCA
TCCCAAGCATCTGGTGGTTGGCAGGAACAGCACTGGGTACAGGTTACGTTACAGTGGATATTTTGGGGGTGTTAC
TGCCCTAAGCAGAGAGCAGTTTTCAGGTGAATGGATTCTCTAACAACACTACTGGGGATGGGGAGGCGAAGACGA
TGACCTCAGACTCAGGGTTGAGCTCCAAAGAATGAAAATTTCCCGGCCCTGCCTGAAGTGGGTAAATATACAAT
GGTCTTCCACACTAGAGACAAAGGCAATGAGGTGAACGCAGAACGGATGAAGCTTTACACCAAGTGTACGAGT
CTGGAGAACAGATGGGTTGAGTAGTTGTTCTTATAAATTAGTATCTGTGGAACACAATCCTTTATATATCAACAT
CACAGTGGATTTCTGGTTTGGTGCATGACCCCTGGATCTTTTGGTGATGTTTGAAGAAGTATTCTTTGTTTGCA
ATAATTTTGGCCTAGAGACTTCAAATAGTAGCACACATTAAGAACCTGTTACAGCTCATTGTTGAGCTGAATTTT
TCCTTTTTGTATTTTCTTAGCAGAGCTCCTGGTGATGTAGAGTATAAAACAGTTGTAACAAGACAGCTTCTTAG
TCATTTTGATCATGAGGGTTAAATATTGTAATATGGATACTTGAAGGACTTTATATAAAAGGATGACTCAAAGGA
TAAATGAACGCTATTTGAGGACTCTGGTTGAAGGAGATTTATTTAAATTTGAAGTAATATATTATGGGATAAAA
GGCCACAGGAATAAGACTGCTGAATGTCTGAGAGAACCAGAGTTGTTCTCGTCCAAGGTAGAAAGGTACGAAGA
TACAATACTGTTATTCTATCTGTACAATCATCTGTGAAGTGGTGGTGTGAGGTGAGAAGGCGTCCACAAAA
GAGGGGAGAAAAGGCGACGAATCAGGACACAGTGAACCTTGGGAATGAAGAGGTAGCAGGAGGGTGGAGTGTGGC
TGCAAAGGCAGCAGTAGCTGAGCTGGTTGCAGGTGCTGATAGCCTTCAGGGGAGGACCTGCCAGGTATGCCTTC
CAGTGATGCCACCAGAGAATACATTCTCTATTAGTTTTTAAAGAGTTTTTGTAAATGATTTTGTACAAGTAGG
ATATGAATTAGCAGTTTACAAGTTTACATATTAATAATAAATATGTCTATCAAATACCTCTGTAGTAAAT
GTGAAAAGCAAAA

179/615

FIGURE 178

MGFNLTFHLSYKFRLLLLLTLCLTVVGWATSNYFVGAIQEIPKAKEFMANFHKTLLILGKGKTLTNEASTKKVELD
 NCPSVSPYLRGQSKLIFKPDLTLEEVQAENPKVSRGRYPQECKALQRVAILVPHRNREKHLMYLLEHLHPFLQR
 QQLDYGIIYVIHQAEKGKFNRAKLLNVGYLEALKEENWDCFIHFDVLDLPENDFNLYKCEEHPKHLVVGRNSTGYR
 LRYSGYFGGVTALESREQFFKVNGFSNNYWGWGGEDDLRLRVELQRMKISRPLPEVGKYTMVFHTRDKGNEVNAE
 RMKLLHQVSRVWRTDGLSSCSYKLVSVENPLYINITVDFWFGA

Important features:

Signal peptide:

amino acids 1-27

N-glycosylation sites.

amino acids 4-8, 220-224, 335-339

Xylose isomerase proteins.

amino acids 191-202

180/615

FIGURE 179

CGTGGGCCGGGGTTCGCGCAGCGGGCTGTGGGCGCGCCCGGAGGAGCGACCGCCGCAGTTCTCGAGCTCCAGCTGC
ATTCCCTCCGCGTCCGCCCCACGCTTCTCCCGTCCGGGCCCGCAATGGCCCCAGGCAGTGTGGTTCGCGCCTCGG
CCGCATCCTCTGGCTTGCCTGCCCTGCCCTGGGCCCGCGCAGGGGTGGCCGAGGCCTGTATGAACCTCAATCT
CACCACCGATAGCCCTGCCACCACGGGAGCGGTGGTGACCATCTCGGCCAGCCTGGTGGCCAAGGACAACGGCAG
CCTGGCCCTGCCCGCTGACGCCACCTCTACCGCTTCCACTGGATCCACACCCCGCTGGTGTCTACTGGCAAGAT
GGAGAAGGGTCTCAGTCCACCATCCGTGTGGTTCGGCCACGTGCCCGGGGAATTCCCGGTCTCTGTCTGGGTAC
TGCCGCTGACTGCTGGATGTGCCAGCCTGTGGCCAGGGGCTTTGTGGTCTCCCCATCACAGAGTTCCCTCGTGGG
GGACCTTGTTGTACCCAGAACACTTCCCTACCTGGGCCAGCTCCTATCTCACTAAGACCGTCCCTGAAAGTCTC
CTTCTCTCCACGACCCGAGCAACTTCCCAAGACCGCCTTGTCTCTACAGCTGGGACTTCGGGGACGGGAC
CCAGATGGTGAAGACTCCGTGGTCTATTATAACTATTCCATCATCGGGACCTTACCCTGAAGCTCAAAGT
GGTGGCGGAGTGGGAAGAGGTGGAGCCGGATGCCACGAGGGCTGTGAAGCAGAAGACCGGGGACTTCTCCGCCCTC
GCTGAAGCTGCAGGAAACCCCTTCGAGGCATCCAAGTGTGGGGGCCACCTAATTACAGACCTTCCAAAAGATGAC
CGTGACCTTGAAGTCTTGGGGAGCCCTCCTCTGACTGTGTGCTGGCGTCTCAAGCCTGAGTGCCTCCCGCTGGA
GGAAGGGGAGTGCCACCCCTGTGTCCGTGGCCAGCACAGCGTACAACCTGACCCACACCTTCAGGGACCCCTGGGGA
CTACTGCTTCAGCATCCGGGCCGAGAATATCATCAGCAAGACACATCAGTACCACAAGATCCAGGTGTGGCCCTC
CAGAATCCAGCCGGCTGTCTTTGCTTTCCCATGTGCTACACTTATCACTGTGATGTTGGCCTTCATCATGTACAT
GACCTTGCGGAATGCCACTCAGCAAAAGGACATGGTGGAGAACCCGGAGCCACCCCTCTGGGGTCAAGTGTGCTG
CCAGATGTGCTGTGGGCCCTTCTTGCTGGAGACTCCATCTGAGTACCTGGAAATTGTTCTGTGAGAACCACGGGCT
GCTCCCGCCCTCTATAAGTCTGTCAAACTTACACCGTGTGAGCACTCCCCCTCCCCACCCATCTCAGTGTTA
ACTGACTGCTGACTTGGAGTTTCCAGCAGGGTGGTGTGCACCACTGACCAGGAGGGGTTCAATTTGCGTGGGGCTG
TTGGCCTGGATCATCCATCCATCTGTACAGTTCAGCCACTGCCACAAGCCCCCTCCCTCTCTGTACCCCTGACCC
CAGCCATTACCCATCTGTACAGTCCAGCCACTGACATAAGCCCCACTCGGTTACCACCCCTTGACCCCTACC
TTTGAAGAGGCTTCGTGCAGGACTTTGATGCTTGGGGTGTTCGGTGTGACTCCTAGGTGGGCTGGCTGCCAC
TGCCCATTCCTCTCATATTGGCACATCTGCTGTCCATTGGGGGTTCTCAGTTTCTCCCCAGACAGCCCTACCT
GTGCCAGAGAGCTAGAAAGAAGGTCTATAAAGGGTTAAAAATCCATAACTAAAGTTGTACACATAGATGGGCACA
CTCACAGAGAGAAGTGTGCATGTACACACACCACACACACACACACACACAGAAATATAAACACATG
CGTCACATGGGCATTTAGATGATCAGCTCTGTATCTGGTTAAGTCGGTTGCTGGGATGCACCTGCACTAGAGC
TGAAAGGAAATTTGACCTCAAGCAGCCCTGACAGGTTCTGGGCCCGGGCCCTCCCTTTGTGCTTTGTCTCTGCA
GTTCTTGCGCCCTTTATAAGGCCATCCTAGTCCCTGCTGGCTGGCAGGGGCTGGATGGGGGGCAGGACTAATAC
TGAGTGATTGCAGAGTGTCTTATAAATATCACCTATTTTATCGAAACCCATCTGTGAAACTTCACTGAGGAAA
AGGCCTTGACGGGTAGAAGAGGTTGAGTCAAGGCCGGCGCGGTGGCTCACGCCTGTAATCCAGCACTTTGGG
AGGCCGAGGCGGGTGGATCACGAGATCAGGAGATCGAGACCACCTGGCTAACACGGTGAAACCCCGTCTCTACT
AAAAAATACAAAAGTTAGCCGGCGTGGTGGTGGTGCCTGTAGTCCCAGCTACTCGGGAGGCTGAGGCAGGA
GAATGGTGCGAACCCGGGAGCGGAGCTTGAGTGAGCCAGATGGCGCCACTGCACTCCAGCCTGAGTGACAGA
GCGAGACTCTGTCTCCA

181/615

FIGURE 180

MAQAVWSRLGRILWLACLLPWAPAGVAAGLYELNLTTDSPATTGAVVTISASLVAKDNGSLALPADAHLYRFHWI
HTPLVLTGKMEKGLSSTIRVVGHVPGEFPVSVVWTAADCWMCQPVARGFVVLPITEFLVGDLVVTQNTSLPWPSS
YLTKTVLKVSFLLHDPNFKLTALFLYSWDFGDTQMVTEDSVVYNYNSIIGTFTVKLKVVAEWEEVEPDATRAV
KQKTGDFSASLKLQETLRGIQVLGPTLIQTFOKMTVTLNFLGSPPLTVCWRLKPECLPLEEGECHPVSVASTAYN
LTHTRDPGDYCFISIRAENIISKTHQYHKIQVWPSRIQPAVFAFPATLITVMLAFIMYMTLRNATQQKDMVENP
EPPSGVRCCCMCCGPFLLETPSEYLEIVRENHGLLPPLYKSVKTYTV

Important features of the protein:**Signal peptide:**

amino acids 1-24

Transmembrane domain:

amino acids 339-362

N-glycosylation sites.

amino acids 34-37, 58-61, 142-145, 197-200, 300-303 and 364-367

182/615

FIGURE 181

CGGACGCGTGGGCGGCGGCTGCGGAAC TCCCGTGGAGGGGCGGCTGGGCCCTCGGGCCTGACAGATGGCAGTGGC
CACTGCGGCGGCAGTACTGGCCGCTCTGGGCGGGGCGCTGTGGCTGGCGGCCCGCCGGTTTCGTGGGGGCCAGGGT
CCAGCGGCTGCGCAGAGGCGGGGACCCCGGCTCATGCACGGGAAGACTGTGCTGATCACCGGGGCGAACAGCGG
CCTGGGCGCGCCACGGCCGCCGAGCTACTGCGCCTGGGAGCGCGGGTGATCATGGGCTGCCGGGACCGCGCGCG
CGCCGAGGAGGCGGCGGGTCAGCTCCGCCGCGAGCTCCGCCAGGCCGCGGAGTGCGGCCAGAGCCTGGCGCTCAG
CGGGGTGGGCGAGCTCATAGTCCGGGAGCTGGACCTCGCCTCGCTGCGCTCGGTGCGCGCCTTCTGCCAGGAAAT
GCTCCAGGAAGAGCCTAGGCTGGATGTCTTGATCAATAACGCAGGGATCTTCCAGTGCCCTTACATGAAGACTGA
AGATGGGTTTGAGATGCAGTTCGGAGTGAACCATCTGGGGCACTTTCTACTCACCAATCTTCTCCTTGGACTCCT
CAAAAGTTCAGCTCCCAGCAGGATTGTGGTAGTTTCTTCCAACTTTATAAATACGGAGACATCAATTTTGATGA
CTTGAACAGTGAACAAAGCTATAATAAAAGCTTTTGTATAGCCGGAGCAAAC TGGCTAACATCTTTTTTACCAG
GGAAGTAGCCCGCCGCTTAGAAGGCACAAATGTCACCGTCAATGTGTTGCATCCTGGTATTGTACGGACAAATCT
GGGGAGGCGACATACACATTCCTACTGTTGGTCAAACCACTCTTCAATTTGGTGTGTCATGGGCTTTTTTCAAAC TCC
AGTAGAAGGTGCCCAGACTTCCATTTATTTGGCCTCTTCACCTGAGGTAGAAGGAGTGTGAGGAAGATACTTTGG
GGATTGTAAAGAGGAAGAAGTGTGGCCAAAGCTATGGATGAATCTGTTGCAAGAAAAC TCTGGGATATCAGTGA
AGTGATGGTTGGCCTGCTAAAA TAGGAACAAGGAGTAAAAGAGCTGTTTATAAAACTGCATATCAGTTATATCTG
TGATCAGGAATGGTGTGGATTGAGAACTTGTTACTTGAAGAAAAAGAATTTTGATATTGGAATAGCCTGCTAAGA
GGTACATGTGGGTATTTTGGAGTTACTGAAAAATTATTTTGGGATAAGAGAATTT CAGCAAAGATGTTTTAAAT
ATATATAGTAAGTATAATGAATAATAAGTACAATGAAAAATACAATTATATTGTAAAT TATAACTGGGCAAGCA
TGGATGACATATTAATATTTGTCAGAAATTAAGTGACTCAAAGTGCTATCGAGAGGTTTTTCAAGTATCTTTGAGT
TTCATGGCCAAAGTGTTAACTAGTTTACTACAATGTTTGGTGTTTGTGTGGAAATTATCTGCCTGGTGTGTGCA
CACAAGTCTTACTTGGAAATAAATTTACTGGTAC

183/615

FIGURE 182

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58747

<subunit 1 of 1, 336 aa, 1 stop

<MW: 36865, pI: 9.15, NX(S/T): 2

MAVATAAAVLAAALGGALWLAARRFVGPRVQRLRRGGDPGLMHGKTVLITGANSGLGRATAAELLRLGARVIMGCR
DRARAEEAAGQLRREL RQAAECGPEPGVSGVGELIVRELDLASLRVRAFQCEMLQEEPRLDVLI NNAGIFQCPY
MKTEDGFEMQFGVNH LGHFLLTNLLLGLLKSSAPSRIVVVSSKLYKYGDINFDDLNSEQSYNKSFCYSRSKLANI
LFTRELARRLEGTVNTVNV LHPGIVRTNLGRHIHIFLLVKPLFNLVSWAFFKTPVEGAQTSIYLASSPEVEGVSG
RYFGDCKEEELLPKAMDES VARKLWDISEVMVGLLK

Important features:**Signal peptide:**

amino acids 1-21

Short-chain alcohol dehydrogenase family protein

amino acids 134-144, 44-56 and 239-248

N-glycosylation site.

amino acids 212-215 and 239-242

184/615

FIGURE 183

AACAGGATCTCCTCTTGCACTCTGCAGCCCAGGACGCTGATTCCAGCAGCGCCTTACCGCGCAGCCCGAAGATT
ACTATGGTGAAAAATCGCCTTCAATACCCCTACCGCCGTGCAAAAGGAGGAGGCGCGGCAAGACGTGGAGGCCCTC
CTGAGCCCGCACGGTCAGAACTCAGATACTGACCGGCAAGGAGCTCCGAGTTGCCACCCAGGAAAAAGAGGGCTCC
TCTGGGAGATGTATGCTTACTCTCTTAGGCCTTTCATTCATCTTGGCAGGACTTATTGTTGGTGGAGCCTGCATT
TACAAGTACTTCATGCCCCAAGAGCACCATTTACCGTGGAGAGATGTGCTTTTTTGATTCTGAGGATCCTGCAAA
TCCCTTCGTGGAGGAGAGCCTAACTTCCTGCCTGTGACTGAGGAGGCTGACATTCGTGAGGATGACAACATTGCA
ATCATTGATGTGCCTGTCCCCAGTTTCTCTGATAGTGACCCTGCAGCAATTATTCATGACTTTGAAAAGGGAATG
ACTGCTTACCTGGACTTGTTGCTGGGGAAGTCTATCTGATGCCCTCAATACTTCTATTGTTATGCCCTCCAAAA
AATCTGGTAGAGCTCTTTGGCAAAGTGGCGAGTGGCAGATATCTGCCTCAAACCTTATGTGGTTCGAGAAGACCTA
GTTGCTGTGGAGGAAATTCGTGATGTTAGTAACCTTGGCATCTTTATTTACCAACTTTGCAATAACAGAAAGTCC
TTCCGCCTTCGTGCGAGAGACCTCTTGCTGGGTTTCAACAAACGTGCCATTGATAAATGCTGGAAGATTAGACAC
TTCCCCAACGAATTTATTGTTGAGACCAAGATCTGTCAAGAGTAAGAGGCAACAGATAGAGTGTCTTGTTAATA
AGAAGTCAGAGATTTACAATATGACTTTAACATTAAGGTTTATGGGATACTCAAGATATTTACTCATGCATTTAC
TCTATTGCTTATGCTTTAAAAAAGGAAAAAAGGAAAAAAGTCTAACCAGTCAAGCTCTTGTCAAATTTTAGTT
TAATTGGCATTGCTTGTTTTTTGAACTGAAATTACATGAGTTTCATTTTTTCTTTGCATTTATAGGGTTTAGAT
TTCTGAAAGCAGCATGAATATATCACCTAACATCCTGACAATAAATCCATCCGTTGTTTTTTTGTGTTGTTGT
TTTTTCTTTTCTTTAAGTAAGCTCTTTATTCATCTTATGGTGGAGCAATTTAAAATTTGAAATATTTTAAAT
GTTTTTGAACTTTTTTGTTGTAATAATATATCAGATCTCAACATGTTGGTTTCTTTGTTTTTCATTTTGTACAACT
TTCTTGAATTTAGAAATTACATCTTGCAGTTCTGTTAGGTGCTCTGTAATTAACCTGACTTATATGTGAACAAT
TTTCATGAGACAGTCATTTTAACTAATGCAGTGATTCTTCTCACTACTATCTGTATTGTGGAATGCACAAAAT
TGTGTAGGTGCTGAATGCTGTAAGGAGTTTAGGTTGTATGAATTCACAACCTATAATAAATTTACTCTATAC
AAAAAAAAAAAAAAAAAAAA

185/615

FIGURE 184

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58828
<subunit 1 of 1, 263 aa, 1 stop
<MW: 29741, pI: 5.74, NX(S/T): 1
MVKIAFNTPTAVQKEEARQDVEALLSRTVVRTQILTGKELRVATQKEGSSGRCLTLLGLSFILAGLIVGGACIY
KYFMPKSTIYRGEMCFFDSEDPANSLRGGEPNFLPVTEEADIREDDNIAIIDVPVPSFSDSDPAIIHDFEKGMT
AYLDLLLGNCYLMPLNTSIVMPPKNLVELFGKLASGRYLPQTYVVREDLVAVEEIRDVSNLGIFTYQLCNNRKSF
RLRRRDLLLGFNKRAIDKCWKIRHFPNEFIVETKICQE
```

Type II transmembrane domain:
amino acids 53-75

N-glycosylation site.
amino acids 166-170

Casein kinase II phosphorylation site.
amino acids 35-39, 132-136, 134-138

N-myristoylation site.
amino acids 66-72, 103-109

Prokaryotic membrane lipoprotein lipid attachment site.
amino acids 63-74

FIGURE 185

[illegible]

187/615

FIGURE 186

MALSSQIWAACLLLLLLIASLTSGSVFPQQTGQLAELQPQDRAGARASWMPMFQRRRRRDTHFPICIFCCGCCHR
SKCGMCCKT

188/615

FIGURE 187

CTGTCAGGAAGGACCATCTGAAGGCTGCAATTTGTTCTTAGGGAGGCAGGTGCTGGCCTGGCCTGGATCTTCCAC
CATGTTTCCTGTTGCTGCCTTTTGATAGCCTGATTGTCAACCTTCTGGGCATCTCCCTGACTGTCTCTTACCCT
CCTTCTCGTTTTTCATCATAGTGCCAGCCATTTTTGGAGTCTCCTTTGGTATCCGCAAACTCTACATGAAAAGTCT
GTTAAAAATCTTTGCGTGGGCTACCTTGAGAATGGAGCGAGGAGCCAAGGAGAAGAACCACCAGCTTTACAAGCC
CTACACCAACGGAATCATTGCAAAGGATCCCACTTCACTAGAAGAAGAGATCAAAGAGATTTCGTGGAAGTGGTAG
TAGTAAGGCTCTGGACAACACTCCAGAGTTCGAGCTCTCTGACATTTTCTACTTTTGCCGGAAGGAATGGAGAC
CATTATGGATGATGAGGTGACAAAGAGATTCTCAGCAGAAGAACTGGAGTCTTGGAACTGCTGAGCAGAACCAA
TTATAACTTCCAGTACATCAGCCTTCGGCTCACGGTCTGTGGGGGTTAGGAGTGTGATTTCGGTACTGCTTTCT
GCTGCCGCTCAGGATAGCACTGGCTTTACAGGGATTAGCCTTCTGGTGGTGGGCACAACTGTGGTGGGATACTT
GCCAAATGGGAGGTTTAAGGAATTCATGAGTAAACATGTTCACTTAATGTGTTACCGGATCTGCGTGCGAGCGCT
GACAGCCATCATCACCTACCATGACAGGGAAAACAGACCAAGAAATGGTGGCATCTGTGTGGCCAATCATACCTC
ACCGATCGATGTGATCATCTTGGCCAGCGATGGCTATTATGCCATGGTGGGTCAAGTGACGGGGGACTCATGGG
TGTGATTGAGAGGCCATGGTGAAGGCCTGCCACACGTCTGGTTTGAGCGCTCGGAAGTGAAGGATCGCCACCT
GGTGGCTAAGAGACTGACTGAACATGTGCAAGATAAAAAGCAAGCTGCCTATCCTCATCTTCCAGAAAGGAACCTG
CATCAATAATACATCGGTGATGATGTTCAAAAAGGGAAGTTTTGAAATTGGAGCCACAGTTTACCCTGTTGCTAT
CAAGTATGACCCTCAATTTGGCGATGCCTTCTGGAACAGCAGCAAATACGGGATGGTGACGTACCTGCTGCGAAT
GATGACCAGCTGGGCCATTGTCTGCAGCGTGTGGTACCTGCCTCCCATGACTAGAGAGGCAGATGAAGATGCTGT
CCAGTTTGCGAATAGGTTGAAATCTGCCATTGCCAGGCAGGGAGGACTTGTGGACCTGCTGTGGGATGGGGGCCT
GAAGAGGGAGAAGGTGAAGGACACGTTCAAGGAGGAGCAGCAGAAGCTGTACAGCAAGATGATCGTGGGGAACCA
CAAGGACAGGAGCCGCTCCTGAGCCTGCCTCCAGCTGGCTGGGGCCACCGTGCGGGGTGCCAACGGGCTCAGAGC
TGGAGTTGCCGCCGCCGCCCTTCTGCTGTCTTCCAGACTCCAGGGCTCCCCGGGCTGCTCTGGATCCCAG
GACTCCGGCTTTCCCGAGCCGAGCGGGATCCCTGTGCACCCGGCGCAGCCTACCCTTGGTGGTCTAAACGGAT
GCTGCTGGGTGTTGCGACCCAGGACGAGATGCCTTGTCTTTTACAATAAGTCGTTGGAGGAATGCCATTAAAG
TGAATCCCCACCTTTGCACGCTGTGCGGGCTGAGTGGTTGGGGAGATGTGGCCATGGTCTTGTGCTAGAGATGG
CGGTACAAGAGTCTGTTATGCAAGCCCGTGTGCCAGGGATGTGCTGGGGGCGGCCACCCGCTCTCCAGGAAAGGC
ACAGCTGAGGCACTGTGGCTGGCTTCGGCCTCAACATCGCCCCAGCCTTGGAGCTCTGCAGACATGATAGGAAG
GAACTGTCTGTCAGGGGCTTTTCAAGAAATGAAGGGTTAGATTTTTATGCTGCTGCTGATGGGGTTACTAAA
GGGAGGGGAAGAGGCCAGGTGGGCCGCTGACTGGGCCATGGGGAGAACGTGTGTTTCGTACTCCAGGCTAACCTG
AACTCCCCATGTGATGCGCGCTTTGTTGAATGTGTCTCGGTTTCCCCATCTGTAATATGAGTCGGGGGGAATG
GTGGTGATTCTTACCTCACAGGCTGTTGTGGGGATTAAAGTGCTGCGGGTGAGTGAAGGACACATCACGTTTCA
GTTTTCAAGTACAGGCCACAAAACGGGGCACGGCAGGCCTGAGCTCAGAGCTGCTGCACTGGGCTTTGGATTG
TTCTTGTGAGTAAATAAACTGGCTGGTGAATGA

189/615

FIGURE 188

MFLLLPFDSLIVNLLGISLTVLFTLLLVFIIVPAIFGVSF GIRKLYMKSLLKIFAWATLRMERGAKEKNHQLYKP
YTNGIIAKDPTSLEEEIKEIRRS GSSKALDNTPEFELSDIFYFCRKGMETIMDDEVTKRFSAAELESWNLLSRTN
YNFQYISLRLTVLWGLGVLIRYCFLPLRLIALAFTGISLLVVGTTVVGYLPNGRFKEFMSKHVHLMCYRICVRAL
TAIITYHDRENRP RGGICVANHTSPIDV IILASDGYAMVGQVHGGLMGVIQ RAMVKACPHVWFERSEVKDRHL
VAKRLTEHVQDKSKLPILIFPEGTCINNTSVMMFKKGSFEIGATVYPVAIKYDPQFGDAFWNSSKYGMVTYLLRM
MTSWAIVCSVWYLPMTREADEDAVQFANRVKSAIARQGGLVDLLWDGGLKREKVKDTFKEEQQKLYSKMIVGNH
KDRSRS

190/615

FIGURE 189

GCCCCTCGAAACCAGGACTCCAGCACCTCTGGTCCCGCCCTCACCCGGACCCCTGGCCCTCACGTCTCCTCCAGG
GATGGGCGCTGGCGGCTTTGATGATCGCCCTCGGCAGCCTCGGCCTCCACACCTGGCAGGCCAGGCTGTTCCAC
CATCCTGCCCCCTGGGCTGGCTCCAGACACCTTTGACGATACCTATGTGGGTTGTGCAGAGGAGATGGAGGAGAA
GGCAGCCCCCTGCTAAAGGAGGAAATGGCCCACCATGCCCTGCTGCGGGAATCCTGGGAGGCAGCCCAGGAGAC
CTGGGAGGACAAGCGTCGAGGGGCTTACCTTGCCCCCTGGCTTCAAAGCCCAGAATGGAATAGCCATTATGGTCTA
CACCAACTCATCGAACACCTTGTAAGTGGGAGTTGAATCAGGCCGTGCGGACGGGCGGAGGCTCCCGGGAGCTCTA
CATGAGGCACTTTCCCTTCAAGGCCCTGCATTTCTACCTGATCCGGGCCCTGCAGCTGCTGCGAGGCAGTGGGGG
CTGCAGCAGGGGACCTGGGGAGGTGGTGTTCGAGGTGTGGGCAGCCTTCGCTTTGAACCCAAGAGGCTGGGGGA
CTCTGTCCGCTTGGGCCAGTTTGCCTCCAGCTCCCTGGATAAGGCAGTGGCCACAGATTGGGGAGAAGAGGCG
GGGCTGTGTGTCTGCGCCAGGGGTGCAGCTAGGGTCACAATCTGAGGGGGCCTCCTCTCTGCCCCCTGGAAGAC
TCTGCTCTTGGCCCTGGAGAGTTCCAGCTCTCAGGGGTTGGGCCCTGAAAGTCCAACATCTGCCACTTAGGAGC
CCTGGGAACGGGTGACCTTCATATGACGAAGAGGCACCTCCAGCAGCCTTGAGAAGCAAGAACATGGTTCCGGAC
CCAGCCCTAGCAGCCTTCTCCCCAACCAAGGATGTTGGCCTGGGGAGGCCACAGCAGGGCTGAGGGAACCTGTGCTA
TGTGATGGGGAATTCTGGGACAAGCAAGGAAAGTACTGAGGCAGCCACTTGATTGAACGGTGTGCAATGTGGA
GACATGGAGTTTATTGAGGTAGCTACGTGATTAAATGGTATTGCAGTGTGGA

191/615

FIGURE 190

MALAALMIALGSLGLHTWQAQAVPTILPLGLAPDTFDDTYVGCAEEMEEKAAPLLKEEMAHHALLRESWEAAQET
WEDKRRGLTLPPGFKAQNGIAIMVYTNSNTLYWELNQAVRTGGGSRELYMRHFPPKALHFYLIRALQLLRGSGG
CSRGPGEVVFRGVGSLRFEPKRLGDSVRLGQFASSSLDKAVAHREFGEKRRGCVSAPGVQLGSQSEGASSLPPWKT
LLLAPGEFQLSGVGP

192/615

FIGURE 191

GTGGCTTCATTTAGTGGCTGACTTCCAGAGAGCAATATGGCTGGTTCCCCAACATGCCTCACCCTCATCTATAT
CCTTTGGCAGCTCACAGGGTCAGCAGCCTCTGGACCCGTGAAAGAGCTGGTCGGTTCCGTTGGTGGGGCCGTGAC
TTTCCCCCTGAAGTCCAAAGTAAAGCAAGTTGACTCTATTGTCTGGACCTTCAACACAACCCCTCTTGTCAACCAT
ACAGCCAGAAGGGGGCACTATCATAGTGACCCAAAATCGTAATAGGGAGAGAGTAGACTTCCCAGATGGAGGCTA
CTCCCTGAAGCTCAGCAAACTGAAGAAGAATGACTCAGGGATCTACTATGTGGGGATATACAGCTCATCACTCCA
GCAGCCCTCCACCCAGGAGTACGTGCTGCATGTCTACGAGCACCTGTCAAAGCCTAAAGTCACCATGGGTCTGCA
GAGCAATAAGAATGGCACCTGTGTGACCAATCTGACATGCTGCATGGAACATGGGGAAGAGGATGTGATTTATAC
CTGGAAGGCCCTGGGGCAAGCAGCCAATGAGTCCCATAATGGGTCCATCCTCCCCATCTCCTGGAGATGGGGAGA
AAGTGATATGACCTTCATCTGCGTTGCCAGGAACCCCTGTCAGCAGAACTTCTCAAGCCCCATCCTTGCCAGGAA
GCTCTGTGAAGTGCTGCTGATGACCCAGATTCTCCATGGTCCTCCTGTGTCTCCTGTTGGTGCCCTCCTGCT
CAGTCTCTTTGACTGGGGCTATTTCTTTGGTTTCTGAAGAGAGAGAGACAAGAAGAGTACATTGAAGAGAAGAA
GAGAGTGGACATTTGTCGGGAACTCCTAACATATGCCCCATTCTGGAGAGAACACAGAGTACGACACAATCCC
TCACACTAATAGAACAATCCTAAAGGAAGATCCAGCAAATACGGTTTACTCCACTGTGGAAATACCGAAAAAGAT
GGAAAATCCCCACTCACTGCTCACGATGCCAGACACACCAAGGCTATTTGCCTATGAGAATGTTATCTAGACAGC
AGTGCACTCCCCTAAGTCTCTGCTCA

193/615

FIGURE 192

MAGSPTCLTLIYILWQLTGSAAAGPVKELVGSVGGAVTFPLKSKVKQVDSIVWTFNTTPLVTIQPEGGTIIIVTQN
RNRERVDFPDGGYSLKLSKLKKNDSGIYYVGIYSSSLQQPSTQEYVLHVYEHLSKPKVTMGLQSNKNGTCVTNLT
CCMEHGEEVDVIYTWKALGQAANESHNGSILPISWRWGESDMTFICVARNPVSRNFSSPILARKLCEGAADDPDSS
MVLLCLLLVPLLLSLFLGLFLWFLKRERQEEYIEKKRVDICRETPNICPHSGENTEYDTIPHTNRTILKEDPA
NTVYSTVEIPKKMENPHSLLTMPDTPRLFAYENVI

FIGURE 193

[illegible]

195/615

FIGURE 194

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58852
><subunit 1 of 1, 283 aa, 1 stop
><MW: 29191, pI: 4.52, NX(S/T): 0
MVSAAAPSLILLILLLLGSLVPATDARSVPLKATFLEDVAGSGEAEAGSSASSPSLPPPWTPALSPTSMGPQPTTLG
GPSPTNFDGIVDFFRQYVMLIAVVGSLAFLLMFIVCAAVITRQKQKASAYYPSSFPPKKKYVDQSDRAGGPRAF
SEVPDRAPDSRPEEALDSSRQLQADILAATQNLKSPTRAALGGGDGARMVEGRGAEEEEKGSQEGDQEVQGHGVP
VETPEAQEPCSGVLEGAVVAGEGQGELEGSLLLAQEAQGPVGPPEPCACSSVHPSV
```

Signal peptide:

amino acids 1-25

Transmembrane domain:

amino acids 94-118

N-myristoylation site.amino acids 18-24, 40-46, 46-52, 145-151, 192-198, 193-199, 211-217, 238-244,
242-248

196/615

FIGURE 195

GAAAGACGTGGTCCTGACAGACAGACAATCCTATTCCCTACCAAATGAAGATGCTGCTGCTGCTGTGTTGGGA
CTGACCCTAGTCTGTGTCCATGCAGAAGAAGCTAGTTCTACGGGAAGGAACTTTAATGTAGAAAAGATTAATGGG
GAATGGCATACTATTATCCTGGCCTCTGACAAAAGAGAAAAGATAGAAGAACATGGCAACTTTAGACTTTTTCTG
GAGCAAATCCATGTCTTGGAGAATTCTTAGTTCTTAAAGTCCATACTGTAAGAGATGAAGAGTGCTCCGAATTA
TCTATGGTTGCTGACAAAACAGAAAAGGCTGGTGAATATTCTGTGACGTATGATGGATTCAATACATTTACTATA
CCTAAGACAGACTATGATAACTTTCTTATGGCTCACCTCATTAAACGAAAAGGATGGGGAAACCTTCCAGCTGATG
GGGCTCTATGGCCGAGAACCAGATTTGAGTTCAGACATCAAGGAAAGGTTTGCACAACTATGTGAGGAGCATGGA
ATCCTTAGAGAAAATATCATTGACCTATCCAATGCCAATCGCTGCCTCCAGGCCCGAGAATTGAAGAATGGCCTGA
GCCTCCAGTGTTGAGTGGACACTTCTCACCAGGACTCCACCATCATCCCTTCCTATCCATACAGCATCCCCAGTA
TAAATTCTGTGATCTGCATTCCATCCTGTCTCACTGAGAAGTCCAATTCCAGTCTATCAACATGTTACCTAGGAT
ACCTCATCAAGAAATCAAAGACTTCTTTAAATTTCTCTTTGATACACCCTTGACAATTTTTTCATGAAATTATTCCT
CTTCCTGTTCAATAAATGATTACCCTTGCACTTAA

197/615

FIGURE 196

MKMLLLLCGLTLVCVHAEASSTGRNFNVEKINGEWHTIILASDKREKIEEHGNFRLFLEQIHVLENSLVLKVH
TVRDEECSELSMVADKTEKAGEYSVTYDGFNTFTIPKTDYDNFLMAHLINEKDGETFQLMGLYGREPDLSSEDIKE
RFAQLCEEHGILRENIIDLSNANRCLQARE

198/615

FIGURE 197

GGCTCGAGCGTTTCTGAGCCAGGGGTGACCATGACCTGCTGCGAAGGATGGACATCCTGCAATGGATTTCAGCCTG
CTGGTTCTACTGCTGTTAGGAGTAGTTCTCAATGCGATACCTCTAATTGTCAGCTTAGTTGAGGAAGACCAATTT
TCTCAAAACCCCATCTCTTGCTTTGAGTGGTGGTTCCCAGGAATTATAGGAGCAGGTCTGATGGCCATTCCAGCA
ACAACAATGTCCTTGACAGCAAGAAAAAGAGCGTGCTGCAACAACAGAACTGGAATGTTTCTTTCATCATTTTTTC
AGTGTGATCACAGTCATTGGTGCTCTGTATTGCATGCTGATATCCATCCAGGCTCTCTTAAAGGTCTCTCATG
TGTAATTCTCCAAGCAACAGTAATGCCAATTGTGAATTTTCATTGAAAAACATCAGTGACATTCATCCAGAATCC
TTCAACTTGCAGTGGTTTTTCAATGACTCTTGTGCACCTCCTACTGGTTTCAATAAACCACAGTAACGACACC
ATGGCGAGTGGCTGGAGAGCATCTAGTTTCCACTTCGATTCTGAAGAAAACAAACATAGGCTTATCCACTTCTCA
GTATTTTATAGGTCTATTGCTTGTTGGAATTCTGGAGGTCCTGTTTGGGCTCAGTCAGATAGTCATCGGTTTCCTT
GGCTGTCTGTGTGGAGTCTCTAAGCGAAGAAGTCAAATTGTGTAGTTTAAATGGGAATAAAATGTAAGTATCAGTA
GTTTGAAAAA

199/615

FIGURE 198

MTCCEGWTS CNGFSL LV LLLGV LNAI PLIVSLVEEDQFSQNPISCFEWWFPGIIGAGLMAIPATTMSLTARKR
ACCNNRTGMFLSSFFSVITVIGALYCMLISIQALLKGPLMCNSPSNSNANCEFSLKNISDIHPESFNLQWFFNDS
CAPPTGFNKPTSNDTMASGWRASSFHF DSEENKHRLIHFSVFLG LLLVGILEVLFGLSQIVIGFLGCLCGVSKRR
SQIV

200/615

FIGURE 199

ATCCGTTCTCTGCGCTGCCAGCTCAGGTGAGCCCTCGCCAAGGTGACCTCGCAGGACACTGGTGAAGGAGCAGTG
AGGAACCTGCAGAGTCACACAGTTGCTGACCAATTGAGCTGTGAGCCTGGAGCAGATCCGTGGGCTGCAGACCCC
CGCCCCAGTGCCTCTCCCCCTGCAGCCCTGCCCTCGAACTGTGACATGGAGAGAGTGACCCTGGCCCTTCTCCT
ACTGGCAGGCCTGACTGCCTTGGAAGCCAATGACCCATTTGCCAATAAAGACGATCCCTTCTACTATGACTGGAA
AAACCTGCAGCTGAGCGGACTGATCTGCGGAGGGCTCCTGGCCATTGCTGGGATCGCGGCAGTTCTGAGTGGCAA
ATGCAAAATACAAGAGCAGCCAGAAGCAGCACAGTCCTGTACCTGAGAAGGCCATCCCACTCATCACTCCAGGCTC
TGCCACTACTTGCTTGAGCACAGGACTGGCCTCCAGGGATGGCCTGAAGCCTAACACTGGCCCCCAGCACCTCCTC
CCCTGGGAGGCCTTATCCTCAAGGAAGGACTTCTCTCCAAGGGCAGGCTGTTAGGCCCTTTCTGATCAGGAGGC
TTCTTTATGAATTAACTCGCCCCACCACCCCTCA

201/615

FIGURE 200

MERVTLALLLLAGLTALEANDPFANKDDPFYYDWKNLQLSGLICGGLLAIAAGIAAVLSGKCKYKSSQKQHSPVPE
KAIP LITPGSATT C

FIGURE 201

[illegible]

203/615

FIGURE 202

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59212
><subunit 1 of 1, 440 aa, 1 stop
><MW: 42208, pI: 6.36, NX(S/T): 1
MKFQGFLACLLALCLGSGEAGPLQSGEESTGTNIGEALGHGLGDALSEGVGKAIGKEAGGAAGSKVSEALGQGT
REAVGTGVRQVPFGAADALGNRVGEAAHALGNTGHEIGRQAEDVIRHGADAVRGSWQGVPGHSGAWETSGGHGI
FGSQGGLGGQGGQGNPGGLGTPWVHGYPGNSAGSFGMNPQGAPWGGGNGGPPNFGTNTQGAVAQPGYGSVRASNQ
NEGCTNPSPSGSGGSSNSGGGSGSQSGSSGSGSNGDNNNGSSSGSSSGSSSGSSSGSSSGSSSGSSSGSSSGSSGNSGGS
RGDSGSESSWGSSTGSSSGNHGGSGGGNGHKPGCEKPGNEARGSGESGIQGFRRGQGVSSNMREISKEGNRLLGGS
GDNYRGQGSSWGSGGGDAVGGVNTVNSETSPGMFNFDTFWKNFKSKLGFINWDAINKDQRSSRIIP
```

Signal peptide:
amino acids 1-21

N-glycosylation site.
amino acids 265-269

Glycosaminoglycan attachment site.
amino acids 235-239, 237-241, 244-248, 255-259, 324-328, 388-392

Casein kinase II phosphorylation site.
amino acids 26-30, 109-113, 259-263, 300-304, 304-308

N-myristoylation site.
amino acids 17-23, 32-38, 42-48, 50-56, 60-66, 61-67, 64-70, 74-80, 90-96,
96-102, 130-136, 140-146, 149-155, 152-158, 155-161, 159-165, 163-169,
178-184, 190-196, 194-200, 199-205, 218-224, 236-242, 238-244, 239-245,
240-246, 245-251, 246-252, 249-252, 253-259, 256-262, 266-272, 270-276,
271-277, 275-281, 279-285, 283-289, 284-290, 287-293, 288-294, 291-297,
292-298, 295-301, 298-304, 305-311, 311-317, 315-321, 319-325, 322-328,
323-329, 325-331, 343-349, 354-360, 356-362, 374-380, 381-387, 383-389,
387-393, 389-395, 395-401

Cell attachment sequence.
amino acids 301-304

204/615

FIGURE 203

GGAGAAGAGGTTGTGTGGGACAAGCTGCTCCCGACAGAAGGATGTCGCTGCTGAGCCTGCCCTGGCTGGGCCTCA
GACCGGTGGCAATGTCCCATGGCTACTCCTGCTGCTGGTTGTGGGCTCCTGGCTACTCGCCCGCATCCTGGCTT
GGACCTATGCCCTTCTATAACAAGTCCCGCCGGCTCCAGTGTTCACACAGCCCCAAAACGGAAGTGGTTTTGGG
GTCACCTGGGCTGATCACTCCTACAGAGGAGGGCTTGAAGGACTCGACCCAGATGTGGCCACCTATTCCCAGG
GCTTTACGCTATGGCTGGGTCCCATCATCCCCTTCATCGTTTTATGCCACCCTGACACCATCCGGTCTATCACCA
ATGCCTCAGCTGCCATTGCACCCAAGGATAATCTCTTCATCAGGTTCCCTGAAGCCCTGGCTGGGAGAAGGGATAC
TGCTGAGTGGCGGTGACAAGTGGAGCCGCCACCGTCGGATGCTGACGCCCGCCTTCATTTCAACATCCTGAAGT
CCTATATAACGATCTTCAACAAGAGTGCAAACATCATGCTTGACAAGTGGCAGCACCTGGCCTCAGAGGGCAGCA
GTCGTCTGGACATGTTTGAGCACATCAGCCTCATGACCTTGGACAGTCTACAGAAATGCATCTTCAGCTTTGACA
GCCATTGTCAGGAGAGGCCCCAGTGAATATATTGCCACCATCTTGGAGCTCAGTGCCCTTGTAGAGAAAAGAAGCC
AGCATATCCTCCAGCACATGGACTTTCTGTATTACCTCTCCCATGACGGGCGGGCGCTTCACAGGGCCTGCCGCC
TGGTGCATGACTTCACAGACGCTGTCATCCGGGAGCGGCGTCGCACCCTCCCCACTCAGGGTATTGATGATTTTT
TCAAAGACAAAGCCAAGTCCAAGACTTTGGATTTTATTGATGTGCTTCTGCTGAGCAAGGATGAAGATGGGAAGG
CATTGTCAGATGAGGATATAAGAGCAGAGGCTGACACCTTCATGTTTGGAGGCCATGACACCACGGCCAGTGGCC
TCTCCTGGGTCTGTACAACCTTGGCAGGACCCAGAATACCAGGAGCGCTGCCGACAGGAGGTGCAAGAGCTTC
TGAAGGACCGGATCCTAAAGAGATTGAATGGGACGACCTGGCCCAGCTGCCCTTCTGACCATGTGCGTGAAGG
AGAGCCTGAGGTTACATCCCCCAGCTCCCTTCATCTCCCGATGCTGCACCCAGGACATTGTTCTCCCAGATGGCC
GAGTCATCCCCAAAGGCATTACCTGCCTCATCGATATTATAGGGGTCCATCACAACCCAAGTGTGTGGCCGGATC
CTGAGGTCTACGACCCCTTCCGCTTTGACCCAGAGAACAGCAAGGGGAGGTACCTCTGGCTTTTATTCTTTCT
CCGAGGGGCCAGGAACTGCATCGGGCAGGCGTTCGCCATGGCGGAGATGAAAGTGGTCTGGCGTTGATGCTGC
TGCATTCCGGTTCTGCCAGACCACACTGAGCCCCGAGGAAGCTGGAATTGATCATGCGCGCCGAGGGCGGGC
TTTGGCTGCGGGTGGAGCCCCTGAATGTAGGCTTGCATGACTTTCTGACCCATCCACCTGTTTTTTTGCAGATT
GTCATGAATAAAACGGTGCTGTCAA

205/615

FIGURE 204

MSLLSLPWLGLRPVAMSPWLLLLLVGSWLLARILAWTYAFYNNCRRLQCFPPQPPKRNWFWGHLGLITPTEGLK
DSTQMSATYSQGFTVWLGPPIIPFIVLCHPDTIRSITNASAAIAPKDNLFIRFLKPWLGEIGILLSGGDKWSRHRM
LTPAFHFNILKSYITIFNKSANIMLDKWQHLASEGSSRLDMFEHISLMTLDSLQKCFSDSHCQERPSEYIATI
LELSALVEKRSQHILQHMDFLYYLSHDGRRFHRACRLVHDFDVAIRERRRTLPTQGIDDFKDKAKSKTLDLDFID
VLLLSKDEDGKALSDEDIRAEADTFMFGGHDTTASGLSWVLYNLARHPEYQERCQEVQELLKDRDPKEIEWDDL
AQLPFLTMCVKESLRLHPPAPFISRCCTQDIVLPDGRVIPKGITCLIDIIGVHHNPTVWPDPEVYDPFRFDPENS
KGRSPLAFIPFSAGPRNCIGQAFAMAEMKVVLALMLLHFRFLPDHTEPRKLELIMRAEGGLWLRVEPLNVGLQ

206/615

FIGURE 205

TCCCTTGACAGGTCTGGTGGCTGGTTCGGGGTCTACTGAAGGCTGTCTTGATCAGGAACTGAAGACTCTCTGCT
TTTGCCACAGCAGTTCTTCGAGCTTCTTTGAGGTGTGAACCCACATCCCTGCCCCAGGGCCACCTGCAGGACGC
CGACACCTACCCCTCAGCAGACGCCGGAGAGAAATGAGTAGCAACAAAGAGCAGCGGTGAGCAGTGTTCGTGATC
CTCTTTGCCCTCATCACCATCCTCATCTCTACAGCTCCAACAGTGCCAATGAGGTCTTCCATTACGGCTCCCTG
CGGGGCCGTAGCCGCCGACCTGTCAACCTCAAGAAGTGGAGCATCACTGACGGCTATGTCCCCATTCTCGGCAAC
AAGACACTGCCCTCTCGGTGCCACCAGTGTGTGATTGTGAGCAGCTCCAGCCACCTGCTGGGCACCAAGCTGGGC
CCTGAGATCGAGCGGGCTGAGTGTACAATCCGCATGAATGATGCACCCACCACTGGCTACTCAGCTGATGTGGGC
AACAAGACCACCTACCGCGTCGTGGCCCATTCAGTGTGTTCCGCGTGTGAGGAGGCCCCAGGAGTTTGTCAAC
CGGACCCCTGAAACCGTGTTCATCTTCTGGGGGCCCCCGAGCAAGATGCAGAAGCCCCAGGGCAGCCTCGTGCCT
GTGATCCAGCGAGCGGGCCTGGTGTTCCTCAACATGGAAGCATATGCCGTCTCTCCCGGCCGATGCGGCAATTT
GACGACCTCTTCCGGGTGAGACGGGCAAGGACAGGGAGAAGTCTCATTCGTGGTTGAGCACAGGCTGGTTTACC
ATGGTGATCGCGGTGGAGTTGTGTGACCACGTGCATGTCTATGGCATGGTCCCCCCCCAAGTACTGCAGCCAGCGG
CCCCGCTCCAGCGCATGCCCTACCACTACTACGAGCCCAAGGGGCCGACGAATGTGTACCTACATCCAGAAT
GAGCACAGTCGCAAGGGCAACCACACCGCTTCATCACCAGAAAAGGGTCTTCTCATCGTGGGCCAGCTGTAT
GGCATCACCTTCTCCACCCCTCCTGGACCTAGGCCACCCAGCCTGTGGGACCTCAGGAGGGTCAAGGAGAAGC
AGCCTCCGCCCAGCGCTAGGCCAGGGACCATCTTCTGGCCAATCAAGGCTTGCTGGAGTGTCTCCAGCCAATC
AGGGCCTTGAGGAGGATGTATCTCCAGCCAATCAGGGCCTGGGGAATCTGTTGGCGAATCAGGGATTTGGGAGT
CTATGTGGTTAATCAGGGGTGTCTTCTTGTGTCAGTCAGGGTCTGCGCACAGTCAATCAGGGTAGAGGGGTATT
TCTGAGTCAATCTGAGGCTAAGGACATGTCTTCTCCATGAGGCCTTGTTTCAAGCCCCAGGAATGGACCCCC
AATCACTCCCCACTCTGCTGGGATAATGGGGTCTGTCCCAAGGAGCTGGGAACCTTGGTGTGCCCCCTCAATTT
CCAGCACAGAAAGAGAGATTGTGTGGGGGTAGAAGCTGTCTGGAGGCCCGGCCAGAGAATTTGTGGGGTTGTGG
AGGTTGTGGGGGCGGTGGGGAGGTCCCAGAGGTGGGAGGCTGGCATCCAGGTCTTGGCTCTGCCCTGAGACCTTG
GACAAACCCCTTCCCCCTCTCTGGGCACCCCTTCTGCCACACCAAGTTTCCAGTGCGGAGTCTGAGACCCCTTCCAC
CTCCCCTACAAGTGCCCTCGGGTCTGTCTCCCGCTCTGGACCCCTCCAGCCACTATCCCTTGCTGGAAGGCTCA
GCTCTTTGGGGGTCTGGGGTGACCTCCCCACCTCCTGGAAAACCTTAGGGTATTTTGGCGAACTCCTTCAGG
GTTGGGGGACTCTGAAGGAAACGGGACAAAACCTTAAGCTGTTTTCTTAGCCCCCTCAGCCAGCTGCCATTAGCTT
GGCTCTTAAAGGGCCAGGCCTCCTTTCTGCCCTCTAGCAGGGAGGTTTTCCAAGTGTGGAGGCGCCTTTGGGG
CTGCCCCCTTGTCTGGAGTCACTGGGGGCTTCCGAGGGTCTCCCTCGACCCTCTGTCTGCTGGGATGGCTGTCTG
GGAGCTGTATACCTGGGTCTGTCCCTGGCTCTGTATCAGGCACTTTATTAAAGCTGGGCCTCAGTGGGGTGT
GTTTGTCTCCTGCTCTTCTGGAGCCTGGAAGGAAAGGGCTTCAGGAGGAGGCTGTGAGGCTGGAGGGACCAGATG
GAGGAGGCCAGCAGCTAGCCATTGCACACTGGGGTGATGGGTGGGGCGGTGACTGCCCCAGACTTGGTTTTGTA
ATGATTTGTACAGGAATAAACACACCTACGCTCCGGAAAAA

207/615

FIGURE 206

MSSNKEQRSVAVFVILFALITILILYSSNSANEVFHYGSLRGRSRRPVNLKKWSITDGYVPILGNKTLPSRCHQCV
IVSSSSHLGLGPEIERAECTIRMNDAPTTGYSADVGNKTTYRVVAHSSVFRVLRRPQEFVNRTPETVFIFWG
PPSKMQKPQGS�VRVIRAGLVPFNMEAYAVSPGRMRQFDDLFERGETGKDREKSHSWLSTGWFTMVIARELCDHV
HVIYGMVPPNYCSQRPRLQRMPIHYEYEPKGPDECVTYIQNEHSRKGNNHRRFITEKRVFSSWAQLYGITFSHPST

Signal peptide:

amino acids 1-29

Transmembrane domain:

amino acids 9-31 (type II)

N-glycosylation site.

amino acids 64-68, 115-119

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 50-54

Casein kinase II phosphorylation site.

amino acids 3-7, 29-33, 53-57, 197-201

Tyrosine kinase phosphorylation site.

amino acids 253-262

N-myristoylation site.

amino acids 37-43, 114-120, 290-294

208/615

FIGURE 207

GTAGCGCGTCTTGGGTCTCCCGGCTGCCGCTGCTGCCGCCGCCGCTCGGGTCTGGAGCCAGGAGCGACGTCAC
CGCCATGGCAGGCATCAAAGCTTTGATTAGTTTGTCTTTGGAGGAGCAATCGGACTGATGTTTTTGATGCTTGG
ATGTGCCCTTCCAATATACAACAAATACTGGCCCCCTTTGTTCTATTTTTTTACATCCTTTACCTATTCCATA
CTGCATAGCAAGAAGATTAGTGGATGATACAGATGCTATGAGTAACGCTTGTAAGGAACCTGCCATCTTCTTAC
AACGGGCATTGTCTGTCTCAGCTTTTGGACTCCCTATTGTATTTGCCAGAGCACATCTGATTGAGTGGGGAGCTTG
TGCACTTGTTCTCACAGGAAACACAGTCATCTTTGCAACTATACTAGGCTTTTTCTTGGTCTTTGGAAGCAATGA
CGACTTCAGCTGGCAGCAGTGGTGAAGAAATACTGAACCTATTGTCAAATGGACTTCCTGTCAATTGTTGGCC
ATTCACGCACACAGGAGATGGGGCAGTTAATGCTGAATGGTATAGCAAGCCTCTTGGGGGTATTTTAGGTGCTCC
CTTCTCACTTTTATTGTAAGCATACTATTTTACAGAGACTTGCTGAAGGATTTAAAGGATTTTCTCTTTGGAA
AAGCTTGACTGATTTCACTTATCTATAGTATGCTTTTTGTGGTGTCTGCTGAATTTAAATATTTATGTGTTT
TTCTGTTAGGTTGATTTTTTTTGAATCAATATGCAATGTTAAACACTTTTTTAATGTAATCATTTCATTGGT
TAGGAATTCAGAATTCGCCCGGCTCTATTACTGGTCAAGTACATCTTTCTCTTAAATTAATTTAGCCTCCATTA
TTACAAAAAATTATAAAATAAGTTTTCACTCAGTCAGGATGACATCACTCCCAATGTTATGCAGACATACAGAC
GGTTGGCATACTGTTATAGACTGTATACTCAGTGCAAAATATAGCTGCATTTATACCTCAGAGGGGCCAAGTGTTAA
TGCCCATGCCCTCCGTTAAGGGTTGTTGGTTTTACTGGTAGACAGATGTTTTGTGGATTGAAAATTTATTTATGG
AATTGCTACAGAGGAGTGCTTTTCTCTCAATTGTTAGAAGAATTTATGTTAACTTTAAGGTAAGGGTGTAATA
ACATTTTTGAGATAAGGTTTTTATTTATGTTTATTATTGTTAGAGTGAGTTGCAATGTGGGAAGAAATGACATTG
AAATTCAGTTTTTGAATCCTGTTTCTATTTATAAGTGAAATTTGTGATCTCCTATCAACCTTTCATGTTTTACC
CTGTTAAATGGACATACATGGAACCACTACTGATGAGGGACAGTTGTATGTTGCATCATATATGCCAGAAAAC
CTTCTCTGCTTCTCTCTTTTGACTTATTTGGTATGTTGTATATATTACATAAAATAACTTTTTCAAATATAGTTT
AATAACACTTAGAAGTGTTTACTTACCTGGAAAATAATTGCTATGCCGTACATTCAGAGTGCCCCCTCCCTGCA
AGGCCCTTGCCATGATTAACAAGTAACTTGTTAGTCTTACAGATAATTATGCATTAACAGTTTAAGATTTAGACC
ATGGTAATAGTAGTTCTTATTCTCTAAGGTTATATCATATGTAATTTAAAGATTTTTTAAAGACAAGTTTCTGT
ATACCTCTGAACTGTTTTGATTTTGAGTTCATCATGATAGATCTGCTGTTTCCTTATAAAAGGCATTTGTTGTGT
GAGTTAATGCAAAGTAGCCAAGTCCAGCTATATAGCAGCTTCAGAAACATACCTGACCAAAAAATTTCCAGTAAC
CAGGCATGATCAATTTATAGTGGTCGTTTACATCTAATAATTATCAGGACTTTTTTCAGGAGTGGGTTATAAAAA
CATTCAAGTTGGTCTGACAGTATTTTGTAAAGGATATTTGTTGTATGTTTATTTCAGTATACTTACATAAAAAAT
ATTTGCCCATCAGCCAAAACCTCAGTAATCATGACAGCTGTCTGTTGTTTATGAAGTTTATTTCTCAAGAAAATG
GGAATAAATTTGGGATTTGTTTCAGCTTTTTTACTAAAGATGCCTAAAGCCACAGGTTTTATTGCCTAACCTAAGC
CATGACTTTTAGATATGAGATGACGGGAAGCAGGACGAAATATCGGCGTGTGGCTGGAGCCTTCCCACTGGAGGC
TGAAAGTGGCTTGTGGTATTATAATGTTTCAGATTTCAAGAGGAAGGTGCAGGTACACATGAGTTAGAGAGCTGGT
GAGACAGTTGGGAACCTTTTGTGCTTGTGATCTACTGGACTTTTTTTTTTGCAGGAAGTGCATTCTCTGGTCCTTC
CCTATTTTCTGTTCTGGATGTCAGTGCAGTGCAGTCTACTGTTTTATCCACTTGGCCACAGACTTTTTCTAACA
GCTGCGTATTATTTCTATATACTAATTGCATTGGCAGCATTGTGTCTTTGACCTTGTATACTAGCTTGACATAGT
GCTGTCTCTGATTTCTAGGCTAGTTACTTGAGATATGAATTTCCATAGAATATGCACTGATACAACATTACCAT
TCTTCTATGGAAGAAAACCTTTTGATGATGAAACAATAAAGATTTTAAATATCTATTTTAAAAA

209/615

FIGURE 208

MAGIKALISLSFGGAIGLMFLMLGICALPIYNKYWPLFVLFFYILSPIPYCIARRLVDDTDAMSNACKELAIFLT
T
GIVVSAFGLPIVFARAHLEWGACALVLTGNTVIFATILGFFLVFGSNDDFSWQQW

210/615

FIGURE 209

CTTGCAAGAAAGAGTCTTTTGTGCAGCACCCCTTTAAAGGGTGA CTGTCCTTGTGTTCTCTCTCCTGGTGC
AGAGTTGCAAGCAAGTTTATCAGAGTATCGCCATGAAGTTCGTCCCCTGCCTCCTGCTGGTGACCTTGTCTGCTGCC
TGGGGACTTTGGGTGAGGCCCCGAGGCAAAAGCAAGGAAGCACTGGGGAGGAATTCATTTCCAGACTGGAGGGA
GAGATTCCTGCACTATGCGTCCCAGCAGCTTGGGGCAAGGTGCTGGAGAAGTCTGGCTTCGCGTCGACTGCCGCA
ACACAGACCAGACCTACTGGTGTGAGTACAGGGGGCAGCCCAGCATGTGCCAGGCTTTTGCTGCTGACCCCAAAC
CTTACTGGAATCAAGCCCTGCAGGAGCTGAGGCGCCTTCACCATGCGTGCCAGGGGGCCCCGGTGCTTAGGCCAT
CCGTGTGCAGGGAGGCTGGACCCCAGGCCCATATGCAGCAGGTGACTTCCAGCCTCAAGGGCAGCCCAGAGCCCA
ACCAGCAGCCTGAGGCTGGGACGCCATCTCTGAGGCCCAAGGCCACAGTGAAACTCACAGAAGCAACACAGCTGG
GAAAGGACTCGATGGAAGAGCTGGGAAAAGCCAAACCCACCACCCGACCCACAGCCAAACCTACCCAGCCTGGAC
CCAGGCCCGGAGGGAATGAGGAAGCAAAGAAGAAGGCCTGGGAACATTGTTGGAAACCCCTCCAGGCCCTGTGCG
CCTTTCTCATCAGCTTCTTCCGAGGGTGACAGGTGAAAGACCCCTACAGATCTGACCTCTCCCTGACAGACAACC
ATCTCTTTTTATATTATGCCGCTTTCAATCCAACGTTCTCACACTGGAAGAAGAGAGTTTCTAATCAGATGCAAC
GGCCCAAATTCTTGATCTGCAGCTTCTCTGAAGTTTGGAAAAGAAACCTTCCTTTCTGGAGTTTGCAGAGTTTCAG
CAATATGATAGGGAACAGGTGCTGATGGGCCCAAGAGTGACAAGCATAACAACCTACTTATTATCTGTAGAAGTT
TTGCTTTGTTGATCTGAGCCTTCTATGAAAGTTTAAATATGTAACGCATTTCATGAATTTCCAGTGTTTCAGTAAAT
AGCAGCTATGTGTGTGCAAAATAAAAGAATGATTTCAGAAAAAAAAA

211/615

FIGURE 210

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59602
<subunit 1 of 1, 223 aa, 1 stop
<MW: 24581, pI: 9.28, NX(S/T): 0
MKFVPCLLLVTLSCGLTIGQAPRQKQGSGTGEFHFQTGGRDSCTMRPSSLGQGAGEVWLR
VDCRNTDQTYWCEYRGQPSMCQAFADPKPYWNQALQELRRLHHACQGAPVLRPSVCREA
GPQAHMQQVTSSLKGSPEPNQQPEAGTPSLRPKATVKLTEATQLGKDSMEELGKAKPTTR
PTAKPTQPGPRPGGNEEAKKKAWEHCKWPFQALCAFLISFFRG
```

Important features:**Signal peptide:**

Amino acids: 1-19

N-myristoylation sites:

Amino acids: 38-44;51-57;194-200

DNA photolyases class 1 proteins:

Amino acids: 58-69

Tyrosine kinase phosphorylation site:

Amino acids: 64-71

N-myristoylation sites:

Amino acids: 38-44;51-57;194-200

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids: 4-15

212/615

FIGURE 211

GTGCAAGGAGCCGAGGCGAGATGGGCGTCCTGGGCCGGGTCCTGCTGTGGCTGCAGCTCTGCGCACTGACCCAGGCG
GTCTCCAAACTCTGGGTCCCCAACACGGACTTCGACGTCGCAGCCAACTGGAGCCAGAACC GGACCCCGTGCGCC
GGCGGCGCCGTTGAGTTCCTGGCGGACAAGATGGTGTGTCAGTCCTGGTGCAAGAAGGTCACGCCGTCTCAGACATG
CTCCTGCCGCTGGATGGGGAACCTCGTCCTGGCTTCAGGAGCCGGATTTCGGCGTCTCAGACGTGGGCTCGCACCTG
GACTGTGGCGCGGGCGAACCTGCCGTCTTCGCGACTCTGACCGCTTCTCCTGGCATGACCGCACCTGTGGCGCT
CTGGGGACGAGGCACCTGGCCTCTTCTTCGTGGACGCCGAGCGCGTGCCCTGCCGCCACGACGACGTCTTCTTTC
CGCCTAGTGCCTCCTTCCGCGTGGGGCTCGGCCCTGGCGCTAGCCCCGTGCGTGTCCGCAGCATCTCGGCTCTGG
GCCGACGTTACGCGCGACGAGGACCTGGCTGTTTTCTGGCGTCCCGCGCGGGCCGCCTACGCTTCCACGGGC
CGGGCGCGCTTGAGCGTGGGCCCCGAGGACTGCGCGGACCCGTGGGCTGCGTCTGCGGCAACGCGGAGGCGCAGC
CGTGGATCTGCGCGGCCCTGCTCCAGCCCCCT

213/615

FIGURE 212

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59603
<subunit 1 of 1, 197 aa, 1 stop
<MW: 20832, pI: 8.74, NX(S/T): 2
MGVLGRVLLWLQLCALTQAVSKLWVPNTDFDVAANWSQNRTPCAGGAVEFPADKMVSVLV
QEGHAVSDMLLPDGLVVLASGAGFGVSDVGSHLDCGAGEPAVFRSDRFSWHDRTCGAL
GTRHLASSSWTPSACPAATTTSSFRLVPPSAWGSALALAPCVSAASRLWAGRSRATRTWL
FSWRPARAAYASTGRAR
```

Important features:**Signal peptide:**

Amino acids 1-19

N-glycosylation site:

Amino acids 35-39

Glycosaminoglycan attachment site:

Amino acids 81-85

N-myristoylation sites:

Amino acids 82-88;118-124;153-159

C-type lectin domain proteins:

Amino acids 108-118

FIGURE 213

[illegible]

215/615

FIGURE 214

MGPVKQLKRMFEPTRLIATIMVLLCFALTLCSAFWWHNKGLALIFCILQSLALTWYSLSFIPFARDAVKKCFVCLA

216/615

FIGURE 215

GGATTTTTGTGATCCGCGATTTCGCTCCACGGGCGGGACCTTTGTAAGTGCAGGGAGGCCAGGACAGGCCACCC
TGCGGGGCGGGAGGCAGCCGGGTGAGGGAGGTGAAGAAACCAAGACGCAGAGAGGCCAAGCCCCCTGCCTTGGG
TCACACAGCCAAAGGAGGCAGAGCCAGAAGTACAACCAGATCCAGAGGCAACAGGGACATGGCCACCTGGGACG
AAAAGGCAGTCACCCGCAGGGCCAAGGTGGCTCCCGCTGAGAGGATGAGCAAGTTCTTAAGGCACTTCACGGTCG
TGGGAGACGACTACCATGCCTGGAACATCAACTACAAGAAATGGGAGAATGAAGAGGAGGAGGAGGAGGAGC
AGCCACCACCCACACCACTCTCAGGCGAGGAAGGCAGAGCTGCAGCCCCCTGACGTTGCCCCCTGCCCCCTGGCCCCG
CACCCAGGGCCCCCTTGACTTCAGGGGCATGTTGAGGAAACTGTTTCAGCTCCACAGGTTTCAGGTCATCATCA
TCTGCTTGGTGGTTCTGGATGCCCTCCTGGTGCTTGCTGAGCTCATCCTGGACCTGAAGATCATCCAGCCCGACA
AGAATAACTATGCTGCCATGGTATTCCACTACATGAGCATCACCATCTTGGTCTTTTTTATGATGGAGATCATCT
TTAAATTATTTGTCTTCCGCCTGAGTTCTTTCACCACAAGTTTGAGATCCTGGATGCCCGTCGTGGTGGTGGTCT
CATTCATCCTGGACATTGTCCTCCTGTTCCAGGAGCACCAGTTTGAGGCTCTGGGCCTGCTGATTCTGCTCCGGC
TGTGGCGGGTGGCCCGGATCATCAATGGGATTATCATCTCAGTTAAGACACGTTTCAGAACGGCAACTCTTAAGGT
TAAACAGATGAATGTACAATTGGCCGCCAAGATTCAACACCTTGAGTTTCAGCTGCTCTGAGAAGCCCCCTGGACT
GATGAGTTTGCTGTATCAACCTGTAAGGAGAAGCTCTCTCCGGATGGCTATGGGAATGAAAGAATCCGACTTCTA
CTCTCACACAGCCACCGTGAAAGTCTGGAGTAAATGTGCTGTGTACAGAAGAGAGAGAAGGAAGCAGGCTGGC
ATGTTCACTGGGCTGGTGTACGACAGAGAACCTGACAGTCACTGGCCAGTTATCACTTCAGATTACAAATCACA
CAGAGCATCTGCCTGTTTTCAATCACAAGAGAACAAAACCAAATCTATAAGATATTCTGAAAATATGACAGAA
TTTGACAAATAAAGCATAAACGTGTAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

217/615

FIGURE 216

MATWDEKAVTRRAKVAPAERMSKFLRHFTVVGDDYHAWNINYKKWENEEEEEEEEQPPPTPVSGEEGRAAAPDVA
PAPGPAPRAPLDFRGMLRKLFSHRFQVIIICLVVLDALLVLAELILDLKIIQPDKNNYAAMVFHYMSITILVFF
MMEIIFKLFVFRLLSFTTSLRSWMPVVVVVSFILDIVLLFQEHQFEALGLLILLRLWRVARIINGIIISVKTRSE
RQLRLRKQMNVLAAKIQHLEFSCSEKPLD

218/615

FIGURE 217

GGAAGGCAGCGGCAGCTCCACTCAGCCAGTACCCAGATACGCTGGGAACCTTCCCCAGCCATGGCTTCCTGGGG
CAGATCCTCTTCTGGAGCATAATTAGCATCATCATTATTCTGGCTGGAGCAATTGCACTCATCATTGGCTTTGGT
ATTTCAAGGAGACACTCCATCACAGTCACTACTGTCGCCTCAGCTGGGACATTGGGGAGGATGGAATCCTGAGC
TGCACCTTTTGAACCTGACATCAAACCTTTCTGATATCGTGATACAATGGCTGAAGGAAGGTGTTTTAGGCTTGGTC
CATGAGTTCAAAGAAGGCAAAGATGAGCTGTGCGAGCAGGATGAAATGTTGAGAGGCCGGACAGCAGTGTGCT
GATCAAGTGATAGTTGGCAATGCCTCTTTGCGGCTGAAAAACGTGCAACTCACAGATGCTGGCACCTACAAATGT
TATATCATCACTTCTAAAGGCAAGGGGAATGCTAACCTTGAGTATAAACTGGAGCCTTCAGCATGCCGGAAGTG
AATGTGGACTATAATGCCAGCTCAGAGACCTTGCGGTGTGAGGCTCCCGATGGTTCCCCAGCCCACAGTGGTC
TGGGCATCCCAAGTTGACCAGGGAGCCAACCTTCTCGGAAGTCTCCAATACCAGCTTTGAGCTGAACTCTGAGAAT
GTGACCATGAAGGTTGTGTCTGTGCTCTACAATGTTACGATCAACAACACATACTCCTGTATGATTGAAAATGAC
ATTGCCAAAGCAACAGGGGATATCAAAGTGACAGAATCGGAGATCAAAGGCGGAGTCACCTACAGCTGCTAAAC
TCAAAGGCTTCTCTGTGTGTCTCTTTCTTTGCCATCAGCTGGGCACTTCTGCCTCTCAGCCCTTACCTGATG
CTAAAATAATGTGCCTTGGCCACAAAAAAGCATGCAAAGTCATTGTTACAACAGGGATCTACAGAACTATTTAC
CACCAGATATGACCTAGTTTTATATTTCTGGGAGGAAATGAATTCATATCTAGAAGTCTGGAGTGAGCAAACAAG
AGCAAGAAACAAAAAGAAGCCAAAAGCAGAAGGCTCCAATATGAACAAGATAAATCTATCTTCAAAGACATATTA
GAAGTTGGGAAAATAATTGATGTGAAGTACAGCAAGTGTGTTAAGAGTGATAAGTAAAATGCACGTGGAGACAAGT
GCATCCCCAGATCTCAGGGACCTCCCCCTGCCTGTACCTGGGGAGTGAGAGGACAGGATAGTGCATGTTCTTTG
TCTCTGAATTTTTAGTTATATGTGCTGTAATGTTGCTCTGAGGAAGCCCCTGGAAAGTCTATCCCAACATATCCA
CATCTTATATTCACAAATTAAGCTGTAGTATGTACCCTAAGACGCTGCTAATTGACTGCCACTTCGCAACTCAG
GGGCGGCTGCATTTTAGTAATGGGTCAAATGATTCACCTTTTTATGATGCTTCCAAAGGTGCCTTGGCTTCTCTTC
CCAAGTGACAAATGCCAAAGTTGAGAAAAATGATCATAATTTTAGCATAAACAGAGCAGTCGGGGACACCGATTT
TATAAATAAACTGAGCACCTTCTTTTTTAAACAAA
AAAAAAA

219/615

FIGURE 218

MASLGQILFWSIIISIIIIILAGAIALIIGFGISGRHSITVTTVASAGNIGEDGILSCTFEPDIKLSDIVIQWLKEG
VLGLVHEFKEGKDELSEQDEMFRGRTAVFADQVIVGNASRLKQVLTDAQTYKCYIITSKGKGNANLEYKTGAF
SMPEVNVVDYNASSETLRCEAPRWFPQPTVVWASQVDQGANFSEVSNTSFELNSENVTMKVVSVLYNVTINNTYSC
MIENDIAKATGDIKVTSEIKRRSHLQLLNSKASLCVSSFFAISWALLPLSPYMLK

FIGURE 219

[illegible]

221/615

FIGURE 220

MAASLGQVLALVLVAALWGGTQPLLKRASAGLQRVHEPTWAQQLLOEMKTLFLNTEYLMFPFLNQCGSLLYYLTL
ASTDLTLAVPICNSLAIIFTLIVGKALGEDIGGKRKLDYCECGTQLCGSRHTCVSSFPEPISPEWVRTRPFPILP
FPLQLFCFLVAIRVPFPWTVWRKTEAGVWD

222/615

FIGURE 221

CTTCTGTAGGACAGTCACCAGGCCAGATCCAGAAGCCTCTCTAGGCTCCAGCTTTCTCTGTGGAAGATGACAGCA
ATTATAGCAGGACCCTGCCAGGCTGTGCGAAAAGATTCCGCAATAAACTTTGCCAGTGGGAAGTACCTAGTGAAA
CGGCCTAAGATGCCACTTCTTCTCATGTCCCAGGCTTGAGGCCCTGTGGTCCCCATCCTTGGGAGAAGTCAGCTC
CAGCACCATGAAGGGGCATCCTCGTTGCTGGTATCACTGCAGTGCTTGTGTCAGCTGTAGAATCTCTGAGCTGCGT
GCAGTGTAATTCATGGGAAAAATCCTGTGTCAACAGCATTGCCCTCTGAATGTCCCTCACATGCCAACACCAGCTG
TATCAGCTCCTCAGCCAGCTCCTCTCTAGAGACACCAGTCAGATTATACCAGAATATGTTCTGCTCAGCGGAGAA
CTGCAGTGAGGAGACACACATTACAGCCTTCACTGTCCAGTGTCTGCTGAAGAACACTTTCATTTTGTAAAGCCA
GTGCTGCCAAGGAAAGGAATGCAGCAACACCAGCGATGCCCTGGACCCTCCCCTGAAGAACGTGTCCAGCAACGC
AGAGTGCCCTGCTTGTTATGAATCTAATGGAACCTCCTGTCTGGGAAGCCCTGGAAATGCTATGAAGAAGAACA
GTGTGTCTTTCTAGTTGCAGAACTTAAGAATGACATTGAGTCTAAGAGTCTCGTGCTGAAAGGCTGTTCCAACGT
CAGTAACGCCACCTGTCAGTTCCCTGTCTGGTGAACAAGACTCTTGGAGGAGTCATCTTTCGAAAGTTTGAGTG
TGCAAAATGTAAACAGCTTAACCCCCACGTCTGCACCAACCACTTCCCACAACGTGGGCTCCAAAGCTTCCCTCTA
CCTCTTGGCCCTTGCCAGCCTCCTTCTTGGGGACTGTGCCCTTGAGGTCTGGGGCTGCACTTTGCCAGCACC
CCATTTCTGCTTCTCTGAGGTCCAGAGCACCCCTGCGGTGCTGACACCCTCTTCCCTGCTCTGCCCCGTTTAA
CTGCCCAGTAAGTGGGAGTCACAGGTCTCCAGGCAATGCCGACAGCTGCCTTGTTCTTCATTATTAAAGCACTGG
TTCATTCACTGCCAAAAAAAAAAAAAAAAAAAAAAAAA

223/615

FIGURE 222

MKGILVAGITAVLVAAVESLSCVQCNSWEKSCVNSIASECPSHANTSCISSSASSSLETPVRLYQNMFCSAENC
EETHITAFTVHVSAEEHFHFVSQCCQGKECSNTSDALDPPLKNVSSNAECPACYESNGTSCRGKPKWCYEEEQCV
FLVAELKNDIESKSLVLKGCSNVSNATCQFLSGENKTLGGVIFRKFEKANVNSLTPTSAPTTSNHNVGSKASLYLL
ALASLLLRGLLP

224/615

FIGURE 223

GGCCTCGGTTCAAACGACCCGGTGGGTCTACAGCGGAAGGGAGGGAGCGAAGGTAGGAGGCAGGGCTTGCCTCAC
TGGCCACCCCTCCCAACCCCAAGAGCCCCAGCCCCATGGTCCCCGCCGCCGCGCGCTGCTGTGGGTCTGTGCTG
AATCTGGGTCCCCGGGCGGCGGGGGCCCAAGGCCTGACCCAGACTCCGACCGAAATGCAGCGGGTCAGTTACGC
TTTGGGGGCCCCATGACCCGCAGCTACCGGAGCACCGCCCGGACTGGTCTTCCCCGGAAGACAAGGATAATCCTA
GAGGACGAGAATGATGCCATGGCCGACGCCGACCGCCTGGCTGGACCAGCGGCTGCCGAGCTCTTGGCCGCCACG
GTGTCCACCGGCTTTAGCCGGTCCGTCCGCCATTAACGAGGAGGATGGGTCTTCAGAAGAGGGGGTTGTGATTAAT
GCCGGAAGGATAGCACCAGCAGAGAGCTTCCAGTGCGACTCCCAATACAGCGGGGAGTTCCAGCACGAGGTTT
ATAGCCAATAGTCAGGAGCCTGAAATCAGGCTGACTTCAAGCCTGCCGCGCTCCCCGGGAGGTCTACTGAGGAC
CTGCCAGGCTCGCAGGCCACCCTGAGCCAGTGGTCCACACCTGGGTCTACCCCGAGCCGGTGGCCGTACCCCTCA
CCCACAGCCATGCCATCTCCTGAGGATCTGCGGCTGGTGCTGATGCCCTGGGGCCCGTGGCACTGCCACTGCAAG
TCGGGCACCATGAGCCGAGCCGGTCTGGGAAGCTGCACGGCCTTTCCGGGCGCCTTCGAGTTGGGGCGCTGAGC
CAGCTCCGCACGGAGCACAAACCTTGACCTATCAACAATGTCCCTGCAACCGACTTCGGGAAGAGTGCCCCCTG
GACACAAGTCTCTGTACTGACACCAACTGTGCCTCTCAGAGCACCACCAGTACCAGGACCACCCTACCCCCCTC
CCCACCATCCACCTCAGAAGCAGTCCAGCCTGCCACCCGCCAGCCCCTGCCAGCCCTGGCTTTTTGGAAACGG
GTCAGGATTGGCCTGGAGGATATTTGGAATAGCCTCTCTTCAGTGTTACAGAGATGCAACCAATAGACAGAAAC
CAGAGGTAATGGCCACTTCATCCACATGAGGAGATGTCAGTATCTCAACCTCTCTTGCCCTTTCAATCCTAGCAC
CCACTAGATATTTTTAGTACAGAAAAACAAACTGGAAAACACAA

225/615

FIGURE 224

MVPAAGALLWVLLLNIGPRAAGAQGLTQTPTEMQRVSLRFGGPMTRSyrSTARTGLPRKTRIILEDENDAMADAD
RLAGPAAAELLAATVSTGFSSRAINEEDGSSEEGVINAGKDSTSRELPSATPNTAGSSSTRFIANSQEPEIRL
TSSLPRSPGRSTEDLPGSQATLSQWSTPGSTPSRWSPSPSTAMPSPEDLRLVLPWGPWHCHCKSGTMSRSRSGK
LHGLSGRLRVGALSQLRTEHKPCTYQQPCNRLREECPLDTSLCDTNCASQSTTSTRTTTTPFPTIHLRSPSL
PPASPCPALAEWKRVIRIGLEDIWNLSLVFTEMQPIDRNQR

226/615

FIGURE 225

CCCGGGTCGACCCACGCGTCCGGGGAGAAAGGATGCGCCGGCCTGGCGGCGCGGTTGGTCCTGCTAGCTGGGGCAG
CGGCGCTGGCGAGCGGCTCCAGGGCGACCGTGAGCCGGTGACCGGACTGCGTACTGCAGTGCGAAGAGCAGA
ACTGCTCTGGGGGCGCTCTGAATCACTTCCGCTCCCGCCAGCCAATCTACATGAGTCTAGCAGGCTGGACCTGTC
GGGACGACTGTAAGTATGAGTGATGTGGGTACCGTTGGGCTCTACCTCCAGGAAGGTCACAAAGTGCCTCAGT
TCCATGGCAAGTGGCCCTTCTCCCGGTTCCGTCTTTCAAGAGCCGGCATCGGCCGTGGCCTCGTTTTCTCAATG
GCCTGGCCAGCCTGGTGATGCTCTGCCGCTACCGCACCTTCGTGCCAGCCTCCTCCCCCATGTACCACACCTGTG
TGGCCTTCGCTGGGTGTCCCTCAATGCATGGTTCTGGTCCACAGTCTTCCACACCAGGGACACTGACCTCACAG
AGAAAATGGACTACTTCTGTGCCTCCACTGTCTACCTACACTCAATCTACCTGTGCTGCGTCAGGACCGTGGGGC
TGCAGCACCAGCTGTGGTCAGTGCTTCCGGGCTCTCTGCTGCTCATGCTGACCGTGCACGTCTCTTACCTGA
GCCTCATCCGCTTCGACTATGGCTACAACCTGGTGGCCAACGTGGCTATTGGCCTGGTCAACGTGGTGTGGTGGC
TGGCCTGGTGCCTGTGGAACCAGCGGCGGCTGCCTCACGTGCGCAAGTGCGTGGTGGTGGTCTTGTGCTGCAGG
GGCTGTCCCTGCTCGAGCTGCTTGACTTCCCACCGCTCTTCTGGGTCTGGATGCCCATGCCATCTGGCACATCA
GCACCATCCCTGTCCACGTCTCTTTTTCAGCTTCTGGAAGATGACAGCCTGTACCTGCTGAAGGAATCAGAGG
ACAAGTTCAAGCTGGACTGAAGACCTTGGAGCGAGTCTGCCCCAGTGGGGATCCTGCCCCCGCCCTGCTGGCCTC
CCTTCTCCCTCAACCTTGAGATGATTTTCTCTTTTCAACTTCTTGAACCTGGACATGAAGGATGTGGGGCCAG
AATCATGTGGCCAGCCACCCCTGTGGCCCTCACAGCCTTGGAGTCTGTTCTAGGGAAGGCTCCAGCATC
TGGGACTCGAGAGTGGGAGCCCTCTACCTCTGGAGCTGAACCTGGGTGGAAGTGAAGTGTGTTCTTAGCTCTA
CCGGGAGGACAGCTGCCTGTTCTCTCCACAGCCTCTCTCCACATCCCCAGCTGCCTGGCTGGGTCTGGAAG
CCCTCTGTCTACCTGGGAGACCAGGGACACAGGCCTTAGGGATACAGGGGGTCCCTTCTGTTACCACCCCCCA
CCCTCTCCAGGACACCACTAGGTGGTGTGGATGCTTGTCTTTGGCCAGCCAAGGTTACAGGCGATTCTCCCC
ATGGGATCTTGAGGGACCAAGCTGCTGGGATTGGGAAGGAGTTTACCCTGACCGTGGCCTAGCCAGGTTCCCA
GGAGGCCTCACCATACTCCCTTTAGGGCCAGGGCTCCAGCAAGCCAGGGCAAGGATCCTGTGCTGCTGTCTGG
TTGAGAGCCTGCCACCGTGTGTCGGGAGTGTGGCCAGGCTGAGTGCATAGGTGACAGGGCCGTGAGCATGGGCC
TGGGTGTGTGTGAGCTCAGGCCTAGGTGCGCAGTGTGGAGACGGGTGTGTCGGGGAAGAGGTGTGGCTTCAAAG
TGTGTGTGTGCAGGGGGTGGGTGTGTAGCGTGGGTTAGGGGAACGTGTGTGCGCGTGTGTTGGGCATGTGAGA
TGAGTGAAGTCCCGTGAATGTGTCCACAGTTGAGAGGTTGGAGCAGGATGAGGGAATCCTGTACCATCAATAAT
CACTTGTGGAGCGCCAGCTCTGCCAAGACGCCACCTGGGCGGACAGCCAGGAGCTCTCCATGGCCAGGCTGCCT
GTGTGCATGTTCCCTGTCTGGTGGCCCTTTGCCCGCTCCTGCAAACCTCACAGGGTCCCCACACAACAGTGGCC
TCCAGAAGCAGCCCTCGGAGGCAGAGGAAGGAAATGGGGATGGCTGGGGCTCTCTCCATCCTCTTTTCTCCT
TGCCTTCGATGGCTGGCCTTCCCCTCCAAAACCTCCATTTCCCTGCTGCCAGCCCTTTGCCATAGCCTGATTT
TGGGGAGGAGGAAGGGGCGATTTGAGGGAGAAGGGGAGAAAGCTTATGGCTGGGTCTGGTTTCTTCCCTTCCAG
AGGGTCTTACTGTTCCAGGGTGGCCCCAGGGCAGGCAGGGGCCACACTATGCCTGTGCCCTGGTAAAGGTGACCC
CTGCCATTTACCAGCAGCCCTGGCATGTTCTGCCCCACAGGAATAGAATGGAGGGAGCTCCAGAACTTTCCAT
CCCAAAGGCAGTCTCCGTGGTTGAAGCAGACTGGATTTTTGCTCTGCCCTGACCCCTTGTCCCTCTTTGAGGGA
GGGAGCTATGCTAGGACTCCAACCTCAGGGACTCGGGTGGCCTGCGCTAGCTTCTTTTGATACTGAAAACCTTTT
AAGGTGGGAGGGTGCAAGGGATGTGCTTAATAAATCAATTCAGCCCTCAAAAAAAAAAAAAAAAAA

227/615

FIGURE 226

MAGLAARLVLLAGAAALASGSQGDREPVYRDCVLQCEEQNCSGGALNHFRSRQPIYMSLAGWTCRDDCKYECMWV
TVGLYLQEGHKVPQFHGKWPF SRFLFFQEPASAVASFLNGLASLVMLCRYRTFVPASSPMYHTCVAFWVSLNAW
FWSTVFHTRDLDLTKMDYFCASTVILHSIYLCCVRTVGLQHPAVVSAFRALLLLMLTVHVS YLSLIRFDYGYNL
VANVAIGLVNVVWVWLAWCLWNQRRLPHVRKCVVVVLLQGLSLELLDFPPLFWVLDAAHAIWHISTIPVHVLFFS
FLEDDSLYLLKESEDKFKLD

Important features:**Signal peptide:**

amino acids 1-20

Transmembrane domains:

amino acids 105-123, 138-156, 169-185, 193-209, 221-240, 256-272

N-glycosylation site.

amino acids 40-44

N-myristoylation site.

amino acids 43-49

CUB domain proteins profile.

amino acids 285-302

Amiloride-sensitive sodium channels proteins.

amino acids 162-186

FIGURE 227

TTCGCGCTTCCGTAGAGGAAGTGGCGCGGACCTTCATTGGGGTTTCGGTTCCTCCCTTCCCTTCCCGGGGCT
TGGGGGTGACATTGCACCGCGCCCTCGTGGGGTCGCGTTGCCACCCACGCGGACTCCCAGCTGGCGGCCCC
TCCCATTTGCCTGTCTGGTCAGGCCCCACCCCTTCCACCTGACCAGCAATGGGGGGCTGCGGTGTTTTCG
GCTGCACTTTTCGTGCGGTTTCGGCCCCGCCCTTCGCGCTTTTCTTGATCACTGTGGCTGGGACCCGCTTCGCGTTA
TCATCTGGTGCAGGGGCATTTTTCTGGCTGGTCTCCCTGCTCTGGCCTCTGTGGTCTGTGTTTCATCTTGGTGC
ATGTGACCGACCGGTAGATGCCCCGCTCCAGTACGCGCTCCTGATTTTTGTGGTCTGTCTCTGTCTCTCTAC
AGGAGGTGTTCCGCTTTGCCCTACTACAAGCTGCTTAAGAAGGCAGATGAAGGGTAGCATCGCTGAGTGAGGACG
GAAGATCACCCATCTCCATCCGCCAGATGGCCTATGTTTCTGGTCTCTCCTTCGGTATCATCAGTGGTGTCTTCT
CTGTTATCAATATTTTGGCTGATGCACTTGGGCCAGGTGTGGTTGGGATCCATGGAGACTCACCTATTACTTCC
TGACTTTCAGCCTTTCTGACAGCAGCATTATCCTGCTCCATACCTTTTGGGGAGTTGTGTTCTTTGATGCCTGTG
AGAGGAGACGCTACTGGCTTTTGGCGCTGGTGGGAGTCACTACTGACATCGGAGTGCATCTTCTGAACC
CTGGTATGAGGCCAGCCTGCTGCCCATCTATGCAGTCACTGTTTCCATGGGGCTCTGGGCCTTCATCACAGCTG
GAGGGTCCCTCCGAAGTATTGAGCGCAGCCTCTGTGTAAAGACTTGACTACCTGGACTGATCGCCTGACAGATCC
CACCTGCCTGTCCACTGCCATGACTGAGCCAGCCCCAGCCGGGTCCATTGCCACATTCTCTGTCTCCTTCT
CGTCGGTCTACCCCACTACCTCCAGGGTTTTGCTTTGCTTTTGTGACCGTTAGTCTTAAGCTTTACCAGGAG
CAGCCTGGGTTTCAGCCAGTCACTGACTGGTGGGTTTGAATCTGCACCTATCCCCACCACCTGGGGACCCCTTGT
TGTTCCAGGACTCCCCCTGTGTGAGTGTCTGCTCTACCTGCCAAGACTCACCTCCCTCCCCCTGTCAGG
CGTACGGCAGGAGGACAGTGGGTGATGCTGATTTCTGCCCTGCGCATCCACCAGGAGTGGGGAACCTAGG
GGGGACCCCTGGGCCTGGGGTGGCCTCCTGATGTCTCGCCCTGTATTTCTCCATCTCCAGTTCTGGACAGTGCA
GGTTGCCAAGAAAAGGGACCTAGTTTAGCCATTGCCCTGGAGATGAAATTAATGGAGGCTCAAGGATAGATGAGC
TCTGATAATTTCTCAGTACTCCCTCAAGACTGGACATCTTGGTCTTTTTTCTCAGGCCGTGAGGGGAACCATTTTTGG
TGTGATAATAACCTAAACTGCCTTTTTTTTCTTTTGGAGGTGGGGGAGGAGGATATATGGAATCTTCT
AACTCCTTGGGCTATATTTTTCTCTCTCGATGTGCTCCTCATGGCTGGGCTCATTTTCGGTCCCTTTCTCCTGG
TCCCAGACCTTGGGGGAAAGGAAGGAAGTGCATGTTTGGGAACTGGCATTACTGGAATAATGGTTTAACTCC
TTAACCACAGCATCCCTCCTCTCCCCAAGGTGAAGTGGAGGGTGTGTGGTGTGAGCTGGCCACTCCAGAGCTGCA
GTGCCACTGGAGGAGTCACTACCATGACATCGTAGGGAAGGAGGGGAGATTTTTTGTAGTTTTTAATTGGGG
TGTGGGAGGGGCGGGGAGGTTTTCTATAAACTGTATCATTTTCTGCTGAGGGTGGAGTGTCCCATCCTTTAATC
AAGGTGATTGTGATTTTGACTAATAAAAAAGAATTGTAAAAA
AA

229/615

FIGURE 228

MGAAVFFGCTFVAFGPAFALFLITVAGDPLRVIIIVAGAFFWLVSLLLASVVWFILVHVTDRSDARLQYGLLIFG
AAVSVLLQEVRFRFAYYKLLKKADEGLASLSEDRSPISIRQMAYVSGLSFGIISGVFSVINILADALGPGVVGIIH
GDSPYYFLTSAFLTAAIILLHTFWGVVFFDACERRRYWALGLVVGSHLLTSGLTFLNPWYEASLLPIYAVTVSMG
LWAFITAGGSLRSIQRSLLCKD

230/615

FIGURE 229

CGGGAGGCTGGGTCGTCATGATCCGGACCCCATTTGTCGGCCTCTGCCCATCGCCTGCTCCTCCCAGGCTCCCGCG
GCCGACCCCCGCGCAACATGCAGCCCACGGGCGCGAGGGTTCCCGCGCGCTCAGCCGGCGGTATCTGCGGCGTC
TGCTGCTCCTGCTACTGCTGCTGCTGCTGCGGCAGCCCGTAACCCGCGCGGAGACCAGCCGGGCGCCCCAGAG
CCCTCTCCACGCTGGGCTCCCCAGCCTCTTCAACACGCCGGGTGTCCCCAGCGCCCTCACTACCCAGGCCTCA
CTACGCCAGGCACCCCCAAAACCTGGACCTTCGGGGTCGCGCGCAGGCCCTGATGCGGAGTTTCCCACTCGTGG
ACGGCCACAATGACCTGCCCCAGGTCTTGAGACAGCGTTACAAGAATGTGCTTCAGGATGTTAACCTGCGAAATT
TCAGCCATGGTCAGACCAGCCTGGACAGGCTTAGAGACGGCCTCGTGGGTGCCAGTTCTGGTCAGCCTCCGTCT
CATGCCAGTCCCAGGACCAGACTGCCGTGCGCCTCGCCCTGGAGCAGATTGACCTCATTACCGCATGTGTGCCT
CCTACTCTGAACCTCGAGCTTGTGACCTCAGCTGAAGGTCTGAACAGCTCTCAAAAGCTGGCCTGCCTCATTGGCG
TGNAGGGTGGTCACTCACTGGACAGCAGCCTCTCTGTGCTGCGCAGTTTCTATGTGCTGGGGGTGCGCTACCTGA
CACTTACCTTCACCTGCAGTACACCATGGGCAGAGATTCCACCAAGTTTCAAGACACCATGTACACCAACGTCA
GCGGATTGACAAGCTTTGGTGAGAAAGTAGTAGAGGAGTTGAACCGCCTGGGCATGATGATAGATTTGTCTTATG
CATCGGACACCTTGATAAGAAGGGTCCTGGAAGTGTCTCAGGCTCCTGTGATCTTCTCCCACTCAGCTGCCAGAG
CTGTGTGTGACAATTTGTTGAATGTTCCCGATGATATCCTGCAGCTTCTGAAGAACGGTGGCATCGTGATGGTGA
CACTGTCCATGGGGGTGCTGCAGTGCAACCTGCTTGCTAACGTGTCCACTGTGGCAGATCACTTTGACCACATCA
GGGCAGTCATTGGATCTGAGTTTCATCGGGATTGGTGGAAATTATGACGGGACTGGCCGGTTCCCTCAGGGGCTGG
AGGATGTGTCCACATACCCAGTCCTGATAGAGGAGTTGCTGAGTCGTASCTGGAGCGAGGAAGAGCTTCAAGGTG
TCCTTCGTGGAACCTGCTGCGGGTCTTCAGACAAGTGGAAAAGGTGAGAGAGGAGAGCAGGGGCGCAGAGCCCCG
TGGAGGCTGAGTTTCCATATGGGCAACTGAGCACATCCTGCCACTCCACCTCGTGCCTCAGAATGGACACCAGG
CTACTCATCTGGAGGTGACCAAGCAGCCAACCAATCGGGTCCCCCTGGAGGTCTCAAATGCCTCCCCATACCTTG
TTCCAGGCCTTGTGGCTGCTGCCACCATCCCAACCTTCACCCAGTGGCTCTGCTTGACACAGTCGGTCCCCGCGAGA
GGTCACTGTGGCAAAGCCTCACAAAGCCCCCTCTCCTAGTTTCATTACAAAGCATATGCTGAGAATAAACATGTTA
CACATGGAAAA

231/615

FIGURE 230

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59817
><subunit 1 of 1, 487 aa, 1 stop, 2 unknown
><MW: 53569.32, pI: 7.68, NX(S/T): 5
MQPTGREGSRALSRRYLRRLLLLLLLLLLLLLQPVTRAETTPGAPRALSTLGSPSLFTTPGVPSALTTPGLTTPGTP
KTLDLRGRAQALMRSFPLVDGHNDLPQVLRQRYKNVLQDVNLRNFSGQTSIDRLRDGLVGAQFWSASVSCQSQD
QTAVRLALEQIDLIHRMCASYSELELVTSAEGLNSSQKLACLIGVXGGHSLDSSLSVLRSFYVLGVRYLTLTFTFC
STPWAESSTKFRHHMYTNVSGLTSGEKEVVEELNRLGMMIDLSYASDTLIRRVLEVSQAPVIFSHSAARAVCDNL
LNPDDIILQLLKNGGIVMTLSMGVLQCNLLANVSTVADHFDHIRAVIGSEFIGIGNYDGTGRFPQGLEVDVSTY
PVLIEELLSRXWSEELQGVLRGNLLRVFRQVEKVVREESRAQSPVEAEFFPYQLSTSCHSHLVPQNGHQATHLEV
TKQPTNRVPWRSSNASPYLVPGLVAAATIPTFTQWLC
```

Important features of the protein:**Signal peptide:**

amino acids 1-36

Transmembrane domain:

amino acids 313-331

N-glycosylation sites.

amino acids 119-122, 184-187, 243-246 and 333-336

N-myristoylation sites.amino acids 41-46, 59-64, 73-78, 133-138, 182-187, 194-199, 324-329, 354-359,
357-362, 394-399, 427-432 and 472-477.**Prokaryotic membrane lipoprotein lipid attachment site.**

amino acids 136-146

232/615

FIGURE 231

GCTCTGGCCGGCCCCGGCGATTGGTCACCGCCCGCTAGGGGACAGCCCTGGCCTCCTCTGATTGGCAAGCGCTGG
CCACCTCCCCACACCCCTTGCGAACGCTCCCCTAGTGGAGAAAAGGAGTAGCTATTAGCCAATTTCGGCAGGGCCC
GCTTTTTAGAAAGCTTGATTTCTTTGAAGATGAAAGACTAGCGGAAGCTCTGCCTCTTTCCCCAGTGGGCGAGGG
AACTCGGGGCGATTGGCTGGGAACTGTATCCACCCAAATGTCACCGATTCTTCCTATGCAGGAAATGAGCAGAC
CCATCAATAAGAAATTTCTCAGCCTGGCCGAAAATGGTTGGCCCCACGAAGCCACGACAACCTGGAGGCAAAGAGG
GTTGCTCAACGCCCCGCCTCATTGGAACCAAAATCAGATCTGGGACCTATATAGCGTGGCGGAGGCGGGGCGAT
GATTGTCGCGCTCGCACCCACTGCAGCTGCGCACAGTCGCATTCTTTCCCCGCCCTGAGACCCTGCAGCACCA
TCTGTCA**TG**CGGCTGGGCTGTTTGGTTTGAGCGCTCGCCGTCTTTGGCGGCAGCGGCGACGCGAGGGCTCCCG
GCCGCCCGCGTCCGCTGGGAATCTAGCTTCTCCAGGACTGTGGTCGCCCCGTCCGCTGTGGCGGAAAGCGGCC
CCAGAACCGACCACACCGTGGCAAGAGGACCCAGAACCCGAGGACGAAAACCTGTATGAGAAGAACCCAGACTCC
CATGGTTATGACAAGGACCCCGTTTGGACGTCTGGAACATGCGACTTGTCTTCTTCTTTGGCGTCTCCATCATC
CTGGTCCTTGGCAGCACCTTTGTGGCCTATCTGCCTGACTACAGGATGAAAGAGTGGTCCCGCCGGAAGCTGAG
AGGCTTGTGAAATACCGAGAGGCCAATGGCCTTCCCATCATGGAATCCAACCTGCTTCGACCCAGCAAGATCCAG
CTGCCAGAGGATGAG**TG**ACCAAGTTGCTAAGTGGGGCTCAAGAAGCACCGCCTTCCCCACCCCTGCCTGCCATTC
TGACCTCTTCTCAGAGCACCTAATTAAAGGGGCTGAAAGTCTGAA

233/615

FIGURE 232

MAAGLFGLSARRLLAAAATRGLPAARVRWESSFSRTVVAPSAVAGKRPPEPTTPWQEDPEPEDENLYEKNPDSHG
YDKDPVLDVWNMRLVFFFGVSIILVLGSTFVAYLPDYRMKEWSRREAERLVKYREANGLPIMESNCFDPSKIQLPEDE

234/615

FIGURE 233

GCGGCGGCTATGCCGCTTGCTCTGCTCGTCCTGTTGCTCCTGGGGCCCGGCGGCTGGTGCCTTGCGAGAACCCCCA
CGCGACAGCCTGCGGGAGGAACTTGTCATCACCCCGCTGCCTTCCGGGGACGTAGCCGCCACATTCCAGTTCCGC
ACGCGCTGGGATTTCGGAGCTTCAGCGGGAAGGAGTGTCCATTACAGGCTCTTTCCCAAAGCCCTGGGGCAGCTG
ATCTCCAAGTATTCTCTACGGGAGCTGCACCTGTCAATCACACAAGGCTTTTGGAGGACCCGATACTGGGGGCCA
CCCTTCTGTCAGGCCCCATCAGGTGCAGAGCTGTGGGTCTGGTTCCAAGACACTGTCACTGATGTGGATAAATCT
TGGAAGGAGCTCAGTAATGTCTCTCAGGGATCTTCTGCGCCTCTCTCAACTTCATCGACTCCACCAACACAGTC
ACTCCCACTGCCTCCTTCAAACCCCTGGGTCTGGCCAATGACACTGACCACTACTTTCTGCGCTATGCTGTGCTG
CCGCGGGAGGTGGTCTGCACCGAAAACCTCACCCCTGGGAAGAAGCTCTTGCCCTGTAGTTCCAAGGCAGGCCCTC
TCTGTGCTGCTGAAGGCAGATCGCTTGTTCACACCAGCTACCACTCCCAGGCAGTGCATATCCGCCCTGTTTGC
AGAAATGCACGCTGTACTAGCATCTCCTGGGAGCTGAGGCAGACCCTGTCACTTGTATTGATGCCTTCATCAG
GGCAGGGGAAAGAAAGACTGGTCCCTCTTCCGGATGTTCTCCCGAACCTCACGGAGCCCTGCCCCCTGGCTTCA
GAGAGCCGAGTCTATGTGGACATCACCACTACAACCAGGACAACGAGACATTAGAGGTGCACCCACCCCGACC
ACTACATATCAGGACGTCATCCTAGGCACTCGGAAGACCTATGCCATCTATGACTTGCTTGACACCGCCATGATC
AACAACCTCTCGAAACCTCAACATCCAGCTCAAGTGGAAGAGACCCCGAGAGAATGAGGCCCGCCAGTGCCCTTC
CTGCATGCCCAGCGGTACGTGAGTGGCTATGGGCTGCAGAAGGGGGAGCTGAGCACACTGCTGTACAACACCCAC
CCATACCGGGCCTTCCCGGTGCTGCTGCTGGACACCGTACCCTGGTATCTGCGGCTGTATGTGCACACCCCTACC
ATCACCTCCAAGGGCAAGGAGAAACAAACCAAGTTACATCCACTACCAGCCTGCCAGGACCGGCTGCAACCCAC
CTCCTGGAGATGCTGATTACAGTGCCGGCCAACTCAGTCACCAAGGTTTCCATCCAGTTTGAGCGGGCGCTGCTG
AAGTGGACCGAGTACACGCCAGATCCTAACCATGGCTTCTATGTGAGCCCATCTGTCTCAGCGCCCTTGTGCC
AGCATGGTAGCAGCCAAGCCAGTGGACTGGGAAGAGAGTCCCTCTTCAACAGCCTGTTCAGTCTCTGATGGC
TCTAACTACTTTGTGCGGCTCTACACGGAGCCGCTGCTGGTGAACCTGCCGACACCGGACTTCAGCATGCCCTAC
AACGTGATCTGCCTCACGTGCACTGTGGTGGCCGTGTGCTACGGCTCCTTCTACAATCTCCTCACCCGAACCTTC
CACATCGAGGAGCCCCGCACAGGTGGCCTGGCCAAGCGGCTGGCCAACCTTATCCGGCGCGCCCGAGGTGTCCCC
CCACTCTGATTCTTGGCCCTTCCAGCAGCTGCAGCTGCCGTTTCTCTCTGCGGAGGGGAGCCCAAGGGCTGTTTC
TGCCACTTGCTCTCCTCAGAGTTGGCTTTTGAACCAAAGTGCCCTGGACCAGGTCAGGGCCTACAGCTGTGTTGT
CCAGTACAGGAGCCACGAGCCAAATGTGGCATTGAAATTTGAATTAACCTAGAAATTCATTTCTCACCTGTAGT
GGCCACCTCTATATTGAGGTGCTCAATAAGCAAAAGTGGTGGTGGCTGCTGTATTGGACAGCACAGAAAAAGAT
TTCCATCACACAGAAAGGTGCGCTGGCAGCACTGGCCAAGGTGATGGGGTGTGCTACACAGTGTATGTCACTGT
GTAGTGGATGGAGTTTACTGTTTGTGGAATAAAAAACGGCTGTTTCCGTGGAAAAA

235/615

FIGURE 234

MPLALLVLLLLGPGGWCLAEPPRDSLREELVITPLPSGDVAATFQFRTRWDSELQREGVSHYRLFPKALGQLISK
YSLRELHLSFTQGFWRTYWGPPFLQAPSGAELWVWFQDTVTDVDKSWKELSNVLSGIFCASLNFIDSTNTVTPT
ASFKPLGLANDTDHYFLRYAVLPREVVC TENLTPWKLLPCSSKAGLSVLLKADRLFHTSYHSQAVHIRPVCRNA
RCTSISWELRQTLSVVFDAFITGQKKDWSLFRMFSRTLTEPCPLASESRVYVDITTYNQDNETLEVHPPPTTY
QDVILGTRKTYAIYDLDDTAMINNSRNLNIQLKWKRPPEAEAPPVFPFLHAQRYVSGYGLQKGE LSTLLYNTHPYR
AFPVLLLDTFVPWYLRLYVHTLTITSKGKENKPSYIHYQPAQDRLOPHLLEMLIQLPANSVTKVSIQFERALLKWT
EYTPDPNHGFYVSPSVLSALVPSMVAAPVDWEESPLFNSLFPVSDGSNYFVRLYTEPLLVLNLTPTPDFSMPYNVI
CLTCTVVAVCYGSFYNNLLTRTFHIEEPRTGGLAKRLANLIRRARGVPPL

236/615

FIGURE 235

TGACGTCAGAATCACCATGGCCAGCTATCCTTACCGGCAGGGCTGCCAGGAGCTGCAGGACAAGCACCAGGAGC
CCCTCCGGGTAGCTACTACCCCTGGACCCCCAATAGTGGAGGGCAGTATGGTAGTGGGCTACCCCTGGTGGTGG
TTATGGGGGTCTGCCCCCTGGAGGGCCTTATGGACCACCAGCTGGTGGAGGGCCCTATGGACACCCCAATCCTGG
GATGTTCCCTCTGGAACCTCAGGAGGACCATATGGCGGTGCAGCTCCCGGGGGCCCTATGGTCAGCCACCTCC
AAGTTCCTACGGTGCCAGCAGCCTGGGCTTTATGGACAGGGTGGCGCCCTCCCAATGTGGATCCTGAGGCCTA
CTCCTGGTTCCAGTCGGTGGACTCAGATCACAGTGGCTATATCTCCATGAAGGAGCTAAAGCAGGCCCTGGTCAA
CTGCAATTGGTCTTCATTCAATGATGAGACCTGCCTCATGATGATAAACATGTTTGACAAGACCAAGTCAGGCCG
CATCGATGTCTACGGCTTCTCAGCCCTGTGGAAATTCATCCAGCAGTGAAGAACCCTTCCAGCAGTATGACCG
GGACCGCTCGGGCTCCATTAGCTACACAGAGCTGCAGCAAGCTCTGTCCCAATGGGCTACAACCTGAGCCCCA
GTTCAACCAGCTTCTGGTCTCCCGCTACTGCCACGCTCTGCCAATCCTGCCATGCAGCTTGACCGCTTCATCCA
GGTGTGCACCCAGCTGCAGGTGCTGACAGAGGCCTTCGGGAGAAGGACACAGCTGTACAAGGCAACATCCGGCT
CAGCTTCGAGGACTTCGTCACCATGACAGCTTCTCGGATGCTATTGACCCAACCATCTGTGGAGAGTGGAGTGCAC
CAGGGACCTTTCTGGCTTCTTAGAGTGAGAGAAGTATGTGGACATCTCTTCTTTCTGTCCCTCTAGAAGAAC
ATTCTCCCTTGCTTGATGCAACACTGTTCCAAAAGAGGGTGGAGAGTCTGCATCATAGCCACCAATAGTGAGG
ACCGGGGCTGAGGCCACACAGATAGGGGCCTGATGGAGGAGAGGATAGAAGTTGAATGTCTGATGGCCATGAGC
AGTTGAGTGGCACAGCCTGGCACAGGAGCAGGTCCTTGTAATGGAGTTAGTGTCCAGTCAGCTGAGCTCCACCC
TGATGCCAGTGGTGAAGTGTTCATCGGCCTGTTACCGTTAGTACCTGTGTTCCTCACCAGGCCATCCTGTCAAAC
GAGCCCATTTTCTCCAAAGTGAATCTGACCAAGCATGAGAGAGATCTGTCTATGGGACCAGTGGCTTGGATTCT
GCCACACCCATAAATCCTTGTGTGTTAACTTCTAGCTGCCTGGGGCTGGCCCTGCTCAGACAAATCTGCTCCCTG
GGCATCTTTGGCCAGGCTTCTGCCCCCTGCAGCTGGGACCCCTCACTTGCCTGCCATGCTCTGCTCGGCTTCAGT
CTCCAGGAGACAGTGGTCACCTCTCCCTGCCAATACTTTTTTTAATTTGCATTTTTTTTTCATTTGGGGCCAAAAG
TCCAGTGAAATTGTAAGCTTCAATAAAAGGATGAACTCTGA

237/615

FIGURE 236

MASYPYRQGCPGAAGQAPGAPPGSYYPGPPNSGGQYGSGLPPGGGYGGPAPGGPYGPPAGGGPYGHPNPGMFPSG
TPGGPYGGAAPGGPYGQPPSSYGAQQPGLYGQGGAPPNVDPEAYSWFQSVSDHSGYISMKELKQALVNCNWSS
FNDETCLMMINMFDKTKSGRIDVYGFSALWKFIQQWKNLFQQYDRDRSGSISYTELQQALSQMGYNLSPQFTQLL
VSRYCPRSANPAMQLDRFIQVCTQLQVLTEAFREKDTAVQGNIRLSFEDFVTMTASRML

Important features of the protein:**Signal peptide:**

amino acids 1-19

N-glycosylation site.

amino acids 147-150

Casein kinase II phosphorylation sites.

amino acids 135-138, 150-153, 202-205, 271-274

N-myristoylation sites.

amino acids 9-14, 15-20, 19-24, 33-38, 34-39, 39-44, 43-48, 61-66, 70-75, 78-83, 83-88, 87-92, 110-115

238/615

FIGURE 237

CAGGATGCAGGGCCGCGTGGCAGGGAGCTGCGCTCCTCTGGGCCTGCTCCTGGTCTGTCTTCATCTCCCAGGCCT
CTTTGCCCCGAGCATCGGTGTTGTGGAGGAGAAAGTTTCCCAAACTTCGGGACCAACTTGCCTCAGCTCGGACA
ACCTTTCCTCCACTGGCCCCCTAACTCTGAACATCCGCAGCCCGCTCTGGACCCTAGGTCTAATGACTTGGCAAG
GGTTCCTCTGAAGCTCAGCGTGCCTCCATCAGATGGCTTCCCACCTGCAGGAGGTTCAGTGCAGAGGTGGCC
TCCATCGTGGGGGCTGCCTGCCATGGATTCTGGCCCCCTGAGGATCCTTGGCAGATGATGGCTGCTGCGGCTGA
GGACCGCCTGGGGGAAGCGCTGCCTGAAGAACTCTCTTACCTCTCCAGTGCTGCGGCCCTCGCTCCGGGCAGTGG
CCCTTTGCCTGGGGAGTCTTCTCCCGATGCCACAGGCCTCTCACCTGAGGCTTCACTCCTCCACCAGGACTCGGA
GTCCAGACGACTGCCCCGTTCTAATTCAGTGGGAGCCGGGGGAAAAATCCTTCCCAACGCCCTCCCTGGTCTCT
CATCCACAGGGTTCTGCCTGATCACCCCTGGGGTACCCTGAATCCCAGTGTGTCTGGGGAGGTGGAGGCCCTGG
GACTGGTTGGGGAACGAGGCCCATGCCACACCCCTGAGGGAATCTGGGGTATCAATAATCAACCCCCAGGTACCAG
CTGGGGAAATATTAATCGGTATCCAGGAGGCAGCTGGGGAAATATTAATCGGTATCCAGGAGGCAGCTGGGGGAA
TATTAATCGGTATCCAGGAGGCAGCTGGGGGAATATTCATCTATACCAGGTATCAATAACCCATTTCTCCTGG
AGTTCTCCGCCCTCCTGGCTCTTCTTGGAACATCCCAGCTGGCTTCCCTAATCCTCCAAGCCCTAGGTTGCAGTG
GGGCTAGAGCACGATAGAGGGAAACCAACATTGGGAGTTAGAGTCCTGCTCCCGCCCCTTGCTGTGTGGGCTCA
ATCCAGGCCCTGTAAACATGTTTCCAGCACTATCCCCACTTTTCAGTGCCTCCCCTGCTCATCTCCAATAAAATA
AAAGCACTTATGAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

239/615

FIGURE 238

MQGRVAGSCAPLGILLVCLHLPGLFARSIGVVEEKVSQNFGTNLPQLGQPSSTGPSNSEHPQPALDPRSNDLARV
 PLKLSVPPSDGFPPAGGSAVQRWPPSWGLPAMDSWPPEDPWQMMAAAEDRLGEALPEELSYLSSAAALAPGSGP
 LPGESSPDATGLSPEASLLHQDSESRRLPRSNSLGAGGKILSQRPPWSLIHRVLPDHPWGTNLNPSVSWGGGGPGT
 GWGTRPMPHPEGIWGINNQPPGTSGWNINRYPGGSWGNIINRYPGGSWGNIINRYPGGSWGNIHLYPGINNPFPPGV
 LRPPGSSWNIPAGFPNPPSPRLQWG

Important features of the protein:

Signal peptide:

amino acids 1-26

Casein kinase II phosphorylation sites.

amino acids 56-59, 155-158

N-myristoylation sites.

amino acids 48-53, 220-225, 221-226, 224-229, 247-252, 258-263, 259-264, 269-
 274, 270-275, 280-285, 281-286, 305-310

240/615

FIGURE 239

GGGCGTCTCCGGCTGCTCCTATTGAGCTGTCTGCTCGCTGTGCCCGCTGTGCCTGCTGTGCCCGCTGTGCGCCG
CTGCTACCGCGTCTGCTGGACGCGGGAGACGCCAGCGAGCTGGTGATTGGAGCCCTGCGGAGAGCTCAAGCGCCC
AGCTCTGCCCCAGGAGCCCAGGCTGCCCCGTGAGTCCCATAGTTGCTGCAGGAGTGGAGCCATGAGCTGCGTCTCT
GGGTGGTGTCTATCCCCTTGGGGCTGCTGTTCTGGTCTGCGGATCCCAAGGCTACCTCCTGCCAACGTCACTCT
CTTAGAGGAGCTGCTCAGCAAATACCAGCACACGAGTCTCACTCCCGGGTCCGCAGAGCCATCCCCAGGGAGGA
CAAGGAGGAGATCCTCATGCTGCACAACAAGCTTCGGGGCCAGGTGCAGCCTCAGGCCTCCAACATGGAGTACAT
GGTGAGCGCCGGCTCCGGCCGAGAGGCTGGCACCGGGGGTGGGGCCTGGGCCACCAAGCCTGCTCTGTTCCCCAG
CCAGCTCTGTTCCCCAGCCAGTGCCTGTGATGGCTGGCTCAGGGTCTCCTCTGGCAGGGGAGGATCCCGGCTCTG
TTCTGTTTTGTTTGTGTTTGTGTTTGGAGACAGGGTCTCACTCTGCCACTGACGCTGGAGTGCAATGGCACAATCGTCA
TGCCCTGAAACCTTAGACTCCCGGGGTAAAGCGATCCTGCTTCAGCCTCCCAAGTAGCTGGAACACAGGCATGC
ACCATGGTGCCAGCTAGATTTTAAATATTTTGTGGAGATGGGGGTCTTGCTACGTTGCCAGGCTGGTCTTGAA
CTCCTAGGCTCAAGCAATCCTCCTGCCTCAGCCTCTCAAAGTGCTAGGATTATAGGCATGAGTCAACCTGTCTGG
CTCTGGCTCTGTTCTTAACATTCTGCCAAAACAACACAGTGGGTTCCTGTGCAGAGCCTGCCTCGTTGCCTTC
ATGTCACCTCTTGGTAGCTCCACTGGGAACACAGCTCTCAGCCTTCCCACCTGGAGGCAGAGTGGGGAGGGGGCC
AGGGCTGGGGCTTTGCTGATGCTGATCTCAGCTGTGCCACACGCTAGCTGCACCACCCTGACTTCTCCTTAGCCCCG
TGTGAGCCTCACTTCCACTTGGAGAGTCCCTCCTCGCGTGGTTGCCATGACTGTGAGATAAGTCGAGGCTGTGA
AGGGCCCCGGCACAGACTGACCTGCCTCCCCAACCCCTAGGCTTTGCTAACCGGGAAAGGAGCTAACGGTGACAGA
AGACAGCCAAGGTCAACCCCTCCCGGGTGATTGTGATGGGTGTTCCAGGTGTGGTTGGGGCGATGCTGCTACTTGAC
CCCAAGCTCCAGTGTGGAACCTTCCTTCCTGGCTGGTTTCCAGAACTACAGAGGAATGGACCACAGTCTTCAG
GGTCCCTCCTCGTCCACCAACCGGGAGCCTCCACCTTGCCATCCGTCAGCTATGAATGGCTTTTAAACAAACC
CACGTCCCAGCCTGGGTAAACATGGTAAGCCCCGTCTCTACAAAAAATCCAAGTTAGCCGGGCATGGTGGTGCG
CACCTGTAGTCCCAGCTGCAGTGGGACTGAGGTGGAGGTGGAGGTGGGGGGTGGGAGCTGAGGAAGGAGGATCGC
TTGAGCCTGGGAAGTCGAGGCTGCAGTGAGCTGAGATTGCACCACTGCACTCCAGCCTGGGTGACAGAGCAAGAC
CCTGTCTCAAAAA

241/615

FIGURE 240

MSCVLGGVIPLGLLFLVCGSQGYLLPNVTLLLEELLSKYQHNEHSRVRRAIPREDKEEILMLHNKLRGQVQPQAS
NMEYMVSAAGSGRRGWHRGWGLGHQPALFPSQLCSPASACDGWLRVSSGRGGSRLCSVLFVCFETGSHSATDAGVQ
WHNRHALKP

Important features:

Signal peptide:

amino acids 1-22

N-glycosylation site.

amino acids 27-31, 41-45

N-myristoylation site.

amino acids 126-132, 140-146

Amidation site.

amino acids 85-89

242/615

FIGURE 241

AAGGAGAGGCCACCGGGACTTCAGTGTCTCCTCCATCCCAGGAGCGCAGTGGCCACTATGGGGTCTGGGCTGCCC
CTTGTCTCCTCTTGACCCTCCTTGGCAGCTCACATGGAACAGGGCCGGGTATGACTTTGCAACTGAAGCTGAAG
GAGTCTTTTCTGACAAATTCCTCCTATGAGTCCAGCTTCCTGGAATTGCTTGAAAAGCTCTGCCTCCTCCTCCAT
CTCCCTTCAGGGACCAGCGTCACCCTCCACCATGCAAGATCTCAACACCATGTTGTCTGCAACACATGACAGCCA.
TTGAAGCCTGTGTCTTCTTGGCCCGGGCTTTTGGGCCGGGGATGCAGGAGGCAGGCCCCGACCCTGTCTTTCAG
CAGGCCCCCACCTCCTGAGTGGCAATAAATAAAATTTCGGTATGCTG

243/615

FIGURE 242

MSGGLPLVLLLTLLGSSHGTGPGMTLQLKLKESFLTNSSESSFELLEKLCLLLHLPSTSVTLHHARSQHHVVCNT

244/615

FIGURE 243

GGCAAGTGGAACTGGCTTGGTGGATTTGCTAGATTTTCTGATTTTAACTCCTGAAAAATATCCCAGAT
AACTGTCATGAAGCTGGTAAGTATCTTCCTGCTGGTGACCATCAGCCTTTGTAGTTACTCTGCTACTGCCTTCCT
CATCAACAAAGTGCCCTTCCTGTTGACAAGTTGGCACCTTTACCTCTGGACAACATTCTTCCTTTATGGATCC
ATTAAAGCTTCTTCTGAAAACTCTGGGCATTTCTGTTGAGCACCTTGTGGAGGGGCTAAGGAAGTGTGTAATGA
GCTGGGACCAGAGGCTTCTGAAGCTGTGAAGAACTGCTGGAGGCGCTATCACACTGGTGTGACATCAAGATAA
AGAGCGGAGGTGGATGGGGATGGAAGATGATGCTCCTATCCTCCCTGCCTGAAACCTGTTCTACCAATTATAGAT
CAAATGCCCTAAAAATGTAGTGACCCGTGAAAAGGACAAATAAGCAATGAATACATTA

245/615

FIGURE 244

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59855  
<subunit 1 of 1, 93 aa, 1 stop  
<MW: 10161, pI: 7.39, NX(S/T): 0  
MKLVTIFLLVTISLCSYSATAFLINKVPLPVDKLAFLPLDNILPFMDPLKLLKTLGISV  
EHLVEGLRKCVNELGPEASEAVKKLLEALSHLV
```

Important features:**Signal peptide:**

Amino acids 1-18

246/615

FIGURE 245

TGCTAGGCTCTGTCCCACAATGCACCCGAGAGCAGGAGCTGAAAGCCTCTAACACCCACAGATCCCTCTATGACT
GCAATGTGAGGTGTCCGGCTTTGCTGGCCCAGCAAGCCTGATAAGCATGAAGCTCTTATCTTTGGTGGCTGTGGT
CGGGTGTGTTGCTGGTGCCCCAGCTGAAGCCAACAAGAGTTCTGAAGATATCCGGTGCAAATGCATCTGTCCACC
TTATAGAAACATCAGTGGGCACATTTACAACCAGAATGTATCCCAGAAGGACTGCAACTGCCTGCACGTGGTGGG
GCCCATGCCAGTGCCTGGCCATGACGTGGAGGCCTACTGCCTGCTGTGCGAGTGCAGGTACGAGGAGCGCAGCAC
CACCACCATCAAGGTCATCATTTGTCTATCTACCTGTCCGTGGTGGGTGCCCTGTTGCTCTACATGGCCTTCCTGAT
GCTGGTGGACCCTCTGATCCGAAAGCCGGATGCATACACTGAGCAACTGCACAATGAGGAGGAGAATGAGGATGC
TCGCTCTATGGCAGCAGCTGCTGCATCCCTCGGGGGACCCCGAGCAAACACAGTCCTGGAGCGTGTGGAAGGTGC
CCAGCAGCGGTGGAAGCTGCAGGTGCAGGAGCAGCGGAAGACAGTCTTCGATCGGCACAAGATGCTCAGCTAGAT
GGGCTGGTGTGGTTGGGTCAAGGCCCCAACACCATGGCTGCCAGCTTCCAGGCTGGACAAAGCAGGGGGCTACTT
CTCCCTTCCCTCGGTTCAGTCTTCCCTTTAAAGCCTGTGGCATTTCCTCCTTCTCCCTAACTTTAGAAATG
TTGTAATTGGCTATTTTGATTAGGGAAGAGGGATGTGGTCTCTGATCTCTGTTGCTTCTTGGGTCTTTGGGGTT
GAAGGGAGGGGGAAGGCAGGCCAGAAGGGAATGGAGACATTCGAGGCGGCCTCAGGAGTGGATGCGATCTGTCTC
TCCTGGCTCCACTCTTGCCGCCTTCCAGCTCTGAGTCTTGGGAATGTTGTTACCCTTGAAGATAAAGCTGGGTC
TTCAGGAACCTCAGTGTCTGGGAGGAAAGCATGGCCCAGCATTGAGCATGTGTTCCCTTCTGCAGTGGTTCTTATC
ACCACCTCCCTCCCAGCCCCGGCGCCTCAGCCCCAGCCCCAGCTCCAGCCCTGAGGACAGCTCTGATGGGAGAGC
TGGGCCCCCTGAGCCCACTGGGTCTTCAGGGTGCAGTGAAGCTGGTGTTCGCTGTCCCCTGTGCACTTCTCGCA
CTGGGGCATGGAGTGCCCATGCATACTCTGCTGCCGGTCCCTCACCTGCAGTTGAGGGGTCTGGGCAGTCCCTC
CTCTCCCCAGTGTCCACAGTCACTGAGCCAGACGGTCGGTTGGAACATGAGACTCGAGGCTGAGCGTGGATCTGA
ACACCACAGCCCCTGTACTTGGGTTGCCTCTTGTCCCTGAAGTTCGTTGTACCAGTGCATGGAGAGAAAATTTTG
TCCTCTTGTCTTAGAGTTGTGTGTAAATCAAGGAAGCCATCATTAATTTGTTTTATTTCTCTCA

247/615

FIGURE 246

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA60278

<subunit 1 of 1, 183 aa, 1 stop

<MW: 20574, pI: 6.60, NX(S/T): 3

MKLLSLVAVVGCLLVPPAEANKSSEDIRCKCICPPYRNISGHIYNQNVSQKDCNCLHVVEPMPVPGHDVEAYCLL
CECRYEERSTTTIKVIVYLSVVGALLLYMAFLMLVDPLIRKPDAYTEQLHNEEENEDARSMAAAAASLGGPRA
NTVLERVEGAQQRWKLQVQEQRKTVFDRHKMLS**Important features:****Signal peptide:**

amino acids 1-20

Transmembrane domain:

amino acids 90-112

N-glycosylation sites.

amino acids 21-24, 38-41 and 47-50

248/615

FIGURE 247

AATTGTATCTGTGTAATGTTAAAACAAACGAAATAAAATAGAAGGAAAACTTTCTGAGTTTCAAAAACAACAGA
CTAGTACTCTAAAGAAGCTTTTAAAACAATTAAGTGTAGGATTGCAGTTATGATTGGATATTATTTAATTCTGT
TTCTGATGTGGGGTTCCTCCACTGTGTTCTGTGTGCTATTAATATTTACCATTGCAGAAGCTTCATTCAGTGTTG
AAAATGAATGCTTAGTGGATCTGTGCCTCTTACGCATATGTTACAAATTATCTGGAGTTCCTAATCAATGCAGAG
TTCCCTCCCTCCGATTGTTCTAAATAATTGAAAGATGTCTGCTGTGGAAAAAGGCATGTATTTAAATCTGTAT
GATTCTCAACCATCTTTAGTTGGGAAAGGTCCTTGAAAGCCAATGGAAATACTTTTTTTTTTTCTTGGCACTAAT
CAAGTGAGTGTTACCTTTTCACTTAGTAGGATGTGTTGTTACGCTAGTAAATAGAAACCTGTGTTTATTCTCAG
GTATTTTAGAAACAACAGCCATCATTTTATTTTATGTGTGTGTTCTTGGCTGTATTCATAAATTATATATTTGG
GCTATCAAATATTACTTCATTCAATATAAATAACAATAGTAGAAGTTGTTTACTTAGATATGCTTTCTAGTTGCA
TTTTCTCAGCCTATGTAAGACTACTTTGTTGTAATAGCCTTTGAAATTTACAGTACTGTCTCTACTATCTTCA
GATTACTTGATTCAAATAAACCAATTATGTTTGTAAATTGATATTAATAAAACCAGAATAAAAGTTCATATCTACCC

249/615

FIGURE 248

MIGYYLILFLMWGSSTVFCVLLIFTIAEASFVENECLVDLCLLRICYKLSGVPNQCRVPLPSDCSK

Important features:

Signal peptide:

amino acids 1-29

250/615

FIGURE 249

AGCGGGTCTCGCTTGGGTTCGGCTAATTTCTGTCTGAGGCGTGAGACTGAGTTCATAGGGTCTGGGTCCCCGA
ACCAGGAAGGGTTGAGGGAACACAATCTGCAAGCCCCGCGACCCAAGTGAGGGGCCCCGTGTTGGGGTCTCC
TCCCTTTGCATTCCCACCCCTCCGGGCTTTGCGTCTTCTGGGGACCCCTCGCCGGGAGATGGCCGCGTTGATG
CGGAGCAAGGATTCTGCTCTGCTGCTCTACTGGCCGCGGTGCTGATGGTGGAGAGCTCACAGATCGGCAGT
TCGCGGGCCAACTCAACTCCATCAAGTCTCTCTGGGCGGGGAGACGCCTGGTCAGGCCGCCAATCGATCTGCG
GGCATGTACCAAGGACTGGCATTTCGGCGGCAGTAAGAAGGGCAAAAACCTGGGGCAGGCCTACCCTTGTAGCAGT
GATAAGGAGTGTGAAGTTGGGAGGTATTGCCACAGTCCCCACCAAGGATCATCGGCCTGCATGGTGTGTCGGAGA
AAAAAGAAGCGCTGCCACCGAGATGGCATGTGCTGCCCCAGTACCCGCTGCAATAATGGCATCTGTATCCAGTT
ACTGAAAGCATCTTAACCCCTCACATCCCGGCTCTGGATGGTACTCGGCACAGAGATCGAAACCACGGTCATTAC
TCAAACCATGACTTGGGATGGCAGAATCTAGGAAGACCACACACTAAGATGTCACATATAAAAGGGCATGAAGGA
GACCCCTGCCTACGATCATCAGACTGCATTGAAGGGTTTTGCTGTGCTCGTCATTTCTGGACCAAATCTGCAAA
CCAGTGCTCCATCAGGGGGAAAGTCTGTACCAAAACAACGCAAGAAGGGTCTCATGGGCTGGAAATTTTCCAGCGT
TGCGACTGTGCGAAGGGCCTGTCTTGCAAAGTATGGAAGATGCCACCTACTCCTCCAAAGCCAGACTCCATGTG
TGTCAGAAAATTTGATCACCATTGAGGAACATCATCAATTGCAGACTGTGAAGTTGTGTATTTAATGCATTATAG
CATGGTGGAAAATTAAGGTTGAGATGCAGAAGAAATGGCTAAAATAAGAAACGTGATAAGAATATAGATGATCACAA
AAAGGGAGAAAGAAAACATGAAGTGAATAGATTAGAATGGGTGACAAATGCAGTGCAGCCAGTGTTCATTATG
CAACTTGTCTATGTAAATAATGTACACATTTGTGGAAAATGCTATTATTAAAGAGAACAAGCACACAGTGGAAAT
ACTGATGAGTAGCATGTGACTTTCCAAGAGTTTAGGTTGTGCTGGAGGAGAGGTTTCTTCAGATTGCTGATTGC
TTATACAAATAACCTACATGCCAGATTTCTATTCAACGTTAGAGTTTAAACAAAATACTCCTAGAATAACTTGTTA
TACAATAGGTTCTAAAAATAAAATTGCTAAACAAGAAATGAAAACATGGAGCATTGTTAATTTACAACAGAAAA
TACCTTTTGATTGTAAACACTACTTCTGCTGTTCAATCAAGAGTCTTGGTAGATAAGAAAAAATCAGTCAATAT
TTCAAATAATTGCAAAATAATGGCCAGTTGTTTAGGAAGGCCTTTAGGAAGACAAATAAATAACAAACAACAG
CCACAAATACTTTTTTTTTTCAAATTTTAGTTTTACCTGTAATTAATAAGAACTGATACAAGACAAAAACAGTTCC
TTCAGATTCTACGGAATGACAGTATATCTCTTTATCCTATGTGATTCTGCTCTGAATGCATTATATTTTCCA
AACTATACCCATAAATTTGTGACTAGTAAATACTTACACAGAGCAGAATTTTACAGATGGCAAAAAAATTTAAA
GATGTCCAATATATGTGGGAAAAGAGCTAACAGAGAGATCATTATTTCTTAAAGATTGGCCATAACCTATATTTT
GATAGAATTAGATTGGTAAATACATGTATTCATACATACTCTGTGGTAATAGAGACTTAAGCTGGATCTGTACTG
CACTGGAGTAAGCAAGAAAATTTGGGAAAACCTTTTCGTTTGTTCAGGTTTTGGCAACACATAGATCATATGTCTG
AGGCACAAGTTGGCTGTTCACTTTTGAACACAGGGGATGCACAGTCTAAATGAATATCTGCATGGGATTGTCTAT
CATAATATTTACTATGCAGATGAATTCAGTGTGAGGTCTGTGTCCTGACTATCCTCAAATTATTTATTTTATAG
TGCTGAGATCCTCAAATAATCTCAATTTAGGAGGTTTACAAAAATGTACTCCTGAAGTAGACAGAGTAGTGAGG
TTTTATTGCCCTCTATAAGCTTCTGACTAGCCAATGGCATCATCCAATTTTCTTCCCAAAACCTCTGCAGCATCTG
CTTTATTGCCAAAGGGCTAGTTTCGGTTTTCTGCAGCCATTGCGGTTAAAAAATATAAGTAGGATAACTTGTA
ACCTGCATATTGCTAATCTATAGACACCACAGTTTCTAAATTTCTTGAACCACTTTACTACTTTTTTTAACTT
AACTCAGTTCTAAATACTTTGTCTGGAGCACAAACAATAAAAGGTTATCTTATAGTCGTGACTTTAACTTTTG
TAGACCACAATTCATTTTGTAGTTTTCTTTTACTTAAATCCCATCTGCAGTCTCAAATTTAAGTTCTCCAGTAG
AGATTGAGTTTGAGCCTGTATATCTATTAAAAATTTCACTTCCACATATATTTACTAAGATGATTAAGACTTA
CATTTTCTGCACAGGTCTGCAAAAACAAAAATTATAAACTAGTCCATCCAAGAACCAGTTTGTATAAACAGGT
TGCTATAAGCTTGTGAATGAAAATGGAACATTTCAATCAAAACATTTCTATATAACAATTATTATTTTACAAT
TTGGTTTTCTGCAATATTTTCTTATGTCCACCCTTTTAAAAATTATTATTTGAAGTAATTTATTTACAGGAAATG
TTAATGAGATGTATTTTCTTATAGAGATATTTCTTACAGAAAGCTTTGTAGCAGAAATATATTTGCAGCTATTGAC
TTTGTAATTTAGGAAAAATGTATAATAAGATAAAATCTATTAAATTTTCTCCTCTAAAAACTGAAAAA
AAAAAAAAAAAAAAAAAAAA

251/615

FIGURE 250

MAALMRSKDSSCCLLLLAAVLMVESSQIGSSRAKLNSIKSSLGGETPGQAANRSAGMYQGLAFGGSKKGKNLGQA
YPCSSDKECEVGRYCHSPHQSSACMVCRRKKKRCHRDGMCCPSTRCNGICIPVTESILTPHIPALDGTNRHRDR
NHGHYSNHDLGWQNLGRPHTKMSHIKGHEGDPCLRSSDCIEGFCCARHFWTKICKPVLHQGEVCTKQRKKGSHGL
EIFQRCDCAKGLSCKVWKDATYSSKARLHVCQKI

Signal peptide:
amino acids 1-25

252/615

FIGURE 251

TCTCAATCTGCTGACCTCGTGATCCGCCTGACCTTGTAATCCACCTACCTTGGCCTCCCAAAGTGTTGGGATTAC
AGGCGTGAGCCACCGCGCCCGCCAACATCACGTTTTTAAAAATTGATTCTTCAAATTCATGGCAAATATTTCC
CTTCCCTTTAACTTCTTATGTCAGAATGAGGAAGGATAGCTGCATTTATTTAGTCAGTTTTTCATTGCATAGTAAT
ATTTTCATGTAGTATTTTCTAAGTTATATTTTAGTAATTCATATGTTTTAGATTATAGGTTTTAACATACTTGTG
AAAATACTTGATGTTTTTAAAGCCTTGGGCAGAAATTCTGTATTGTTGAGGATTTGTTCTTTTATCCCCCTTTT
AAAGTCATCCGTCCTTGGCTCAGGATTTGGAGAGCTTGCACCACCAAAAATGGCAAACATCACCAGCTCCCAGAT
TTTGGACCAGTTGAAAGCTCCGAGTTTGGGCCAGTTTACCACCACCCCAAGTACACAGCAGAATAGTACAAGTCA
CCCTACAACCTACTACTTCTTGGGACCTCAAGCCCCAACATCCCAGTCCTCAGTCCTCAGTCATCTTGACTTCAA
ATCTCAACCTGAGCCATCCCCAGTTCTTAGCCAGTTGAGCCAGCGACAACAGCACCAGAGCCAGGCAGTCACTGT
TCCTCCTCCTGGTTTGGAGTCCTTTCTTCCCAGGCCAAAACCTCGAGAATCAACACCTGGAGACAGTCCCTCCAC
TGTGAACAAGCTTTTGCAGCTTCCCAGCAGCACCATTGAAAATATCTCTGTCTGTCCACCAGCCACAGCCCCAA
ACACATCAAACCTTGCTAAGCGGCGGATACCCCCAGCTTCTAAGATCCCAGCTTCTGCAGTGGAAATGCCTGGTTC
AGCAGATGTCACAGGATTAAATGTGCAGTTTGGGGCTCTGGAATTTGGGTCAGAACCTTCTCTCTGAATTTGG
ATCAGCTCCAAGCAGTGAAAATAGTAATCAGATTCCCATCAGCTTGATTTCGAAGTCTTTAAGTGAGCCTTTGAA
TACATCTTTATCAATGACCAGTGCAGTACAGAACTCCACATATACAACCTCCGTCATTACCTCCTGCAGTCTGAC
AAGCTCATCACTGAATCTGCTAGTCCAGTAGCAATGTCTTCTCTTATGACCAGAGTTCTGTGCATAACAGGAT
CCCATACCAAAGCCCTGTGAGTTCATCAGAGTCAGCTCCAGGAACCATCATGAATGGACATGGTGGTGGTGAAG
TCAGCAGACACTAGACAGTAAGTATAGCAGCAAGCTACTCTTGTATGGCTGGTGCCAACCAACAGAGGAAGAG
GATAGCTCACGTGATGTGGAAAACACCAGTTGGTCAATGGCTCATTCTGTTAAAAAGCAGCCCTTTTGCTTTTTG
TTTTTGGACCAGGTGTTGGCTGTGGTGTTATTAGAAATGTCTTAACCACAGCAAGAAGGAGGTGGTGGTCTCATA
TTCTTCTGCCCTAATCAGACTGCACCACAAGTGCAGCATAACAGTATGCATTTTAAAGATGCTTGGGCCAGGCGGG
GTGGCTGATGCCATAATCCCAGTGCTTTGGGGGGCCAAGGCAGGCAGATTGCCCAAGCTCAGGAGTTTGAAGC
ACCCTGGGCAACATGGTGAACTCTGTCTCTACTAAAATACGAAAACTAGCCGGGTGTGGTGGCGCGCGTGCC
TGTAATCCCAGCTACTTGGGAGGCTGAGGCACAAGAATCGCTTGAGCCAGCTTGGGCTACAAAGTGAGACTCCGT
CTGAAAAGA

253/615

FIGURE 252

MCFKALGRNSVLLRICSFIPLLKSSVLGSGFGELAPPKMANITSSQILDQLKAPSLGQFTTTPSTQONSTSHPTT
TTSWDLKPPTSQSSVLSHLDFKSQPEPSPVLSQLSQRQHQSQAVTVPPPGLESFPSQAKLRESTPGDSPSTVVK
LLQLPSTTIENISVSVHQPPKHIKLAKRRIPPASKIPASAVEMPGSADVTGLNVQFGALEFGSEPSLSEFGSAP
SSENSNQIPISLYSKSLSEPLNTSLSMTSVQNSTYTTSVITSCSLTSSSLNSASPVAMSSSYDQSSVHNRIPIYQ
SPVSSSESAPGTIMNGHGGGRSQOTLDSKYSSKLLLSWLVP TKQRKRIAHVMWKTPVGQWLIR

Signal peptide:
amino acids 1-24

FIGURE 253

GGGCGCCCCGCTACTCACTAGCTGAGGTGGCAGTGGTTCCACCAACATGGAGCTCTCGCAGATGTCGGAGCTCAT
GGGGCTGTGCGGTGTTGCTTGGGCTGCTGGCCCTGATGGCGACGGCGGCGGTAGCGCGGGGGTGGCTGCGCGCGGG
GGAGGAGAGGAGCGGCCGGCCCGCTGCCAAAAAGCAAATGGATTTCCACCTGACAAATCTTCGGGATCCAAGAA
GCTAGAAACAATATCAGCGGATTCGGAAGGAGGAAGCCTCAACAACACAACCTTCACCCACCGCCTCTGGCTGCAGC
TCAGAAGACCCACAGCGGGAACATATCTTGCATGGACTTTAGCAGCAATGGCAATACCTGGCTAGCTTGTGCAGA
TGATCGCACCATCCGCATCTGGAGACCAAGGACTTCTGTGACGCGAGAGCACCGCAGCATGAGACCTCAACGTGGA
GCTGGACCACGCCACCCCTGGTGCGCTTCAGCCCTGACTGCAGAGCCTTCATCGTCTGGCTGGCCAACGGGGACAC
CTCCGTGTCTTCAAGATGACCAAGCGGGAGGATGGGGGCTACACCTTCACAGCCACCCAGAGGACTTCCCTAA
AAAGCACAAAGGCGCCTGTCTATCGACATTGGCATTGCTAACACAGGGGAAGTTTATCATGACTGCCTCCAGTGACAC
CACTGTCTCTCATCTGGAGCCTGAAGGCTCAAGTGCTGTCTACCATTCAACACACAGATGAACACACACACG
TGCTGTATCTCCCTGTGGCAGATTTGTAGCCTCGTGTGCTTCACCCCAGATGTGAAGGTTTGGGAAGTCTGCTT
TGGAAAGAAGGGGGAGTTCAGGAGGTGGTGCGAGCCTTCGAAGTAAAGGGCCACTCCGCGGCTGTGCACTCGTT
TGCTTCTCCAACGACTCACGGAGGATGGCTTCTGTCTCCAAGGATGGTACATGGAACTGTGGGACACAGATGT
GGAATACAAGAAAGACGAGGACCCCTACTTGTCTGAAGACAGGCCGCTTTGAAGAGGCGCGGGTGCCGCGCCGTG
CCGCTTGGCCCTTCTCCCCAACGCCCAAGTCTTGCCCTTGGCCAGTGGCAGTAGTATTATCTCTACAATACCCG
CGGGGGCAGAAGGAGGAGTGTCTTTGACGGGTCCATGGCGAGTGATCGCAACTGTCTCTTGTACATCACTGG
CCGCTTTCTGGCCTCCTGTGGGGACCGGGCGGTGCGGCTGTTTCAACACTCCTGGCCACCGAGCCATGGTGGA
GGAGATGCAGGGCCACCTGAAGCGGCCCTCCAACGAGAGCACC CGCCAGAGGCTGCAGCAGCAGCTGACCCAGGC
CCAAGAGACCCCTGAAGAGCTGGGTGCCCTGAAGAAGTGACTCTGGGAGGGCCCGCGCAGAGGATTGAGGAGGA
GGGATCTGGCCTCCTATGGCACTGCTGCCATCTTCTCCAGGTGGAAGCCTTTCAGAAGGAGTCTCTCTGGTT
TGTCTACTGGTGGCCCTGCTCTTCCATTGAACTACTCTGTCTACTTAGGCTCTCTCTCTTGTCTGTGGCTGT
GACTCCTCCCTGACTAGTGGCCAAGGTGCTTTTCTTCTCCAGGCCAGTGGGTGGAATCTGTCCCCACCTGGC
ACTGAGGAGAATGGTAGAGAGGAGAGGAGAGAGAGAGAATGTGATTTTTGGCCTTGTGGCAGCACATCTCAC
ACCCAAAGAAGTTTGTAAATGTTCCAGAACACCTAGAGAACACCTGAGTACTAAGCAGCAGTTTTGCAAGGATG
GGAGACTGGGATGCTTCCCATCAGAACTGTGTTCATCAAAAAGACACTAAGGATTTCTTCTGGGCCTCA
GTCTATTGTGAAGTAGGGAATAATCCTCTGTGTGAACCTCTGCAAGATGATATGAGGCTAAGAGAAATATCA
AGTCCCCAGGTCTGGAAGAAAAGTAGAAAAGAGTAGTACTATTGTCCAATGTCATGAAAGTGGTAAAAGTGGGAA
CCAGTGTGCTTTGAAACCAAATTAGAAACACATTCTTGGGAAGGCAAAGTTTTCTGGGACTTGATCATACTTT
TATATGTTTGGGACTTCTCTCTTCGGGAGATGATATCTTGTTAAGGAGACCTCTTTTCAGTTCATCAAGTTTCAT
CAGATATTTGAGTGCCCACTCTGTGCCAAATAAATATGAGCTGGGGATTAAAAAATAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

255/615

FIGURE 254

MELSQMSELMGLSVLLGLLALMATAAVARGWLRAGEERSGRPACQKANGFPPDKSSGSKKQKQYQIRIRKEKPQQH
NFTHRLAAALKSHSGNISCMDFSSNGKYLATCADDRTIRIWSTKDFLQREHRSMRANVELDHATLVRFSPPDCRA
FIVWLANGDTLRVFKMTKREDGGYTFTATPEDFPKKHKAPVIDIGIANTGKFIMTASSDTTVLIWSLKGQVLSTI
NTNQMNNTHAHAVSPCGRFVASCFTPDVKVWEVCFGKKGEFQEVVRAFELKGHSAAVHSFAFSNDSRRMASVSKD
GTWKLWDTDVEYKKKQDPYLLKTGRFEEAAGAAPCRLALSPNAQVLALASGSSIHLYNTRRGEKEECFERVHGEC
IANLSFDITGRFLASCGDRAVRLFHNTPGHRAMVEEMQGHLLKRASNESTRQRLQQQLTQAQETLKSLLGALKK

Important features:**Signal peptide:**

amino acids 1-25

N-glycosylation site.

amino acids 76-80, 92-96, 231-235, 289-293, 378-382, 421-425

Beta-transducin family Trp-Asp repeat protein.

amino acids 30-47, 105-118, 107-119, 203-216, 205-217, 296-308

256/615

FIGURE 255

ACGGACCGAGGGTTCGAGGGAGGGACACGGACCAGGAACCTGAGCTAGGTCAAAGACGCCCCGGGCCAGGTGCCCC
GTCGCAGGTGCCCCCTGGCCGGAGATGCGGTAGGAGGGGCGAGCGCGAGAAGCCCCCTTCCTCGGCGCTGCCAACCC
GCCACCCAGCCC**AT**GGCGAACCCCGGGCTGGGGCTGCTTCTGGCGCTGGGCTGCCGTTCTGCTGGCCCCGCTGG
GGCCGAGCCTGGGGGCAAATACAGACCACTTCTGCAAATGAGAATAGCACTGTTTTGCCTTCATCCACCAGCTCC
AGCTCCGATGGCAACCTGCGTCCGGAAGCCATCACTGCTATCATCGTGGTCTTCTCCCTCTTGGCTGCCTTGCTC
CTGGCTGTGGGGCTGGCACTGTTGGTGCGGAAGCTTCGGGAGAAGCGGCAGACGGAGGGCACCTACCGGCCCCAGT
AGCGAGGAGCAGTTCTCCCATGCAGCCGAGGCCCGGGCCCCCTCAGGACTCCAAGGAGACGGTGCAGGGCTGCCTG
CCCATC**TAG**GTCCCCCTCTCCTGCATCTGTCTCCCTTCATTGCTGTGTGACCTTGGGGAAAGGCAGTGCCCTCTCT
GGGCAGTCAGATCCACCCAGTGCTTAATAGCAGGGAAGAAGGTACTTCAAAGACTCTGCCCCTGAGGTCAAGAGA
GGATGGGGCTATTCACCTTTATATATTTATATAAAATTAGTAGTGAGATGTAAAAAAAAAAAAAAAAAAAA

257/615

FIGURE 256

MANPGLGLLLALGLPFLLARWGRAWGQIQTTSANENSTVLPSTSSSSDGNLRPEAITAIIVVFSLLAALLLAVG
LALLVRKLRKQRQTEGTYRPSSEEQFSHAAEARAPQDSKETVQGCLPI

FIGURE 257

GCCAGGAATAACTAGAGAGGAACAAATGGGGTTATTTCAGAGGTTTGTGTTTCTCTTAGTTCTGTGCGCTGCTGCAC
CAGTCAAAATACTTCTTTCATTAAAGCTGAATAATAATGGCTTTGAAGATATTGTCAATTGTTATAGATCCTAGTGTG
CCAGAAGATGAAAAATAATATTGAACAAATAGAGGATATGGTGACTACAGCTTCTACGTTACCTGTTGAAGCCACA
GAAAAAGATTTTTTTCAAATAATGTATCTATATTAATTCCTGAGAATTGGAAGGAAAAATCCTAGTACAAAAGG
CCAAAACATGAAAACCAATAAACATGCTGATGTTATAGTTGCACCACCTACACTCCCAGGTAGAGATGAACCATAAC
ACCAAGCAGTTTCACAGAATTGSGAGAGAAAGGCGAATACATCTCACTCCACCTGACCTTCTACTTGGAAAAAAA
CAAAATGAATATGGAGACCAGGCAACTGTTTGTCCATGAGTGGGCTCACTCCGGTGGGGAGTGTTTGATGAG
TACATTAAGATCAGCCTTTTTCTACCGTGTGAAGTCAAAAAAATCGAAGCAACAAGGTGTTCCGCAGGTATCTCT
TGAGAATAAGAGTTTATAAGTGTCAAGGAGGCAGCTGTCTTAGTAGAGCATGCAGAATTGATCTACACAAAAG
CTGTATGGAAGATTGTCAATTCTTTTCTGATAAGTACAACAGAAAAAGCATCCATAATGTTTATGCAAAAT
ATTGATTCTGTTGTTGAATTTTTGTAACGAAAAAACCCATAATCAAGAAGCTCCAAGCCTACAAAACATAAAGTGC
AATTTTAGAAGTACATGGGAGGTGATTGCAATTTCTGAGGATTTTAAAAACACCATACCCATGGTGACACACCT
CCTCCACCTGTCTTCTCATTGCTGAAGATCAGTCAAAGAATTGTGTGCTTAGTCTTGATAAGCTGGAAGCATG
GGGGGTGAAGGACCGCTAAATCGAATGAATCAAGCAGCAAAACATTTCTGTGCTGACAGCTGTTGAAAATGGATCC
TGGTGGGGAGTGGTTCACTTTGATAGTACTGCCACTATTGTAAATAAGCTACTCCAATAAAAAAGCAGTGATGAA
AGAAACACACTCATGGCAGGATTACCTACATATCCTCTGGGAGGAACCTCCATCTGCTTGAATTAATAATATGCA
TTTCAGGTTGATTGGAGAGTACATTTCCCAATCGATGGATCCGAAGTACTGCTGCTGATGATGGGGAGGATAAC
ATGCAAGTCTCTTGATTGATGAAGTGAACAAAGTGGGGCCATTGTTCACTTTTATTGCTTTGGGAAGAGCTGCT
GATGAAGCAGTAATAGAGATGAGCAAGATAACAGGAGGAAGTCATTTTTATGTTTCAGATGAAGCTCAGAACAAT
GGCCTCATTTGATGCTTTTTGGGGCTCTTACATCAGGAATACTGATCTCTCCGAGAGTCCCTTCAGCTCGAAAGT
AAGGATTAACCATGAATAGATTAATGCTGGATGAACGACACTGTCTAATTTGATAGTACAGTGGGAAGGACACG
TTCTTTCTCATCATCATGGAACAGTCTGCCCTCCAGTATTTCTCTCTGGGATCCAGTGGAACAATAATGGAATA
TTCACAGTGGATGCAACTTCCAAAATGGCCTATCTCAGTATTCAGGAAGTCAAAAGGTGGGCATTTGGGCATAC
AATCTTCAAGCCAAAGCAACCCAGAAAACATTAACATTTACAGTAACCTCTCGAGACGCAAAATCTTCTGTGCT
CCAAATCAGAGTGAATGCTAAATGAATAAGGACGTAACAGTTCCTCCAGCCCAATGATTGTTTACGCAGAAAT
CTACAAGATATGTACCTTGCTTCTGGAGCCAATGTGACTGCTTTTCATTGATGAATCAGAGATGGACATACAGAAGT
TTGGAACCTTTGGATAATGGTGCAGGCGCTGATTTCTTCAAGAATGATGGAGTCTACTCCAGGTATTTTACAGCA
TATACAGAAAATGGCAGATATAGCTTAAAAGTTCGGGCTCATGGAGGAGCAAAACATGCCAGGCTAAAATTACGG
CCTCCATGAATAGAGCCGCTACATACAGGCTGGGTAGTGAACGGGGAAATTTGAAGCAAAACCCGCCAAGCCCT
GAAATTGATGAGGATACTCAGACCCTTGGAGGATTTGAGCGAACAGCATCCGGAGGTGCATTTGTGGTATCA
CAAGTCCCAAGCTTCCCTTTGCCTGACCAATACCCCAAGTCAATCAGACAGCTTGTATGCCAGTTCATGAG
GATAGATTATTCTTACATGGACGACGAGGAGATAATTTGATGTTGGAAAAGTTCAACGTTATATCATAGA
ATAAGTGCAAGTATTCTTGATCTAAGAGACAGTTTTGATGATGCTTCAAGTAATACTACTGATCTGTCAACA
AAGGAGGCCAATCCAAGGAAGCTTGCATTTTAAACAGAAAATATCTCAGAAGAAAATGCAACCCACATATTT
ATTGCCATTAAGATATAGATAAAGCAATTTGACATCAAAGTATCCAACATTCGACAAGTAACCTTTGTTATT
CCTCAAGCAAATCCTGATGACATTGATCCTACACCTACTCCTACTCCTACTCCTGATATAAAGTCATAAT
TCTGGAGTTAATATTTCTACGCTGGTATTGCTCTGATTGGGCTGTGTAATTTGTTAACTTTATTTTAAAGTACC
ACCAATTTGAACCTTAAACGAGAAAAAATCTTCAAGTAGACCTAGAAGAGATTTTAAAAACAAAACATGTAA
GTAAAGGATATTTCTGAATCTTAAATTCATCCCATGTGTGATCATAAATCATAAAAATAATTTTAAAGTGTG
GAAAAGGATACTTTGATTAAATAAAACATCATGATATGATAAAACATGTCAAGATTAATAATTAAGATTTCA
TTTATTTGTTATTTTATTTTGAAGAAATAGTGATGAACAAGAGTCTTTTTCATCTACTGACCTGGTTGTATTT
ATTTGATGCAACAGTTTCTGAAATGATATTTCAAATTCATCAAGAAATTAATCATCTATCTGAGTAGTCAA
AATCAAGTAAGGAGGCAATAAACACATTTGAAAAAATAAATAAATAAATAAATAAATAAATAAATAAATAA
AAAAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAA

259/615

FIGURE 258

MGLFRGFVFLVLCLLHQSNSTSFIKLNNNGFEDIVIVIDPSVPEDEKIIIEQIEDMVTTASTYLFEATEKRFFFKN
VSILIPENWKENPQYKRPKHENHKHADVIVAPPTLPGRDEPYTKQFTECGEKGEYIHFTPDLLLGGKQNEYGPPG
KLFVHEWAHLRWGVFDEYNEDQPFYRAKSKKIEATRCISAGISGRNRVYKCQGGSCLSRACRIDSTTKLYGKDCQF
FPDKVQTEKASIMFMQSIDSVVEFCNEKTHNQEAPSLQNIKCNFRSTWEVISNSEDFKNTIPMVTPPPPPVFSL
KISQRIVCLVLDKSGSMGGKDRNLNRMNQAAKHFLQTVENGSWVGMVHFDSTATIVNKLIQIKSSDERNTLMAGL
PTYPLGGTSICSGIKYAFQVIGELHSQLDGSEVLLLTGEGDNTASSCIDEVKQSGAIVHFIALGRAADEAVIEMS
KITGGSHFYVSDEAQNNGLIDAFGALTSGNTDLSQKSLQLESKGLTLNSNAWMNDTVIIDSTVGKDTFFLITWNS
LPPSISLWDPSGTIMENFTVDATSKMAYLSIPGTAKVGTWAYNLQAKANPETLTITVTSTRAANSSVPPITVNAKM
NKDVNSFPSPMIVYAEILQGYVPLGANVTAFIESQNGHTEVLELLDNGAGADSFKNMGVYSRYFTAYTENGRYS
LKVRAHGGANTARLKLRPPLNRAAYIPGWVVNGEIEANPPRPEIDEDTQTTLEDFSRASGGAFVVSQVPSLPLP
DQYPPSQITDLDATVHEDKIILTWTPAGDNFDVGKVQRYIIRISASILDLRDSFDDALQVNTTDLSPKEANSKES
FAFKPENISEENATHIFIAIKSIDKSNLTSKVSANIAQVTLFIPQANPDDIDPTPTPTPTPTPKSHNSGVNISTL
VLSVIGSVVIVNFILSTTI

Signal peptide:

amino acids 1-21

Putative transmembrane domains:

amino acids 284-300, 617-633

Leucine zipper pattern.

amino acids 469-491, 476-498

N-glycosylation site.amino acids 20-24, 75-79, 340-344, 504-508, 542-546, 588-592, 628-632,
811-815, 832-836, 837-841, 852-856, 896-900

260/615

FIGURE 259

CGCCGGAGGCAGCGGCGGCGTGGCGCAGCGGCGACATGGCCGTTGTCTCAGAGGACGACTTTCAGCACAGTTCAA
ACTCCACCTACGGAACCACAAGCAGCAGTCTCCGAGCTGACCAGGAGGCACTGCTTGAGAAGCTGCTGGACCGCC
CGCCCCCTGGCCTGCAGAGGCCCAGGACCGCTTCTGTGGCACATACATCATCTTCTTCAGCCTGGGCATTGGCA
GTCTACTGCCATGGAACCTTCTTTATCACTGCCAAGGAGTACTGGATGTTCAAACCTCCGCAACTCCTCCAGCCCAG
CCACCGGGGAGGACCTGAGGGCTCAGACATCCTGAATACTTTGAGAGCTACCTTGCCGTTGCCTCCACCGTGC
CCTCCATGCTGTGCCTGGTGGCCAACTTCTGCTGTCAACAGGGTTGCAGTCCACATCCGTGTCTGGCCTCAC
TGACGGTCATCCTGGCCATCTTCATGGTGATAACTGCACTGGTGAAGGTGGACACTTCTCTGGACCCGTTGGTT
TTTTTGCGGTCACCATTTGTCTGCATGGTGATCCTCAGCGGTGCCTCCACTGTCTTCAGCAGCAGCATCTACGGCA
TGACCGGCTCCTTTCTATGAGGAACCTCCAAGCACTGATATCAGGAGGAGCCATGGGCGGGACGGTCAGCGCCG
TGGCCTCATTTGGTGGACTTGGCTGCATCCAGTGATGTGAGGAACAGCGCCCTGGCCTTCTTCTGACGGCCACCA
TCTTCTCGTGCTCTGCATGGGACTCTACCTGCTGTGTCCAGGCTGGAGTATGCCAGGTACTACATGAGGCCTG
TTCTTGCGGCCCATGTGTTTCTGGTGAAGAGGAGCTTCCCCAGGACTCCCTCAGTGCCCCCTTCGGTGGCCTCCA
GATTCAATTGATTCCCACACACCCCCCTCTCCGCCCCATCTGAAGAAGACGGCCAGCCTGGGCTTCTGTGTACCT
ACGTCTTCTTCATCACCAGCCTCATCTACCCCGCCGCTGTGCACCAACATCGAGTCCCTCAACAAGGGCTCGGGCT
CACTGTGGACCACCAAGTTTTTTCATCCCCCTCACTACCTTCTTCTGTACAACCTTGTGCTGACCTATGTGGCCGGC
AGCTCACCGCCTGGATCCAGGTGCCAGGGCCCAACAGCAAGGCGCTCCCAGGGTTCTGTGCTCCTCCGGACCTGCC
TCATCCCCCTCTTCTGTGCTCTGTAATACTACAGCCCCGCTCCACCTGAAGACTGTGGTCTTCCAGTCCGATGTGT
ACCCCGCACTCCTCAGCTCCCTGCTGGGGCTCAGCAACGGCTACCTCAGCACCTGGCCCTCCTCTACGGGCCTA
AGATTGTGCCAGGGAGCTGGCTGAGGCCACGGGAGTGGTGATGTCCTTTTATGTGTGCTTGGGCTTAACACTGG
GCTCAGCCTGCTTACCCTCCTGGTGCACCTCATCTAGAAAGGGAGGACACAAGGACATTGGTGCTTCAGAGCCTT
TGAAGATGAGAAGAGAGTGCAGGAGGGCTGGGGGCCATGGAGGAAAGGCCTAAAGTTTCACTTGGGGACAGAGAG
CAGAGCACACTCGGGCCTCATCCCTCCCAAGATGCCAGTGAGCCACGTCCATGCCCATTCCGTGCAAGGCAGATA
TTCCAGTCATATTAACAGAACACTCCTGAGACAGTTGAAGAAGAAATAGCACAAATCAGGGGTACTCCCTTCACA
GCTGATGGTTAACATTCCACCTTCTTTCTAGCCCTTCAAAGATGCTGCCAGTGTTGCGCCTAGAGTTATTACAAA
GCCAGTGCCAAAACCCAGCCATGGGCTCTTTGCAACCTCCCAGCTGCGCTCATTCCAGCTGACAGCGAGATGCAA
GCAAATGCTCAGCTCTCCTTACCCTGAAGGGGTCTCCCTGGAATGGAAGTCCCCTGGCATGGTCAGTCTCAGGC
CCAAGACTCAAGTGTGCACAGACCCCTGTGTTCTGCGGGTGAACAACCTGCCACTAACCAGACTGGAAAACCCAG
AAAGATGGGCTTCCATGAATGCTTCATTCCAGAGGGACCAGAGGGCCTCCCTGTGCAAGGGATCAAGCATGTCT
GGCCTGGGTTTTCAAAAAAAGAGGGATCCTCATGACCTGGTGGTCTATGGCCTGGGTCAAGATGAGGGTCTTTCA
GTGTTCTGTTTACAACATGTCAAAGCCATTGGTTCAAGGGCGTAATAAATACTTGCGTATTCAAAAA

261/615

FIGURE 260

MAVVS EDDFQ HSSNSTY GTTSSSLRADQEAL LEKLLDR PPPGLQRPEDR FCGTYIIFFSLGIGSLLPW NFFITAK
EYWMFKLRNSSSPATGEDPEGSDILNYFESYLAVASTVPSMLCLVANFLLVNRVAVHIRVLASLTVILAIFMVIT
ALVKVD TSSWTRGFFAVTIVCMVILSGASTVFSSSIYGMTGSFPMRNSQALISGGAMGGTVSAVASLVDLAASSD
VRNSALAFFLTATIFLVLCMGLYLLLSRLEYARYYMRPVLA AHVFSGEEELPQDSL SAPSVASRFIDSHTPPLRP
ILKKTASLGFCVTYVFFITS LIYPAVCTNIESLNKGSGLWTTKFFIPLTTFLLYNFADLCGRQLTAWIQVPGPN
SKALPGFVLLRTCLIPLFVLCNYQPRVHLKTVVFQSDVYPALLSSLLGLSNGYLSTLALLYGPKIVPRELAEATG
VVMSFYVCLGLTLGSACSTLLVHLI

Transmembrane domain:

amino acids 50-74 (type II), 105-127, 135-153, 163-183, 228-252, 305-330,
448-472

262/615

FIGURE 261

CGGACGCGTGGGCTGCTGGTGGGAAGGCCTAAAGAACTGGAAAGCCCCTCTCTTGAACCAACACACCTGTTTA
AAGAACCCTAAGCACCATTAAAGCCACTGGAAATTTGTTGTCTAGTGGTTGTGGGTGAATAAAGGAGGGCAGAAAT
GGATGATTTTCATCTCCATTAGCCTGCTGTCTCTGGCTATGTTGGTGGGATGTTACGTGGCCGGAATCATTCCCTT
GGCTGTTAAATTTCTCAGAGGAACGACTGAAGCTGGTGACTGTTTTGGGTGCTGGCCTTCTCTGTGGAACGTCTCT
GGCAGTCATCGTGCTGAAGGAGTACATGCCCTTTATGAAGATATTCTTGAGGGAAAAACACCACCAAGCAAGTGA
AACACATAATGTGATTGCATCAGACAAAGCAGCAGAAAAATCAGTTGTCCATGAACATGAGCACAGCCACGACCA
CACACAGCTGCATGCCTATATTGGTGTTCCTCGTTCTGGGCTTCGTTTTCATGTTGCTGGTGGACCAGATTGG
TAACTCCCATGTGCATTCTACTGACGATCCAGAAGCAGCAAGGTCTAGCAATTCCAAAATCACCACCACGCTGGG
TCTGGTTGTCCATGCTGCAGCTGATGGTGTTCCTTGGGAGCAGCAGCATCTACTTCACAGACCAGTGTCCAGTT
AATTGTGTTTTGTGGCAATCATGCTACATAAGGCACCAGCTGCTTTTGGACTGGTTTTCTTCTTGATGCATGCTGG
CTTAGAGCGGAATCGAATCAGAAAGCACTTGCTGGTCTTTGCATTGGCAGCACCAGTTATGTCCATGGTGACATA
CTTAGGACTGAGTAAGAGCAGTAAGAAGCCCTTTCAGAGGTGAACGCCACGGGAGTGGCCATGCTTTTCTCTGC
CGGGACATTTCTTTATGTTGCCACAGTACATGTCTCCCTGAGGTGGGCGGAATAGGGCACAGCCACAAGCCCGA
TGCCACGGGAGGGAGAGGCCTCAGCCGCCGGAAGTGGCAGCCCTGGTTCTGGGTTGCCTCATCCCTCTCATCCT
GTCAGTAGGACACCAGCATTAATGTTCAAGGTCCAGCCTTGGTCCAGGGCCGTTTGCCATCCAGTGAGAACAGC
CGGCACGTGACAGCTACTCACTTCCTCAGTCTCTTGTCTCACCTTGCGCATCTCTACATGTATTCAGTAGTCCA
GAGGGGAGGTGAGGTTAAACCTGAGTAATGGAAGGCTTTTAGAGTAGAAACACATTTACGTTGCAGTTAGCTA
TAGACATCCCATTTGTGTTATCTTTTAAAGGCCCTTGACATTTTGCCTTTTAAATATTTCTCTTAACCTATTCTC
AGGGAAGATGGAATTTAGTTTTAAAGGAAAGAGGAGAACTTCATACTCACAATGAAATAGTGATTATGAAATAC
AGTGTCTGTAAATTAAGCTATGTCTCTTCTCTTAGTTTAGAGGCTCTGCTACTTTATCCATTGATTTTTAACA
TGGTTCCCAACCATGATTCTAGTTAATCTGGGATTAGGGTCAGGAAAATGATAGCAAGACACATTGAAAGCTC
CTTAGATGCTAAAGGTGATTCTAGTTAATCTGGGATTAGGGTCAGGAAAATGATAGCAAGACACATTGAAAGCTC
TCTTTATACTCAAAGAGATATCCATTGAAAAGGGATGTCTAGAGGGATTTAAACAGCTCCTTTGGCAGCTGCCT
CTCTGAATCCAGCCTGCCATTCCATCAAATGGAGCAGGAGAGGTGGGAGGAGCTTCTAAAGAGGTGACTGGTATT
TTGTAGCATTCCCTTGTCAGTTCTCCTTTGCAGAATACCTGTCTCCACATTCCCTAGAGAGGAGCCAAAGTTCTAGT
AGTTTCAGTTCTAGGCTTTCTTCAAGAACAGTCAGATCACAAAGTGTCTTTGGAAATTAAGGGATATTAATTT
TAAGTGATTTTTGGATGGTTATTGATATCTTTGTAGTAGCTTTTTTAAAGACTACCAAATGTATGGTTGTCC
TTTTTTTTTGTTTTTTTTTTTTTTAAATATTCTCTTAGCAGATCAGCAATCCCTCTAGGGACCTAAATACTAGG
TCAGCTTTGGCGACACTGTGTCTTCTCACATAACCACCTGTAGCAAGATGGATCATAAATGAGAAGTGTTCCT
ATTGATTTAAAGCTTATTGGAATCATGTCTCTGTCTCTTCGTCTTTCTTTGCTTTTCTCTTAACCTTTCCCTC
TAGCCTCTCCTCGCCACAATTTGCTGCTTACTGCTGGTGTAAATTTGTGTGGGATGAATTCCTTATCAGGACAA
CCACTTCTCGAAGTGAATAATGAAGATAATAATATCTTTATTCTTTATCCCCCTTCAAAGAAATTACCTTTGTG
TCAAATGCCGCTTTGTTGAGCCCTTAAATACCACCTCCTCATGTGTAAATTGACACAATCACTAATCTGGTAAT
TTAAACAATTGAGATAGCAAAAGTGTAAACAGACTAGGATAATTTTTTTTTCATATTTGCCAAAATTTTTGTAA
ACCCTGTCTGTCAAATAAGTGTATAATATTGTATTATTAATTTATTTTACTTTCTATACCATTCAAACACA
TTACACTAAGGGGGAACCAAGACTAGTTTCTTCAGGGCAGTGGACGTAGTAGTTTGTAACCGTTTCTATGAC
GCATAAGCTAGCATGCCTATGATTTATTTCTTCATGAATTTGTCACTGGATCAGCAGCTGTGGAATAAAGCTT
GTGAGCCCTCTGCTGGCCACAGTGAGGAAAGTAGCACAAATAGGATACAGTTGTATGTAGTCATTGGCAACAATT
GCATACAATTTTACTACCAAGAGAAGGTATAGTATGGAAGTCCAAATGACTTCCTTGATTGGATGTTAACAGCT
GACTGGTGTGAGACTTGAGGTTTCATCTAGTCCTTCAAACCTATATGGTTGCCTAGATTCTCTCTGGAACCTGAC
TTTGTCAAATAAATAGCAGATTGTAGTGTCAAAAAAA

263/615

FIGURE 262

MDDFISISLLSLAMLVGCYVAGIIPLAVNFSEERLKLVTVLGAGLLCGTALAVIVPEGVHALYEDILEGKHHQAS
ETHNVIASDKAAEKSVVHEHEHSHDHTQLHAYIGVSLVLGFVFMLLVDQIGNSHVHSTDDPEAARSSNSKITTTTL
GLVVHAAADGVALGAAASTSQTSVQLIVFVAIMLHKAPAAFGLVSFLMHAGLERNRIRKHLVLFALAAPVMSMVT
YLGLSKSSKEALSEVNATGVAMLFSA GTFLYVATVHVLPEVGGIGHSHKPDATGGRGLSRLEVAALVLGCLIPLI
LSVGHQH

Signal peptide:
amino acids 1-18

Transmembrane domain:
amino acids 37-56, 106-122, 211-230, 240-260, 288-304

264/615

FIGURE 263

CTCCTTAGGTGGAACCCCTGGGAGTAGAGTACTGACAGCAAAGACCGGGAAAGACCATACGTCCCCGG
GCAGGGGTGACAAACAGGTGTCATCTTTTGTATCTCGTGTGTGGCTGCCTTCTTATTTCAAGGAAAGAC
GCCAAGGTAATTTTGAACCCAGAGGAGCAATGATGTAGCCACCTCCTAACCTTCCCTTCTTGAACCCCC
AGTTATGCCAGGATTTACTAGAGAGTGTCAACTCAACCAGCAAGCGGCTCCTTCGGCTTAACCTTGTGG
TTGGAGGAGAGAACCTTTGTGGGGCTGCGTTCTCTTAGCAGTGCTCAGAAGTGACTTGCCTGAGGGTG
GACCAGAAGAAAGGAAAGGTCCCTCTTGCTGTTGGCTGCACATCAGGAAGGCTGTGATGGGAATGAA
GGTGAACAACTTGGAGATTTCACTTCAGTCATTGCTTCTGCCTGCAAGATCATCTTTAAAAGTAGAGA
AGCTGCTCTGTGTGGTGGTTAACTCCAAGAGGCAGAACTCGTTCTAGAAGGAAATGGATGCAAGCAGC
TCCGGGGGCCCCAAACGCATGCTTCCGTGTGGTCTAGCCCAGGGAAGCCCTTCCGTGGGGGCCCCGGCT
TTGAGGGATGCCACCGGTTCTGGACGCATGGCTGATTCTGAATGATGATGGTTCCGGGGGGGCTGCT
TGCGTGGATTTCCCGGGTGGTGGTTTTGCTGGTGTCTCTGCTGTGCTATCTGTCTGTACATGT
TGGCTGCACCCCAAAGGTGACGAGGAGCAGCTGGCACTGCCCAGGGCCAACAGCCCCACGGGGAAG
GAGGGGTACAGGCGCTCCTTCAGGAGTGGGAGGAGCAGCACCGCAACTACGTGAGCAGCTGAAGCG
GCAGATCGCACAGCTCAAGGAGGAGCTGCAGGAGAGGAGTGAGCAGCTCAGGAATGGGCAGTACCAAG
CCAGCGATGCTGCTGGCTGGGTCTGGACAGGAGCCCCCAGAGAAAACCCAGGCCGACCTCCTGGCC
TTCCTGCACCTCGCAGGTGGACAAGGCAGAGGTGAATGCTGGCGTCAAGCTGGCCACAGAGTATGCAGC
AGTGCCTTTTCGATAGCTTTACTCTACAGAAGGTGTACACGCTGGAGACTGGCCCTACCCGCCACCCGG
AGGAGAAGCCTGTGAGGAAGGACAAGCGGGATGAGTTGGTGGAAAGCCATTGAATCAGCCTTGGAGACC
CTGAACAATCCTGCAGAGAACAGCCCCAATCACCCTCCTTACACGGCCTCTGATTTTCATAGAAGGGAT
CTACCGAACAGAAAGGGACAAAGGGACATTGTATGAGCTCACCTTCAAAGGGGACCACAAACACGAAT
TCAAACGGCTCATCTTATTTTCGACCATTCAGGCCCATCATGAAAGTGAAAAATGAAAAGCTCAACATG
GCCAACACGCTTATCAATGTTATCGTGCCTCTAGCAAAAAGGGTGGACAAGTCCGGCAGTTCATGCA
GAATTTTCAGGGAGATGTGCATTGAGCAGGATGGGAGAGTCCATCTCACTGTTGTTTACTTTGGGAAAG
AAGAAATAAATGAAGTCAAAGGAATACTTGAACACACTTCCAAAGCTGCCAAGCTCAGGAACCTTACC
TTCATCCAGCTGAATGGAGAATTTTCTCGGGGAAAGGGACTTGATGTTGGAGCCCGCTTCTGGAAAGG
AAGCAACGTCCTTCTCTTTTCTGTGATGTGGACATCTACTTCACATCTGAATTCCTCAATACGTGTA
GGCTGAATACACAGCCAGGGAAGAAGGTATTTTATCCAGTTCCTTTTTCAGTCAGTACAATCCTGGCATA
ATATACGGCCACCATGATGTCAGTCCCTCCCTTGGAAACAGCAGCTGGTCATAAAGAAGGAAACTGGATT
TTGGAGAGACTTTGGATTTGGGATGACGTGTGAGTATCGGTCAGACTTCATCAATATAGGTGGGTTTG
ATCTGGACATCAAAGGCTGGGGCGGAGAGGATGTGCACCTTTATCGCAAGTATCTCCACAGCAACCTC
ATAGTGTACGGACGCCTGTGCGAGGACTCTTCCACCTCTGGCATGAGAAGCGCTGCATGGACGAGCT
GACCCCGGAGCAGTACAAGATGTGCATGCAGTCCAAGGCCATGAACGAGGCATCCACGGCCAGCTGG
GCATGCTGGTGTTCAGGCACGAGATAGAGGCTCACCTTCGCAACAGAAACAGAAGACAAGTAGCAAA
AAAACATGAAGTCCAGAGAAAGGATTGTGGGAGACACTTTTTCTTTCTTTTGAATTAAGTGAAGTG
GCTGCAACAGAGAAAAGACTTCCATAAAGGACGACAAAAGAAATGGACTGATGGGTGAGAGATGAGAA
AGCCTCCGATTTCTCTGTGTTGGGCTTTTACAAAGAAATCAAAATCTCCGCTTTGGCTGCAAAAGT
AACCCAGTTGCACCCTGTGAAGTGTCTGACAAAGGCAGAATGCTTGTGAGATTATAAGCCTAATGGTG
TGGAGGTTTTGATGGTGTTTACAATACACTGAGACCTGTTGTTTTGTGTGCTCATTGAATATTCATG
ATTTAAGAGCAGTTTTGTAAAAAATTCATTAGCATGAAAGGCAAGCATATTTCTCCTCATATGAATGA
GCCTATCAGCAGGGCTCTAGTTTCTAGGAATGCTAAAATATCAGAAGGCAGGAGAGGAGATAGGCTTA
TTATGATACTAGTGAGTACATTAAGTAAAAATAAATGGACCAGAAAAGAAAAGAAACCATAAATATCG
TGTCATATTTTCCCCAAGATTAACCAAAAATAATCTGCTTATCTTTTGGTTGTCTTTTAACTGTCT
CCGTTTTTTTTCTTTTATTTAAAAAATGCACTTTTTTTCCCTTGTGAGTTATAGTCTGCTTATTTAATTA
CCACTTTGCAAGCCTTACAAGAGAGCACAAGTTGGCCTACATTTTTTATATTTTAAAGAAGATACTTT
GAGATGCATTATGAGAACTTTCAGTTCAAAGCATCAAATTGATGCCATATCCAAGGACATGCCAAATG
CTGATTCGTGCAGGCACCTGAATGTCAGGCATTGAGACATAGGGAAGGAATGGTTTGTACTAATACAGA
CGTACAGATACTTTCTCTGAAGAGTATTTTCAAGAGGAGCAACTGAACACTGGAGGAAAAGAAAATG
ACACTTTCTGCTTTACAGAAAAGGAAACTCATTCAGACTGGTGATATCGTGATGTACCTAAAAGTCAG
AAACCACATTTTCTCCTCAGAAGTAGGGACCGCTTCTTACCTGTTTAAATAAACCAGTATACCGT
GTGAACCAACAATCTCTTTTCAAAACAGGGTGCTCCTCCTCTGGCTTCCATAAGAAGAAATG
GAGAAAAATATATATATATATATATATTTGTGAAAGATCAATCCATCTGCCAGAATCTAGTGGGATG
GAAGTTTTTGTACATGTATCCACCCAGGCCAGGTGGAAGTAAGTGAATTATTTTTTAAATTAAGC
AGTTCCTACTCAATCACCAGATGCTTCTGAAAATGCAATTTTATTACCATTTCAAACATTTTTTAA
AATAAATACAGTGTAAACATAGAGTGGTTCTTCTTCACTCATGTGAAAATTATTAGCCAGCACCAGTGCAT
GAGCTAATTATCTCTTTGAGTCCTTGCTTCTGTTTGTCTCACAGTAAACTCATTGTTTAAAGCTTCAA
GAACATTCAAGCTGTTGGTGTGTTAAAAAATGCATTGTATTGATTTGACTGGTAGTTTATGAAATTT
AATTAACACAGGCCATGAATGGAAGGTGGTATTGCACAGCTAATAAATATGATTTGTGGATATGAA

265/615

FIGURE 264

MMVRRGLLAWISRNVVLLVLLCCAISVLYMLACTPKGDEEQALPRANSPTGKEGYQAVLQEWEEQHRNIVSSL
KRQIAQLKEELQERSEQLRNGQYQASDAAGLGGLDRSPPEKTQADLLAFLHSQVDKAEVNAGVKLATEYAAVPFDS
FTLQKVYQLETGLTRHPEEKPVKDKRDELVEAIESALETLNPAENSPNHRPYTASDFIEGIYRTERDKGTYE
LTFKGDHKHEFKRLILFRPFSPIMKVKNELNMANTLINVIVPLAKRVDKFRQFMQNFREMCIEQDGRVHLTVVY
FGKEEINEVKGILENTSKAANFRNFTFIQLNGEFSRGKGLDVGARFWKGSNVLLFFCDVDIYFTSEFLNLCRLNT
QPGKKVFYPVLFSQYNPGIYGHHDVPPLEQQLVIKKETGFWRDFGFGMTCQYRSDFINIGGFDLDIKGWGGED
VHLYRKYLHSNLIVVRTPVRLFLHWHEKRCMDLTPQYKMCMSKAMNEASHGQLGMLVFRHEIEAHLRKQKQ
KTSSKKT

266/615

FIGURE 265

GGATG CAGAAAGCCTCAGTGTGCTCTTCTGGCCTGGGTCTGCTTCTCTTCTACGCTGGCATTGCCCTCTTCA
CCAGTGGCTTCTGCTCACCCTTTGGAGCTCACCAACCATAGCAGCTGCCAAGAGCCCCAGGCCCTGGGTCCC
TGCCATGGGGGAGCCAAGGGAAACCTGGGGCCTGCTGGATGGCTTCCCGATTTTCGCGGGTTGTGTTGGTGTCTGA
TAGATGCTCTGCGATTGACTTCGCCCAGCCCCAGCATTCACACGTGCCTAGAGAGCCTCCTGTCTCCCTACCCCT
TCCTGGGCAAACCTAAGCTCCTTGACAGAGGATCCTGGAGATTAGCCCCACCATGCCCGGCTCTACCGATCTCAGG
TTGACCCTCCTACCACCACCATGCAGCGCCTCAAGGCCCTCACCCTGGCTCACTGCCTACCTTTATTGATGCTG
GTAGTAACCTCGCCAGCCACGCCATAGTGGAAGACAATCTCATTAAAGCAGCTCACCAGTGCAGGAAGGCGTGTAG
TCTTCATGGGAGATGATACCTGGAAAGACCTTTTCCCTGGTGTCTTCTCCAAAGCTTTCTTCTCCCATCCTTCA
ATGT CAGAGACCTAGACACAGTGGACAATGGCATCCTGGAACACCTCTACCCACCATGGACAGTGGTGAATGGG
ACGTGCTGATTGCTCACTTCTGGGTGTGGACCACTGTGGCCACAAGCATGGCCCTCACCACCTGAAATGGCCA
AGAACTTAGCCAGATGGACCAGGTGATCCAGGCACTTGTGGAGCGTCTGGAGAATGACACACTGCTGGTAGTGG
CTGGGGACCATGGGATGACCACAAATGGAGACCATGGAGGGGACAGTGAGCTGGAGGTCTCAGCTGCTCTCTTTC
TGTATAGCCCCACAGCAGTCTTCCCCAGCACCCACCAGAGGAGCCAGAGGTGATTCTCAAGTTAGCCTTGTGC
CCACGCTGGCCCTGCTGCTGGGCCTGCCATCCCATTGGGAAATATCGGGGAAGTGATGGCTGAGCTATTCTCAG
GGGTGAGGACTCCCAGCCCCACTCCTCTGCTTTAGCCCAAGCCTCAGCTCTCCATCTCAATGCTCAGCAGGTGT
CCCGATTTCTTCATACCTACTCAGCTGCTACTCAGGACCTTCAAGCTAAGGAGCTTCATCAGCTGCAGAACCTCT
TCTCCAAGGCCTCTGCTGACTACCACTGGCTTCTCCAGAGCCCCAAGGGGGCTGAGGCGACACTGCCGACTGTGA
TTGCTGAGCTGCAGCAGTTCCTGCGGGGAGCTCGGGCCATGTGCATCGAGTCTTGGGCTCGTTTCTCTCTGGTCC
GCATGGCGGGGGGTACTGCTCTCTTGGCTGCTTCTGCTTTATCTGCCTGCTGGCATCTCAGTGGGCAATATCCC
CAGGCTTTCCATTCTGCCCTCTACTCCTGACACCTGTGGCCTGGGGCCTGGTTGGGGCCATAGCGTATGCTGGAC
TCCTGGGAACTATTGAGCTGAAGCTAGATCTAGTCTTCTAGGGGCTGTGGCTGCAGTGAGCTCATTCCCTCCCTT
TTCTGTGGAAAGCCTGGGCTGGCTGGGGGTCCAAGAGGCCCTGGCAACCCTGTTTCCCATCCCTGGGCCCCGTCC
TGTTACTCCTGCTGTTTTCGCTTGGCTGTGTTCTTCTCTGATAGTTTTGTTGTAGCTGAGGCCAGGGCCACCCCT
TCCTTTTGGGCTCATTATCCTGCTCCTGGTTGTCCAGCTTCACTGGGAGGGCCAGCTGCTTCCACCTAAGCTAC
TCACAATGCCCCGCTTGGCACTTCAGCCACAACAACCCCCACGGCACAATGGTGCATATGCCCTGAGGCTTG
GAATGGGTGCTTTTATGTACAAGGCTAGCTGGGCTTTTTCATCGTTGCCCTGAAGAGACACCTGTTTGGCACT
CCTCTCCCTGGCTGAGTCCCTCTGGCATCCATGGTGGGTGGTGGGAGCCAGCAAGAAATTTATGGTATGGAGCTTGTGTGG
CGGCGCTGGTGGCCCTGTTAGCTGCCGTGCGCTTGTGGCTTCGCGCTATGGTAATCTCAAGAGCCCCGAGCCAC
CCATGCTCTTTGTGCGCTGGGACTGCCCTAATGGCATTGGGTACTGCTGCCTACTGGGCATTGGCGTGGGGG
CAGATGAGGCTCCCCCGCTCTCCGGGTCTGGTCTCTGGGGCATCCATGGTGTGCTCGGCTCGGCTGTAGCAGGGC
TGGCTGCTTCAGGGCTCGCGCTGCTGCTCTGGAAGCCTGTGACAGTGTGGTGAAGGCTGGGGCAGGGCCTCCAA
GGACCAGGACTGTCTCACTCCCTTCTCAGGCCCCCCCACTTCTCAAGCTGACTTGGATTATGTGGTCCCTCAAA
TCTACCGACACATGCAGGAGGAGTTCCGGGGCCGTTAAGAGAGGACCAATCTCAGGGTCCCTGACTGTGGCTG
CTTATCAGTTGGGGAGTGTCTACTCAGCTGCTATGGTCACAGCCCTCACCCTGTTGGCCTTCCCACTTCTGCTGT
TGCATGCGGAGCGCATCAGCCTTGTGTTCTGCTTCTGTTTCTGCAGAGCTTCTTCTCTACATCTGCTTGGCTG
CTGGGATACCCGTCACCACCCCTGGTCTTTTACTGTGCCATGGCAGGCAGTCTCGGCTTGGGCCCTCATGGCCA
CACAGACCTTCTACTCCACAGGCCACCAGCCTGTCTTCCAGCCATCCATTGGCATGCAGCCTTCTGTGGGATTC
CAGAGGGTCATGGTCTCTGTACTTGGCTGCCTGCTTGGTGTAGTGGGAGCCAAACCTTTGCTTCCACCTCCTCT
TTGCAGTAGGTTGCCCACTGCTCCTGCTCTGGCCTTCTCTGTGTGAGAGTCAAGGGCTGCGGAAGAGACAGCAGC
CCCCAGGGAATGAAGCTGATGCCAGAGTCAGACCCGAGGAGGAAGAGGAGCCACTGATGGAGATGCGGCTCCGGG
ATGCGCCTCAGCACTTCTATGCAGCACTGCTGCAGCTGGGCCTCAAGTACCTCTTTATCCTTGGTATTTCAGATTC
TGGCCTGTGCCCTTGGCAGCCTCCATCCTTCGCAGGCATCTCATGGTCTGGAAAGTGTTCGCCCTAAGTTTCATAT
TTGAGGCTGTGGGCTTCATTGTGAGCAGCGTGGGACTTCTCCTGGGCATAGCTTGGTGTATGAGAGTGGATGGTG
CTGTGAGCTCCTGGTTCAGGCAGCTATTTCTGGCCAGCAGAGGTAGCCTAGTCTGTGATTACTGGCACTTGGCT
ACAGAGAGTGTGGAGAACAGTGTAGCCTGGCCTGTACAGGTACTGGATGATCTGCAAGACAGGCTCAGCCATAC
TCTTACTATCATGCAGCCAGGGGCCGCTGACATCTAGGACTTCATTATTCTATAATTCAGGACCACAGTGGAGTA
TGATCCCTAACTCCTGATTTGGATGCATCTGAGGACAAGGGGGGCGGTCTCCGAAGTGAATAAAATAGGCCGG
GCGTGGTGACTTGCACCTATAATCCCAGCACTTTGGGAGGCAGAGGTGGGAGGATTGCTTGGTCCCAGGAGTTCA
AGACCAGCCTGTGGAACATAACAAGACCCGCTCTACTATTTAAAAAAAGTGAATAAAATGATAATAT

267/615

FIGURE 266

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62809
<subunit 1 of 1, 1089 aa, 1 stop
<MW: 118699, pI: 8.49, NX(S/T): 2
MQKASVLLFLAWVCFLFYAGIALFTSGFLLTRLELTNHSSCQEPGPGSLPWGSQKPGACWMASRFSRVVLVLI
DALRFDFAQPQHSHVPREPPVSLPFLGKLSSLQRILEIQPHHARLYRSQVDPPTTTMQRLKALTGSLPTFIDAG
SNFASHAIVEDNLIKQLTSAGRRVVMGDDTWKDLFFGAFSKAFFFPFNVRDLDTVDNGILEHLYPTMDSGEWD
VLIAHFLGVDHCGHKHGPHEMAKKLSQMDQVIQGLVERLENDTLLVVAGDHGMMTNGDHGGDSELEVSAALFL
YSPTAVFPSTPPEEPEVIPQVSLVPTLALLLGLPIPFNGIGEVMAELEFSGGEDSQPHSSALAQASALHLNAQQVS
RFLHTYSAATQDLQAKELHQLQNLFSKASADYQWLLQSPKGAETLPTVIAELQQFLRGARAMCIESWARFSLVR
MAGGTALLAASCFCILLASQWAI SPGFPPCPLLLTPVAWGLVGAIAYAGLLGTIELKLDLVLLGAVAAVSSFLPF
LWKAWAGWGSKRPLATLFPPIPGPVLLLLLFR LAVFFSDSFVVAEARATPFLLGSFILLLVQLHWEGQLLPKLL
TMPRLGTSATNPPRHNGAYALRLGIGLLLCTRLAGLFHRCPEETPVCHSSPWLSPPLASMVGGRAKNLWYGACVA
ALVALLAAVRLWLRRYGNLKSPEPPMLFVRWGLPLMALGTAAYWALASGADEAPPRLRVLVSGASMVLPRAVAGL
AASGLALLLWKPVTVLVKAGAGAPRTRTVLTPFSGPPTSQADLDYVVPQIYRHMQEEFRGRLETKSQGPLTVAA
YQLGSVYSAMVTA LLLAFPLLLLHAERISLVFLLFLQS FLLLHLLAAGIPVTTPGPFTVPWQAVSAWALMAT
QTFYSTGHQPVFP AIHWHA AFVGFPEGHGSC TWPALLVGANTFASHLLFAVGCPLLLLWPF LCE SQGLRKRQQP
PGNEADARVRPEEEEPIMEMRLRDAPQH FYAALLQLGLKYLFI LGIQILACALAA SILRRHLMVWKVFAPKFIF
EAVGFIVSSVGLLLGIALVMRVDGAVSSWFRQLFLAQQR
```

Important features:**Signal peptide:**

amino acids 1-16

Transmembrane domains:

amino acids 317-341, 451-470, 481-500, 510-527, 538-555, 831-850, 1016-1034, 1052-1070

Leucine zipper pattern.

amino acids 843-864

N-glycosylation sites.

amino acids 37-40, 268-271

FIGURE 267

[illegible]

269/615

FIGURE 268

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62812
><subunit 1 of 1, 337 aa, 1 stop
><MW: 37668, pI: 6.27, NX(S/T): 1
MLFSALLLEVIWILAADGGQHWTYEGPHGQDHWHPASYPECGNNAQSPIDIQTDSVTFDPDLPALQPHGYDQPGTE
PLDLHNNGHTVQLSLPSTLYLGGLPRKYVAAQLHLHWGQKGSPPGGSEHQINSEATFAELHIVHYDSDSYDSLSEA
AERPQGLAVLGILIEVGETKNIAYEHILSHLHEVRHKDQKTSVPPFNLRELLPKQLGQYFRYNGSLTTPPCYQSV
LWTVFYRRSQISMEQLEKLQGTLFSTEEPSKLLVQNYRALQPLNQRMVFASFIQAGSSYTTGEMLSLGVGILVG
CLCLLLAVYFIARKIRKKRLNKRKSVVFTSAQATTEA

Important features of the protein:**Signal peptide:**

amino acids 1-15

Transmembrane domain:

amino acids 291-310

N-glycosylation site.

amino acids 213-216

Eukaryotic-type carbonic anhydrases proteins

amino acids 197-245, 104-140, 22-69

270/615

FIGURE 269

GTGGCGCTGGCGGTTGCTGTCAGCTGATTCCCGGGGTTGGTGGCAGCGGCGGTAGCAGCAATGGACTTTCTCCTG
GGGAACCCGTTTCAGCTCTCCAGTGGGACAGCGCATCGAGAAAGCCACAGATGGCTCCCTGCAGAGCGAGGACTGG
GCCCTCAACATGGAGATCTGCGACATCATCAACGAGACGGAGGAAGGTCCCAAAGATGCCCTCCGAGCAGTAAAG
AAGAGAATCGTGGGGAATAAGAACTTCCACGAGGTGATGCTGGCTCTCACAGTCTTAGAAAACCTGTGTCAAGAAC
TGCGGGCACCCTTCCACGTGCTGGTGGCCAGCCAGGACTTCGTGGAGAGTGTGCTGGTGAGGACCATCCTGCCC
AAGAACAACCCACCCACCATCGTGCATGACAAAGTGTCAACCTCATCCAGTCCCTGGGCTGACGCGTTCCGCAGC
TCGCCCCGATCTGACAGGTGTGGTCACCATCTATGAGGACCTGCGGAGGAAAGGCCTGGAGTTCCCCATGACTGAC
CTGGACATGCTGTCACCCATCCACACACCCAGAGGACCGTGTTCAACTCAGAGACACAATCAGGACAGGATTCTG
TGGGCACTGACTCCAGCCAGCAAGAGGACTCTGGCCAGCATGCTGCCCTCTGCCCGCCCCGCCCATACTCTCCG
GTGACACGCCCCATAGCACCAACCCCGGAACAGATTGGGAAGCTGCGCAGTGAGCTGGAGATGGTGAGTGGGAACG
TGAGGGTGATGTCGGAGATGCTGACGGAGCTGGTGCCCCACCCAGGCCGAGCCCGCAGACCTGGAGCTGCTGCAGG
AGCTCAACCGCACGTGCCGAGCCATGCAGCAGCGGGTCTGAGTGATACCCTGCTCCGGGCCCCATGCCCCAAGGA
GCCCTTCAGAGCCCACACTGCCAGTCGAGGCCTGGCTGGAGGCTGGCCACAGTGGAAATTCTGCCGAGCCTATTG
TCCCTACCCTGCTCTGCTGCATGGGGCCCCATGGCTTGGCTGGCCACTGAGGGTAGGGTGTGGAGGTGTGGAGG
CCCCCTGAGGAGCTGCGGCGGCCCCAGGTACGAAGCTGCAACTCTGCGCGCAGTGGGCGAGATCTCATCAGCCCCA
GGCTGCAGGTGAGGCTTCAGGGGATGCTGGGGCCCCACTGCCCTCCGCTGCCTTGCCCTCCATCCTTCCTCTGT
TCCTTCTGGCCGGGCACCACAGCACTGGGGCTCACCTCTTGTTGATCCTCTTGTACTGGGAGAGGTGCCTTTTG
TATCCCCAATTAAAGGTAGAAAACC

271/615

FIGURE 270

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62813
><subunit 1 of 1, 209 aa, 1 stop
><MW: 23465, pI: 7.57, NX(S/T): 1
MDFLLGNPFSSPVGQRIEKATDGSLSQSEDWALNMEICDIINETEEGPKDALRAVKKRIVGNKNFHEVMLALTIVLE
TCVKNCGHRFHVLVASQDFVESVLVRTILPKNNPPTIVHDKVLNLIQSWADAFRSPDLTGCVVTIYEDLRRKGLE
FPMTDLDMLSPIHTPRGPCSTQRHNQDRILWALTPASKRTLASMLPLCPPRPYSPVTRP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-15

N-glycosylation site:

Amino acids 41-45

N-myristoylation sites:

Amino acids 6-12;23-29

272/615

FIGURE 271

CGGACGCGTGGGCGGACGCGTGGGCGGACGCGTGGGTCTCTGCGGGGAGACGCCAGCCTGCGTCTGCCATGGGGC
TCGGGTTGAGGGGCTGGGGACGTCTCTGCTGACTGTGGCCACCGCCCTGATGCTGCCCGTGAAGCCCCCGCAG
GCTCCTGGGGGGCCCAGATCATCGGGGGCCACGAGGTGACCCCCCACTCCAGGCCCTACATGGCATCCGTGCGCT
TCGGGGGCCAACATCACTGCGGAGGCTTCTGCTGCGAGCCCGCTGGGTGGTCTCGGCCGCCCACTGCTTCAGCC
ACAGAGACCTCCGCACTGGCCTGGTGGTGTGGGCGCCACGTCTGAGTACTGCGGAGCCCACCCAGCAGGTGT
TTGGCATCGATGCTCTCACCACGCACCCCGACTACCACCCCATGACCCACGCCAACGACATCTGCCTGCTGCGGC
TGAACGGCTCTGCTGTCTGGGCCCTGCAGTGGGGCTGCTGAGGCTGCCAGGGAGAAGGGCCAGGCCCCCACAG
CGGGGACACGGTGCCGGGTGGCTGGCTGGGGCTTCGTGTCTGACTTTGAGGAGCTGCCGCTGGACTGATGGAGG
CCAAGGTCCGAGTGCTGGACCCGGACGTCTGCAACAGCTCCTGGAAGGGCCACCTGACACTTACCATGCTCTGCA
CCCGCAGTGGGGACAGCCACAGACGGGGCTTCTGCTCGGCCGACTCCGGAGGGCCCCTGGTGTGCAGGAACCGGG
CTCACGGCTCGTTTCCTTCTCGGGCCTCTGGTGCGGCGACCCCAAGACCCCGACGTGTACACGCAGGTGTCCG
CCTTTGTGGCCTGGATCTGGGACGTGGTTTCGGCGGAGCAGTCCCCAGCCCGGCCCCCTGCCTGGGACCACCAGGC
CCCCAGGAGAAGCCGCCTGAGCCACAACCTTGCGGCATGCAAATGAGATGGCCGCTCCAGGCCTGGAATGTTCCG
TGGCTGGGCCCCACGGGAAGCCTGATGTTTCAGGGTTGGGGTGGGACGGGCAGCGGTGGGGCACACCCATTCCACA
TGCAAAGGGCAGAAAGCAAACCCAGTAAATGTAACTGACAAAAAAAAAAAAAAAAAAGAAA

273/615

FIGURE 272

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62845
><subunit 1 of 1, 283 aa, 1 stop
><MW: 30350, pI: 9.66, NX(S/T): 2
MGLGLRGWGRPLLTVATALMLPVKPPAGSWGAIIGGHEVTPHSRPMASVRFGGQHHCGGFLLRARWVVSAAHC
FSHRDLRTGLVVLGAHVLSAEPTQQVFGIDALTTHPDYHPMTHANDICLLRLNGSAVLGPAVGLLRPLPGRARP
PTAGTRCRVAGWGFVSDFEELPPGLMEAKVRVLDPDVCNSSWKGHLLTLMCTRSGDSHRRGFCSADSGGPLVCR
NRAHGLVSFSGLWCGDPKTPDVYTQVSAFVAWIWDVVRSSPQPGPLPGTTTRPPGEAA
```

Signal peptide:

amino acids 1-30

274/615

FIGURE 273

GAAGTTCGCGAGCGCTGGCTATGGGTCTGGGGCGCGGCTGGCGGCGCTGCTGGCGGTGCTGGCGCTCGGGACAG
GAGACCCAGAAAGGGCTGCGGCTCGGGGCGACACGTTCTCGGCGCTGACCAGCGTGCGCGCGCCCTGGCGCCCG
AGCGCCGGCTGCTGGGGCTGCTGAGGCGGTACCTGCGCGGGGAGGAGGCGCGGCTGCGGGACCTGACTAGATTCT
ACGACAAGGTACTTTCTTTGCTGAGGATTCAACAACCCCTGTGGCTAACCCCTCTGCTTGCAATTTACTCTCATCA
AACGCCTGCAGTCTGACTGGAGGAATGTGGTACATAGTCTGGAGGCCAGTGAGAACATCCGAGCTCTGAAGGATG
GCTATGAGAAGGTGGAGCAAGACCTTCCAGCCTTTGAGGACCTTGAGGGAGCAGCAAGGGCCCTGATGCGGCTGC
AGGACGTGTACATGCTCAATGTGAAAGGCCTGGCCGAGGTGTCTTTCAGAGAGTCACTGGCTCTGCCATCACTG
ACCTGTACAGCCCCAAACGGCTCTTTTCTCTCACAGGGGATGACTGCTTCCAAGTTGGCAAGGTGGCCATGACA
TGGGGGATTATTACCATGCCATTCCATGGCTGGAGGAGGCTGTCACTCTCTCCGAGGATCTTACGGAGAGTGGA
AGACAGAGGATGAGGCAAGTCTAGAAGATGCCTTGGATCACTTGGCCTTTGCTTATTTCCGGGCAGGAAATGTTT
CGTGTGCCCTCAGCCTCTCTCGGGAGTTTCTTCTCTACAGCCAGATAATAAGAGGATGGCCAGGAATGTCTTGA
AATATGAAAGGCTCTTGGCAGAGAGCCCCAACACGCTGGTAGCTGAGGCTGTCTCCAGAGGCCCAATATACCCC
ACCTGCAGACCAGAGACACCTACGAGGGGCTATGTACAGCCCTGGGTCCAGCCCACTCTCTACCATGCTTCA
GCCTCTACTGTTTCTATGAGACCAATTCCAACGCCTACCTGCTGCTCCAGCCCATCCGGAAGGAGGTCACTCCACC
TGGAGCCCTACATTGCTCTCTACCATGACTTCGTCACTGACTCAGAGGCTCAGAAAATTAGAGAATTTGCAGAAC
CATGGCTACAGAGGTCACTGGTGGCATCAGGGGAGAAGCAGTTACAAGTGGAGTACCGCATCAGCAAAAGTGCCT
GGCTGAAGGACACTGTTGACCCAAACTGGTGACCTCAACCACCGCATGCTGCCCTCACAGGCCCTTGATGTCC
GGCCTCCCTATGCAGAGTATCTGCAGGTGGTGAAGTATGGCATCGGAGGACACTATGAGCCTCACTTTGACCATG
CTACGTACCAAGCAGCCCCCTCTACAGAATGAAGTCAGGAAACCGAGTTGCAACATTTATGATCTATCTGAGCT
CGGTGGAAGCTGGAGGAGCCACAGCCTTCATCTATGCCAACCTCAGCGTGCCTGTGGTTAGGAATGCAGCACTGT
TTTGGTGAACCTGCACAGGAGTGGTGAAGGGGACAGTGACACACTTCATGCTGGCTGTCTGTCTGGTGGGAG
ATAAGTGGGTGGCCACAAGTGGATACATGAGTATGGACAGGAATCCGCAGACCCTGCAGCTCCAGCCCTGAAG
ACTGAACTGTTGGCAGAGAGAAGCTGGTGGAGTCTGTGGCTTTCCAGAGAAGCCAGGAGCCAAAAGCTGGGGTA
GGAGAGGAGAAAGCAGAGCAGCCTCCTGGAAGAAGGCCTTGTCACTTTGTCTGTGCCTCGCAAATCAGAGGCAA
GGGAGAGGTTGTTACCAGGGGACACTGAGAATGTACATTTGATCTGCCCCAGCCAGGAAGTCAGAGTAGGATGC
ACAGTACAAAGGAGGGGGGAGTGGAGGCCTGAGAGGGAAGTTTCTGGAGTTCAGATACTCTCTGTTGGGAACAGG
ACATCTCAACAGTCTCAGGTTGATCAGTGGGTCTTTTGGCACTTTGAACCTTGACCACAGGGACCAAGAAGTGG
CAATGAGGACACCTGCAGGAGGGGCTAGCCTGACTCCAGAACTTTAAGACTTTCTCCCACTGCCTTCTGCTGC
AGCCCAAGCAGGGAGTGTCCCCCTCCAGAAAGCATATCCAGATGAGTGGTACATTATATAAGGATTTTTTTTAA
GTTGAAAACAACTTTCTTTCTTTTGTATGATGGTTTTTTAACACAGTCATTAAAAATGTTTATAAATCAAAA

275/615

FIGURE 274

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64849
><subunit 1 of 1, 544 aa, 1 stop
><MW: 61126, pI: 6.40, NX(S/T): 2
MGPGARIAALLAVLALGTGDPERAAARGDTFSALTSVARALAPERLLGLLRRYLRGEEA
RLRDLTREYDKVLSLHEDSTTPVANPLLAFTLIKRLQSDWRNVVHSLEASENIRALKDGY
EKVEQDLPAFEDLEGAARALMRLQDVYMLNVKGLARGVFQRTGSAITDLYSPKRLFSLT
GDDCFQVGKVAYDMGDYYHAIPWLEEAVSLFRGSYGEWKTEDEASLEDALDHLAFAYFRA
GNVSCALSLSREFLLYSPDNKRMARNVLKYERLLAESPNHVVAEAVIQRPNIPIHLQTRDT
YEGLCQTLGSOPTLYQIPSLYCSYETNSNAYLLLQPIRKEVIHLEPYIALYHDFVSDSEA
QKIRELAEPWLQSVVASGEKQLQVEYRISKSAWLKDTVDPKLVTLNHRIAALTGLDVRP
PYAEYLQVVNYGIGGHYEPHFDHATSPSSPLYRMKSGNRVATFMIYLSSVEAGGATAFIY
ANLSVPVVRNAALFWNLHRSGEGSDTLHAGCPVLVGDKWVANKWIHEYGQEFRRPCSS
SPED
```

Important features of the protein:**Signal peptide:**

Amino acids 1-19

Leucine zipper pattern:

Amino acids 34-56;41-63

Ribonucleotide reductase small subunit signature:

Amino acids 340-356

N-glycosylation sites:

Amino acids 242-246;482-486

Cell attachment sequence:

Amino acids 27-30

Tyrosine kinase phosphorylation site:

Amino acids 189-198

N-myristoylation sites:Amino acids 4-10;135-141;153-159;164-170;241-247;303-309;309-315;
457-463;473-479

276/615

FIGURE 275

GGCAACATGGCTCAGCAGGCTTGCCCCAGAGCCATGGCAAAGAATGGACTTGTAATTTGCATCCTGGTGATCACC
TTACTCCTGGACCAGACCAGCCACACATCCAGATTAAAAGCCAGGAAGCACAGCAAACGTCGAGTGAGAGAC
AAGGATGGAGATCTGAAGACTCAAATTGAAAAGCTCTGGACAGAAGTCAATGCCTTGAAGGAAATTCAAGCCCTG
CAGACAGTCTGTCTCCGAGGCACTAAAGTTCACAAGAAATGCTACCTTGCTTCAGAAGGTTTGAAGCATTTCCAT
GAGGCCAATGAAGACTGCATTTCCAAAGGAGGAATCCTGGTTATCCCCAGGAACTCCGACGAAATCAACGCCCTC
CAAGACTATGGTAAAAGGAGCCTGCCAGGTGTCAATGACTTTTGGCTGGGCATCAATGACATGGTCACGGAAGGC
AAGTTTGTGACGTCAACGGAATCGCTATCTCCTTCTCACTGGGACCGTGCACAGCCTAACGGTGGCAAGCGA
GAAAACGTGTCTCTGTTCTCCCAATCAGCTCAGGGCAAGTGGAGTGATGAGGCCTGTCGCAGCAGCAAGAGATAC
ATATGCGAGTTCACCATCCCTAAATAGGTCTTTCTCCAATGTGTCTCCCAAGCAAGATTCATCATAACTTATAGG
TTCATGATCTCTAAGATCAAGTAAAAATCATAATTTTTACTTATTAAAAAATTGCAACACAAGATCAATGTCCAT
AGCAATATGATAGCATCAGCCAATTTTGCTAACACATTTCTTTGGGATTTTGCCCTTCTCTGGGGTATAGGGGATC
AGAAATATTGATCCATGTGCACGCAGATAAAATGGCTTCTGCTAAACAGACTAAAATCTTTCTCTCTAGTCTTTC
TCACTTGTAACAAACCCAGTTTGTTTTCAAAAAATCACAGTAGCAATGCAACTCATCACTCTAGAAAAGCAAGCTT
AGGCTACCTGAAAGATTTTCCCTTGGAGTTTAGCGTATGTTTGACTAACAAAAATTCCTTACATCAGAGACTCT
AGGTGCTATATAATCCAAAACTTTTCAGCCTGTTGCTCATTCTGTCCCATGCTGGCAATAATACCTTGTGAGCC
CATTACCCTTATTTTGAATTGCTCCATCTCCTGGTGGGACTTGTATCTTGTCTGCCATATCAGAACACAAACCCC
TGAAGAGGTTCTGATTTGATTTTTTTTTTTTCTTCATGCCTACCCTTTTTTTGGAGTTTCCAGCCGCAATTTGA
AATGAAATGACAAGGTGTATATTTGATCAATTTTCATTCCCACCATTGCATTACAACCTCTAACTTAAATGGGTA
ACCCTAAGGCATATCAAGAAGCAGATTGCATGATAAACGGAAATAGAAAAAAGAACCTACATTTATTTTGCTT
TAGCATCCTTACTCTCACCTTTTATGAGATTGAGAGTGGACTTACATTTCTTTTTTACATTTTCGTATATTTAT
TTTTTTTAGCCATCATTATATGTTTAAGTCTATTATGGGCAACCAATCTTGGAGCTGAAAACCTGAATTTAAAG
AATGCTATCTTGGAAAATGCATACGTCTGTGCAATTTTTTATTCTGCCTAGTGCTATTCTGCTTGTTTAACTAG
ATTGTACAAAATAACTTCATTGCTTAATATCAAATTACAAAGTTTAGACTTGGAGGGAAATGGGCTTTTTTAGAAG
CAAACAATTTTAAATATATTTGTTCTTCAAATAAATAGTGTTTAAACATTGAATGTGTTTTGTGAACAATATCC
CACTTTGCAAACTTTAACTACACATGCTTGAATTAAGTTTTAGCTGTTTTTATTGCTCAATAATAAAGCCTGAA
TTCTGATCAATAAAAAAAAAAAAAAAAAAAAAAAAAA

277/615

FIGURE 276

MAQQACPRAMAKNGLVICILVITLLLDQTTSHTSRLKARKHSKRRVRDKDGLKTQIEKLWTEVNALKEIQALQT
VCLRGTKVHKKCYLASEGLKHFHEANEDCISKGGILVIPRNSDEINALQDYGKRSLPGVNDFWLGINDMVTEGKF
VDVNGIAISFLNWDRAQPNGGKRENCVLFSSQAQGKWSDEACRSSKRYICEFTIPK

278/615

FIGURE 277

GAGATAGGGAGTCTGGGTTTAAGTTCCTGCTCCATCTCAGGAGCCCCTGCTCCCACCCCTAGGAAGCCACCAGAC
TCCACGGTGTGGGGCCAATCAGGTGGAATCGGCCCTGGCAGGTGGGGCCACGAGCGCTGGCTGAGGGACCGAGCC
GGAGAGCCCCGGAGCCCCCGTAACCCGCGCGGGGAGCGCCAGGATGCGCGCGGGGACTCGGAGCAGGTGCGCT
ACTGCGCGCGCTTCTCCTACCTCTGGCTCAAGTTTTCACTTATCATCTATTCCACCGTGTCTGGCTGATTGGGG
CCCTGGTCTGTCTGTGGGCATCTATGCAGAGTTGAGCGGCAGAAATATAAAACCCCTGAAAGTGCCTTCTCTGG
CTCCAGCCATCATCCTCATCCTCCTGGGCGTCGTATGTTTCATGGTCTCCTTCATTTGGTGTGCTGGCGTCCCTCC
GTGACAACCTGTACCTTCTCCAAGCATTCATGTACATCCTTGGGATCTGCCTCATCATGGAGCTCATTGGTGGCG
TGGTGGCCTTGACCTTCCGGAACCAGACCATTGACTTCCTGAACGACAACATTGGAAGAGGAATTGAGAACTACT
ATGATGATCTGGACTTCAAAAACATCATGGACTTTGTTTCAGAAAAAGTTCAAGTGCTGTGGCGGGGAGGACTACC
GAGATTGGAGCAAGAATCAGTACCACGACTGCAGTGGCCCTGGACCCCTGGCCTGTGGGGTGCCCTACACCTGCT
GCATCAGGAACACGACAGAAGTTGTCAACACCATGTGTGGCTACAAAACATATCGACAAGGAGCGTTTCAGTGTGC
AGGATGTCTATCTACGTGCGGGGCTGCACCAACGCCGTGATCATCTGGTTCATGGACAACCTACACCATCATGGCGT
GCATCCTCCTGGGCATCCTGCTTCCCCAGTTTCTGGGGTGCTGCTGACGCTGCTGTACATCACCGGGTGGAGG
ACATCATCATGGAGCACTCTGTCACTGATGGGCTCCTGGGGCCCGGTGCCAAGCCAGCGTGGAGGCGGCAGGCA
CGGGATGCTGCTTGTGCTACCCCAATTAGGGGCCAGCCTGCCATGGCAGCTCCAACAAGGACCGTCTGGGATAGC
ACCTCTCAGTCAACATCGTGGGGCTGGACAGGGCTGCGGCCCTCTGCCCACACTCAGTACTGACCAAAGCCAGG
GCTGTGTGTGCCTGTGTGTAGGTCCACGGCCTCTGCCTCCCCAGGGAGCAGAGCCTGGGCCTCCCCTAAGAGGC
TTTCCCCGAGGCAGCTCTGGAATCTGTGCCCACCTGGGGCCTGGGGGAACAAGGCCCTCCTTTCTCCAGGCCTGGG
CTACAGGGGAGGGAGAGCCTGAGGCTCTGCTCAGGGCCCATTTTCATCTCTGGCAGTGCCTTGGCGGTGGTATTCA
AGGCAGTTTTGTAGCACCTGTAATTGGGGAGAGGGAGTGTGCCCCCTCGGGGAGGAGGGAAGGGCATCTGGGGAA
GGGCAGGAGGGAAGAGCTGTCCATGCAGCCACGCCCATGGCCAGGTTGGCCTCTTCTCAGCCTCCCAGGTGCCTT
GAGCCCTCTTGCAAGGGCGGCTGCTTCTTGGCCCTAGTTTTTTTTTACGTGATTTTTGTAACATTCATTTTTTT
GTACAGATAACAGGAGTTTCTGACTAATCAAAGCTGGTATTTCCCCGCATGTCTTATTCTTGCCCTTCCCCAAC
CAGTTTGTTAATCAAACAATAAAAACATGTTTTGTTTTGTTTTTAAAAA

279/615

FIGURE 278

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64863
><subunit 1 of 1, 294 aa, 1 stop
><MW: 33211, pI: 5.35, NX(S/T): 3
MPRGDSEQVRYCARFSYLWLKFSLLIYSTVFWLIGALVLSVGIYAEVERQKYKTLES AFLAPAIILILLGVVMFM
VSFIGVLASLRDNLVLLQAFMYILGICLIMELIGGVVALTFRNQ TIDFLNDNIRRG IENYYDDLDFKNIMDFVQK
KFKCCGGEDYRDWSKNQYHDCSAPGPLACGVPTCCIRNTTEVVNTMCGYKTIDKERFSVQDVIYVRGCTNAVII
WFMDNYTIMACILLGILLPQFLGVLLTLLYITRVEDIIMEHSVTDG LLGPGAKPSVEAAGTGCCCLCPN
```

Signal peptide:
amino acids 1-44

Transmembrane domains:
amino acids 22-42, 57-85, 93-116, 230-257

280/615

FIGURE 279

GAGGAGCGGGCCGAGGACTCCAGCGTGCCAGGTCTGGCATCCTGCACTTGCTGCCCTCTGACACCTGGGAAGAT
GGCCGGCCCCGTGGACCTTCACCTTCTCTGTGGTTTGCTGGCAGCCACCTTGATCCAAGCCACCCCTCAGTCCCAC
TGCAGTTCTCATCCTCGGCCAAAAGTCATCAAAGAAAAGCTGACACAGGAGCTGAAGGACCACAACGCCACCAG
CATCCTGCAGCAGCTGCCGCTGCTCAGTGCCATGCGGGAAAAGCCAGCCGGAGGCATCCCTGTGCTGGGCAGCCT
GGTGAACACCGTCCTGAAGCACATCATCTGGCTGAAGGTCAACAGCTAACATCCTCCAGCTGCAGGTGAAGCC
CTCGGCCAATGACCAGGAGCTGCTAGTCAAGATCCCCCTGGACATGGTGGCTGGATTCAACACGCCCTTGGTCAA
GACCATCGTGGAGTTCCACATGACGACTGAGGCCAAAGCCACCATCCGCATGGACACCAGTGCAAGTGGCCCCAC
CCGCTGGTCCTCAGTGAAGTGTGCCACCAGCCATGGGAGCCTGCGCATCCAAGTGTGTATAAGCTCTCCTTCCT
GGTGAACGCCTTAGCTAAGCAGGTCAAGAACCTCCTAGTGCCATCCCTGCCAATCTAGTGAAAAACCAGCTGTG
TCCCGTGATCGAGGCTTCCTTCAATGGCATGTATGCAGACCTCCTGCAGCTGGTGAAGGTGCCATTTCCTCAG
CATTGACCGTCTGGAGTTTGACCTTCTGTATCCTGCCATCAAGGGTGACACCATTAGCTCTACCTGGGGGCCAA
GTTGTTGGACTCACAGGAAAGGTGACCAAGTGTTCAATAACTCTGCAGCTTCCCTGACAATGCCACCCTGGA
CAACATCCCGTTTCAGCCTCATCGTGAGTCAGGACGTGGTGAAAGCTGCAGTGGCTGCTGTGCTCTCTCCAGAAGA
ATTCATGGTCCTGTTGGACTCTGTGCTTCTGAGAGTGCCCATCGGCTGAAGTCAAGCATCGGGCTGATCAATGA
AAAGGCTGCAGATAAGCTGGGATCTACCCAGATCGTGAAGATCCTAACTCAGGACACTCCCGAGTTTTTTATAGA
CCAAGGCCATGCCAAGGTGGCCCAACTGATCGTGCTGGAAGTGTTCCTCCAGTGAAGCCCTCCGCCCTTTGTT
CACCTGGGCATCGAAGCCAGCTCGGAAGCTCAGTTTTACACCAAAGGTGACCAACTTATACTCAACTTGAATAA
CATCAGCTCTGATCGGATCCAGCTGATGAACCTCTGGGATTGGCTGGTTCCAACCTGATGTTCTGAAAAACATCAT
CACTGAGATCATCCACTCCATCCTGCTGCCGAACCAGAATGGCAAATTAAGATCTGGGGTCCCAGTGTATTGGT
GAAGGCCTTGGGATTCGAGGCAGCTGAGTCCTCACTGACCAAGGATGCCCTTGTGCTTACTCCAGCCTCCTTGTG
GAAACCCAGCTCTCCTGTCTCCAGTGAAGACTTGGATGGCAGCCATCAGGGAAGGCTGGGTCCCAGCTGGGAGT
ATGGGTGTGAGCTCTATAGACCATCCCTCTTGCAATCAATAAACACTTGCTGTGAAAA

281/615

FIGURE 280

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64881
><subunit 1 of 1, 484 aa, 1 stop
><MW: 52468, pI: 7.14, NX(S/T): 3
MAGPWTFTLLCGLLAATLIQATLSPTAVLIILGPKVKEKLTQELKDNATSIQQQLPLLSAMREKPAGGIPVLGS
LVNTVLKHIIWLKVITANILQLQVKPSANDQELLVKIPLDMVAGFNTPLVKTIVEFHMTTEAQATIRMDTSASGP
TRLVLSDCATSHGSLRIQLLYKLSFLVNALAKQVMNLLVPSLPNLVKNQLCPVIEASFNGMYADLLQLVKVPISL
SIDRLEFDLLYPAIKGDITQLYLGAKLDSQGVTKWFNNSAASLTMPITLDNIPFSLIVSQDVVKAAVAVALSPE
EFMVLLDSVLPESAHLKSSIGLINEKAADKLGSTQIVKILTQDTPEFFIDQGHAKVAQLIVLEVFPSSSEALRPL
FTLGIEASSEAQFYTKGDQILNLNLISSDRIQLMNSGIGWFQPDVLKNIITEIIHSILLPNQNGKLRSQVPSL
VKALGFEEAESSLTKDALVLTPASLWKPSPPVVSQ
```

Important features of the protein:**Signal peptide:**

amino acids 1-21

N-glycosylation sites.

amino acids 48-51, 264-267, 401-404

Glycosaminoglycan attachment site.

amino acids 412-415

LBP / BPI / CETP family proteins.

amino acids 407-457

282/615

FIGURE 281

CCCACGCGTCCGCGCCTCTCCCTTCTGCTGGACCTTCCTTCGTCTCTCCATCTCTCCCTCCTTTCCCCGCGTTCT
CTTTCCACCTTTCTCTTCTTCCCACCTTAGACCTCCCTTCCTGCCCTCCTTTCTGCCCCACCGCTGCTTCCCTGGC
CCTTCTCCGACCCCGCTCTAGCAGCAGACCTCCTGGGGTCTGTGGGTGATCTGTGGCCCCCTGTGCCTCCGTGTC
CTTTTCGTCTCCCTTCTCCGACTCCGCTCCCGGACCAGCGGCCTGACCCCTGGGGAAAGGATGGTTCCCGAGGT
GAGGGTCTCTCCTCCTTGCTGGGACTCGCGCTGCTCTGGTTCCCCCTGGACTCCCACGCTCGAGCCCCGCCAGA
CATGTTCTGCCTTTTCCATGGGAAGAGATACTCCCCGGCGAGAGCTGGCACCCCTACTTGGAGCCACAAGGCCT
GATGTACTGCCTGCGCTGTACCTGCTCAGAGGGCGCCCATGTGAGTTGTTACCGCCTCCACTGTCCGCCTGTCCA
CTGCCCCAGCCTGTGACGGAGCCACAGCAATGCTGTCCCAAGTGTGTGGAACTCACACTCCCTCTGGACTCCG
GGCCCCACCAAAGTCTGCCAGCACAACGGGACCATGTACCAACACGGAGAGATCTTCACTGCCCATGAGCTGTT
CCCCCCCCGCTGCCCAACCAGTGTGTCCTCTGCAGCTGCACAGAGGGCCAGATCTACTGCGGCCTCACAACTG
CCCCGAACCAGGCTGCCAGCACCCCTCCCCTGCCAGACTCCTGCTGCCAAGCCTGCAAAGATGAGGCAAGTGA
GCAATCGGATGAAGAGGACAGTGTGAGTCTGCTCCATGGGGTGAGACATCCTCAGGATCCATGTTCCAGTGATGC
TGGGAGAAAGAGAGGCCCCGGGCACCCAGCCCCCTGCGCCTCAGCGCCCTCTGAGCTTCATCCCTCGCCACTT
CAGACCCAAGGGAGCAGGCAGCACAAGTGTCAAGATCGTCTGAAGGAGAAACATAAGAAAGCCTGTGTGCATGG
CGGAAGACGTACTCCACGGGGAGGTGTGGCACCCGGCCTTCCGTGCCTTCGGCCCCCTTGCCCTGCATCCTATG
CACCTGTGAGGATGGCCGCCAGGACTGCCAGCGTGTGACCTGTCCCACCGAGTACCCCTGCCGTACCCCCGAGAA
AGTGGCTGGGAAGTGTGCAAGATTGCCCCAGAGGACAAAGCAGACCCCTGGCCACAGTGAGATCAGTTCTACCAG
GTGTCCCAAGGCACCGGGCCGGGTCTCTGCTCCACATCGGTATCCCCAAGCCCAGACAACCTGCGTGCCTTTGC
CCTGGAACACGAGGCCTCGGACTTGGTGGAGATCTACCTCTGGAAGCTGGTAAAAGATGAGGAACTGAGGCTCA
GAGAGGTGAAGTACCTGGCCCAAGGCCACACAGCCAGAATCTTCCACTTGACTCAGATCAAGAAAGTCAGGAAGC
AAGACTTCCAGAAAGAGGCACAGCACTTCCGACTGCTCGCTGGCCCCACGAAGGTCACTGGAACGTCTTCCCTAG
CCCAGACCTTGAGCTGAAGGTCACGGCCAGTCCAGACAAAGTGACCAAGACATAACAAAGACCTTAACAGTTGCA
GATATGAGCTGTATAATTGTTGTTATTATATATTAATAAATAAGAAGTGCATTACCCTCAAAAAAAAAAAAAA
AAAAAA

283/615

FIGURE 282

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64902
><subunit 1 of 1, 451 aa, 1 stop
><MW: 49675, pI: 7.15, NX(S/T): 1
MVPEVRVLSSLLGLALLWFPLDSHARARPDMFCLFHGKRYSPGESWHPYLEPQGLMYCLRCTCSEGAHVSCYRLH
CPPVHCPQPVTEPQQCCPKCVPHTPSGLRAPPKSCQHNGTMYQHGEIFSAHELFPSRLPNQCVLCSCTEGQIYC
GLTTCPEPGCPAPLPLPDSCCQACKDEASEQSDEEDSVQSLHGVRHPQDPCSSDAGRKRGPPTPAPTGLSAPLSF
IPRHFRPKGAGSTTVKIVLKEKHKKACVHGGKTYSHGEVWHPAFRAFGPLPCILCTCEDGRQDCQRVTCPTTEYPC
RHPEKVAGKCKICPEDKADPGHSEISSTRCPKAPGRVLVHTSVSPSPDNLRRFALEHEASDLVEIYLWKLVKDE
ETEAQRGEVPGPRPHSQNLPLDSDQESQEARLPERGTALPTARWPPRRSLERLPSDPGAEGHGQSRQSDQDITKT
```

Signal peptide:
amino acids 1-25

284/615

FIGURE 283

GCGATGGTGC GCCCGGTGGCGGTGGCGGCGGCGGTTGCGGAGGCTTCCTTGGTTCGGATTGCAACGAGGAGAAGAT
GACTGACCAACCGACTGGCTGAATGAATGAATGGCGGAGCCGAGCGCGCCATGAGGAGCCTGCCGAGCCTGGGCG
GCCTCGCCCTGTTGTGCTGCGCCGCCGCCGCCGCCGCGCTCGCCTCAGCCGCCCTCGGCGGGGAATGTCACCGGTG
GCGGCGGGGCGCGCGGGCAGGTGGACGCGTGC CGGGGCCCCGGGTTGCGGGGCGAGCCAGCCACCCCTTCCCTA
GGGCGACGGCTCCACGGGCCAGGCCCGAGGACCGGGCCCCGCGCGCCACCGTCCACCGACCCCTGGCTGCGA
CTTCTCCAGCCCAGTCCCCGGAGACCACCCCTCTTTGGGCGACTGCTGGACCCTCTTCCACCACCTTTAGGCGC
CGCTCGGCCCCCTCGCCGACCACCCCTCCGGCGGCGGAACGCACTTCGACCACCTCTCAGGCGCCGACCAGACCCG
CGCCGACCACCCCTTCGACGACCACTGGCCCCGGCGCCGACCACCCCTGTAGCGACCACCGTACCGGCGCCACGA
CTCCCCGGACCCCGACCCCGATCTCCCCAGCAGCAGCAACAGCAGCGTCTCCCCACCCACCTGCCACCGAGG
CCCCCTCTTCGCTCCTCCAGAGTATGTATGTAAGTCTGTGGTTGGAAGCCTGAATGTGAATCGCTGCAACC
AGACCACAGGGCAGTGTGAGTGTGCGCCAGGTTATCAGGGGCTTCACTGTGAAACCTGCAAAGAGGGCTTTTACC
TAAATTACACTTCTGGGCTCTGTGAGCCATGTGACTGTAGTCCACATGGAGCTCTCAGCATACCGTGAACAGGT
AAGCAACAGAGGTGGACTGAAGTTTATTTTATTTTAGCAAGGGAAAAAAAAGGCTGCTACTCTCAAGGACCA
TACTGGTTTAAACAAAGGAGGATGAGGGTCATAGATTACAAAATATTTTATATACTTTTATTCTCTTACTTTAT
ATGTTATATTTAATGTCAGGATTTAAAAACATCTAATTTACTGATTTAGTTCCTTCAAAGCACTAGAGTCGCCAA
TTTTTCTCTGGGATAATTTCTGTAAATTTCTGGAAGGCTGCTGCTTCTGGAAGGGCT
TTCAGGCATGAAACCTGCTAGGAGGTTTAGAAATGTTCTTATGTTTATTAATATACCATTTGGAGTTTGAGGAAAT
TTGTTGTTTGGTTTATTTTCTCTCTAATCAAAATCTACATTTGTTTCTTTGGACATCTAAAGCTTAACCTGGG
GGTACCCTAATTTATTTAAGTGGTAAGTAGACTGGTTTTACTCTATTTACCAGTACATTTTGGAGACCAAAA
GTAGATTAAGCAGGAATTATCTTTAACTATTATGTTATTTGGAGGTAATTTAATCTAGTGAATAATGTACTGT
TATCTAAGCATTGCTTGTACTGCACTGAAAGTAATTATCTTTGACCTTATGTGAGGCACTTGGCTTTTTGTG
GACCCCAAGTCAAAAAAAGTGAAGAGACAGTATTAATAATGAAAAAATAATGACAGGTTTACTCAGTGTAACC
TGGGTATAACCCAAGATCTGCTGCCACTTACGAGCTGTGTTTCTTGGGCAAGTAATTTCTTCACTGAGCTTGT
TTCTTCTCAAGGTTGTTGTGAAGATTAAATGAGTTGATATATATAAAATGCCTAGCACATGTCACTCAATAAAT
CTGGTTTGTTTTAAATTTCAAAGGAATATTATGGACTGAAATGAGAGAACATGTTTTAAGAACTTTTAGCTCCTTG
ACAAAGAAGTGCTTTTACTTTAGCACTAAATATTTTAAATGCTTTATAAATGATATTACTGTTATGGAATAT
TGTATCATATTGTAGTTTATTAATAATGTAGAAGAGGCTGGGCGCGGTGGCTCACGCCTGTAATCCTAGCACTTT
GGGAGGCCAAGGCGGGTGGATCACTTGAGGCCAGGAGTTCTAGATGAGCCTGGCCAGCACAGTGAAACCCCGTCT
CTACTAAAAATACAAACAAATTAGCTGGGCGTGGTGGCACACACCTGTAGTCCCAGCTACTCGGGAGGCTGAGGC
AGGAGAATCGGTTGAACCCGGGAGGTGGAGGTTGCAGTGAGCTGAGATCGCGCCACTGCACTCCAGCCTGGTGAG
AGAGGGAGACTCTGTCTTAAAAA

285/615

FIGURE 284

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA64952
><subunit 1 of 1, 258 aa, 1 stop
><MW: 25716, pI: 8.13, NX(S/T): 5
MRSLSLGLGLALLCCAAAAAASASAASAGNVTGGGGAAGQVDASPGPGLRGEPSHPFPRATAPTAQAPRTGPPRA
TVHRPLAATSPAQSPETTPWATAGPSSTTFQAPLGPSPTTPPAAERTSTTSQAPTRPAPTTLSTTTGPAPTTPV
ATTVPAPTTPRTPTPDLPSSSNSSVLPTPPATEAPSSPPPEYVCNCSVVGSLNVNRCNQTTGQCECRPGYQGLHC
ETCKEGFYLNYSGLCQPCDCSPHGALSIPCNR
```

Important features of the protein:**Signal peptide:**

amino acids 1-25

N-glycosylation sites.

amino acids 30-33, 172-175, 195-198, 208-211, 235-238

EGF-like domain cysteine pattern signature.

amino acids 214-226.

286/615

FIGURE 285

AACAGACGTTCCCTCGCGGCCCTGGCACCTCTAACCCACAGACATGCTGCTGCTGCTGCTGCCCTGCTCTGGGGG
AGGGAGAGGGCGGAAGGACAGACAAGTAAACTGCTGACGATGCAGAGTTCCGTGACGGTGACAGGAAGGCCTGTGT
GTCCATGTGCCCTGCTCCTTCTCCTACCCCTCGCATGGCTGGATTTACCCTGGCCAGTAGTTTCATGGCTACTGG
TTCCGGGAAGGGGCCAATACAGACCAGGATGCTCCAGTGGCCACAAACAACCCAGCTCGGGCAGTGTGGGAGGAG
ACTCGGGACCGATTCCACCTCCTTGGGGACCCACATAACCAAGAATTGCACCCTGAGCATCAGAGATGCCAGAAGA
AGTGATGCGGGGAGATACTTCTTTTCGTATGGAGAAAGGAAGTATAAAATGGAATTATAAACATCACCGGCTCTCT
GTGAATGTGACAGCCTTGACCCACAGGCCAACATCCTCATCCAGGCACCCTGGAGTCCGGCTGCCCCCAGAAT
CTGACCTGCTCTGTGCCCTGGGCCTGTGAGCAGGGGACACCCCTATGATCTCCTGGATAGGGACCTCCGTGTCC
CCCCTGGACCCCTCCACCACCCGCTCCTCGGTGCTCACCTCATCCACAGCCCCAGGACCATGGCACCAGCCTC
ACCTGTCAGGTGACCTTCCCTGGGGCCAGCGTGACCACGAACAAGACCGTCCATCTCAACGTGTCTTACCCGCCCT
CAGAACTTGACCATGACTGTCTTCCAAGGAGACGGCACAGTATCCACAGTCTTGGGAAATGGCTCATCTCTGTCA
CTCCAGAGGGCCAGTCTCTGCGCCTGGTCTGTGCAGTTGATGCAGTTGACAGCAATCCCCCTGCCAGGCTGAGC
CTGAGCTGGAGAGGCCTGACCTGTGCCCCCTCACAGCCCTCAAACCCGGGGGTGCTGGAGCTGCCTTGGGTGCAC
CTGAGGGATGCAGCTGAATTCACCTGCAGAGCTCAGAACCCTCTCGGCTCTCAGCAGGTCTACCTGAACGTCTCC
CTGCAGAGCAAAGCCACATCAGGAGTGACTCAGGGGGTGGTGGGGGAGCTGGAGCCACAGCCCTGGTCTTCTCTG
TCCTTCTGCGTCATCTTCGTTGTAGTGAGGTCTGCAGGAAGAAATCGGCAAGGCCAGCAGCGGGCGTGGGAGAT
ACGGGCATAGAGGATGCAAACGCTGTGAGGGGTTAGCCTCTCAGGGGCCCTGACTGAACCTTGGGCAGAAGAC
AGTCCCCCAGACCAGCCTCCCCAGCTTCTGCCCCGCTCCTCAGTGGGGGAAGGAGAGCTCCAGTATGCATCCCTC
AGCTTCCAGATGGTGAAGCCTTGGGACTCGCGGGGACAGGAGGCCACTGACACCGAGTACTCGGAGATCAAGATC
CACAGATGAGAAACTGCAGAGACTCACCTGATTGAGGGATCACAGCCCCTCCAGGCAAGGGAGAAGTCAGAGGC
TGATTCTTGTAGAATTAACAGCCCTCAACGTGATGAGCTATGATAACACTATGAATTATGTGCAGAGTGAAAAGC
ACACAGGCTTTAGAGTCAAAGTATCTCAAACCTGAATCCACACTGTGCCCTCCCTTTTATTTTTTAACTAAAAG
ACAGACAAATTCCTA

287/615

FIGURE 286

MLLLLLPLLWGRERAEGQTSKLLTMQSSVTVOEGLCVHVPCSFSPSHGWIYPGPVVHGYWFREGANTDQDAPVA
TNNPARAVWEETRDRFHLLGDPHTKNCTLSIRDARRSDAGRYFFRMEKGSIKWNYKHHRLSVNVTALTHRPNILI
PGTLESGCPQNLTCVWPWACEQGTTPMISWIGTSVSPDPSTTRSSVLTLPQPDHGTSLTCQVTFPGASVTTN
KTVHLNVSYPPQNLMTVTFQGDGTVSTVLGNGSSLSLPEGQSLRLVCAVDAVDSNPPARLSLSWRGLTLCPSQPS
NPGVLELPWVHLRDAAEFTCRAQNPLGSQQVYLNVSLSQKATSGVTQGVVGGAGATALVFLSFCVIFVVVRSCRK
KSARPAAGVGDGTGIEDANAVRGSASQGPLEPWAEDSPDPQPPASARSSVGEGLQYASLSFQMVKPWDSRGQE
ATDTEYSEIKIHR

Signal peptide:
amino acids 1-15

Transmembrane domain:
amino acids 351-370

288/615

FIGURE 287

CGCGAGCTGAGAGGAGCAGGTAGAGGGGCAGAGGCGGGACTGTCGTCTGGGGGAGCCGCCAGGAGGCTCCTCAG
GCCGACCCAGACCCTGGCTGGCCAGGATGAAGTATCTCCGGCACCGGCGGCCCAATGCCACCCTCATTCTGGCC
ATCGGCGCTTTCACCCTCCTCCTCTTCAGTCTGCTAGTGTACCAACCCACCTGCAAGGTCCAGGAGCAGCCACCG
GCGATCCCCGAGGCCCTGGCCTGGCCCACTCCACCCACCGGCCAGCCCCGGCCCCGTGCCATGCCAACACCTCT
ATGGTCAACCCACCGGACTTCGCCACGCAGCCGCAGCACGTTCAGAACTTCCTCCTGTACAGACACTGCCGCCAC
TTTCCCCTGCTGCAGGACGTGCCCCCTCTAAGTGCAGCGCAGCCGGTCTTCCTGCTGCTGGTGATCAAGTCTCC
CCTAGCAACTATGTGCGCCGCGAGCTGCTGCGGCGCACGTGGGGCCGCGAGCGCAAGGTACGGGGTTTGCAGCTG
CGCTCCTCTTCTGGTGGGCACAGCCTCCAACCCGCAGAGGCCCGCAAGGTCAACCGGCTGCTGGAGCTGGAG
GCACAGACTCACGGAGACATCCTGCAGTGGGACTTCCACGACTCCTTCTTCAACCTCACGCTCAAGCAGGTCCTG
TTCTTACAGTGGCAGGAGACAAGGTGCGCCAACGCCAGCTTCGTGCTCAACGGGGATGATGACGTCCTTGCACAC
ACAGACAACATGGTCTTCTACCTGCAGGACCATGACCCTGGCCGCCACCTCTTCGTGGGGCAACTGATCCAAAAC
GTGGGCCCCATCCGGGCTTTTGGAGCAAGTACTATGTGCCAGAGGTGGTGACTCAGAATGAGCGGTACCCACCC
TATTGTGGGGGTGGTGGCTTCTTGCTGTCCCGCTTCACGGCCGCTGCCCTGCGCCGTGCTGCCCATGTCTTGGAC
ATCTTCCCCATTGATGATGTCTTCTGGGTATGTGTCTGGAGCTTGAGGGACTGAAGCCTGCCTCCACAGCGGC
ATCCGCACGTCTGGCGTGCGGGCTCCATCGCAACACCTGTCTCCTTTGACCCCTGCTTCTACCGAGACCTGCTG
CTGGTGCACCGCTTCTACCTTATGAGATGCTGCTCATGTGGGATGCGCTGAACAGCCCAACCTCACCTGCGGC
AATCAGACACAGATCTACTGAGTCAAGTCAAGGTCCCCAGCCTCTGGGCTCCTGTTTCCATAGGAAGGGGCGAC
ACCTTCTCTCCAGGAAGCTGAGACCTTTGTGGTCTGAGCATAAGGGAGTGCCAGGGAAGGTTTGGAGTTTGATGA
GTGAATATTCTGGCTGGCGAACTCCTACACATCCTTCAAAACCCACCTGGTACTGTTCCAGCATCTTCCCTGGAT
GGCTGGAGGAACCTCAGAAAATATCCATCTTCTTTTGTGGCTGCTAATGGCAGAAGTGCCCTGTGCTAGAGTTCC
AACTGTGGATGCATCCGTCCCGTTTGAGTCAAAGTCTTACTTCCCTGCTCTCACCTACTCACAGACGGGATGCTA
AGCAGTGCACCTGCAGTGGTTTAAATGGCAGATAAGCTCCGTCTGCAGTTCAGGCCAGCCAGAACTCCTGTGTC
CACATAGAGCTGACGTGAGAAATATCTTTCAGCCAGGAGAGAGGGGTCCTGATCTTAACCTTTTCTGGGTCTC
AGACAACCTCAGAAGGTTGGGGGGATACCAGAGAGGTGGTGAATAGGACCGCCCCCTCTTACTTGTGGGATCAA
ATGCTGTAATGGTGGAGGTGTGGGCAGAGGAGGGAGGCAAGTGTCTTTGAAAGTTGTGAGAGCTCAGAGTTTCTG
GGTCCCTCATTAGGAGCCCCCATCCCTGTGTTCCCCAAGAATTCAGAGAACAGCACTGGGGCTGGAATGATCTTT
AATGGGCCCCAAGGCCAACAGGCATATGCCTCACTACTGCCTGGAGAAGGGAGAGATTAGGTCCTCCAGCAGCCT
CCCTACCCAGTATGTTTTACAGATTACGGGGGACCGGGTGAGCCAGTGACCCCTGCAGCCCCCAGCTTCAGG
CCTCAGTGTCTGCCAGTCAAGCTTCACAGGCATTGTGATGGGGCAGCCTTGGGGAATATAAAATTTTGTGAAGAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

289/615

FIGURE 288

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA65413

<subunit 1 of 1, 372 aa, 1 stop

<MW: 42515, pI: 8.92, NX(S/T): 6

MKYLRRHRPNATLILAIGAFTLLLFSLLVSPPTCKVQEQPPAIPALAWPTPPTRPAPAPCHANTSMVTHPDFAT
QPQHVQNFLLYRHCRRHFLLQDVPPSKCAQPVFLLLVIKSSPSNYVRRELLRRTWGRERKVRGLQLRLLFLVGTA
SNPHEARKVNRLLLELEAQTHGDILQWDFHDSFFNLTKQVLFLOWQETRCANASFVLNGDDVFAHTDNMVFYLO
DHDPGRHLFVGQLIQNVGPIRAFWISKYYVPEVVTQNERYPYCGGGFLLSRFTAALRRAAHVLDIFPIDDVFL
GMCLELEGLKPASHSGIRTSGVRAPSQHLSSFDPCFYRDLLLVRFLPYEMLLMWDALNQPNLTCGNQTQIY

Important features:**Type II transmembrane domain:**

Amino acids 15-34

N-glycosylation sites:

Amino acids 10-14;64-68;184-188;202-206;362-366;367-371

TonB-dependent receptor proteins signature 1:

Amino acids 1-32

N-myristoylation sites:

Amino acids 308-314;316-322

290/615

FIGURE 289A

CGCGCTCCCCGCGCGCTCCTCGGGCTCCACGCGTCTTGCCCCGCAGAGGCAGCCTCCTCCAGGAGCGGGGCCCT
GCACACCAATGGCCCCCGGGTGGGCAGGGGTGCGCGCCGCGCTGCGCGCCCGCTGGCGCTGGCCTTGGCGCTGGC
GAGCGTCTTGAGTGGGCCTCCAGCCGTGCGCTGCCCCACCAAGTGTACCTGCTCCGCTGCCAGCGTGGACTGCCA
CGGGCTGGGCCTCCGCGCGGTTCCTCGGGGCATCCCCCGCAACGCTGAGCGCCTTGACCTGGACAGAAATAATAT
CACCAGGATCACCAAGATGGACTTCGCTGGGCTCAAGAACCTCCGAGTCTTGACATCTGGAAGACAACCAGGTGAG
CGTCATCGAGAGAGGCGCCTTCCAGGACCTGAAGCAGCTAGAGCGACTGCGCCTGAACAAGAATAAGCTGCAAGT
CCTTCCAGAATTGCTTTTCCAGAGCACGCCGAAGCTCACCAGACTAGATTTGAGTGAAAACCAGATCCAGGGGAT
CCCGAGGAAGGCGTTCCGCGGCATCACCAGATGTGAAGAACCTGCAACTGGACAACAACCACATCAGCTGCATTGA
AGATGGAGCCTTCCGAGCGCTGCGCGATTTGGAGATCCTTACCCTCAACAACAACAACATCAGTCGCATCCTGGT
CACCAGCTTCAACCACATGCCGAAGATCCGAAGCTCTGCGCCTCCACTCCAACCACCTCTACTGCGACTGCCACCT
GGCCTGGCTCTCGGATTGGCTGCGACAGCGACGGACAGTTGGCCAGTTCACACTCTGCATGGCTCCTGTGCATTT
GAGGGGCTTCAACGTGCGGATGTGCGAGAAGAAGGAGTACGTGTGCCAGCCCCCCTCGAGCCCCCATCCTG
CAATGCCAACTCCATCTCCTGCCCTTCCGCTGCGAGTGCAGCAATAACATCGTGGACTGTGAGGAAAGGGCTT
GATGGAGATTCTTGCCAACTTGCCGGAGGGCATCGTCGAAATACGCCTAGAACAGAACTCCATCAAAGCCATCCC
TGCAGGAGCCTTCAACAGTACAAGAACTGAAGCGAATAGACATCAGCAAGAATCAGATATCGGATATTGCTCC
AGATGCCTTCCAGGGCCTGAAATCACTCACATCGCTGGTCTGTATGGGAACAAGATCACCAGAGATTGCCAAGGG
ACTGTTTGTATGGGCTGTGTCCCTACAGCTGCTCCTCCTCAATGCCAACAAGATCAACTGCCTGCGGGTGAACAC
GTTTCAGGACCTGCAGAACCTCAACTTGCTCTCCTGTATGACAACAAGCTGCAGACCATCAGCAAGGGGCTCTT
CGCCCCCTCTGCAGTCCATCCAGACACTCCACTTAGCCCCAAAACCCATTGTGTGCGACTGCCACTTGAAGTGGCT
GGCCGACTACCTCCAGGACAACCCCATCGAGACAAGCGGGGCCGCTGCAGCAGCCCCGCGGAGCTCGCCAACAA
GCGCATCAGCCAGATCAAGAGCAAGAAGTTCCGCTGCTCAGGCTCCGAGGATTACCGCAGCAGGTTTCCAGCAGCA
GTGCTTCATGGACCTCGTGTGCCCCGAGAAGTGTGCTGTGAGGGCACGATTGTGGACTGCTCCAACCAGAAGCT
GGTCCGCATCCCAAGCCACCTCCCTGAATATGTACCGACCTGCGACTGAATGACAATGAGGTATCTGTTCTGGA
GGCCACTGGCATCTTCAAGAAGTTGCCAACCTGCGGAAAATAAATCTGAGTAACAATAAGATCAAGGAGGTGCG
AGAGGGAGCTTTGATGGAGCAGCCAGCGTGCAGGAGCTGATGCTGACAGGGAACCAGCTGGAGACCGTGCACGG
GCGCGTGTTCGCTGGCCTCAGTGGCCTCAAAACCTTGATGCTGAGGAGTAACCTGATCAGCTGTGTGAGTAATGA
CACCTTTGCCGGCCTGAGTTCGGTGAGACTGCTGTCCCTCTATGACAATCGGATCACCACCATACCCCTGGGGC
CTTACCACGCTTGTCTCCCTGTCCACCATAAACCTCCTGTCCAACCCCTTCAACTGCAACTGCCACCTGGCCTG
GCTCGGCAAGTGGTTGAGGAAGAGGCGGATCGTCAGTGGGAACCCTAGGTGCCAGAAGCCATTTTTCTCAAGGA
GATTCCCATCCAGGATGTGGCCATCCAGGACTTCACTGTGATGGCAACGAGGAGAGTAGCTGCCAGCTGAGCCC
GCGCTGCCCGGAGCAGTGCACCTGTATGGAGACAGTGGTGGATGCAGCAACAAGGGGCTCCGCGCCCTCCCCAG
AGGCATGCCCAAGGATGTGACCGAGCTGTACCTGGAAGGAAACCACCTAACAGCCGTGCCAGAGAGCTGTCCGC
CCTCCGACACCTGACGCTTATTGACCTGAGCAACAACAGCATCAGCATGCTGACCAATTACACCTTCAGTAACAT
GTCTCACCTCTCCACTCTGATCCTGAGCTACAACCGGCTGAGGTGCATCCCCGTCCAGCCTTCAACGGGCTGCG
GTCCCTGCGAGTGCTAACCTCCATGGCAATGACATTTCCAGCGTTCTTGAAGGCTCCTTCAACGACCTCACATC
TCTTTCCATCTGGCGCTGGGAACCAACCACTCCACTGTGACTGCAGTCTTGGTGGCTGTGCGAGTGGGTGAA
GGCGGGGTACAAGGAGCCTGGCATCGCCCGCTGCAGTAGCCCTGAGCCCATGGCTGACAGGCTCCTGCTCACCAC
CCCAACCCACCGCTTCCAGTGCAAAGGGCCAGTGGACATCAACATTGTGGCCAAATGCAATGCCTGCGCTCTCCAG
CCCGTGAAGAATAACGGGACATGCACCCAGGACCCTGTGGAGCTGTACCGCTGTGCCTGCCCC

291/615

FIGURE 289B

TACAGCTACAAGGGCAAGGACTGCACTGTGCCCATCAACACCTGCATCCAGAACCCCTGTGAGCATGGAGGCACC
TGCCACCTGAGTGACAGCCACAAGGATGGGTTCAGCTGCTCCTGCCCTCTGGGCTTTGAGGGGCAGCGGTGTGAG
ATCAACCCAGATGACTGTGAGGACAACGACTGCCAAAAAATGCCACCTGCGTGGACGGGATCAACAACCTACGTG
TGTATCTGTCCGCCTAACTACACAGGTGAGCTATGCGACGAGGTGATTGACCACTGTGTGCCTGAGCTGAACCTC
TGTGAGCATGAGGGCCAAGTGCATCCCCCTGGACAAAAGGATTCAGCTGCGAGTGTGTCCCTGGCTACAGCGGGAAG
CTCTGTGAGACAGACAATGATGACTGTGTGGCCCAAGTGCCGCCACGGGGCCAGTGCCTGGACACAATCAAT
GGCTACACATGCACCTGCCCCCAGGGCTTCAGTGGACCCTTCTGTGAACACCCCCCACCATGGTCTACTGCAG
ACCAGCCCATGCGACCAGTACGAGTGCCAGAACGGGGCCAGTGCATCGTGGTGCAGCAGGAGCCCACCTGCCGC
TGCCCACCAAGGCTTCGCCGGCCCCAGATGCGAGAAGCTCATCACTGTCAACTTCGTGGGCAAAGACTCCTACGTG
GAACTGGCCTCCGCCAAGGTCCGACCCCAGGCCAACATCTCCCTGCAGGTGGCCACTGACAAGGACAACGGCATC
CTTCTCTACAAAGGAGACAATGACCCCCTGGCACTGGAGCTGTACCAGGGCCACGTGCGGCTGGTCTATGACAGC
CTGAGTTCCCTCCAACCACAGTGTACAGTGTGGAGACAGTGAATGATGGGCAGTTTCACAGTGTGGAGCTGGTG
ACGCTAAACCAGACCCTGAACCTAGTAGTGGACAAAGGAAGTCCAAAGAGCCTGGGGAAGCTCCAGAAGCAGCCA
GCAGTGGGCATCAACAGCCCCCTCTACCTTGGAGGCATCCCCACCTCCACCGGCCTCTCCGCCTTGCGCCAGGGC
ACGGACCGGCCTCTAGGCGGCTTCCACGGATGCATCCATGAGGTGCGCATCAACAACGAGCTGCAGGACTTCAAG
GCCCTCCCACCACAGTCCCTGGGGGTGTCAACAGGCTGCAAGTCTGCACCGTGTGCAAGCACGGCCTGTGCCGC
TCCGTGGAGAAGGACAGCGTGGTGTGCGAGTGCCGCCAGGCTGGACCGGCCACTCTGCGACCAGGAGGCCCCGG
GACCCCTGCCTCGGCCACAGATGCCACCATGAAAATGTGTGGCAACTGGGACCTCATACTGTGCAAGTGTGCC
GAGGGCTATGGAGGGGACTTGTGTGACAACAAGAATGACTCTGCCAATGCCTGCTCAGCCTTCAAGTGTCAACAT
GGGCAGTGCCACATCTCAGACCAAGGGGAGCCCTACTGCCTGTGCCAGCCCGGCTTTAGCGGCGAGCACTGCCAA
CAAGAGAATCCGTGCCCTGGGACAAGTAGTCCGAGAGGTGATCCGCCGCCAGAAAGGTTATGCATCATGTGCCACA
GCCTCCAAGGTGCCATCATGGAATGTCGTGGGGGCTGTGGGGCCCCAGTGTGCCAGCCCCACCGCAGCAAGCGG
CGGAAATACGTCTTCCAGTGCACGGACGGCTCCTCGTTTGTAGAAGAGGTGGAGAGACACTTAGAGTGC GGCTGC
CTCGCGTGTTCCTAAGCCCCCTGCCCGCCTGCCTGCCACCTCTCGGACTCCAGCTTGATGGAGTTGGGACAGCCAT
GTGGGACCCCCTGGTGATTGAGCATGAAGGAAATGAAGCTGGAGAGGAAGGTAAAGAAGAAGAGAATATTAAAGTA
TATTGTAAATAAACAAAAAATAGAACTTAAAAAAAAAAAAAAAAAAAAAAAAA

292/615

FIGURE 290

MAPGWAGVGAAVRARLALALASVLSGPPAVACPTKCTCSAASVDCHGLGLRAVPRGIPRNAERLDLDRNNITR
ITKMDFAGLKNLRVLHLEDNQVSVIERGAFQDLKQLERLRNLNKNLQVLPPELLFQSTPKLTRLDLSENQIQGIPR
KAFRGITDVKNLQLDNNHISCIEDGAFRALRDLEILTNNNNISRLVTSFNHMPKIRTLRLHSNHLCDCHLAW
LSDWLRQRRTVGQFTLCMAPVHLRGFNVADVQKKEYVCPAPHSEPPSCNANSISCPSPCTCSNNIVDCRGKGLME
IPANLPEGIVEIRLEQNSIKAIPAGAFTQYKKLKRIDISKNQISDIAPDAFQGLKSLTSLVLYGNKITEIAKGLF
DGLVSLQLLLLNANKINCLRVNTFQDLQNLNLLSLYDNKLQTIKGLFAPLQSIQTLHLAQNPFCVCDCHLKWLD
YLQDNPIETSGARCSSPRRLANKRISQIKSKKFRCSGSEDYRSRFSSECFMDLVCPEKCRCEGTIVDCSNQKLVR
IPSHLPEYVTDLRLNDNEVSVLEATGIFKKLPNLRKINLSNNKIKEVREGAFDGAASVQELMLTGNQLETVHGRV
FRGLSGLKTLMLRSNLISCVSNDTFAGLSSVRLLSLYDNRIITITPGAFTTLVSLSTINLLSNPFNCNCHLAWLG
KWLRRRIIVSGNPRCQKPFLLKEIPIQDVAIQDFTCDGNEESSCQLSPRCPEQCTCMETVVRCNSNKGRLALPRGM
PKDVTLEYLEGNHILTAVPRELSALRHLLTIDLSNNSISMLTNYTFSNMSHLSTLILSYNRLRCIPVHAFNGLRSL
RVLTLLHGNDISSVPEGSFNDLTSLSHLALGTNPLHDCSLRWLSEWVKAGYKEPGIARCSSPEPMADRLLLTTPT
HRFQCKGPVDINIVAKCNACLSSPCKNNGTCTQDPVELYRCACPYSYKGDCTVPINTCIQNPCQHGGTCHLSDS
HKDGFSCSCPLGFEGQRCEINPDDCEDNDCENNATCVGINNYVCICPPNYTGELCDEVIDHCVPENLNCQHEAK
CIPLDKGFSCCECVPGYSGKLCETDNDDCVAHKCRHGAQCVDITNGYTCTCPQGFSGPFCEHPPPMVLLQTSPCDQ
YECQNGAQCIIVVQOEPTCRCPPGFAGPRCEKLITVNFVGKDSYVELASAKVRPQANISLQVATDKDNGILLYKGD
NDPLALELYQGHVRLVYDSLSSPPTTVYSVETVNDGQFHSVELVTNLQTLNLVVDKGTPKSLGKLQKQPAVGINS
PLYLGGIPTSTGLSALRQGTDRPLGGFHGCIHEVRINNELQDFKALPPQSLGVSPGCKSCTVCKHGLCRSVEKDS
VVCECRPGWTGPLCDQEARDPCLGHRCHHGKCVATGTSYMCKCAEGYGGDLCDNKNDSANACSAFKCHHGQCHIS
DQGEPYCLCQPGFSGEHCQQENPCLGQVVREVIRROKGYASCATASKVPIMECRGGCGPQCCQPTRSKRRKYVFQ
CTDGSSFVEEVERHLECGCLACS

Signal peptide:
amino acids 1-27

293/615

FIGURE 291

GGATGCAGGACGCTCCCCTGAGCTGCCTGTCACCGACTAGGTGGAGCAGTGTTTCTTCCGCAGACTCAACTGAGA
AGTCAGCCTCTGGGGCAGGCACCCAGGAATCTGCCTTTTCAGTTCTGTCTCCGGCAGGCTTTGAGGATGAAGGCTG
CGGGCATTCTGACCCTCATTGGCTGCCTGGTCACAGGCGCCGAGTCCAAAATCTACACTCGTTGCAAACCTGGCAA
AAATATTCTCGAGGGCTGGCCTGGACAATTACTGGGGCTTCAGCCTTGGAACCTGGATCTGCATGGCATATTATG
AGAGCGGCTACAACACCACAGCCCCGACGGTCCTGGATGACGGCAGCATCGACTATGGCATCTTCCAGATCAACA
GCTTCGCGTGGTGCAGACGCGGAAAGCTGAAGGAGAACAACCACTGCCATGTGCGCTGCTCAGCCTTGATCACTG
ATGACCTCACAGATGCAATTATCTGTGCCAGGAAAATTGTTAAAGAGACACAAGGAATGAACATTGGCAAGGCT
GGAAGAAACATTGTGAGGGCAGAGACCTGTCCGAGTGGAAAAAAGGCTGTGAGGTTTCCTAAACTGGAACCTGGAC
CCAGGATGCTTTGCAGCAACGCCCTAGGATTTGCAGTGAATGTCCAAATGCCTGTGTCATCTTGTCCCGTTTCCT
CCCAATATTCCTTCTCAAACCTGGAGAGGGAAAATTAAGCTATACTTTTAAGAAAATAAATATTCCATTTAAATGTC

294/615

FIGURE 292

MKAAGILTLIGCLVTGAESKIYTRCKLAKIFSRAGLDNYWGFSLGNWICMAYYESGYNTTAPTVLDDGSIDYGIF
QINSAWCRRGKLKENNHCHVACSALITDDLTDALICARKIVKETQGMNYWQGWWKKHCEGRDLSEWKKGCEVS

Signal peptide:
amino acids 1-19

295/615

FIGURE 293

AGAAAGCTGCACTCTGTTGAGCTCCAGGGCGCAGTGGAGGGAGGGAGTGAAGGAGCTCTCTGTACCCAAGGAAAG
TGCAGCTGAGACTCAGACAAGATTACAATGAACCAACTCAGCTTCCTGCTGTTTCTCATAGCGACCAACAGAGGA
TGGAGTACAGATGAGGCTAATACTTACTTCAAGGAATGGACCTGTTCTTCGTCTCCATCTCTGCCCAGAAGCTGC
AAGGAAATCAAAGACGAATGTCCTAGTGCATTTGATGGCCTGTATTTTCTCCGCACTGAGAATGGTGTATCTAC
CAGACCTTCTGTGACATGACCTCTGGGGGTGGCGGCTGGACCCTGGTGGCCAGCGTGCATGAGAATGACATGCGT
GGGAAGTGCACGGTGGGCGATCGCTGGTCCAGTCAGCAGGGCAGCAAAGCAGACTACCCAGAGGGGGACGGCAAC
TGGGCCAACTACAACACCTTTGGATCTGCAGAGGCGGCCACGAGCGATGACTACAAGAACCCTGGCTACTACGAC
ATCCAGGCCAAGGACCTGGGCATCTGGCACGTGCCCAATAAGTCCCCCATGCAGCACTGGAGAAACAGCTCCCTG
CTGAGGTACCGCACGGACACTGGCTTCCTCCAGACACTGGGACATAATCTGTTTGGCATCTACCAGAAATATCCA
GTGAAATATGGAGAAGGAAAGTGTGGACTGACAACGGCCCGGTGATCCCTGTGGTCTATGATTTTGGCGACGCC
CAGAAACAGCATCTTATTACTCACCTATGGCCAGCGGGAATTCAGTGCGGGATTTGTTTCAAGTTTCAAGGTATTT
AATAACGAGAGAGCAGCCAACGCCTTGTGTGCTGGAATGAGGGTCACCGGATGTAACACTGAGCATCACTGCATT
GGTGGAGGAGGATACTTTCCAGAGGCCAGTCCCCAGCAGTGTGGAGATTTTCTGGTTTTGATTGGAGTGGATAT
GGAAGTCACTGTTGGTTACAGCAGCAGCCGTGAGATAACTGAGGCAGCTGTGCTTCTATTCTATCGTTGAGAGTTT
TGTGGGAGGGAACCCAGACCTCTCCTCCCAACCATGAGATCCCAAGGATGGAGAACAACTTACCCAGTAGCTAGA
ATGTTAATGGCAGAAGAGAAAACAATAAATCATATTGACTCAAGAAAAAAA

296/615

FIGURE 294

MNQLSFLFLIATTRGWSTDEANTYFKEWTCSSSPSLPRSCKEIKDECPSAFDGLYFLRTENGVIYQTFCDMTSG
GGGWTLVASVHENDMRGKCTVGDRWSSQQGSKADYPEGDGNWANYNTFGSAEAATSDDYKNPGYYDIQAKDLGIW
HVPNKSPMQHWRNSSLLRYRTDTGFLQTLGHNLFGIYQKYPVKYGEGKCWTDNGPVI PVVYDFGDAQKTASYSP
YGQREFTAGFVQFRVFNNERAANALCAGMRVTGCNTEHHCIGGGGYFPEASPOQC GDFSGFDWSGYGTHVGYSSS
REITEAAVLLFYR

297/615

FIGURE 295

CAGGCCATTTGCATCCCACTGTCCCTTGTGTTCCGAGCCAGGCCACACCGTCCTCAGCAGTGTGTCATGTGTTAAAAA
CGCCAAGCTGAATATATCATGCCCCCTATTAAAACTTGTACATGGCTCCCCATTGGTTTTTGGAGAAAAAGTTCAAG
CTTTTTACCTTGGTGTCTGCCCTGTATCCCAGTGTTCAGGCTGGCTAGACGGCGGAAGAAGATCCTATTTTACTGT
CACTTCCCAGATCTGCTTCTCACCAAGAGAGATTCTTTCTTAAACGACTATACAGGGCCCCAATTGACTGGATA
GAGGAATACACCACAGGCATGGCAGACTGCATCTTAGTCAACAGCCAGTTCACAGCTGCTGTTTTTAAGGAAACA
TTCAAGTCCCTGTCTCACATAGACCCTGATGTCTCTATCCATCTCTAAATGTCACCAGCTTTGACTCAGTTGTT
CCTGAAAAGCTGGATGACCTAGTCCCCAAGGGGAAAAAATTCTGTGCTCTCCATCAACAGATACGAAAGGAAG
AAAAATCTGACTTTGGCACTGGAGCCCTAGTACAGCTGCGTGGAAAGATTGACATCCCAAGATTGGGAGAGGGTT
CATCTGATCGTGGCAGGTGGTTATGACGAGAGAGTCTGGAGAATGTGGAACATTATCAGGAATTGAAGAAAATG
GTCCAACAGTCCGACCTTGGCCAGTATGTGACCTTCTTGAGGTCTTTCTCAGACAAACAGAAAAATCTCCCTCCTC
CACAGCTGCACGTGTGTGCTTTACACACCAAGCAATGAGCACTTTGGCATTGTCCCTCTGGAAGCCATGTACATG
CAGTGCCCAAGTCATTGCTGTTAATTCTGGGTGGACCCTTGGAGTCCATTGACCACAGTGTACAGGGTTTCTGTGT
GAGCCTGACCCGGTGCACCTCTCAGAAGCAATAGAAAAGTTTCATCCGTGAACCTTCTTAAAAGCCACCATGGGC
CTGGCTGGAAGAGCCAGAGTGAAGGAAAAATTTTCCCTGAAGCATTTACAGAACAGCTCTACCGATATGTTACC
AAACTGCTGGTATTAATCAGATTGTTTTAAGATCTCCATTAAATGTCAATTTTATGGATTGTAGACCCAGTTTGA
AACCAAAAAAGAAACCTAGAATCTAATGCAGAAGAGATCTTTTAAAAAATAAACTTGAGTCTTGAATGTGAGCCA
CTTTCCTATATACCACACCTCCCTGTCCACTTTTCAGAAAAACCATGTCTTTTATGCTATAATCATTCCAAATTT
TGCCAGTGTAAAGTTACAAATGTGGTGTCAATCCATGTTGAGCAGAGTATTTAATTATATTTTCTCGGGATTAT
TGCTCTTCTGTCTATAAAATTTGAATGATACTGTGCCTTAATTGGTTTTTCATAGTTTAAGTGTGTATCATTATCA
AAGTTGATTAATTTGGCTTCATAGTATAATGAGAGCAGGGCTATTGTAGTTCACAGATTCAATCCACCGAAGTGT
TCACTGTCTATCTGTTAGGGAATTTTTGTTTGTCTGTCTTTGCCCTGGATCCATAGCGAGAGTGTCTGTATTTTT
TTTAAGATAATTTGTATTTTTGCACACTGAGATATAATAAAAGGTGTTTATCATAAAAA

298/615

FIGURE 296

MPLLKLVHGSPLVFGEKFKLFTLVSACIPVFRLARRRKKILFYCHFDPDLLLTKRDSFLKRLYRAPIDWIEEYTTG
MADCILVNSQFTAAVFKETFKSLSHIDPDVLYPSLNVTSFDSVVPEKLDDLVPKGKKFLLLSINRYERKKNLTLA
LEALVQLRGRLTSQDWERVHLIVAGGYDERVLENVEHYQELKKMVQSDLGQYVTFLRSFSDKQKISLLHSCTCV
LYTPSNEHFGIVPLEAMYMQCPVIAVNSGGPLESIDHSVTGFLCEPDPVHFSEAIEKFIREPSLKATMGLAGRAR
VKEKFSPEAFTEQLYRYVTCLLV

Signal peptide:

amino acids 1-15

299/615

FIGURE 297

GACTACGCCGATCCGAGACGTGGCTCCCTGGGCGGCAGAACCATGTTGGACTTCGCGATCTTCGCCGTTACCTTC
TTGCTGGCGTTGGTGGGAGCCGTGCTCTACCTCTATCCGGCTTCCAGACAAGCTGCAGGAATTCAGGGATTACT
CCAACCTGAAGAAAAAGATGGTAATCTTCCAGATATTGTGAATAGTGGAAGTTTGCATGAGTTCCTGGTTAATTTG
CATGAGAGATATGGGCCTGTGGTCTCCTTCTGGTTTGGCAGGCGCCTCGTGGTTAGTTTGGGCACCTGTTGATGTA
CTGAAGCAGCATATCAATCCCAATAAGACATCGGACCCTTTTGAACCATGCTGAAGTCATTATTAAGGTATCAA
TCTGGTGGTGGCAGTGTGAGTGAAAACCATGAGGAAAAAATTGTATGAAAATGGTGTGACTGATTCTCTGAAG
AGTAACTTTGCCCTCCTCCTAAAGCTTTTCAAGAATTATTAGATAAATGGCTCTCCTACCCAGAGACCCAGCAC
GTGCCCCCTCAGCCAGCATATGCTTGGTTTTTGCTATGAAGTCTGTTACACAGATGGTAATGGGTAGTACATTTGAA
GATGATCAGGAAGTCATTGCTTCCAGAAGAATCATGGCACAGTTTGGTCTGAGATTGGAAAAGGCTTTCTAGAT
GGGTCACTTGATAAAAAACATGACTCGGAAAAACAATATGAAGATGCCCTCATGCAACTGGAGTCTGTTTTAAGG
AACATCATAAAAGAACGAAAAGGAAGGAACCTTCAGTCAACATATTTTTCATTGACTCCTTAGTACAAGGGAACCTT
AATGACCAACAGATCCTAGAAGACAGTATGATATTTTCTCTGGCCAGTTGCATAATAACTGCAAAATTGTGTACC
TGGGCAATCTGTTTTTTAACCACCTCTGAAGAAGTTCAAAAAAATTATATGAAGAGATAAACCAAGTTTTTGA
AATGGTCCTGTTACTCCAGAGAAAATTGAGCAGCTCAGATATTGTCAGCATGTGCTTTGTGAACTGTTCCGAAC
GCCAACTGACTCCAGTTTCTGCCCAGCTTCAAGATATTGAAGGAAAAATTGACCGATTTATTATTCTTAGAGAG
ACCCTCGTCCTTTATGCCCTGGTGTGGTACTTCAGGATCCTAATACTTGGCCATCTCCACACAAGTTTGATCCA
GATCGGTTTGATGATGAATTAGTAATGAAAACCTTTTCTCACTTGGATTCTCAGGCACACAGGAGTGTCCAGAG
TTGAGGTTTGATATATGGTGACCACAGTACTTCTTAGTGTATTGGTGAAGAGACTGCACCTACTTTCTGTGGAG
GGACAGGTTATTGAAACAAAGTATGAAGTGGTAACATCATCAAGGGAAGAAGCTTGGATCACTGTCTCAAAGAGA
TATTAAATTTTATACATTTAAATCATTGTTAAATTGATTGAGGAAAACAACCATTTAAAAAAATCTATGTTG
AATCCTTTTATAAACAGTATCACTTTGTAATATAAACACCTATTTGTACTTAA

300/615

FIGURE 298

MLDFAIFAVTFLLALVGAVLYLYPASRQAAGIPGITPTEEKDGNLPDIVNSGSLHEFLVNLHERYGPVVSFWFGR
RLVVS LGTV DVLKQHINPNKTS DPFETMLKSLRYQSGGGSVSENHMRKKLYENGVTDSLKSNFALLKLSEELL
DKWLSYPETQHVPLSQHMLGFAMKSVTQMVMGSTFEDDQEVIRFQKNHGTWVSEIGKGFLDGS LDKNMTRKKQYE
DALMQLESVLRNIIKERKGRNFSQHIFIDSLVQGNLNDQQILEDSMIFSLASCIITAKLCTWAICFLT TSEEVQK
KLYEEINQVFGNGPVTPEKIEQLRYCQHVLCE TVRTAKLTPVSAQLQDIEGKIDRFIIPRET LVLYALGVVLQDP
NTWPSPHKFDPDRFDDELVMKTFSSLGFSGTQECPELRFAYMVTTVLLSVLVKRLHLLSVEGQVIETKYELVTSS
REEAWITVSKRY

Signal peptide:

amino acids 1-18

Transmembrane domain:

amino acids 271-290

301/615

FIGURE 299

CTAGATTTGTCGGCTTGCGGGGAGACTTCAGGAGTCGCTGTCTCTGAACTTCCAGCCTCAGAGACCGCCGCCCTT
GTCCCCGAGGGCCATGGGCCGGGTCTCAGGGCTTGTGCCCTCTCGCTTCCTGACGCTCCTGGCGCATCTGGTGGT
CGTCATCACCTTATTCTGGTCCCGGGACAGCAACATACAGGCCTGCCTGCCTCTCACGTTACCCCCGAGGAGTA
TGACAAGCAGGACATTCAGCTGGTGGCCGCGCTCTCTGTCACCCTGGGCCTCTTTGCAGTGGAGCTGGCCGGTTT
CCTCTCAGGAGTCTCCATGTTCAACAGCACCCAGAGCCTCATCTCCATTGGGGCTCACTGTAGTGCATCCGTGGC
CCTGTCCTTCTTCATATTCGAGCGTTGGGAGTGCACTACGTATTGGTACATTTTGTCTTCTGCAGTGCCCTTCC
AGCTGTCACTGAAATGGCTTTATTTCGTACCGTCTTTGGGCTGAAAAGAAACCCTTCTTGATTACCTTCATGACG
GGAACCTAAGGACGAAGCCTACAGGGGCAAGGGCCGCTTCGTATTCCCTGGAAGAAGGAAGGCATAGGCTTCGGTT
TTCCCCTCGGAAACTGCTTCTGCTGGAGGATATGTGTTGGAATAATTACGTCTTGAGTCTGGGATTATCCGCATT
GTATTTAGTGCTTTGTAATAAAATATGTTTTGTAGTAACATTAAGACTTATATACAGTTTTAGGGGACAATTAAA
AAAAAAAAA

302/615

FIGURE 300

MGRVSGLVPSRFLTLLAHLVVVITLFWSRDSNIQACPLTFTPEEYDKQDIQLVAALSVTLGLFAVELAGFLSGV
SMFNSTQSLISIGAHCSASVALSFFIFERWECTTYWYIFVFCSALPAVTEMALFVTVFGLKKKPF

Transmembrane domain:

amino acids 12-28 (type II), 51-66, 107-124

303/615

FIGURE 301

CTGGGACCCCGAAAAGAGAAGGGGAGAGCGAGGGGACGAGAGCGGAGGAGGAAGATGCAACTGACTCGCTGCTGC
TTCGTGTTCTCTGGTGCAGGGTAGCCTCTATCTGGTCATCTGTGGCCAGGATGATGGTCCTCCCGGCTCAGAGGAC
CCTGAGCGTGATGACCACGAGGGCCAGCCCCGGCCCCGGGTGCCTCGGAAGCGGGGCCACATCTCACCTAAGTCC
CGCCCCATGGCCAATTCCACTCTCCTAGGGCTGCTGGCCCCGCCTGGGGAGGCTTGGGGCATTCTTGGGCAGCCC
CCCAACCGCCCGAACCACAGCCCCCACCCTCAGCCAAGGTGAAGAAAATCTTTGGCTGGGGCGACTTCTACTCC
AACATCAAGACGGTGGCCCTGAACCTGCTCGTCACAGGGAAGATTGTGGACCATGGCAATGGGACCTTCAGCGTC
CACTTCCAACACAATGCCACAGGCCAGGGAAACATCTCCATCAGCCTCGTGCCCCCAGTAAAGCTGTAGAGTTC
CACCAGGAACAGCAGATCTTCATCGAAGCCAAGGCCCTCCAAAATCTTCAACTGCCGGATGGAGTGGGAGAAGGTA
GAACGGGGCCGCGGACCTCGCTTTGCACCCACGACCCAGCCAAGATCTGCTCCCGAGACCACGCTCAGAGCTCA
GCCACCTGGAGCTGCTCCAGCCCTTCAAAGTCGTCTGTGTCTACATCGCCTTCTACAGCACGGACTATCGGCTG
GTCCAGAAGGTGTGCCAGATTACAACCTACCATAGTGATACCCCCTACTACCCATCTGGGTGACCCGGGGCAGGC
CACAGAGGCCAGGCCAGGGCTGGAAGGACAGGCCCTGCCATGCAGGAGACCATCTGGACACCGGGCAGGGAAGGG
GTTGGGCCTCAGGCAGGGAGGGGGGTGGAGACGAGGAGATGCCAAGTGGGGCCAGGGCCAAGTCTCAAGTGGCAG
AGAAAGGGTCCCAAGTGCTGGTCCCAACCTGAAGCTGTGGAGTGACTAGATCACAGGAGCACTGGAGGAGGAGTG
GGCTCTCTGTGCAGCCTCACAGGGCTTTGCCACGGAGCCACAGAGAGATGCTGGGTCCCCGAGGCCTGTGGGCAG
GCCGATCAGTGTTGGCCCCAGATCAAGTCATGGGAGGAAGCTAAGCCCTTGGTTCTTGCCATCCTGAGGAAAGATA
GCAACAGGGAGGGGGAGATTTTCATCAGTGTGGACAGCCTGTCACTTAGGATGGATGGCTGAGAGGGCTTCCTAG
GAGCCAGTCAGCAGGGTGGGGTGGGGCCAGAGGAGCTCTCCAGCCCTGCCTAGTGGGCGCCCTGAGCCCCCTTGTCT
GTGTGCTGAGCATGGCATGAGGCTGAAGTGGCAACCCTGGGGTCTTTGATGTCTTGACAGATTGACCATCTGTCT
CCAGCCAGGCCACCCCTTTCCAAAATTCCCTCTTCTGCCAGTACTCCCCCTGTACCACCCATTGCTGATGGCACA
CCCATCCTTAAGCTAAGACAGGACGATTGTGGTCCTCCACACTAAGGCCACAGCCCATCCGCGTGCTGTGTGTC
CCTCTTCCACCCCAACCCCTGCTGGCTCCTCTGGGAGCATCCATGTCCCGGAGAGGGGTCCCTCAACAGTCAGCC
TCACCTGTCAGACCGGGGTTCTCCCGGATCTGGATGGCGCCGCCCTCTCAGCAGCGGGCACGGGTGGGGCGGGGC
CGGGCCGAGAGCATGTGCTGGATCTGTTCTGTGTGTCTGTCTGTGGGTGGGGGAGGGGAGGGAAGTCTTGTGA
AACCGCTGATTGCTGACTTTTGTGTGAAGAATCGTGTCTTGGAGCAGGAAATAAGCTTGCCCCGGGGCA

304/615

FIGURE 302

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA66521

><subunit 1 of 1, 252 aa, 1 stop

><MW: 28127, pI: 8.91, NX(S/T): 5

MQLTRCCFVFLVQGSLLVICGQDDGPPGSEDPERDDHEGQPRPRVPRKRGHISPKSRPMANSTLLGLLAPPGEA
WGILGQPPNRPNHSPPPSAKVKKIFGWGDFYSNIKTVALNLLVTGKIVDHGNGTFSVHFQHNATGQGNISISLVP
PSKAVEFHQEQQIFIEAKASKIFNCRMWEKVERGRRTSLCTHDPAKICSRDHAQSSATWSCSQPFKVVCVYIAF
YSTDYRLVQKPCPDYNYHSDTPYYPSG

Important features of the protein:**Signal peptide:**

amino acids 1-14

N-glycosylation sites.

amino acids 62-65, 127-130, 137-140, 143-146

2-oxo acid dehydrogenases acyltransferase

amino acids 61-71

305/615

FIGURE 303

CGGTGGCCATGACTGCGGCCGTGTTCTTCGGCTGCGCCTTCATTGCCTTCGGGCCTGCGCTCGCCCTTTATGTCT
TCACCATCGCCATCGAGCCGTTGCGTATCATCTTCCTCATCGCCGGAGCTTCTTCTGGTTGGTGTCTCTACTGA
TTTCGTCCCTTGTTTGGTTCATGGCAAGAGTCATTATTGACAACAAAGATGGACCAACACAGAAATATCTGCTGA
TCTTTGGAGCGTTTGTCTCTGTCTATATCCAAGAAATGTTCCGATTTGCATATTATAAACTCTTAAAAAAGCCA
GTGAAGGTTTGAAGAGTATAAACCAGGTGAGACAGCACCCCTCTATGCGACTGCTGGCCTATGTTTCTGGCTTGG
GCTTTGGAATCATGAGTGGAGTATTTTCCTTTGTGAATACCCTATCTGACTCCTTGGGGCCAGGCACAGTGGGCA
TTCATGGAGATTCTCCTCAATTCTTCCTTTATTCAGCTTTCATGACGCTGGTCATTATCTTGCTGCATGTATTCT
GGGGCATTGTATTTTTTGTATGGCTGTGAGAAGAAAAAGTGGGGCATCCTCCTTATCGTTCTCCTGACCCACCTGC
TGGTGTGAGCCAGACCTTCATAAGTTCTTATTATGGAATAAACCTGGCGTCAGCATTTATAATCCTGGTGCTCA
TGGGCACCTGGGCATTCTTAGCTGCGGGAGGCAGCTGCCGAAGCCTGAAACTCTGCCTGCTCTGCCAAGACAAGA
ACTTTCTTCTTTACAACCAGCGCTCCAGATTAACCTCAGGGAACCAGCACTTCCCAAACCGCAGACTACATCTTTA
GAGGAAGCACAACTGTGCCTTTTCTGAAAATCCCTTTTCTGGTGAATTGAGAAAGAAATAAACTATGCAGATA

306/615

FIGURE 304

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA66658

><subunit 1 of 1, 257 aa, 1 stop

><MW: 28472, pI: 9.33, NX(S/T): 0

MTAAVFFGCAFIAFGPALALYVFTIAIEPLRIIFLIAGAFFWLVSLLISSLVWFMARVIIDNKDGPTQKYLLIFG
AFVSVYIQEMFRFAYYKLLKKASEGLKSINPGETAPSMRLLAYVSGLGFGIMSGVFSFVNTLSDSLGPPTVGIHG
DSPQFFLYSAFMTLVIILLHVFWGIVFFDGCEKKKGILLIVLLTHLLVSAQTFISSYYGINLASAFIILVLMGT
WAFLAAGGSCRSCLKCLLCQDKNFLLYNQSR

Important features of the protein:**Signal peptide:**

amino acids 1-19

Transmembrane domains:

amino acids 32-51, 119-138, 152-169, 216-235

Glycosaminoglycan attachment site.

amino acids 120-123

Sodium:neurotransmitter symporter family protein

amino acids 31-65

FIGURE 305

[illegible]

308/615

FIGURE 306

MRSTILLFCLLGSTRSLPQLKPALGLPPTKLAPDQGTLPNQQQSNQVFPSLSLIPLTQM
LTLGPDHLHLNPAAGMTPGTQTHPLTLGGLNVQQQLHPHVLPIFVTQLGAQGTILSSEE
LPQIFTSLIIHSLFPGGILPTSQAGANPDVQDGSLPAGGAGVNPATQGTPAGRLPTPSG
TDDDFAVTTPAGIQRSTHAIEEATTESANGIQ

Signal peptide:

amino acids 1-16

FIGURE 307

[illegible]

310/615

FIGURE 308

MRWILFIGALIGSSICGQEKFFGDQVLRINVRNGDEISKLSQLVNSNNLKLNFWKSPSSFNRPVLDVLPVSVSLQA
FKSFLRSQGLEAYVTIEDLQALLDNEDDEMQHNEGQERSNNFNFGAYHSLEAIYHEMDNIAADFPDLARRVKIG
HSFENRPMYVLKFSTGKGVRRAVWLNAGIHSREWISQATAIWTARKIVSDYQRDPAITSILEKMDIFLLPVANP
DGYVYTQTQNRLLWRKTRSRNPGSSCIGADPNRNWNASFAGKGASDNPCSEVYHGPHANSEVEVKSVVDFIQKHGN
FKGFIDLHSYSQLLMYPYGYSVKKAPDAEELDKVARLAALKALASVSGTEYQVGPTCTTVYPASGSSIDWAYDNGI
KFAFTFELRDTGTGFLPANQIIPAEETWLGKTIMEHVRDNL

Signal peptide:
amino acids 1-16

311/615

FIGURE 309

GGCTGACCGTGCTACATTGCCTGGAGGAAGCCTAAGGAACCCAGGCATCCAGCTGCCCACGCCTGAGTCCAAGAT
TCTTCCCAGGAACACAAACGTAGGAGACCCACGCTCCTGGAAGCACCAGCCTTTATCTCTTCACCTTCAAGTCCC
CTTTCTCAAGAATCCTCTGTTCTTTGCCCTCTAAAGTCTTGGTACATCTAGGACCCAGGCATCTTGCTTTCCAGC
CACAAAGAGACAGATGAAGATGCAGAAAGGAAATGTTCTCCTTATGTTTGGTCTACTATTGCATTTAGAAGCTGC
AACAAATTCGAATGAGACTAGCACCTCTGCCAACACTGGATCCAGTGTGATCTCCAGTGGAGCCAGCACAGCCAC
CAACTCTGGGTCCAGTGTGACCTCCAGTGGGGTCAGCACAGCCACCATCTCAGGGTCCAGCGTGACCTCCAATGG
GGTCAGCATAGTCACCAACTCTGAGTTCATACAACCTCCAGTGGGATCAGCACAGCCACCAACTCTGAGTTCAG
CACAGCGTCCAGTGGGATCAGCATAGCCACCAACTCTGAGTCCAGCACAACTCCAGTGGGGCCAGCACAGCCAC
CAACTCTGAGTCCAGCACACCTCCAGTGGGGCCAGCACAGTCCACCAACTCTGGGTCCAGTGTGACCTCCAGTGG
AGCCAGCACTGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTAGGGCCAGCACTGCCACCAACTCTGAGTCTAG
CACACTCTCCAGTGGGGCCAGCACAGCCACCAACTCTGACTCCAGCACAACTCCAGTGGGGCTAGCACAGCCAC
CAACTCTGAGTCCAGCACAACTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTAG
GGCCAGCACTGCCACCAACTCTGAGTCCAGCACAACTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAG
AACGACCTCCAATGGGGCTGGGCACAGCCACCAACTCTGAGTCCAGCACGACCTCCAGTGGGGCCAGCACAGCCAC
CAACTCTGACTCCAGCACAGTGTCCAGTGGGGCCAGCACTGCCACCAACTCTGAGTCCAGCACGACCTCCAGTGG
GGCCAGCACAGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTGGGGCCAGCACTGCCACCAACTCTGAGTCCAG
CACAACCTCCAGTGGGGCCGACAGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTGGGATCAGCACAGTCCAC
CAATTCTGAGTCCAGCACACCTCCAGTGGGGCCAAACAGCCACCAACTCTGAGTCCAGTACGACCTCCAGTGG
GGCCAACACAGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTGGGGCCAGCACTGCCACCAACTCTGAGTCCAG
CACAACCTCCAGTGGGGTCAGCACAGCCACCAACTCTGAGTCCAGCACAACTCCAGTGGGGCTAGCACAGCCAC
CAACTCTGACTCCAGCACAACTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCTAGCACAGTGTCCAGTGG
GATCAGCACAGTCCCAATTCTGAGTCCAGCACAACTCCAGTGGGGCCAAACAGCCACCAACTCTGGGTCCAG
TGTGACCTCTGCAGGCTCTGGAACAGCAGCTCTGACTGGAATGCACAACTTCCCATAGTGCATCTACTGCAGT
GAGTGAGGCAAAGCCTGGTGGGTCCCTGGTGCCGTGGGAAATCTTCTCATCACCTGGTCTCGGTTGTGGCGGC
CGTGGGGCTCTTTGCTGGGCTCTTCTTCTGTGTGAGAAACAGCCTGTCCCTGAGAAACACCTTTAACACAGCTGT
CTACCACCTCATGGCCTCAACCATGGCCTTGGTCCAGGCCCTGGAGGGAATCATGGAGCCCCCACAGGCCAG
GTGGAGTCTTAACCTGGTCTGGAGGAGACAGTATCATCGATAGCCATGGAGATGAGCGGGAGGAACAGCGGGCC
CTGAGCAGCCCCGGAAGCAAGTGCCGCATTCTTCAGGAAGGAAGAGACCTGGGCACCCAAGACCTGGTTTCCTTT
CATTTCATCCAGGAGACCCCTCCCAGCTTTGTTTGAGATCCTGAAAATCTTGAAGAAGGTATTCTCACCTTTCT
TGCCTTTACAGACACTGGAAGAGAATACTATATGCTCATTTAGCTAAGAAATAAATACATCTCATCTAACAC
ACACGACAAAGAGAAGCTGTGCTTGCCCCGGGTGGGTATCTAGCTCTGAGATGAACTCAGTTATAGGAGAAAAC
CTCCATGCTGGACTCCATCTGGCATTCAAAATCTCCACAGTAAATCCAAAGACCTCAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

312/615

FIGURE 310

MKMQKGNVLLMFGLLLHLEAATNSNETSTANTGSSVISSGASTATNSGSSVTSSGVSTATIS
GSSVTSNGVSIVTNSEFHTTSSGISTATNSEFSTASSGISIATNSESSTTSSGASTATNSESS
TPSSGASTVTNSGSSVTSSGASTATNSESSTVSSRASTATNSESSTLSSGASTATNSDSSTTS
SGASTATNSESSTTSSGASTATNSESSTVSSRASTATNSESSTTSSGASTATNSESRTTSNGA
GTATNSESSTTSSGASTATNSDSSTVSSGASTATNSESSTTSSGASTATNSESSTTSSGASTA
TNSDSSTTSSGAGTATNSESSTVSSGISTVTNSESSTPSSGANTATNSESSTTSSGANTATNS
ESSTVSSGASTATNSESSTTSSGVSTATNSESSTTSSGASTATNSDSSTTSSEASTATNSESS
TVSSGISTVTNSESSTTSSGANTATNSGSSVTSAGSGTAALTGMHTTSHSASTAVSEAKPGGS
LVPWEIFLITLVSVVAAVGLFAGLFFCVRNSLSLRNTFNTAVYHPHGLNHGLGPGPGGNHGAP
HRPRWSPNWFWRPVS SIAMEMSGRNSGP

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 510-532

313/615

FIGURE 311A

CTAAGCCGGAGGATGTGCAGCTGCGGCGGGCGGCGCGGCTACGAAGAGGACGGGGACAGGCGCGGTGCGAACCGA
GCCCAGCCAGCCGAGGACGCGGGCAGGGCGGGACGGGAGCCCGGACTCGTCTGCCGCGCGCGTCTGCGCCGTCG
TGCCGGCCCCGCGTCCCCGCGCGGAGCGGGAGGAGCCGCGCCACCTCGCGCCGAGCCGCGCTAGCGCGCGC
CGGGCATGGTCCCCCTTTAAAGGCGCAGGCGCGGGCGGGCGGGGGCGGGTGTGCGGAACAAAGCGCGCGGGG
CCTGCGGGCGGCTCGGGGGCCGCGATGGGCGCGGGCGGGCCCGCGGGCGGCGGCGCTGCCGGCGGGGCGCTCG
CGGCGCTAGGGCGGGCTGGCCTCCGTGGGCGGGGGCAGCGGGCTGAGGGCGCGGGAGCCTGCGGCGGGCGGGC
GGCGGGCGGGCGGGCCCCGGGCGGGCGGAGCGGCGCGGGCATGGCGCGCGGGCCGGCGCGCCTGGCTCAGCGTGC
TGCTCGGGCTCGTCTGGGCTTCGTGCTGGCCTCGCGGCTCGTCTGCCCGGGCTTCCGAGCTGAAGCGAGCGG
GCCCACGGCGCGCGCCAGCCCCGAGGGCTGCCGGTCCGGGCGAGGCGGGCTTCCCAGGCCGGCGGGGCGCGC
GCGATGCGCGCGGGGCGCAGCTCTGGCCGCCGGCTCGGAGCCAGATGGCGGGCCGCGACAGGAACCTTCTCT
TCGTGGGAGTCATGACCGCCAGAAATACCTGCAGATCGGGCCGTGGCCGCTACAGAACATGGTCCAAGACAA
TTCTGGGAAAGTTCAGTTCTTCTCAAGTGAGGGTCTGACACATCTGTACCAATTCCAGTAGTGCCACTACGGG
GTGTGGACGACTCCTACCGCCCCAGAAGAAGTCTTTCATGATGCTCAAGTACATGCACGACCACTACTTGGACA
AGTATGAATGGTTTATGAGAGCAGATGATGACGTGTACATCAAAGGAGACCGTCTGGAGAACTTCTGAGGAGTT
TGAACAGCAGCGAGCCCCCTCTTTCTTGGGCAGACAGGCTGGGCACCACGGAAGAAATGGGAAACTGGCCCTGG
AGCCTGGTGAGAACTTCTGCATGGGGGGGCTGGCGTGATCATGAGCGGGAGGTGCTTCGGAGAAATGGTGCCG
ACATTGGCAAGTGTCTCCGGGAGATGTACACCACCTGAGGACGTGGAGGTGGGAAGGTGTGTCCGGAGGTTTG
CAGGGGTGCAGTGTGTCTGGTCTTATGAGATGCGGCAGCTTTTTTATGAGAATTACGAGCAGAACAAAAAGGGT
ACATTAGAGATCTCCATAACAGTAAAATTACCAAGCTATCACATTACACCCCAACAAAAACCCACCTACCAAGT
ACAGGCTCCACAGCTACATGCTGAGCCGCAAGATATCCGAGCTCCGCCATCGCACAAATACAGCTGCACCGCGAAA
TTGTCTGATGAGCAAATACAGCAACACAGAAATTCATAAAGAGGACCTCCAGCTGGGAATCCCTCCCTCTCA
TGAGGTTTCAGCCCCCGCAGCGAGAGGAGATTCTGGAATGGGAGTTTCTGACTGGAAAATACTTGTATTCGGCAG
TTGACGGCCAGCCCCCTCGAAGAGGAATGGACTCCGCCAGAGGGAAGCCTTGGACGACATTGTCTGCAGGTCA
TGGAGATGATCAATGCCAACGCCAAGACCAGAGGGCGCATATTGACTTCAAAGAGATCCAGTACGGCTACCGCC
GGGTGAACCCCATGTATGGGCTGAGTACATCCTGGACCTGCTGCTTCTGTACAAAAAGCACAAAGGGAAGAAAA
TGACGGTCCCTGTGAGGAGGCACGCGTATTTACAGCAGACTTTCAGCAAAATCCAGTTTGTGGAGCATGAGGAGC
TGGATGCACAAGATTGGCCAAGAGAATCAATCAGGAATCTGGATCCTTGTCTTTCTCTCAAACCTCCCTGAAGA
AGCTCGTCCCCCTTTCAGCTCCCTGGGTGCAAGAGTGAGCACAAGAACCCAAAGATAAAAAAGATAAACATACTGA
TTCTTTGTCTGGGCGTTTCGACATGTTTGTGAGATTTATGGGAACTTTGAGAAGACGTGTCTTATCCCCAATC
AGAAGCTCAAGCTCGTGGTTCTGCTTTTCAATTCTGACTCCAACCCGTGACAAGGCCAAACAAGTTGAACTGATGA
GAGATTACCGCATTAAGTACCCTAAAGCCGACATGCAGATTTTGCCTGTGTCTGGAGAGTTTCAAGAGCCCTGG
CCCTGGAAGTAGGATCCTCCAGTTTAAACAATGAATCTTGTCTTCTCTGCGACGTGACCTGCTGTTTACTA
CAGAATTCCTTACGCGATGTGAGCAAAATACAGTTCTGGGCCAACAATATATTTTCCAATCATCTTCAGCCAGT
ATGACCCAAAGATTGTTTATAGTGGGAAAGTTCCAGTGACAACCATTTTGCCTTTACTCAGAAAATCGGCTTCT
GGAGAACTATGGTTTGGCATCACGTGTATTTATAAGGGAGATCTTGTCCGAGTGGGTGGCTTTGATGTTTCCA
TCCAAGGCTGGGGGCTGGAGGATGTGGACCTTTTCAACAAGGTTGTCCAGGCAGGTTTGAAGACGTTTAGGAGCC
AGGAAGTAGGAGTAGTCCAGTCCACCATCCTGTCTTTGTGATCCCAATCTTGACCCCAACAGTACAAAATGT
GCTTGGGGTCCAAGCATCGACCTATGGTCCACCCAGCAGCTGGCTGAGATGTGGCTGGAAAAAATGATCCAA
GTTACAGTAAAAGCAGCAATAATAATGGCTCAGTGAGGACAGCCTAAATGTCCAGCTTGTGGAAGAGACGTTTT
TAATTATCTAATTTATTTTCAAAAATTTTTTGTATGATCAGTTTTTGAAGTCCGTATACAAGGATATATTTTAC
AAGTGGTTTTCTTACATAGGACTCCTTTAAGATTGAGCTTCTGAACAAGAAGGTGATCAGTGTGCTTTTGAA
CACATCTTCTGTGAACATTATGTAGCAGACCTGCTTAACTTTGACTTGAAATGTACCTGATGAACAAAATTT
TTAAAAAATGTTTTCTTTTGGAGACCTTTGCTCCAGTCTATGGCAGAAAACGTGAACATTCCTGCAAGATAT
TATTGTAACAAAACACTGTAACCTCTGGTAAATGTTCTGTTGATTGTTAACATTCCACAGATTCTACCTTTTGT
GTTTTGTTTTTTTTTTTACAATTGTTTTAAAGCCATTTTCATGTTCCAGTTGTAAGATAAGGAAATGTGATAATA
GCTGTTTCATCATTGTCTTCAGGAGAGCTTTCAGAGTTGATCATTTCTCTCATGGTACTCTGCTCAGCATGGC
CACGTAGGTTTTTTTGTGTTTTGTTTTGTTTTGTTTTTGGAGCGGAGTCTCACTCTGTTACCCAGGCTGGAATG
CAGTGGCGCAATCTTGGCTCACTTTAACCTCCACTTCCCTGGTTCAAGCAATCCCCTGCCTTTGCCTCCCGAGT
AGCTGGGATTACAGGCACACACCACCGCCAGNATGTTTTTTGTATTTTAGTAGAGCGGGGTTTACCAT
GCAAGCCAGCTGGCCACGTAGGTTTTTAAAGCAAGGGCGTGAAGAAGGCACAGTGAGGTATGTGGCTTTCTCG
TGGTAGTTTCACTTCGGCCTAAATAGACCTGGCATTAAATTTCAAGAAGGATTGGCATTCTCTCTTGGACCTT
CTCTTTAAAGGGTAAATATTAATGTTTAGAATGACAAGATGAATTATTACAATAAATCTGATGTACACAGACT
GAAACATACACACATACCCCTAATCAAAACGTTGGGGAAAAATGATTTGGTTTTGTTTCTTTTCATCTGTCTG
TGTATGTGGGTGGAGATGGTTTTTCACTTCTTCACTACTGTTTTGTTTTATCCTTTGTATCTGAAATACCTTTAA

314/615

FIGURE 311B

TTTATTTAATATCTGTTGTTTCAGAGCTCTGCCATTTCTTGAGTACCTGTTAGTTAGTATTATTTATGTGTATCGG
GAGTGTGTTTGTCTGTTTTATTTGCAGTAAACCGATCTCCAAAGATTTCCTTTTGGAAACGCTTTTTCCCCTCC
TTAATTTTTATATTCCTTACTGTTTTACTAAATATTAAGTGTTCTTTGACAATTTGGTGCTCATGTGTTTTGGG
GACAAAAGTGAAATGAATCTGTCATTATAACCAGAAAGTTAAATTCTCAGATCAAATGTGCCTTAATAAATTTGTT
TTCATTTAGATTTCAAACAGTGATAGACTTGCCATTTTAATACACGTCATTGGAGGGCTGCGTATTTGTAAATAG
CCTGATGCTCATTGGAATAAACCAGTGAACAATATTTTCTATTGTACTTTTCGAACCATTTTGTCTCATT
ATTCCTGTTTGTAGCTGAAGAATTGTATTACATTGGAGAGTAAAACTTAAACACGAAAAA

315/615

FIGURE 312

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68836

><subunit 1 of 1, 802 aa, 1 stop

><MW: 91812, pI: 9.52, NX(S/T): 3

MAARGRRRAWLSVLLGLVLGFVLASRLVLPRASELKRAGPRRRASPEGCRSGQAAASQAGGARG
DARGAQLWPPGSDPDGGPRDRNFLFVGVMATAQKYLQTRAVAAAYRTWSKTIPGKVQFFSSEGSD
TSVPIPVVPLRGVDDSYPPQKKSFMMLKYMHDHYLDKYEFMRADDDVYIKGDRLNENFLRSLN
SSEPLFLGOTGLGTTEEMGKLALEPGENFCMGGPGVIMSREVLRRMVPHIGHKCLREMYTTTHED
VEVGRCVRRFAGVQCVWSYEMRQLFYENYEQNKKGYIRDLHNSKIHQAITLHPNKNPPYQYRL
HSYMLSRKISELRHRTIQLHREIVLMSKYSNTEIHKEDLQLGIPPSFMRFPQPRQEEILEWEF
LTGKYLYSAVDGQPPRRGMDSAQREALDDIVMQVMEMINANAKTRGRIIDFKEIQYGYRRVNP
MYGAEYILDLLLLLYKKHKGKKMTVPVRRHAYLQQTFSKIQFVEHEELDAQELAKRINQESGSL
SFLSNSLKKLVPPFQLPGSKSEHKEPKDKKINILIPLSGRFDMFVRFMGNFEKTCLIPNQNVKL
VLLFNSDSNPDKAKQVELMRDYRIKYPKADMQILPVSGEFSRALALEVGSSQFNNESSLFFC
DVDLVFTTEFLQRCRANTVLGQQIYFPIIFSQYDPKIVYSGKVPSDNHFAFTQKTGFWRNYGF
GITCIYKGDIVRVGGFDVSIQGWGLEDVDLFNKVVQAGLKTFRSQEVGVVHVHHPVFCDPNLD
PKQYKMCLGSKASTYGSTQQLAEMWLEKNDPSYSKSSNNNGSVRTA

Signal peptide:

amino acids 1-23

316/615

FIGURE 313

GGCCGGACGCCTCCGCGTTACGGGATGAATTAACGGCGGGTTCCGCACGGAGGTTGTGACCCC
TACGGAGCCCCAGCTTGCCACGCACCCCACTCGGCGTCGCGCGGCGTGCCCTGCTTGTACACA
GGTGGGAGGCTGGAACATATCAGGCTGAAAAACAGAGTGGGTACTCTCTTCTGGGAAGCTGGCA
ACAAATGGATGATGTGATATATGCAATTCCAGGGGAAGGGAATTGTGGTGCTTCTGAACCCAT
GGTCAATTAACGAGGCAGTTTCTAGCTACTGCACGTACTTCATAAAGCAGGACTCTAAAAGCT
TTGGAATCATGGTGTGATGGAAGGGATTACTTTATACTGACTCTGTTTTGGGGAAGCTTTT
TTGGAAGCATTTTTCATGCTGAGTCCCTTTTACCTTTGATGTTTGTAACCCATCTTGGTATC
GCTGGATCAACAACCGCCTTGTGGCAACATGGCTCACCTACCTGTGGCATTATTGGAGACCA
TGTTTGGTGTAAGAGTGATTATACTGGGGATGCATTTGTTCTTGAGAGAAAGAGTGTCATTA
TCATGAACCATCGGACAAGAATGGACTGGATGTTCTGTGGAATTGCCTGATGCGATATAGCT
ACCTCAGATTGGAGAAAATTTGCCTCAAAGCGAGTCTCAAAGGTGTTCTTGATTGTTGGTGGG
CCATGCAGGCTGCTGCCTATATCTTCATTATAGGAAATGGAAGGATGACAAGAGCCATTTTCG
AAGACATGATTGATTACTTTTGTGATATTACGAACCACTTCAACTCCTCATATTTCCAGAAG
GGACTGATCTCACAGAAAACAGCAAGTCTCGAAGTAATGCATTTGCTGAAAAAAATGGACTTC
AGAAATATGAATATGTTTTACATCCAAGAACTACAGGCTTTACTTTTGTGGTAGACCGTCTAA
GAGAAGGTAAGAACCTTGATGCTGTCCATGATATCACTGTGGCGTATCCTCACACATTCTCTC
AATCAGAGAAGCACCTCCTCCAAGGAGACTTTCCAGGGAAATCCACTTTCACGTCCACCGGT
ATCCAATAGACACCTCCCCACATCCAAGGAGGACCTTCAACTCTGGTGCCACAAACGGTGGG
AAGAGAAAAGAAGAGAGGCTGCGTTCCTTCTATCAAGGGGAGAAGAATTTTTATTTTACCGGAC
AGAGTGTCATTCCACCTTGCAAGTCTGAACTCAGGGTCCTTGTGGTCAAATTGCTCTCTATAC
TGTATTGGACCCTGTTTCAGCCCTGCAATGTGCCTACTCATATATTTGTACAGTCTTGTTAAGT
GGTATTTTATAATCACCATTGTAATCTTTGTGCTGCAAGAGAGAATATTTGGTGGACTGGAGA
TCATAGAACTTGCATGTTACCGACTTTTACACAAACAGCCACATTTAAATTCAAAGAAAAATG
AGTAAGATTATAAGGTTTGCCATGTGAAAACCTAGAGCATATTTTGGAATGTTCTAAACCTT
TCTAAGCTCAGATGCATTTTTCATGACTATGTCGAATATTTCTTACTGCCATCATTATTTGT
TAAAGATATTTTGCACCTTAATTTTGTGGGAAAAATATTGCTACAATTTTTTTTAACTCTCTGAA
TGTAATTTGATACTGTGTACATAGCAGGGAGTGATCGGGGTGAAATAACTTGGGCCAGAATA
TTATTAAACAATCATCAGGCTTTTAAA

317/615

FIGURE 314

MHSRGREIVVLLNPWSINEAVSSYCTYFIKQDSKSFGIMVSWKGIYFILTLFWGSFFGSIFML
SPFLPLMFVNPSWYRWINNRLVATWLTLPVALLETMFGVKVIITGDAFVPGERSVIIMNHRTR
MDWMFLWNCLMRYSYLRLEKICLKASLKGVPFGFGWAMQAAAYIFIHRKWKDDKSHFEDMIDYF
CDIHEPLQLLIFPEGTDLTENSKSRSNFAEKNGLQKYEYVLHPRTTGFTFVVDRLREGKNLD
AVHDITVAYPHNIPQSEKHLQGDFFPREIHFHVHRYPIDTLPTSKEQLWCHKRWEEKEERL
RSEFYQGEKNFYFTGQSVIPPCKSELRVLVKLLSILYWTFLFSPAMCLLIYLYSLVKWYFIITI
VIFVLQERIFGGLEIIELACYRLLHKQPHLNSKKNE

Important features of the protein:**Signal peptide:**

amino acids 1-22

Transmembrane domains:

amino acids 44-63, 90-108, 354-377

318/615

FIGURE 315

CGGCTCGAGCGGCTCGAGTGAAGAGCCTCTCCACGGCTCCTGCGCCTGAGACAGCTGGCCTGA
CCTCCAAATCATCCATCCACCCCTGCTGTCATCTGTTTTTCATAGTGTGAGATCAACCCACAGG
AATATCCATGGCCTTTTGTGCTCATTTTGGTTCTCAGTTTCTACGAGCTGGTGTGAGGACAGTG
GCAAGTCACTGGACCGGGCAAGTTTGTCCAGGCCTTGGTGGGGGAGGACGCCGTGTTCTCCTG
CTCCCTCTTTCCTGAGACCAGTGCAGAGGCTATGGAAGTGCAGTTCTTCAGGAATCAGTTCCA
TGCTGTGGTCCACCTCTACAGAGATGGGGAAGACTGGGAATCTAAGCAGATGCCACAGTATCG
AGGGAGAACTGAGTTTGTGAAGGACTCCATTGCAGGGGGGCGTGTCTCTCTAAGGCTAAAAAA
CATCACTCCCTCGGACATCGGCCTGTATGGGTGCTGGTTTCAGTTCCCAGATTTACGATGAGGA
GGCCACCTGGGAGCTGCGGGTGGCAGCACTGGGCTCACTTCCTCTCATTTCCATCGTGGGATA
TGTTGACGGAGGTATCCAGTTACTCTGCCTGTCCTCAGGCTGGTTCCCCCAGCCACAGCCAA
GTGGAAAGGTCCACAAGGACAGGATTTGTCTTCAGACTCCAGAGCAAATGCAGATGGGTACAG
CCTGTATGATGTGGAGATCTCCATTATAGTCCAGGAAAATGCTGGGAGCATATTGTGTTCCAT
CCACCTTGCTGAGCAGAGTCATGAGGTGGAATCCAAGGTATTGATAGGAGAGACGTTTTTCCA
GCCCTCACCTTGGCGCCTGGCTTCTATTTTACTCGGGTTACTCTGTGGTGCCTGTGTGGTGT
TGTCATGGGGATGATAATTGTTTTCTTCAAATCCAAGGGAAAATCCAGGCGGAACCTGGACTG
GAGAAGAAAGCACGGACAGGCAGAATTGAGAGACGCCCGGAAACACGCAGTGGAGGTGACTCT
GGATCCAGAGACGGCTCACCCGAAGCTCTGCGTTTCTGATCTGAAAACCTGTAACCCATAGAAA
AGCTCCCCAGGAGGTGCCTCACTCTGAGAAGAGATTTACAAGGAAGAGTGTGGTGGCTTCTCA
GGGTTTCCAAGCAGGGAGACATTACTGGGAGGTGGACGTGGGACAAAATGTAGGGTGGTATGT
GGGAGTGTGTCGGGATGACGTAGACAGGGGGAAGAACAATGTGACTTTGTCTCCCAACAATGG
GTATTGGGTCCCTCAGACTGACAACAGAACATTTGTATTTTACATTCAATCCCCATTTTATCAG
CCTCCCCCCCCAGCACCCCTCCTACACGAGTAGGGGTCTTCTGGACTATGAGGGTGGGACCAT
CTCCTTCTTCAATACAAATGACCAGTCCCTTATTTATACCCTGCTGACATGTCAGTTTGAAGG
CTTGTTGAGACCCTATATCCAGCATGCGATGTATGACGAGGAAAAGGGGACTCCCATATTTCAT
ATGTCCAGTGTCTTGGGGATTCGAGACAGAGAAGACCCTGCTTAAAGGGCCCCACACCACAGACC
CAGACACAGCCAAGGGAGAGTGCTCCCGACAGGTGGCCCCAGCTTCCTCTCCGGAGCCTGCGC
ACAGAGAGTCACGCCCCCCTCTCCTTTAGGGAGCTGAGGTTCTTCTGCCCTGAGCCCTGCA
GCAGCGGCAGTCACAGCTTCAGATGAGGGGGGATTGGCCTGACCCTGTGGGAGTCAGAAGCC
ATGGCTGCCCTGAAGTGGGGACGGAATAGACTCACATTAGGTTTAGTTTGTGAAAACCTCCATC
CAGCTAAGCGATCTTGAACAAGTCACAACCTCCCAGGCTCCTCATTTGCTAGTCACGGACAGT
GATTCCTGCCCTCACAGGTGAAGATTAAAGAGACAACGAATGTGAATCATGCTTGCAGGTTTGA
GGGCACAGTGTGTTGCTAATGATGTGTTTTTATATTATACATTTTCCCACCATAAACTCTGTTT
GCTTATTCCACATTAATTTACTTTTCTCTATACCAAATCACCCATGGAATAGTTATTGAACAC
CTGCTTTGTGAGGCTCAAAGAATAAAGAGGAGGTAGGATTTTCACTGATTCTATAAGCCCAG
CATTACCTGATACAAAACCAGGCAAAGAAAACAGAAGAAGAGGAAGGAAAACCTACAGGTCCA
TATCCCTCATTAACACAGACACAAAAATTCTAAATAAAATTTTAACAAATTAACTAAACAAT
ATATTTAAAGATGATATATAACTACTCAGTGTGGTTTGTCCCACAAATGCAGAGTTGGTTTAA
TATTTAAATATCAACCAGTGTAATTCAGCACATTAATAAAGTAAAAAAGAAAACCATAAAAAA
AAAAAAA

319/615

FIGURE 316

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68866

><subunit 1 of 1, 466 aa, 1 stop

><MW: 52279, pI: 6.16, NX(S/T): 2

MAFVLILVLSFYELVSGQWQVTGPGKFVQALVGEDAVFSCSLFPETSAEAMEVRFFRNQFHAV
VHLYRDGEDWESKQMPQYRGRTEFVKDSIAGGRVSLRLKNITPSDIGLYGCWFSSQIYDEEAT
WELRVAALGSLPLISIVGYVDGGIQLLCLSSGWFPQPTAKWKGPQGQDLSSDSRANADGYSLY
DVEISIIIVQENAGSILCSIHAEQSHEVESKVLIGETFFQSPWRLASILLGLLCGALCGVVM
GMIIIVFFKSKGKIQAELDWRKKGQAELRDARKHAVEVTLPETAHPKLCVSDLKTVTHRKA
QEVPHSEKRFRTRKSVVASQGFQAGRHYWEVDVGQNVGWYGVCRDDVDRGKNNVTLSPNNGYW
VLRLTTEHLYFTFNPHFISLPPSTPPTRVGVFLDYEGGTISFFNTNDQSLIYTLLTCQFEGLL
RPYIQHAMYDEEKGTPIFICPVSWG

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 131-150, 235-259

320/615

FIGURE 317

GCACCTGCGACCACCGTGAGCAGTCATGGCGTACTCCACAGTGCAGAGAGTCGCTCTGGCTTC
TGGGCTTGTCCTGGCTCTGTCGCTGCTGCTGCCCAAGGCCTTCCTGTCCCGCGGGAAGCGGCA
GGAGCCGCCGCCGACACCTGAAGGAAAATTGGGCCGATTTCCACCTATGATGCATCATCACCA
GGCACCCCTCAGATGGCCAGACTCCTGGGGCTCGTTTCCAGAGGTCTCACCTTGCCGAGGCATT
TGCAAAGGCCAAAGGATCAGGTGGAGGTGCTGGAGGAGGAGGTAGTGGAAGAGGTCTGATGGG
GCAGATTATTCCAATCTACGGTTTTGGGATTTTTTTTATATATACTGTACATTCTATTTAAGGT
AAGTAGAATCATCCTAATCATATTACATCAATTGAAAATCTAATATGGCGATAAAAAATCATTGT
CTACATTAAAACTTCTTATAGTTCATAAAATTATTTCAAATCCATCATCTCTTTAAATCCTGC
CTCCTCTTCATGAGGTACTTAGGATAGCCATTATTTAGTTTCACATAAGAATGTTTACTCAA
TGTTTAAGTGTTTTGCCCCAAAATTCACAATAACAAGGCAGAACTAGGACTTGAACATGGAT
CTTTTGGTTCTTAATCCAGTGAGTGATACAATTCAATGCACTCCCCTGCCA

321/615

FIGURE 318

MAYSTVQRVALASGLVLALSLLLPKAFLSRGKRQEPPPTPEGKLGRFPPMMHHHQAPSDGQTP
GARFQRSHLAEAFKAKGSGGGAGGGGSGRGLMGQIIPYGFIFLYILYILFKVSRILILILHQ

322/615

FIGURE 319

CCTTCACAGGACTCTTCATTGCTGGTTGGCAATGATGTATCGGCCAGATGTGGTGAGGGCTAG
GAAAAGAGTTTGTGGGAACCCCTGGGTATCGGCCTCGTCATCTTCATATCCCTGATTGTCCT
GGCAGTGTGCATTGGACTCACTGTTCAATTATGTGAGATATAATCAAAAGAAGACCTACAATTA
CTATAGCACATTGTCAATTTACAACCTGACAACTATATGCTGAGTTTGGCAGAGAGGCTTCTAA
CAATTTTACAGAAATGAGCCAGAGACTTGAATCAATGGTGAAAAATGCATTTTATAAATCTCC
ATTAAGGGAAGAATTTGTCAAGTCTCAGGTATCAAGTTCAGTCAACAGAAGCATGGAGTGTT
GGCTCATATGCTGTTGATTTGTAGATTTCACTCTACTGAGGATCCTGAAACTGTAGATAAAAT
TGTTCAACTTGTTTTACATGAAAAGCTGCAAGATGCTGTAGGACCCCCTAAAGTAGATCCTCA
CTCAGTTAAAATTAAAAAATCAACAAGACAGAAACAGACAGCTATCTAAACCATTGCTGCGG
AACACGAAGAAGTAAACTCTAGGTCTAGAGTCTCAGGATCGTTGGTGGGACAGAAAGTAGAAGA
GGGTGAATGGCCCTGGCAGGCTAGCCTGCAGTGGGATGGGAGTCATCGCTGTGGAGCAACCTT
AATTAATGCCACATGGCTTGTGAGTGCTGCTCACTGTTTTACAACATATAAGAACCCTGCCAG
ATGGACTGCTTCCTTTGGAGTAACAATAAAACCTTCGAAAATGAAACGGGGTCTCCGGAGAAT
AATTGTCCATGAAAAATACAAACACCCATCACATGACTATGATATTTCTCTTGACAGAGCTTTC
TAGCCCTGTTCCCTACACAAATGCAGTACATAGAGTTTGTCTCCCTGATGCATCCTATGAGTT
TCAACCAGGTGATGTGATGTTTGTGACAGGATTTGGAGCACTGAAAAATGATGGTTACAGTCA
AAATCATCTTCGACAAGCACAGGTGACTCTCATAGACGCTACAACCTGCAATGAACCTCAAGC
TTACAATGACGCCATAACTCCTAGAATGTTATGTGCTGGCTCCTTAGAAGGAAAAACAGATGC
ATGCCAGGGTGACTCTGGAGGACCACTGGTTAGTTCAGATGCTAGAGATATCTGGTACCTTGC
TGGAATAGTGAGCTGGGGAGATGAATGTGCGAAACCCAACAAGCCTGGTGTTTATACTAGAGT
TACGGCCTTGCGGGACTGGATTACTTCAAAAACCTGGTATCTTAAGAGACAAAAGCCTCATGGAA
CAGATAACATTTTTTTTTTGTTTTTTGGGTGTGGAGGCCATTTTTAGAGATACAGAATTGGAGA
AGACTTGCAAAACAGCTAGATTTGACTGATCTCAATAAACTGTTTGCTTGATGCATGTATTTT
CTTCCCAGCTCTGTTCCGCACGTAAGCATCCTGCTTCTGCCAGATCAACTCTGTCATCTGTGA
GCAATAGTTGAACTTTATGTACATAGAGAAATAGATAATACAATATTACATTACAGCCTGTA
TTCATTTGTTCTCTAGAAGTTTTGTGAGAATTTTGACTTGTTGACATAAATTTGTAATGCATA
TATACAATTTGAAGCACTCCTTTTCTTCAGTTCCTCAGCTCCTCTCATTTCAGCAAATATCCA
TTTTCAAGGTGCAGAACAAAGGAGTGAAAGAAAATATAAGAAGAAAAAATCCCCTACATTTTA
TTGGCACAGAAAAGTATTAGGTGTTTTTCTTAGTGGAATATTAGAAATGATCATATTTCATTAT
GAAAGGTCAAGCAAAGACAGCAGAATACCAATCACTTCATCATTTAGGAAGTATGGGAACTAA
GTTAAGGAAGTCCAGAAAGAAGCCAAGATATATCCTTATTTTCATTTCCAAACAACTACTATG
ATAAATGTGAAGAAGATTCTGTTTTTTTGTGACCTATAATAATTATACAACTTCATGCAATG
TACTTGTTCTAAGCAAATTAAAGCAAATATTTATTTAACATTGTTACTGAGGATGTCAACATA
TAACAATAAAATATAAATCACCCA

323/615

FIGURE 320

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68871

><subunit 1 of 1, 423 aa, 1 stop

><MW: 47696, pI: 8.96, NX(S/T): 3

MMYRPDVVRARKRVCWEPWVIGLVIFISLIVLAVCIGLTVHYVRYNQKKTYNYYSTLSFTTDK
LYAEFGREASNNFTEMSQRLESMVKNAFYKSPLREEFVKSQVIKFSQQKHGVLAHMLLICRFH
STEDPETVDKIVQLVLHEKLQDAVGPPKVDPHSVKIKKINKTETDSYLNHCCGTRRSKTLGQS
LRIVGGTEVEEGEWPWQASLQWDGSHRCGATLINATWLVSAAHCFTTYKNPARWTASFGVTIK
PSKMKRGLRRIIVHEKYKHPSHDYDISLAELSSPVPTNAVHRVCLPDASYEFQPGDVMFVTG
FGALKNDGYSONHLRQAQVTLIDATTCNEPQAYNDAITPRMLCAGSLEGKTDACQGDSSGGPLV
SSDARDIWYLAGIVSWGDECAKPNKPGVYTRVTALRDWITSKTGI

Transmembrane domain:

amino acids 21-40 (type II)

324/615

FIGURE 321

CCGGGCTCCTGGGTGAGGCCGGCAAGTTTGGAGCGTGGTCAGACAATAGGGGCGTGGCTACGG
CTCGCGGAGCGCAACCAACGCTCTAGACCAGACCTGGGCTCGAGACCATAACTGTTTGGCTTT
AACAGTACGTGGGCGGCCGGAATCCGGGAGTCCGGTGACCCGGGCTGTGGTCTAGCATAAAGG
CGGAGCCCAGAAGAAGGGGCGGGGT**ATG**GGAGAAGCCTCCCCACCTGCCCCGCAAGGCGGCA
TCTGCTGGTCCTGCTGCTGCTCCTCTCTACCCTGGTGATCCCCTCCGCTGCAGCTCCTATCCA
TGATGCTGACGCCCCAAGAGAGCTCCTTGGGTCTCACAGGCCTCCAGAGCCTACTCCAAGGCTT
CAGCCGACTTTTCTGAAAGGTAACCTGCTTCGGGGCATAGACAGCTTATTCTCTGCCCCCAT
GGACTTCCGGGGCCTCCCTGGGAACCTACCACAAAGAGGAGAACCAGGAGCACCAGCTGGGGAA
CAACACCCCTCTCCAGCCACCTCCAGATCGACAAGATGACCGACAACAAGACAGGAGAGGTGCT
GATCTCCGAGAATGTGGTGGCATCCATTCAACCAGCGGAGGGGAGCTTCGAGGGTGATTTGAA
GGTACCCAGGATGGAGGAGAAGGAGGCCCTGGTACCCATCCAGAAGGCCACGGACAGCTTCCAC
ACAGAACTCCATCCCCGGGTGGCCTTCTGGATCATTAAAGCTGCCACGGCGGAGGTCCCACCAG
GATGCCCTGGAGGGCGGCCACTGGCTCAGCGAGAAGCGACACCGCCTGCAGGCCATCCGGGAT
GGACTCCGCAAGGGGACCCACAAGGACGTCTTAGAAGAGGGGACCGAGAGCTCCTCCCACTCC
AGGCTGTCCCCCGAAAGACCCACTTACTGTACATCCTCAGGCCCTCTCGGCAGCTG**TAG**GGG
TGGGGACCGGGGAGCACCTGCCTGTAGCCCCCATCAGACCCTGCCCCAAGCACCATATGGAAA
TAAAGTTCTTTCTTACATCTAAAAA

325/615

FIGURE 322

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68879

><subunit 1 of 1, 242 aa, 1 stop

><MW: 27007, pI: 8.68, NX(S/T): 2

MGEASPPAPARRHLLVLLLLLSTLVIPSAAAPIHDADAQESSLGLTGLQSLQGF SRLFL
KGNLLRGIDSLFSAPMDFRGLPGNYHKEENQEHQLGNNTLSSHLQIDKMTDNKTGEVLIS
ENVVASIQPAEGSFEGDLKVPRMEEKEALVPIQKATDSFHTELHPRVAFWIILPRRRSH
QDALEGGHWLSEKRHRLQAIRDGLRKGTHKDVLEEGTESSSHSRLSPRKTHLLYILRPSR
QL

Important features of the protein:**Signal peptide:**

Amino acids 1-30

N-glycosylation sites:

Amino acids 97-101;112-116

N-myristoylation sites:

Amino acids 80-86;132-138;203-209;216-222

326/615

FIGURE 323

AGAGAAAGAAGCGTCTCCAGCTGAAGCCAATGCAGCCCTCCGGCTCTCCGCGAAGAAGTTCCC
TGCCCCGATGAGCCCCCGCGTGCGTCCCCGACTATCCCCAGGCGGGCGTGGGGCACC GGCC
CAGCGCCGACGATCGCTGCCGTTTTGCCCTTGGGAGTAGGATGTGGTGAAAGGATGGGGCTTC
TCCCTTACGGGGCTCACA**ATG**GCCAGAGAAGATTCGGTGAAGTGTCTGCGCTGCCTGCTCTAC
GCCCTCAATCTGCTCTTTTGGTTAATGTCCATCAGTGTGTTGGCAGTTTCTGCTTGGATGAGG
GACTACCTAAATAATGTTCTCACTTTAACTGCAGAAACGAGGGTAGAGGAAGCAGTCATTTTG
ACTTACTTTTCTGTGGTTCATCCGGTCATGATTGCTGTTTGTCTGTTTCTTATCATTGTGGGG
ATGTTAGGATATTGTGGAACGGTGAAAAGAAATCTGTTGCTTCTTGCATGGTACTTTGGAAGT
TTGCTTGTCATTTTCTGTGTAGAACTGGCTTGTGGCGTTTGGACATATGAACAGGAACCTTATG
GTTCCAGTACAATGGTCAGATATGGTCACTTTGAAAGCCAGGATGACAAATTATGGATTACCT
AGATATCGGTGGCTTACTCATGCTTGGAAATTTTTTTCAGAGAGAGTTTAAAGTGTGTGGAGTA
GTATATTTCACTGACTGGTTGGAAATGACAGAGATGGACTGGCCCCCAGATTCTCTGCTGTGTT
AGAGAATTCCCAGGATGTTCCAAACAGGCCACCAGGAAGATCTCAGTGACCTTTATCAAGAG
GGTTGTGGGAAGAAAATGTATTCCTTTTTTGAGAGGAACCAACAACCTGCAGGTGCTGAGGTTT
CTGGGAATCTCCATTGGGGTGACACAAATCTGGCCATGATTCTCACCATTACTCTGCTCTGG
GCTCTGTATTATGATAGAAGGGAGCCTGGGACAGACCAAAATGATGTCCTTGAAGAATGACAAC
TCTCAGCACCTGTCATGTCCCTCAGTAGAACTGTTGAAACCAAGCCTGTCAAGAATCTTTGAA
CACACATCCATGGCAAACAGCTTTAATACACACTTTGAGATGGAGGAGTTA**TAAA**AGAAATG
TCACAGAAGAAAACCACAAACTTGTTTTATTGGACTTGTGAATTTTTTGAGTACATACTATGTG
TTTCAGAAATATGTAGAAATAAAAATGTTGCCATAAAATAACACCTAAGCATATACTATTCTA
TGCTTTAAATGAGGATGGAAAAGTTTCATGTCAATAGTCACCACCTGGACAATAATTGATGC
CCTTAAATGCTGAAGACAGATGTCATACCCACTGTGTAGCCTGTGTATGACTTTTACTGAAC
ACAGTTATGTTTTGAGGCAGCATGGTTTTGATTAGCATTTCCGCATCCATGCAAACGAGTCACA
TATGGTGGGACTGGAGCCATAGTAAAGGTTGATTTACTTCTACCAACTAGTATATAAAGTACT
AATTAAATGCTAACATAGGAAGTTAGAAAATACTAATAACTTTTATTACTCAGCGATCTATTC
TTCTGATGCTAAATAAATTATATATCAGAAAACTTTCAATATTGGTGACTACCTAAATGTGAT
TTTTGCTGGTTACTAAAATATTCTTACCACTTAAAAGAGCAAGCTAACACATTGTCTTAAGCT
GATCAGGGATTTTTTGTATATAAGTCTGTGTTAAATCTGTATAATTCAAGTCGATTTCAAGTTCT
GATAATGTTAAGAATAACCATTATGAAAAGGAAAATTTGTCCTGTATAGCATCATTATTTTAA
GCCTTTCTCTGTTAATAAAGCTTTACTATTCTGTCTGGGCTTATATTACACATATAACTGTTA
TTTAAATACTTAACCACTAATTTTTGAAAATTACCAAGTGTGATACATAGGAATCATTATTCAGA
ATGTAGTCTGGTCTTTAGGAAGTATTAATAAGAAAATTTGCACATAACTTAGTTGATTTCAGAA
AGGACTTGTATGCTGTTTTTCTCCCAAATGAAGACTCTTTTGGACACTAAACACTTTTTAAAA
AGCTTATCTTTGCCTTCTCCAAACAAGAAGCAATAGTCTCCAAGTCAATATAAATCTACAGA
AAATAGTGTCTTTTTCTCCAGAAAAATGCTTGTGAGAATCATTAAAACATGTGACAATTTAG
AGATTCCTTTGTTTTATTTCACTGATTAATATACTGTGGCAAATTACACAGATTATTAAATTTT
TTTACAAGAGTATAGTATATTTATTTGAAATGGGAAAAGTGCATTTTACTGTATTTTGTGTAT
TTTGTTTATTTCTCAGAATATGGAAAGAAAATTAAATGTGTCAATAAATATTTTCTAGAGAG
TAA

327/615

FIGURE 324

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68880

><subunit 1 of 1, 305 aa, 1 stop

><MW: 35383, pI: 5.99, NX(S/T): 0

MAREDSVKCLRCLLYALNLLFWLMSISVLAVSAWMRDYLNNVLTTLTAETRVEEAVILTYFPVV
HPVMIAVCCFLIIVGMLGYCGTVKRNLLLLLAWYFGSLLVIFCVELACGVWTYEQELMVPVQWS
DMVTLKARMTNYGLPRYRWLTHAWNFFQREFKCCGVVYFTDWLEMTEMDWPPDSCCVREFPGC
SKQAHQEDLSDLYQEGCGKKMYSFLRGTKQLQVLRFLGISIGVTQILAMILTITLLWALYYDR
REPGTDQMMSLKNDNSQHLSCPSVELLKPSLSRIFEHTSMANSFNTHFEMEEL

Signal peptide:

amino acids 1-33

Transmembrane domains:

amino acids 12-35, 57-86, 94-114, 226-248

328/615

FIGURE 325

AGCAGTGCATTGCTGGAGCGAGGAGAAGCTCACGAATCAGCTGCAGGTCTCTGTTTTGAAAAA
GCAGAGATACAGAGGCAGAGGAAAAGGGTGGACTCCTATGTGACCTGTTCTTAGAGCAAGACA
ATCACCATCTGAATTCCAGAAGCCCTGTTTCATGGTTGGGGATATTTTCTCGACTGCATGGAAT
CAGAAAGAAGCAAAAGGATGGGAAATGCCTGCATTCCCCTGAAAAGAATTGCTTATTTCTAT
GTCTCTTATCTGCGCTTTTGCTGACTGAGGGGAAGAAACCAGCGAAGCCAAAATGCCCTGCCG
TGTGTACTTGTACCAAAGATAATGCTTTATGTGAGAATGCCAGATCCATTCCACGCACCGTTC
CTCCTGATGTTATCTCATTATCCTTTGTGAGATCTGGTTTTACTGAAATCTCAGAAGGGAGTT
TTTTATTACGCCATCGCTGCAGCTCTTGTTATTCACATCGAACTCCTTTGATGTGATCAGTG
ATGATGCTTTTATTGGTCTTCCACATCTAGAGTATTTATTTCATAGAAAACAACAACATCAAGT
CAATTTCAAGACATACTTTCCGGGGACTAAAGTCATTAATTCACCTTGAGCCTTGCAAACAACA
ATCTCCAGACACTCCCAAAGATATTTTCAAAGGCCTGGATTCTTTAACAATGTGGACCTGA
GGGGTAATTCATTTAATTGTGACTGTAACTGAAATGGCTAGTGGAATGGCTTGCCACACCA
ATGCAACTGTTGAAGACATCTACTGCGAAGGCCCCCCAGAATACAAGAAGCGCAAAATCAATA
GTCTCTCCTCGAAGGATTTTCGATTGCATCATTACAGAATTTGCAAAGTCTCAAGACCTGCCTT
ATCAATCATTGTCCATAGACACTTTTTCTTATTGTAATGATGAGTATGTAGTCATCGCTCAGC
CTTTTACTGGAAAATGCATTTTCTTGAATGGGACCATGTGGAAAAGACCTTCCGGAATTATG
ACAACATTACAGGCACATCCACTGTAGTATGCAAGCCTATAGTCATTGAACTCAGCTCTATG
TTATTGTGGCCCAGCTGTTTGGTGGCTCTCACATCTATAAGCGAGACAGTTTTGCAAATAAAT
TCATAAAAAATCCAGGATATTGAAATCTCAAAATCCGAAAACCCAATGACATTGAAACATTCA
AGATTGAAAACAACCTGGTACTTTGTTGTTGCTGACAGTTCAAAGCTGGTTTTACTACCATTTAC
AAATGGAACGGAAACGGATTCTACTCCCATCAATCCTTACACGCGTGGTACAGGGACACTGAT
GTGGAATATCTAGAAATAGTCAGAACACCTCAGACACTCAGAACGCCTCATTTAATTCTGTCT
AGTAGTTCCCAGCGTCTGTAAATTTATCAGTGGAAACAAAGCAACACAATTATTCACATAACCAA
ACTGACATTCCTAACATGGAGGATGTGTACGCACTGAAGCACTTCTCAGTGAAAGGGGACGTG
TACATTTGCTTGACAAGATTCATTGGTGATTCCAAAGTCATGAAATGGGGAGGCTCCTCGTTC
CAGGATATTCAGAGGATGCCATCGCGAGGATCCATGGTGTTCAGCCTCTTCAAATAAATAAT
TACCAATATGCAATTCTTGAAGTGATTACTCCTTTACTCAAGTGTATAACTGGGATGCAGAG
AAAGCCAAATTTGTGAAATTTAGGAATTAATGTTTCAGGCACCAAGATCATTACACATGTG
TCCATTAATAAGCGTAATTTTCTTTTGCTTCCAGTTTTAAGGGAAATACACAGATTTACAAA
CATGTCATAGTTGACTTAAGCGCATAGAGACACCAAATTTCTGTGGCTGCCATCAGAAATTTTCT
ACAGTACATGACCCGGATGAACTCAATGCATGATGACTCTTCTTATCACACTTGCAAATGAAT
GCCTTTCAAACATTGAGACTGCTAGAACCAAGCACTACCAATCTCCATCCTTAAGTGTCCA
GTCCAGTGATGTGGGAAGTTACCTTTTATAAGACAAAATTTAATTGTGTAAGTGTCTTTGCA
GTGAAGATGTGTAAATAAGCGTTTAAATGGTATCTGTTACTCCAAAAGAAATATTAATATGTA
CTTTTCCATTTATTTATTCATGTGTACAGAAACAAGTCCCAAATAAATGTTTACATTTTCTT
TCATA

329/615

FIGURE 326

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68882
><subunit 1 of 1, 557 aa, 1 stop
><MW: 63818, pI: 8.61, NX(S/T): 3
MESERSKRMGNACIPLKRIAYFLCLLSALLLLEGKKPAKPKCPAVCTCTKDNALCENARS
IPRTVPPDVISLSFVRSGFTEISEGSFLFTPSLQLLLFTSNSFDVISDDAFIGLPHLEYL
FIENNNIKSISRHTFRGLKSLIHLSLANNNLQTLPKDIFKGLDSLNTNVDLRGNSFNCDCK
LKWLVEWLGHNTATVEDIYCEGPPEYKKRKINSLSSKDFDCIITEFAKSQDLPYQSLSID
TFSYLNDEYVVIAQPFTGKCIFLEWDHVEKTFRNYDNITGTSTVVCKPIVIETQLYVIVA
QLFGGSHIYKRDSFANKFIKIQDIEILKIRKPNDIETFKIENNWFVVDSSKAGFTTIY
KWNGNGFYSHQSLHAWYRDTDVEYLEIVRTPOTLRTPHLILSSSSQRPVIYQWNKATQLF
TNQTDIPNMEDEVYAVKHFSVKGDVYICLTRFIGDSKVMKWGGSSFQDIQRMPSRGSMVFQ
PLQINNYQYAILGSDYSFTQVYNWDAEKAKFVKFQELNVQAPRSFTHVSINKRNFLFASS
FKGNTQIYKHVIVDLA
```

Important features of the protein:**Signal peptide:**

Amino acids 1-34

Transmembrane domain:

Amino acids 281-306

N-glycosylation sites:

Amino acids 192-196;277-281;422-426

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 310-314

Tyrosine kinase phosphorylation sites:

Amino acids 228-235;378-385

N-myristoylation sites:

Amino acids 172-178;493-499

Amidation site:

Amino acids 33-37

330/615

FIGURE 327

CCAAGGCCAGAGCTGTGGACACCTTATCCCACTCATCCTCATCCTCTTCCTCTGATAAAGCCC
CTACCAGTGCTGATAAAGTCTTTCTCGTGAGAGCCTAGAGGCCTTAAAAAAAAAAGTGCTTGA
AAGAGAAGGGGACAAAGGAACACCAGTATTAAGAGGATTTTCCAGTGTTTCTGGCAGTTGGTC
CAGAAGGATGCCTCCATTCTGCTTCTCACCTGCCTCTTCATCACAGGCACCTCCGTGTCACC
CGTGGCCCTAGATCCTTGTTCTGCTTACATCAGCCTGAATGAGCCCTGGAGGAACACTGACCA
CCAGTTGGATGAGTCTCAAGGTCTCTCTATGTGACAACCATGTGAATGGGGAGTGGTACCA
CTTCACGGGCATGGCGGGAGATGCCATGCCTACCTTCTGCATACCAGAAAACCACTGTGGAAC
CCACGCACCTGTCTGGCTCAATGGCAGCCACCCCTAGAAAGGCGACGGCATTGTGCAACGCCA
GGCTTGTGCCAGCTTCAATGGGAACCTGCTGTCTCTGGAACACCACGGTGGAAAGTCAAGGCTTG
CCCTGGAGGCTACTATGTGTATCGTCTGACCAAGCCAGCGTCTGCTTCCACGTCTACTGTGG
TCATTTTTATGACATCTGCGACGAGGACTGCCATGGCAGCTGCTCAGATACCAGCGAGTGCAC
ATGCGCTCCAGGAACCTGTGCTAGGCCCTGACAGGCAGACATGCTTTGATGAAAATGAATGTGA
GCAAAACAACGGTGGCTGCAGTGAGATCTGTGTGAACCTCAAAAACCTCCTACCGCTGTGAGTG
TGGGGTTGGCCGTGTGCTAAGAAGTGATGGCAAGACTTGTGAAGACGTTGAAGGATGCCACAA
TAACAATGGTGGCTGCAGCCACTCTTGCCCTTGATCTGAGAAAGGCTACCAGTGTGAATGTCC
CCGGGGCCTGGTGCTGTCTGAGGATAACCACACTTGCCAAGTCCCTGTGTTGTGCAAATCAAA
TGCCATTGAAGTGAACATCCCCAGGGAGCTGGTTGGTGGCCTGGAGCTCTTCCTGACCAACAC
CTCCTGCCGAGGAGTGTCCAACGGCACCCATGTCAACATCCTCTTCTCTCAAGACATGTGG
TACAGTGGTTCGATGTGGTGAATGACAAGATTGTGGCCAGCAACCTCGTGACAGGTCTACCCAA
GCAGACCCCGGGGAGCAGCGGGGACTTCATCATCCGAACCAGCAAGCTGCTGATCCCGGTGAC
CTGCGAGTTTCCACGCCTGTACACCATTCTGAAGGATACGTTCCCAACCTTCGAAACTCCCC
ACTGGAAATCATGAGCCGAAATCATGGGATCTTCCCATTCACTCTGGAGATCTTCAAGGACAA
TGAGTTTGAAGAGCCTTACCGGGAAGCTCTGCCCACCCCTCAAGCTTCGTGACTCCCTCTACTT
TGGCATTGAGCCCGTGGTGCACGTGAGCGGCTTGGAAAGCTTGGTGGAGAGCTGCTTTGCCAC
CCCCACCTCCAAGATCGACGAGGTCCTGAAATACTACCTCATCCGGGATGGCTGTGTTTCAGA
TGACTCGGTAAAGCAGTACACATCCCGGGATCACCTAGCAAAGCACTTCCAGGTCCCTGTCTT
CAAGTTTGTGGGCAAAGACCACAAGGAAGTGTTTCTGCACTGCCGGGTCTTGTCTGTGGAGT
GTTGGACGAGCGTTCCCGCTGTGCCAGGGTTGCCACCGGCGAATGCGTTCGTGGGGCAGGAGG
AGAGGACTCAGCCGGTCTACAGGGCCAGACGCTAACAGGCGGCCCCGATCCGCATCGACTGGGA
GGACTAGTTTCGTAGCCATACCTCGAGTCCCTGCATTGGACGGCTCTGCTCTTTGGAGCTTCTC
CCCCACCGCCCTCTAAGAACATCTGCCAACAGCTGGGTTCCAGACTTCACACTGTGAGTTTCAG
ACTCCCAGCACCAACTCACTCTGATTCTGGTCCATTTCAGTGGGCACAGGTACACGCACTGCTG
AACAATGTGGCCTGGGTGGGGTTTCATCTTTCTAGGGTTGAAAACCTAACTGTCCACCCAGAA
AGACACTCACCCATTTCCTCATTTCTTTCTTACACTTAAATACCTCGTGTATGGTGAATC
AGACCACAAAATCAGAAGCTGGGTATAATATTTCAAGTTACAAACCTAGAAAAATTAAACAG
TTACTGAAATTATGACTTAAATACCCAATGACTCCTTAAATATGTAAATTATAGTTATACCTT
GAAATTTCAATTCAAATGCAGACTAATTATAGGGAATTTGGAAGTGTATCAATAAACAGTAT
ATAATTTT

331/615

FIGURE 328

MPPFLLLTCLFITGTSVSPVALDPCSAYISLNEPWRNTDHLQDESQGPPLCDNHVNGEWYHFT
GMAGDAMPFFCIPENHCGTHAPVWLNGSHPLEGDGIVQRQACASFNGNCCLWNTTVEVKACPG
GYVYRLTKPSVCFHVYCGHFYDICDEDCGSCSDTSECTCAPGTVLGPDRQTCFDENECEQN
NGGCSEICVNLKNSYRCECGVGRVLRSDGKTCEDEVEGCHNNNGGCSHSCLGSEKGYQCECPRG
LVLSEDNHTCQVPVLCKSNAIEVNIPRELVGGLFLTNTSCRGVSNNGTHVNILFSLKTCGTV
VDVVNDKIVASNLVTGLPKQTPGSSGDFIIRTSKLLIPVTCEFPRLYTISEGYVPNLRNSPLE
IMSRNHGIFPFTLEIFKDNEFEOPYREALPTLKLRLSLYFGIEPVVHVSGLESLVESCFATPT
SKIDEVLKYYLIRDGCVSDDSVKQYTSRDHLAKHFQVPVFKFVGKDHKEVFLHCRVLVCGVLD
ERSRCAQGCHRRMRRGAGGEDSAGLQGQTLTGGPIRIDWED

Important features of the protein:**Signal peptide:**

amino acids 1-16

N-glycosylation sites.

amino acids 89-93, 116-120, 259-263, 291-295, 299-303

Tyrosine kinase phosphorylation sites.

amino acids 411-418, 443-451

N-myristoylation sites.amino acids 226-232, 233-239, 240-246, 252-258, 296-302, 300-306,
522-528, 531-537**Aspartic acid and asparagine hydroxylation site.**

amino acids 197-209

ZP domain proteins.

amino acids 431-457

Calcium-binding EGF-like proteins.

amino acids 191-212, 232-253

332/615

FIGURE 329

GAGAGAGGCAGCAGCTTGCTCAGCGGACAAGGATGCTGGGCGTGAGGGACCAAGGCCTGCCCT
GCACTCGGGCCTCCTCCAGCCAGTGCTGACCAGGGACTTCTGACCTGCTGGCCAGCCAGGACC
TGTGTGGGGAGGCCCTCCTGCTGCCTTGGGGTGACAATCTCAGCTCCAGGCTACAGGGAGACC
GGGAGGATCACAGAGCCAGC**ATG**TTACAGGATCCTGACAGTGATCAACCTCTGAACAGCCTCG
ATGTCAAACCCCTGCGCAAACCCCGTATCCCCATGGAGACCTTCAGAAAGGTGGGGATCCCCA
TCATCATAGCACTACTGAGCCTGGCGAGTATCATCATTGTGGTTGTCCTCATCAAGGTGATTC
TGGATAAATACTACTTCCCTGCGGGCAGCCTCTCCACTTCATCCCGAGGAAGCAGCTGTGTG
ACGGAGAGCTGGACTGTCCCTTGGGGGAGGACGAGGAGCACTGTGTCAAGAGCTTCCCCGAAG
GGCCTGCAGTGGCAGTCCGCCTCTCCAAGGACCGATCCACACTGCAGGTGCTGGACTCGGCCA
CAGGGAAGTGGTTCTCTGCCTGTTTCGACAACCTTCACAGAAGCTCTCGCTGAGACAGCCTGTA
GGCAGATGGGCTACAGCAGAGCTGTGGAGATTGGCCAGACCAGGATCTGGATGTTGTTGAAA
TCACAGAAAACAGCCAGGAGCTTCGCATGCGGAACTCAAGTGGGCCCTGTCTCTCAGGCTCCC
TGGTCTCCCTGCACTGTCTTGCTGTGGGAAGAGCCTGAAGACCCCCCGTGTGGTGGGTGGGG
AGGAGGCCCTCTGTGGATTCTTGCCCTTGGCAGGTGAGCATCCAGTACGACAAACAGCACGTCT
GTGGAGGGAGCATCCTGGACCCCCACTGGGTCTCACGGCAGCCCACTGCTTCAGGAAACATA
CCGATGTGTTCAACTGGAAGGTGCGGGCAGGCTCAGACAACTGGGCAGCTTCCCATCCCTGG
CTGTGGCCAAGATCATCATCATTGAATTCAACCCCATGTACCCCAAAGACAATGACATCGCCC
TCATGAAGCTGCAGTTCCTCACTTTCTCAGGCACAGTCAGGCCCATCTGTCTGCCCTTCT
TTGATGAGGAGCTCACTCCAGCCACCCCACTCTGGATCATTGGATGGGGCTTTACGAAGCAGA
ATGGAGGGAAGATGTCTGACATACTGCTGCAGGCGTCAGTCCAGGTCATTGACAGCACACGGT
GCAATGCAGACGATGCGTACCAGGGGGAAGTCACCGAGAAGATGATGTGTGCAGGCATCCCGG
AAGGGGGTGTGGACACCTGCCAGGGTGACAGTGGTGGGCCCCCTGATGTACCAATCTGACCAGT
GGCATGTGGTGGGCATCGTTAGCTGGGGCTATGGCTGCGGGGGCCCGAGCACCCCAGGAGTAT
ACACCAAGGTCTCAGCCTATCTCAACTGGATCTACAATGTCTGGAAGGCTGAGCTG**TAAT**GCT
GCTGCCCCCTTTCAGTGCTGGGAGCCGCTTCTTCTGCCCTGCCACCTGGGGATCCCCCAA
AGTCAGACACAGAGCAAGAGTCCCCTTGGGTACACCCCTCTGCCCACAGCCTCAGCATTCTT
GGAGCAGCAAAGGGCCTCAATTCTGTAAAGAGACCCTCGCAGCCCAGAGGCGCCCAGAGGAAG
TCAGCAGCCCTAGCTCGGCCACACTTGGTGCTCCAGCATCCCAGGGAGAGACACAGCCCACT
GAACAAGGTCTCAGGGGTATTGCTAAGCCAAGAAGGAACCTTCCCACACTACTGAATGGAAGC
AGGCTGTCTTGTAAGGCCAGATCACTGTGGGCTGGAGAGGAGAAGGAAAGGGTCTGCGCCA
GCCCTGTCCGTCTTACCCATCCCCAAGCCTACTAGAGCAAGAAACCAGTTGTAATATAAAAT
GCACTGCCCTACTGTTGGTATGACTACCGTTACCTACTGTTGTCATTGTTATTACAGCTATGG
CCACTATTATTAAAGAGCTGTGTAACATCTCTGGCAAAAAAAAAAAAA

333/615

FIGURE 330

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68885

><subunit 1 of 1, 432 aa, 1 stop

><MW: 47644, pI: 5.18, NX(S/T): 2

MLQDPDSDQPLNSLDVKPLRKPRIPMETFRKVGIPIIIIALLSLASIIIVVVLIKVILDKYYFL
CGQPLHFIPRKQLCDGELDCPLGEDEEHCVKSFPEGPAVAVRLSKDRSTLQVLDSATGNWFSA
CFDNFTEALAETACRQMGYSRAVEIGPDQDLDVVEITENSQELMRNSSGPCLSGSLVSLHCL
ACGKSLKTPRVVGEEASVDSWPWQVSIQYDKQHVCSSILDPHWVLTAAHCFRKHTDVFNWK
VRAGSCKLGSFPSLAVAKIIIIIEFNPMYPKDNDIALMKLQFPLTFSGTVRPICLPFFDEELTP
ATPLWIIGWGFTKQNGGKMSDILLQASVQVIDSTRCNADDAAYQGEVTEKMMCAGIPEGGVDTC
QGDSSGGPLMYQSDQWHVVGIVSWGYGCGGPSTPGVYTKVSAYLNWIYNVWKAEL

Transmembrane domain:

amino acids 32-53 (typeII)

334/615

FIGURE 331

AGTGGTTTCGATGGGAAGGATCTTTCTCCAAGTGGTTCCTCTTGAGGGGAGCATTCTGCTGGC
TCCAGGACTTTGGCCATCTATAAAGCTTGGCA**ATG**AGAAATAAGAAAATTCTCAAGGAGGACG
AGCTCTTGAGTGAGACCCAACAAGCTGCTTTTCACCAAATTGCAATGGAGCCTTTCGAAATCA
ATGTTCCAAAGCCCAAGAGGAGAAATGGGGTGAACCTCTCCCTAGCTGTGGTGGTCATCTACC
TGATCCTGCTCACCGCTGGCGCTGGGCTGCTGGTGGTCCAAGTTCTGAATCTGCAGGCGCGGC
TCCGGGTCCTGGAGATGTATTTCTCAATGACACTCTGGCGGCTGAGGACAGCCCGTCTTCT
CCTTGCTGCAGTCAGCACACCCTGGAGAACACCTGGCTCAGGGTGCATCGAGGCTGCAAGTCC
TGCAGGCCCAACTCACCTGGGTCCGCGTCAGCCATGAGCACTTGCTGCAGCGGGTAGACAACCT
TCACTCAGAACCCAGGGATGTTTCAAGATCAAAGGTGAACAAGGCGCCCCAGGTCTTCAAGGTC
ACAAGGGGGGCCATGGGCATGCCTGGTGCCCCCTGGCCCGCCGGGACCACCTGCTGAGAAGGGAG
CCAAGGGGGCTATGGGACGAGATGGAGCAACAGGCCCTCGGGACCCCAAGGCCACCGGGAG
TCAAGGGAGAGGCGGGCCTCCAAGGACCCAGGGTGTCTCAGGGAAGCAAGGAGCCACTGGCA
CCCCAGGACCCCAAGGAGAGAAGGGCAGCAAAGGCGATGGGGGTCTCATTGGCCCAAAGGGG
AAACTGGAATAAGGGAGAGAAAGGAGACCTGGGTCTCCAGGAAGCAAAGGGGACAGGGGCA
TGAAAGGAGATGCAGGGGTTCATGGGGCCTCCTGGAGCCCAGGGGAGTAAAGGTGACTTCGGGA
GGCCAGGCCCACCAGGTTTGGCTGGTTCCTGGAGCTAAAGGAGATCAAGGACAACCTGGAC
TGCAGGGTGTTCGGGGCCTCCTGGTGCAGTGGGACACCCAGGTGCCAAGGGTGAGCCTGGCA
GTGCTGGCTCCCCTGGGCGAGCAGGACTTCCAGGGAGCCCCGGGAGTCCAGGAGCCACAGGCC
TGAAAGGAAGCAAAGGGGACACAGGACTTCAAGGACAGCAAGGAAGAAAAGGAGAATCAGGAG
TTCCAGGCCCTGCAGGTGTGAAGGGAGAACAGGGGAGCCCAGGGCTGGCAGGTCCCAAGGGAG
CCCCTGGACAAGCTGGCCAGAAGGGAGACCAGGGAGTGAAAGGATCTTCTGGGGAGCAAGGAG
TAAAGGGAGAAAAAGGTGAAAGAGGTGAAAACCTCAGTGTCCGTGAGGATTGTGCGCAGTAGTA
ACCGAGGCCGGGCTGAAGTTTACTACAGTGGTACCTGGGGGACAATTTGCGATGACGAGTGGC
AAAATTCTGATGCCATTGTCTTCTGCCGCATGCTGGGTACTCCAAAGGAAGGGCCCTGTACA
AAGTGGGAGCTGGCACTGGGCAGATCTGGCTGGATAATGTTTCAAGTGTGCGGGCACGGAGAGTA
CCCTGTGGAGCTGCACCAAGAATAGCTGGGGCCATCATGACTGCAGCCACGAGGAGGACGCAG
GCGTGGAGTGCAGCGT**CTGA**CCCCGAAACCTTTCACTTCTCTGCTCCCGAGGTGTCCTCGGG
CTCATATGTGGGAAGGCAGAGGATCTCTGAGGAGTTCCTGGGGACAACCTGAGCAGCCTCTGG
AGAGGGGCCATTAATAAAGCTCAACATCATTGA

335/615

FIGURE 332

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA68886
><subunit 1 of 1, 520 aa, 1 stop
><MW: 52658, pI: 9.16, NX(S/T): 3
MRNKKILKEDELLSETQQAFAHQIAMEPF EINVPKPKRRNGVNFSLAVVVIYLLILLTAGAGLL
VVQVLNLQARLRVLEMYFLNDTLAAEDSPSFSLLQSAHPGEHLAQGASRLQVLQAQLTWVRVS
HEHLLQRVNFTQNPGMFRIKGEQGAPGLQGHKGAMGMPGAPGPPGPPAEKGAKGAMGRDGAT
GPSGPPQGPVGKGEAGLQGPQGAPGKQGATGTPGPQGEKGSKGDGGLIGPKGETGTKGEKGD
GLPGSKGDRGMKG DAGVMGPPGAQGSKGDFGRPPGLAGFP GAKGDQGPGLQGVPPGAV
GHPGAKGEPGSAGSPGRAGLPGSPGSPGATGLKGSKGDTGLQGGQGRKGESGVPGPAGVKGEQ
GSPGLAGPKGAPGQAGQKGDQGVKGSSGEQGVKGEKGERGENSVSVRIVGSSNRGRAEVYYS
G TWGTICDDEWQNSDAIVFCRMLGYSKGRALYKVGAGTGQIWL DNVQCRGTESTLWSCTKNSWG
HHDCSHEEDAGVECSV

Transmembrane domain:

amino acids 47-66 (type II)

N-glycosylation sites.

amino acids 43-47, 83-87, 136-140

Tyrosine kinase phosphorylation site.

amino acids 432-440

N-myristoylation sites.amino acids 41-47, 178-184, 253-259, 274-280, 340-346, 346-352,
400-406, 441-447, 475-481, 490-496, 515-521**Amidation site.**

amino acids 360-364

Leucine zipper pattern.

amino acids 56-78

Speract receptor repeat

amino acids 422-471, 488-519

Clq domain proteins.

amino acids 151-184, 301-334, 316-349

336/615

FIGURE 333

GGGCTGTTGATTTGTGGGGGATTTTGAAGAGAGGAGGAATAGGAGGAAGGGGTTGAGGGGCTG
CCTCTGGCATATGCACACACTCACACATTCTGTACACCCGTCACACACACATACCATGTTCT
CCATCCCCCAGGTCCAGCCCTCAGTGCTGTCCCATCCAGCAGGGCTACCCTGAAGCTCTGGC
TGCAGCCCTCCCGTCCAGTGGGCAGGCGGCTTCATCCCTCCTTTCTCTCCCAAAGCCCAACTG
CTGTCACTGCATGCTCTGCCAAGGAGGAGGGAAGTGCAGTGACAGCAGGAGTAAGAGTGGGAG
GCAGGACAGAGCTGGGACACAGGTATGGAGAGGGGGTTTTCAGCGAGCCTAGAGAGGGCAGACTA
TCAGGGTGCCGGCGGTGAGAATCCAGGGAGAGGAGCGGAAACAGAAGAGGGGCAGAAAGACCGG
GGCACTTGTGGGTTGCAGAGCCCCTCAGCCATGTTGGGAGCCAAGCCACACTGGCTACCAGGT
CCCCTACACAGTCCCGGGCTGCCCTTGGTTCTGGTGCTTCTGGCCCTGGGGGCGGGGTGGGCC
CAGGAGGGGTTCAGAGCCCGTCTGTGCTGGAGGGGGAGTGCCCTGGTGGTCTGTGAGCCTGGCCGA
GCTGCTGCAGGGGGGCCCCGGGGAGCAGCCCTGGGAGAGGCACCCCTGGGCGAGTGGCATT
GCTGCGGTCCGAAGCCACCACCATGAGCCAGCAGGGGAAACCGGCAATGGCACCAGTGGGGCC
ATCTACTTCGACCAGGTCTGGTGAACGAGGGCGGTGGCTTTGACCGGGCCTCTGGCTCCTTC
GTAGCCCCGTGCCGGGTGTCTACAGCTTCCGGTTCCATGTGGTGAAGGTGTACAACCGCCAA
ACTGTCCAGGTGAGCCTGATGCTGAACACGTGGCCTGTCTCTCAGCCTTTGCCAATGATCCT
GACGTGACCCGGGAGGCAGCCACCAGCTCTGTGCTACTGCCCTTGGACCCTGGGGACCGAGTG
TCTCTGCGCCTGCGTCGGGGGAATCTACTGGGTGGTTGGAAATACTCAAGTTTCTCTGGCTTC
CTCATCTTCCCTCTCTGAGGACCCAAGTCTTTCAAGCACAGAATCCAGCCCCCTGACAACCTTT
CTTCTGCCCTCTCTTGCCCCAGAAACAGCAGAGGCAGGAGAGAGACTCCCTCTGGCTCCTATC
CCACCTCTTTGCATGGGACCCTGTGCCAAACACCCAAGTTTAAGAGAAGAGTAGAGCTGTGGC
ATCTCCAGACCAGGCCTTTCCACCCACCCACCCCAAGTTACCCTCCCAGCCACCTGCTGCATC
TGTTCTCTGCCTGCAGCCCTAGGATCAGGGCAAGGTTTGGCAAGAAGGAAGATCTGCACTACTT
TGCGGCCTCTGCTCCTCCGGTTCCCCCACCCAGCTTCCCTGCTCAATGCTGATCAGGGACAGG
TGGCGCAGGTGAGCCTGACAGGCCCCCACAGGAGCCCAGATGGACAAGCCTCAGCGTACCCTG
CAGGCTTCTTCTGTGAGGAAAGCCAGCATCACGGATCTCAGCCAGCACCGTCAGAAGCTGAG
CCAGCACCGTATGGGCTAGGGTGGGAGGCTCAGCCACAGGCAGAAGGGTGGGAAGGGCCTGGA
GTCTGTGGCTGGTGAGGAAGGAAGGAGGGTGTATTGTCTAGACTGAACATGGTACACATTCTG
CATGTATAGCAGAGCAGCCAGCAGGTAGCAATCCTGGCTGTCCTTCTATGCTGGATCCCAGAT
GGACTCTGGCCCTTACCTCCCCACCTGAGATTAGGGTGAGTGTGTTTGTCTCTGGCTGAGAGCA
GAGCTGAGAGCAGGTATACAGAGCTGGAAGTGGACCATGGAAAACATCGATAACCATGCATCC
TCTTGCTTGGCCACCTCCTGAAACTGCTCCACCTTTGAAGTTTGAACCTTAGTCCCTCCACAC
TCTGACTGCTGCCTCCTTCCCTCCCAGCTCTCTCACTGAGTTATCTTCACTGTACCTGTTCCAG
CATATCCCCACTATCTCTCTTCTCCTGATCTGTGCTGTCTTATTCTCCTCCTTAGGCTTCCCT
ATTACCTGGGATTCCATGATTCACTCCTTCAGACCCTCTCCTGCCAGTATGCTAAACCCTCCC
TCTCTCTTCTTATCCCGCTGTCCCATTTGGCCCAGCCTGGATGAATCTATCAATAAAACAACT
AGAGAATGGTGGTCAGTGAGACACTATAGAATTACTAAGGAGAAGATGCCTCTGGAGTTTGGGA
TCGGGTGTTACAGGTACAAGTAGGTATGTTGCAGAGGAAAATAAATATCAAAGTGTATACTAA
AATTAAAAA

337/615

FIGURE 334

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71180
><subunit 1 of 1, 205 aa, 1 stop
><MW: 21521, pI: 7.07, NX(S/T): 1
MLGAKPHWLPGPLHSPGLPLVLVLLALGAGWAQEGSEPVLLGECECLVVCEPGRAAAGGPGGAA
LGEAPPGRVAFAAVRSHHHEPAGETGNGTSGAIYFDQVLVNEGGGFDRASGSFVAPVRGVYSF
RFHVVKVYNRQTVQVSLMLNTWPVISAFANDPDVTREAAATSSVLLPLDPGDRVSLRLRRGNLL
GGWKYSSFSGFLIFPL

Signal peptide:
amino acids 1-32

FIGURE 335

[illegible]

339/615

FIGURE 336

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71184
><subunit 1 of 1, 388 aa, 1 stop
><MW: 43831, pI: 9.64, NX(S/T): 3
MKTLLIAAYSGVLRGERQAEADRSQSRSHGGPALSREGSGRWGTGSSILSALQDLFSVTWLNRSK
VEKQLQVISVLQWVLSFLVLGVACSAILMYIFCTDCWLIYVLYFTWLVDWNTPKKGRRSQW
VRNWAVWRYFRDYFPIQLVKTHNLLTTRNYIFGYHPHGIMGLGAFCNFSTEATEVSKKFPGIR
PYLATLAGNFRMPVLRREYLMSSGGICPVSRTIDYLLSKNGSGNAIIIVVGAAESLSSMPGKN
AVTLRNRKGFVKLALRHGADLVPIYSFGENEVYKQVIFEEGSWGRWVQKKFQKYIGFAPCIFH
GRGLFSSDTWGLVPYSPITTVVGEPITIPKLEHPTQQDIDLYHTMYMEALVKLFDKHKTKFG
LPETEVLEVN
```

Important features of the protein:**Transmembrane domain:**

amino acids 76-97

N-glycosylation sites.

amino acids 60-63, 173-176, 228-231

N-myristoylation sites.

amino acids 10-15, 41-46, 84-89, 120-125, 169-174, 229-234, 240-245, 318-323, 378-383

341/615

FIGURE 338

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71213
><subunit 1 of 1, 368 aa, 1 stop
><MW: 42550, pI: 9.11, NX(S/T): 1
MGLLAFLKTQFVLHLLVGFFVVSGLVINFEVQLCTLALWPVSKQLYRRLNCRLAYSLWSQLVM
LLEWWSCTECTLFTDQATVERFGKEHAVIILNHNFEIDFLCGWTMCERFGVLGSSKVLAKKEL
LYVPLIGWTWYFLEIVFCKRKWEEDRDTVVEGLRRLSDYPEYMWFLLYCEGTRFTETKHRVSM
EVAAAKGLPVLKYHLLPRTKGFTTAVKCLRGTVAAYVDVTNLNFRGNKNPSLLGILYGKKYEAD
MCVRRFPLEDIPLDEKEAAQWLHKLYQEKDALQEIYNQKGMFPGEQFKPARRPWTLNFLSWA
TILLSPLFSFVLGVFASGSPLLILTFLGVGAASFGVRRRLIGESLEPGRWRLQ
```

Important features of the protein:**Signal peptide:**

amino acids 1-25

Transmembrane domains:

amino acids 307-323, 335-352

Tyrosine kinase phosphorylation sites.

amino acids 160-168, 161-169

342/615

FIGURE 339

GATATTCTTTATTTTAAAGAATCTGAAGTACT**ATG**CATCACTCCCTCCAATGTCCTGGGGCAG
CCACCAGGCATATTCATCTTTGTGTGTGTTTTCTTTTGCTTTAGCACTGGGGCACTTCTTG
TTATTTCTTTGGTAGGAAAGGGGCTCAGTTTGTCTTGTGGGGTTGGTGGCAGGCAGGCCGGCT
TACGCCTGATACGGCCCTGGGTTAGAAGGGAAGGGAAGATAAACTTTTATACAAATGGGGATA
GCTGGGGTCTGAGACCTGCTTCCTCAGTAAAATTCCTGGGATCTGCCTATACCTTCTTTTCTC
TAACCTGGCATAACCTGCTTAAAGCCTCTCAGGGCTTCTCTGTCTTCTAGGATCAAAGTATT
TAGAGCTACAAGAGCCCTCATGGTCTGGCCCTGCCCCCTGGCCAGCTTCATTGTACATGTG
GTGTTCTCTTGTCTTCCTG**TAA**TGTGGTATGCCATGGGGTCTTTCACAAAGCCTTTCCTCTT
TGGCTGGACACTGTTCCCTGCCCCCCCCATACTCTTCCCTACTTAATATGTAGTCATCCTGCAG
ATTTCAATTCTAACATCATTTTCTCCAGGGATCCTGGCCTGACAGAATCTCATCTTGTTTAAT
GCTCTCATAAGACCACTTGTTTCCCTTTTGCAGCACTTGCCACTCAGTTGTATCTTTATGTGC
GTTTGTGGTTGTATGGGTTGTGTCTGTTCCCCAGAATGCCAGCTCTGAGCTGCGTGAGGGTC
AAGGGCATTGCTGTGCCTGCCAGGTATAGTGCCTACATGTGGTGGGTGCTCATGTTTTAGAGA
CTAAATGGAGGAGGAGATGAGGAAAAGATTGAAATCTCTCAGTTCACCAGATGGTGTAGGGCC
CAGCATTGTAAATTCACACGTTGACTGTGCTTGTGAATTATCTGGGGATGCAGTCTGATTC
AGTAGGCCCAGGTTGGGCATCTCTAACAACTCCACGTGATGCTGATGCTGGTCCCTATGAAC
TATACTAAATAGTAAGAATCTATGGAGCCAGGCTGGGCATGGTGGCTCACACCTATGATCCCA
GCACTTTGGGAGGCTGAGGCAGGCTGATCACCTGGAGTCAGGATTTCAAGACTAGCCTGGCCA
ACATGGTGGAACCCCATCTGTACTAAAAATACACAAATTAGCTGGGCATGGTGGCACATGCCT
GTAGTCCCAGCTACTTGGGAGGCTGAAGCAAGAGAATCGCTTGAACCTGGGAGGCGGAGGTTG
CAGTGAGCCGAGATCAGGCCACTGTATTCCAACCAGGGTGACAGAGTGAGACTCTATGTCCAA
AAAAAAAAA

343/615

FIGURE 340

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71234

><subunit 1 of 1, 143 aa, 1 stop

><MW: 15624, pI: 9.58, NX(S/T): 0

MHHSLQCPGAATRHHLCVCFSFALALGHFLLISLVGKGLSLSCGVGGRQAGLRLIRPWVRRE
GKINFYTNNGDSWGLRPASSVKFLGSAYTFFSLTWHTLLKASQGFSLFLGSKYLELQEPSWSGP
CPPGQLHCTCGVLLSFL**Important features of the protein:****Signal peptide:**

amino acids 1-28

344/615

FIGURE 341

CGCCATGGCCGGGCTATCCCGCGGGTCCGCGCGCGCACTGCTCGCCGCCCTGCTGGCGTCGACG
CTGTTGGCGCTGCTCGTGTGCGCCGCGCGGGGTGCGGGCGGCCGGGACCACGGGGACTGGGAC
GAGGCCTCCCGGCTGCCGCCGCTACCACCCCGCGAGGACGCGGCGCGCGTGGCCCGCTTCGTG
ACGCACGTCTCCGACTGGGGCGCTCTGGCCACCATCTCCACGCTGGAGGCGGTGCGCGGCCGG
CCCTTCGCCGACGTCTCTCGCTCAGCGACGGGCCCCCGGGCGCGGGCAGCGGCGTGCCCTAT
TTCTACCTGAGCCCGCTGCAGCTCTCCGTGAGCAACCTGCAGGAGAATCCATATGCTACACTG
ACCATGACTTTGGCACAGACCAACTTCTGCAAGAAACATGGATTTGATCCACAAAGTCCCCTT
TGTGTTACATAATGCTGTCAGGAAGTGTGACCAAGGTGAATGAAACAGAAATGGATATTGCA
AAGCATTCTGTTATTCATTCGACACCCTGAGATGAAAACCTGGCCTTCCAGCCATAATTGGTTC
TTTGCTAAGTTGAATATAACCAATATCTGGGTCCTGGACTACTTTGGTGGACCAAAAATCGTG
ACACCAGAAGAATATTATAATGTCACAGTTCAGTGAAGCAGACTGTGGTGAATTTAGCAACAC
TTATGAAGTTTCTTAAAGTGGCTCATACACACTTAAAAGGCTTAATGTTTCTCTGGAAAGCGT
CCCAGAATATTAGCCAGTTTTCTGTC

345/615

FIGURE 342

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71269
><subunit 1 of 1, 220 aa, 1 stop
><MW: 24075, pI: 7.67, NX(S/T): 3
MAGLSRGSARALLAALLASTLLALLVSPARGRGGRDHGDWDEASRLPPLPPREDAARVAR
FVTHVSDWGALATISTLEAVRGRPFADVLSLSDGPPGAGSGVPYFYLSPLQLSVSNLQEN
PYATLTMTLAQTNFCKKHGFDQPQSLCVHIMLSGTVTKVNETEMDIAKHSLFIRHPEMKT
WPSSHNWFFAKLNITNIWVLDYFGGPKIVTPEEYYNVTVQ

Important features of the protein:**Transmembrane domain:**

Amino acids 11-29

N-glycosylation sites:

Amino acids 160-164;193-197;216-220

N-myristoylation sites:

Amino acids 3-9;7-13;69-75;97-103

346/615

FIGURE 343

GGCTGGACTGGAACCTCCTGGTCCCAAGTGATCCACCCGCCTCAGCCTCCCAAGGTGCTGTGAT
TATAGGTGTAAGCCACCGTGTCTGGCCTCTGAACAACTTTTTTCTAGCAACTAAAAAGCCACAG
GAGTTGAACTGCTAGGATTCTGACTATGCTGTGGTGGCTAGTGCTCCTACTCCTACCTACATT
AAAATCTGTTTTTTGTTCTCTTGTAACTAGCCTTTACCTTCCTAACACAGAGGATCTGTCACT
GTGGCTCTGGCCCAAACCTGACCTTCACTCTGGAACGAGAACAGAGGTTTCTACCCACACCGT
CCCCTCGAAGCCGGGGACAGCCTCACCTTGCTGGCCTCTCGCTGGAGCAGTGCCCTCACCAAC
TGTCTCACGTCTGGAGGCACTGACTCGGGCAGTGCAAGGTAGCTGAGCCTCTTGGTAGCTGCGG
CTTTCAAGGTGGGCCTTGCCCTGGCCGTAGAAGGGATTGACAAGCCCCGAAGATTTTCATAGGCG
ATGGCTCCCACTGCCCAGGCATCAGCCTTGCTGTAGTCAATCACTGCCCTGGGGCCAGGACGG
GCCGTGGACACCTGCTCAGAAGCAGTGGGTGAGACATCACGCTGCCCCGCCATCTAACCTTTT
CATGTCCTGCACATCACCTGATCCATGGGCTAATCTGAACTCTGTCCCAAGGAACCCAGAGCT
TGAGTGAGCTGTGGCTCAGACCCAGAAGGGGTCTGCTTAGACCACCTGGTTTATGTGACAGGA
CTTGCAATTCTCCTGGAACATGAGGGAACGCCGGAGGAAAGCAAAGTGGCAGGGAAGGAACTTG
TGCCAAATTATGGGTGAGAAAAGATGGAGGTGTTGGGTATCACAAGGCATCGAGTCTCCTGC
ATTGAGTGGACATGTGGGGGAAGGGCTGCCGATGGCGCATGACACACTCGGGACTCACCTCTG
GGGCCATCAGACAGCCGTTTCCGCCCCGATCCACGTACCAGCTGCTGAAGGGCAACTGCAGGC
CGATGCTCTCATCAGCCAGGCAGCAGCCAAAATCTGCGATCACCAGCCAGGGGCAGCCGTCTG
GGAAGGAGCAAGCAAAGTGACCATTTCTCCTCCCCTCCTTCCCTCTGAGAGGCCCTCCTATGT
CCCTACTAAAGCCACCAGCAAGACATAGCTGACAGGGGCTAATGGCTCAGTGTGGCCCAGGA
GGTCAGCAAGGCCTGAGAGCTGATCAGAAGGGCCTGCTGTGCGAACACGGAAATGCCTCCAGT
AAGCACAGGCTGCAAAATCCCCAGGCAAAGGACTGTGTGGCTCAATTTAAATCATGTTCTAGT
AATTGGAGCTGTCCCCAAGACCAAAGGAGCTAGAGCTTGGTTCAAATGATCTCCAAGGGCCCT
TATACCCCAGGAGACTTTGATTGAAATTTGAAACCCCAAATCCAAACCTAAGAACCAGGTGCA
TTAAGAATCAGTTATTGCCGGGTGTGGTGGCCTGTAATGCCAACATTTTGGGAGGCCGAGGCG
GGTAGATCACCTGAGGTGAGGAGTTCAAGACCAGCCTGGCCAACATGGTGAAACCCCTGTCTC
TACTAAAAATACAAAAAACTAGCCAGGCATGGTGGTGTGTGCCTGTATCCCAGCTACTCGGG
AGGCTGAGACAGGAGAATTACTTGAACCTGGGAGGTGAAGGAGGCTGAGACAGGAGAATCACT
TCAGCCTGAGCAACACAGCGAGACTCTGTCTCAGAAAAAATAAAAAAGAATTATGGTTATTT
GTAA

347/615

FIGURE 344

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71277
><subunit 1 of 1, 109 aa, 1 stop
><MW: 11822, pI: 8.63, NX(S/T): 0
MLWWLVLLLLPTLKSVFCSLVTSLYLPNTEDLSLWLWPKPDLHSGTRTEVSTHTVPSKPGTAS
PCWPLAGAVPSPTVSRLEALTRAVQVAEPLGSCGFQGGPCPGRRRD
```

Signal peptide:
amino acids 1-15

349/615

FIGURE 346

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71286

><subunit 1 of 1, 671 aa, 1 stop

><MW: 74317, pI: 7.61; NX(S/T): 0

MPHAFKPGDLVFAKMKGYPHWPARIDDIADGAVKPPPNKYPIFFFGTHETAFLGPKDLFPYDK
CKDKYGKPNKRKGFNEGLWEIQNNPHASYSAPPPVSSSDSEAPEANPADGSDADEDEDDEDRGVM
AVTAVTATAASDRMESDSDSDKSSDNSGLKRKTPALKMSVSKRARKASSDLDQASVSPSEEN
SESSSESEKTSQDFTPEKKA AVRAPRRGPLGGRKKKKAPSASDSDSKADSDGAKPEPVAMAR
SASSSSSSSSSSSDSDSVKKPPRGRKPAEKPLPKPRGRKPKPERPPSSSSSSSDSDSDEVDRISE
WKRRDEARRRELEARRRREQEEELRRLREQEKEEKERRRERADRGEAERGSGGSSGDELREDD
EPVKKRGRKGRGRGPPSSSDSEPEAELEAREAKKS AKKPQSSSTEPARKPGQKEKRVRP EEEKQQ
AKPVKVERTRKRSEGFSMDRKVEKKKEPSVEEKLQKLHSEIKFALKVDSPDVKRCLNALEELG
TLQVTSQILQKNTDVVATLKKIRRYKANKDVM EKAAEVYTRLKSRVLGPKIEAVQKVNKAGME
KEKAEKLAG EELAGEEAPQEKAEDKPSTDLSAPVNGEATSQKGESAEDKEHEEGRDSEEGPR
CGSSEDLHDSVREGPDLD RPGSDRQERERARGDSEALDEES

Signal peptide:

amino acids 1-13

350/615

FIGURE 347

GTGTTCTCCTGGATCTTCACCTTACCACTGCAGATCTTGGGACTCATCAGCCTCAATAATTATATTAATTA
ACACCATTGAAAGAGAACATTGTTTTATCATCTGAATGCTAATAAAGATGAAAGACTTAAAGCCAGAAGCCAAAGA
TTTTACCTTTTCTGCTTTGATGATGCTAAGCATGACCATGTTGTTTCTTCCAGTCACTGGCACTTTGAAGCA
AAATATTCCAAGACTCAAGCTAACCTACAAAGACTTGCTGCTTTCAAATAGCTGTATTCCCTTTTGGGTTTCATC
AGAAGGACTGGATTTTCAAACCTCTTCTCTTAGATGAGGAAAGAGGCAGCTGCTCTTGGGAGCCAAAGACCACAT
CTTTCTACTCAGTCTGGTTGACTTAAACAAAATTTTAAAGAAATTTATTGGCCTGCTGCAAAGGAACGGGTGGA
ATTATGTAAATTAGCTGGGAAAGATGCCAATACAGAATGTGCAAATTTTCATCAGAGTACTTCAGCCCTATAACAA
AACTCACATATATGTGTGTGGAAGTGGAGCATTTTCATCCAATATGTGGGTATATTGATCTTGGAGTCTACAAGGA
GGATATTATATTCAAACCTAGACACACATAATTTGGAGTCTGGCAGACTGAAATGTCCTTTTCGATCCTCAGCAGCC
TTTTGCTTCAGTAATGACAGATGAGTACCTCTACTCTGGAACAGCTTCTGATTTCCCTTGGCAAAGATACTGCATT
CACTCGATCCCTTGGGCTACTCATGACCACCACTACATCAGAAGTACATTTTCAGAGCACTACTGGCTCAATGG
AGCAAAATTTATTGGAACCTTTCTTCATACCAGACACCTACAATCCAGATGATGATAAAATATATTTCTTCTTTTCG
TGAATCATCTCAAGAAGGCAGTACCTCCGATAAAACCATCTTTCTCGAGTTGGAAGAGTTTGTAAAGATGATGT
AGGAGGACAACCGAGCCTGATAAACAAGTGGACGACTTTTCTTAAGGCCAGACTGATTTGCTCAATTCCTGGAAG
TGATGGGGCAGATACTTACTTTGATGAGCTTCAAGATATTTATTTACTCCCCACAAGAGATGAAAGAAATCCTGT
AGTATATGGAGTCTTTACTACAACAGCTCCATCTTCAAAGGCTCTGCTGTTTGTGTGTATAGCATGGCTGACAT
CAGAGCAGTTTTTAATGGTCCATATGCTCATAAGGAAAGTGCAGACCATCGTTGGGTGCAGTATGATGGGAGAAT
TCCTTATCCACGGCCTGGTACATGTCCAAGCAAACCTATGACCCACTGATTAAGTCCACCCGAGATTTTCCAGA
TGATGTCATCAGTTTCATAAAGCGGCACCTCTGTGATGTATAAGTCCGTATACCCAGTTGCAGGAGGACCAACGTT
CAAGAGAATCAATGTGGATTACAGACTGACACAGATAGTGGTGGATCATGTTCATTGCAGAAGATGGCCAGTACGA
TGTAATGTTTCTTGAACAGACATTGGAAGTGTCTCAAAGTTGTGAGCATTTCAAAGGAAAGTGGAAATATGGA
AGAGGTAGTGCTGGAGGAGTTGCAGATATTCAAGCACTCATCAATCATCTTGAACATGGAATTTGTCTCTGAAGCA
GCAACAATTTGTACATTTGGTTCCCGAGATGGATTAGTTCAGCTCTCCTTGCACAGATGCGACACTTATGGGAAAGC
TTGCGCAGACTGTTGTCTTGCAGAGACCCCTACTGTGCTGGGATGGAATGCATGCTCTCGATATGCTCCTAC
TTCTAAAAGGAGAGCTAGACGCCAAGATGTAAATATGGCGACCCAATCACCAGTGTGGGACATCGAAGACAG
CATTAGTCATGAAAGTGTGATGAAAAGGTGATTTTTGGCATTGAATTTAACTCAACCTTTCTGGAATGTATACC
TAAATCCCAACAAGCAACTATTAAATGGTATATCCAGAGGTGAGGGATGAGCATCGAGAGGAGTTGAAGCCCGA
TGAAAGAATCATCAAAACGGAATATGGGCTACTGATTCGAAGTTTGCAGAGAAGGATTCTGGGATGTATTACTG
CAAAGCCCAGGAGCACACTTTCATCCACACCATAGTGAAGCTGACTTTGAATGTCATTGAGAATGAACAGATGGA
AAATACCCAGAGGGCAGAGCATGAGGAGGGGCAGGTCAAGGATCTATTGGCTGAGTCACGGTTGAGATACAAAGA
CTACATCCAAATCCTTAGCAGCCCAAACTTCAGCCTCGACCAGTACTGCGAACAGATGTGGCAGGGGAGAAGCG
GAGACAGAGAAACAAGGGGGGCCAAAGTGAAGCACATGCAGGAAATGAAGAAGAAACGAAATCGAAGACATCA
CAGAGACCTGGATGAGCTCCCTAGAGCTGTAGCCACGTAGTTTTCTACTTAATTTAAAGAAAAGAAATTCCTTACC
TATAAAAACATTGCCTTCTGTTTTGTATATCCCTTATAGTAATTCATAAATGCTTCCCATGGAGTTTGTCTAAGG
CACAAGACAATAATCTGAATAAGACAATATGTGATGAATATAAGAAAGGGCAAAAATTCATTGTAACAGTTTTT
CCAAGAACAATCTTGCAAGCAAAGTATAAGAATTATCCTAAAAATAGGGGGTTTACAGTTGTAAATGTTTTA
TGTTTTGAGTTTTTGAATTTATTGTGTCATGTAAATAGTTGAGCTAAGCAAGCCCCGAATTTGATAGTGTATAAGGT
GCTTTATTCCCTCGAATGTCCATTAAGCATGGAATTTACCATGCAGTTGTGCTATGTTCTTATGAACAGATATAT
CATTCTATTGAGAACCAGCTACCTTGTGGTAGGGAATAAGAGGTGAGACACAAATTAAGACAACCTCCATTATC
AACAGGAACCTTCTCAGTGAGCCATTCACTCCTGGAGAATGGTATAGGAATTTGGAGAGGTGCATTATTTCTTTC
TGGCCACTGGGGTTAAATTTAGTGTACTACAACATTGATTTACTGAAGGGCACTAATGTTTCCCCCAGGATTTCT
ATTGACTAGTCAGGAGTAACAGGTTACAGAGAGAAGTTGGTGCTTAGTTATGTGTTTTTAGAGTATATACTAA
GCTCTACAGGGACAGAATGCTTAATAAATACTTTAATAAGATATGGGAAAATATTTTAATAAAAACAAGGAAAACA
TAATGATGTATAATGCATCCTGATGGGAAGGCATGCAGATGGGATTTGTTAGAAGACAGAAGGAAAGACAGCCAT
AAATTCCTGGCTTTGGGAAAACCTCATATCCCCATGAAAAGGAAGAACAATCACAAATAAAGTGAAGTAATGTAA
TGGAGCTCTTTTCACTAGGGTATAAGTAGCTGCCAATTTGTAATTCATCTGTTAAAAAAATCTAGATTATAACA
AAGTCTAGCAAAATCTGAGGAAACATAAATCTTCTGAAGAATCATAGGAAGAGTAGACATTTTATTTATAACC
AATGATATTTTCAGTATATATTTTCTCTCTTTTAAAAAATATTTATCATACTCTGTATATTTTCTTTTACTGC
CTTTATTCTCTCCTGTATATTGGATTTTGTGATTATTTTGAAGTGAATAGGAGAAAACAATATATAACACACAGA
GAATTAAGAAAATGACATTTCTGGGGAGTGGGGATATATATTTGTTGAATAACAGAACGAGTGTAATTTTAAAC
AACGGAAGGGTTAAATTAACCTTTTGACATCTTCACTCAACCTTTTCTCATGTGCTGAGTTAATCTGTTGAAT
GTAGTATGTTTTTGAATTTAACAATAAATAAGCCTGCTACATGT

351/615

FIGURE 348

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71883

><subunit 1 of 1, 777 aa, 1 stop

><MW: 89651, pI: 7.97, NX(S/T): 3

MNANKDERLKARSQDFHLFPALMMLSMTMLFLPVTGTLKQNI PRLKLT YKDLLLSNSCIPFLG
SSEGLDFQTL LLLDEERGRLLLGAKDHIFLLSLVDLNKNFKKIYWPAAKERV LCKLAGKDANT
ECANFIRVLQPYNKTHIYVCGTGAFHPICGYIDLGVYKEDIIFKLDTHNLESGRLKCPFD PQQ
PFASVMTDEYLYSGTASDFLGKDTAFTRSLGPTHDHHYIRTDISEHYWLN GAKFIGTFFIPDT
YNPDDDKIYFFFRESSQEGSTSDKTILSRVGRVCKNDVGGQRSLINKWTTFLKARLICSIPGS
DGADTYFDELQDIYLLPTRDERNPVYGVFTTTSSIFKGSAVCVYSMADIRAVFNGPYAHKES
ADHRWVQYDGRIPYPRPGTCPSKTYDPLIKSTRDFPDDVISFIKRHSVMYKSVYPVAGGPTEFK
RINV DYRLTQIVVDHVIAEDGQYDVMFLGTDIGTVLKVV SISKEKWNMEEVVLEELQIFKHSS
IILNMELSLKQQQLYIGSRDGLVQLSLHRCDTYGKACADCCLARDPYCAWDGNACSR YAPTSK
RRARRQDVKYGDPITQCWDIEDSISHETADEKVIFGIEFNSTFLECIPKSQQATIKWYIQ RSG
DEHREELKPDERIIKTEYGLLIRSLQKKDSGMYCKAQEHTFIHTIVKLTNLNVIENEQMENTQ
RAEHEEGQVKDLLAESRLRYKDYIQILSSPNFSLDQYCEQMWHREKRRQRNKG GPKWKHMQEM
KKKRNRRHHRDLDELPRAVAT

Important features of the protein:**Signal peptide:**

amino acids 1-36

N-glycosylation sites.

amino acids 139-142, 607-610, 724-727

Tyrosine kinase phosphorylation site.

amino acids 571-576

Gram-positive cocci surface proteins 'anchoring' hexapeptide.

amino acids 32-37

352/615

FIGURE 349

CCCTGACCTCCCTGAGCCACACTGAGCTGGAAGCCGCAGAGGTCATCCTGGAGCATGCCACCGCGGGGAGCAGA
CAACCTCCCAGGTAAGCTGGGAGCAAGACCTGAAGCTGTTTCTTCAGGAGCCTGGTGTATTTCCCCACCCAC
CTCAGCAGTTTCAGCCAGCAGGGACTGATCAGGTGTGTCTCTGGAGTGGGAGCAGAAGGCGTGGCTGGCAAGA
GTGGCCTGGAGAAAGAGGTTTCAGCGCTTGACCAGCCGAGCTGCCCGTGACTACAAGATCCAGAACCATGGGCATC
GGGTGAGGTGGGGGGGCACAGGTGTCATGTGCACCTTCTTGCTCTCAGCAAGAAGAGCTGAGAGAGGGGATCTTGG
AGCCATTGAGGGTGTCTGAGCTACAGAGGGGAGGGAAAGGTATTTAAGGTAACAGTGTGGCACAATAGTTAA
GAGCACAGTTTTTGGAGCTAGACCGACATAGGTTCAAATTTCTTCTGTTGCTTCCTAGTTCTGTAGCCCCAGGT
AAGGGAGTGACTTAACCTCTCTGGACTTCAATTTCCCTCATCACTAAAGTAGGGCCAATAATAGCACCCACCTCAT
AGGGAAGATTAAATGACATAATGTATGTATGATGCAACTAGCAAAGTACCAGTCCCATAGTAAGTCATGCCACAG
TATTTCCACCCACCCCTGTTCTCTGCTTCCCAACAGGTACTGCAACGACTGGAGCAGAGGCGGCAGCAGGCTT
CAGAGCGGGAGGCTCCAAGCATAGAACAGAGGTTACAGGAAGTGGAGAGAGCATCCGCCGGGCACAGGTGAGCC
AGGTGAAGGGGGCTGCCCGCTGGCCCTGCTGCAGGGGGCTGGCTTAGATGTGGAGCGCTGGCTGAAGCCAGCCA
TGACCCAGGCCCAGGATGAGGTGGAGCAGGAGCGCGGCTCAGTGAGGCTCGGCTGTCCAGAGGGACCTCTCTC
CAACCGCTGAGGATGCTGAGCTTTCTGACTTTGAGGAATGTGAGGAGACGGGAGAGCTCTTTGAGGAGCCTGCCC
CCCAAGCCCTGGCCACGAGGGCCCTCCCTGCCCTGCACACGTGGTATTTGCTATCAGGCAGGGCGTGAGGATG
AGCTGACAATCACGGAGGGTGAGTGGCTGGAGGTCTATAGAGGAGGGAGATGCTGACGAATGGGTCAAGGCTCGGA
ACCAGCACGGCGAGGTAGGCTTTGTCCCTGAGCGATATCTCAACTTCCCGGACCTCTCCCTCCCAGAGAGCAGCC
AAGACAGTGACAATCCCTGCCGGGCAGAGCCCACAGCATTCTTGGCACAGGGCCCTGTACAGTACACCGGACAGA
GTGCAGAGGAGCTGAGCTTCCCTGAGGGGGCACTCATCCGTCTGCTGCCCGGGGCCAAGATGGAGTAGATGACG
GCTTCTGGAGGGGAGAATTTGGGGCCGTGTTGGGGTCTTCCCTCCCTGCTGGTGGGAAGAGCTGCTTGGCCCCC
CAGGGCCACCTGAACCTCTCTGACCTGAACAGATGATGCGCTGCCCTTCTCTCTCCAGCTTCTCCACCTGCAC
CTACCTCTGTGTTGGATGGGCCCCCTGCACCTGTCTCTGCTGGGGACAAAGCCCTGGACTTCCCTGGGTCTCTGG
ACATGATGGCACCTCGACTCAGGCCGATGCGTCCACCACCTCCCCCGCGGCTAAAGCCCCGGATCCTGGCCACC
CAGATCCCCTCACCTGAAGGCCAGGGAAGCCTTGACCCCACTGATGCTGCTGTCCCTATCTTCAAGCTGTGAGA
CCACACCATCAATGATCCAGAGCAACACAGCCAAAAGCTGGAAATCGCCCTTATTTCCACCTCACCTCCAAGGGT
GGAACTTGCCCTTCCCATTTCTAGAGCTGGAACCCACTCCCTTTTTTCCCATTTGTTCTATCATCTCTAGGACC
GGAACACTACCTTCTCTCTGTCTGATGACCTATCTAGGCTGGTGAATGCCTGAAATCTCTGGGGCTGGAACCC
ATCCATCAAGGTCTCTAGTAGTTCTGGCCACCTCTTCCCCACCCTGGCTCCATGACCCACCCCACTCTGGATG
CCAGGGTCACTGGGGTTGGGCTGGGGAGAGGAACAGGCTTGGGAATCAGGAGCTGGAGCCAGGATGCGAAGCAG
CTGTAATGGTCTGAGCGGATTTATTGACAATGAATAAAGGGCAGGAAGGCCAGGCCAGGGCCTGGGCTCTTGTG
CTAAGAGGGCAGGGGGCTACGGTGCTATTGCTTTAGGGGGCCACCACGGGCAGGGGCTGCTCCAGCTGCCAC
GCTCTATCATATGGAGCGAGGTGTTGGGGAAGCGGGGCAGGCAGCCTGTTGCAGGCAGGGGAAGGAGAAGAGAC
TGAGGGCTGTGACCTCTCTGAGGCCCCAGCTCAGTGTGCAACTCCAGGTGGAAGTAGAGCTGGTCCCTC
AGCTGGGGGGCAGTGCTGTCCAGTGAGGGGAGGGCTTTACGCCCCACCCACCCCTGGCCCTGCCAGTGGTAG
TCCATCAGCACAATGAAGGAGACTTGAGAAGAGGAAGAATAACACTGTTGCTTCTGTTCAAGCTGTGTCCAGC
TTTTCCCCTGGGGCTCCAGGACCTTCCCTACCTCCACCACCAACCAAGGGATTTATAGCAAAGGCTAAGCCTGC
AGTTTACTCTGGGGGTTTCAGGGAGCCGAAAGGCTTAAATAGTTTAAAGTAGGTGATGGGAAGATGAGATTACCTCA
TTTAGGGCTCAGGCAGACTCACCTCACATACTCCCTGCTCCCTGTGGTAGAGACACCTGAGAGAAAGGGGAGGGG
TCAACAATGAGAGACCAGGAGTAGGTCTATCAGTGCCCCCAGAGTAGAGAGCAATAAGAGCCCAAGCCAGTGC
AGTCCCGGCTGTGTTTTCTACCTGGTGATCAGAAGTGTCTGGTTTGCTTGGCTGCCCATTTGCCTCTTGAGTGG
GCAGCCCTGGGCTTGGGCCCCCTCCCTCCGGCCCTCAGTGTGGCTCTGCAGAAGCTCTGGGGTTCCCTTCAAGTG
CACGAGGGGTTAGGCTGCTGCTCCCTGAGTCTCCATTCTGTAAGTGGGGGCTGGCTAGGACCTGGGGCTGTGGCC
TCTCAGGGGGCAGCCTCTCCATGGCAGGCATCCCTGCCTTGGGCTGCCCTCCCCAGACCCCTGACCACCCCTG
GGTCTGTCCCCCAGAGCCCCAGCTCCTGTCTGTGGGGAGCCATCACGGTGTTCGTGCAGTCCATAGCGCT
TCTCAATGTGTGTACCCCGAACCTGGGAGGGGAGGGAACACTGGGGTTTAGGACCACAACCTCAGAGGCTGCTTG
GCCCTCCCCTCTGACCAGGGACATCTGAGTTTGGTGGCTACTTCCCTCTGGCCTAAGGTAGGGGAGGCCCTTCTC
AGATTGTGGGGCACATTGTGTAGCCTGACTTCTGCTGGAGCTCCAGTCCAGGAGGAAGAGCCAAGGCCACTT
TTGGGATCAGGTGCCTGATCACTGGGCCCCCTACCTCAGCCCCCTTTCCCTGGAGCACTGCCCCACCTGCCCA
CAGAGAACACAGTGGTCTCCCTGTCCGGGGGCGGCTTTTTCTTCTTGGAGCGTCCCTGACGGACAAGTGGAG
GCCTCTTGTGCTGGGTGCAATGGATGCAAGGGGCTGCAGAGCCAGGTGCACTGTGTGATGATGGGAGGGGGCTC
CGTCTGCAGGCTGGAGTGGCATCCACACTGGACAGCAGGAGGGGAGTGAAGGTAACATTTCCATTTCCCT
TCATGTTTTGTTTCTTACGTTCTTTCAGCATGCTCCTTAAACCCAGAGCCCAATTTCCCAAGCCCATTT
TTTCTGTCTTTATCTAATAAACTCAATATTAAG

353/615

FIGURE 350

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73401
><subunit 1 of 1, 370 aa, 1 stop
><MW: 40685, pI: 4.53, NX(S/T): 0
MQLAKYQSHSKSCPTVFPPTPVLCLPNQVLQRLEQRRQQASEREAPSIEQRLQEVRESIRRAQ
VSQVKGAARLALLQGAGLDVERWLKPAMTQAQDEVEQERRLSEARLSQRDLSPTAEDAELSDF
EECEETGELFEPPAPQALATRALPCPAHVVFYQAGREDELTITEGEWLEVIEEGDADEWKA
RNQHGEVGFVPERYLNFPDLSLPESQSDSNPCGAEP TAF LAQALYSYTGQSAEELSFPEGAL
IRLLPRAQDGVDDGFWRGEFGGRVGVFP SLLVEELLGPPGPP ELS DPEQMLPSPSPPSFSPPA
PTSVLDGPPAPVLP GDKALDFPGFLDMMAPRLRPMRPPPPPPAKAPDPGHPDPLT
```

354/615

FIGURE 351A

CACAGGGAGACCCACAGACACATATGCACGAGAGAGACAGAGGAGGAAAGAGACAGAGACAAAGGCACAGCGGAA
GAAGGCAGAGACAGGGCAGGCACAGAAGCGGCCAGACAGAGTCTACAGAGGGAGAGGCCAGAGAAGCTGCAGA
AGACATCGGCAGGGAGAGACAAAGATCCAGGAAAGGAGGGCTCAGGAGGAGAGTTTGGAGAAGCCAGACCCCTGG
GCACCTCTCCCAAGCCCAAGGACTAAGTTTTCTCCATTTCTTTAACGGTCTCAGCCCTTCTGAAAACTTTGCC
TCTGACCTTGGCAGGAGTCCAAGCCCCAGGCTACAGAGAGGAGCTTTCCAAAGCTAGGGTGTGGAGGACTTGGT
GCCCTAGACGGCCTCAGTCCCTCCAGCTGCAGTACCAGTGCCATGCTCCAGACAGGCTCGCATCCCGGGAGGGG
CTTGGCAGGGCGCTGGCTGTGGGGAGCCCAACCTGCCTCCTGCTCCCCATTGTGCCGCTCTCCTGGCTGGTGTG
GCTGCTTCTGCTACTGCTGGCCTCTCTCCTGCCCTCAGCCCGGCTGGCCAGCCCCCTCCCCGGGAGGAGGAGAT
CGTGTTCAGAGAAGCTCAACGGCAGCGTCTGCTGGCTCGGGCGCCCCCTGCCAGGCTGTTGTGCCGCTTGCA
GGCCTTTGGGGAGACGCTGCTACTAGAGCTGGAGCAGGACTCCGGTGTGCAGGTGAGGGGCTGACAGTGCAGTA
CCTGGGCCAGGCGCTGAGCTGCTGGGTGGAGCAGAGCCTGGCACCTACCTGACTGGCACCATCAATGGAGATCC
GGAGTCGGTGGCATCTCTGCACTGGGATGGGGAGCCCTGTTAGGCGTGTACAAATATCGGGGGGCTGAACCTCA
CCTCCAGCCCCCTGGAGGGAGGCACCCCTAACTCTGCTGGGGGACCTGGGGCTCACATCCTACGCCGAAGAGTCC
TGCCAGCGGTCAAGGTCCCATGTGCAACGTCAAGGCTCCTCTTGGAAGCCCCAGCCCCAGACCCGAAGAGCCAA
CGCCTTTGCTTCACTGAGTAGATTTGTGGAGACACTGGTGGTGGCAGATGACAAGATGGCCGCATTCCACGGTGC
GGGCTTAAAGCGCTACCTGCTAACAGTGATGGCAGCAGCAGCCAAAGGCCCTCAAGCACCCCAAGCATCCGCAATCC
TGTCAGCTTGGTGGTGACTCGGCTAGTGATCCTGGGGTCAGGCGAGGAGGGGCCCAAGTGGGGCCAGTGCTGC
CCAGACCCTGCGCAGCTTCTGTGCTGGCAGCGGGCCCTCAACACCCCTGAGGACTCGGGCCCTGACCACTTTGA
CACAGCCATTCTGTTTACCCGTCAGGACCTGTGTGGAGTCTCCACTTGCGACACGCTGGGTATGGCTGATGTGG
CACCGTCTGTGACCCGGCTCGGAGCTGTGCCATTGTGGAGGATGATGGGTCCAGTCAGCCTTCACTGCTGCTCA
TGAACCTGGGTGATGCTTCAACATGCTCCATGACAACCTCAAGCCATGCATCAGTTTGAATGGGCCCTTTGAGCAC
CTCTCGCCATGTCAATGGCCCTGTGATGGCTCATGTGGATCCTGAGGAGCCCTGGTCCCCCTGCAGTGCCCGCTT
CATCACTGACTTCTCGGACAATGGCTATGGGCACTGTCTCTTAGACAAACCAGAGGCTCCATTGCATCTGCCTGT
GACTTTCCCTGGCAAGGACTATGATGCTGACCGCCAGTGCCAGCTGACCTTCGGGCCCCGACTCACGCCATTGTCC
ACAGCTGCCGCCGCCCTGTGCTGCCCTCTGGTGTCTGGCCACCTCAATGGCCATGCCATGTGCCAGACCAACA
CTCGCCCTGGGCCGATGGCACACCCTGCGGGCCCGCACAGGCCTGCATGGGTGGTGCCTGCCATGGACCA
GCTCCAGGACTTCAATATTCCACAGGCTGGTGGCTGGGTGCTTGGGGACCATGGGGTGAAGTCTCTCGGACCTG
TGGGGGTGGTGTCCAGTTCTCCTCCCGAGACTGCACGAGGCTGTCCCCCGGAATGGTGGCAAGTACTGTGAGGG
CCGCCGTACCCGCTTCCGCTCCTGCAACACTGAGGACTGCCCAACTGGCTCAGCCCTGACCTTCCGCGAGGAGCA
GTGTGCTGCCTACAACCAACCGCACCGACCTTCAAGAGCTTCCAGGGCCCATGGACTGGGTTCCTCGCTACAC
AGGCGTGGCCCCCAGGACCACTGCAAACTCACCTGCCAGGCCCGGGCACTGGGCTACTACTATGTGCTGGAGCC
ACGGGTGGTAGATGGGACCCCTGTTCCCGGACAGCTCCTCGGTCTGTGTCAGGGCCGATGCATCCATGTCTGG
CTGTGATCGCATCATTTGGCTCCAAGAAGAAGTTTGACAAGTGCAATGGTGTGCGGAGGGGACGTTCTGGTGTGAG
CAAGCAGTCAGGCTCCTTCAGGAAATTCAGGTACGGATACAACAATGTGGTCACTATCCCCGCGGGGGCCACCCA
CATTCTTGTCCGGCAGCAGGGAAACCTGGCCACCGGAGCATCTACTTGGCCCTGAAGCTGCCAGATGGCTCCTA
TGCCCTCAATGGTGAATACAGCTGATGCCCTCCCCACAGATGTGGTACTGCCTGGGGCAGTCAGCTTGCCTA
CAGCGGGGCCACTGCAGCCTCAGAGACACTGTGAGCCATGGGCCACTGGCCAGCCTTTGACACTGCAAGTCTT
AGTGGCTGGCAACCCAGGACACAGCCTCCGATACAGCTTCTTCGTGCCCCGGCCGACCCCTTCAACGCCACG
CCCCACTCCCCAGGACTGGCTGCACCGAAGAGCACAGATTCTGGAGATCCTTCGCGCGCGCCCTGGCGGGCAG
GAAATAACCTCACTATCCCGCTGCCCTTTCTGGGCACCGGGGCCCTCGGACTTAGCTGGGAGAAAGAGAGAGCTT
CTGTTGCTGCCTCATGCTAAGACTCAGTGGGAGGGGCTGTGGGCTGAGACCTGCCCTCCTCTCTGCCCTAAT
GCGCAGGCTGGCCCTGCCCTGGTTTCTGCCCTGGGAGGCAGTGATGGGTAGTGGATGGAAGGGGCTGACAGAC
AGCCCTCCATCTAACTGCCCTCTGCCCTGCGGGTCAACAGAGGGAGGGGGAAGGCAGGGAGGGCTGGGCCC
CAGTTGATTTATTTAGTATTTTACTTTTATTTAGCACAGGGAAGGGGACAAGGACTAGGGTCTGGGGAA
CCTGACCCCTGACCCCTCATAGCCCTCACCTGGGGCTAGGAAATCCAGGGTGGTGGTATAGGTATAAGTGGTG
TGTGTATGCGTGTGTGTGTGTGTGAAAATGTGTGTGTGCTTATGTATGAGGTACAACCTGTTCTGCTTTCTC
TTCTGAATTTTATTTTGGGAAAGAAAAGTCAAGGGTAGGGTGGGCTTCAGGGAGTGGGGATTATCTTTT
TTTTTTTTTCTTTCTTTCTTTTCTTTTTTTTTTTTTGAGACAGAATCTCGCTCTGTGCCCCAGGCTGGAGTGCAATG
GCACAATCTCGGCTCACTGCATCCTCCGCTCCCGGGTCAAGTGATTCTCATGCCCTCAGCTCCTGAGTAGCTG
GATTACAGGCTCCTGCCACCACGCCAGCTAATTTTGTGTTTGTGTTGGAGACAGAGTCTCGCTATTGTC
ACCAGGGCTGGAATGATTTAGCTCACTGCAACCTTCGCCACCTGGGTTCCAGCAATTCCTGCTCCTGACTCC
CGAGTAGCTGAGATTATAGGCACCTACCACCACGCCCGGCTAATTTTGTATTTTGTAGTAGAGACGGGGTTTAC
CATGTTGGCCAGGCTGGTCTCGAATCCTGACCTTAGGTGATCCACTCGCTTCATCTCCAAAGTGTGGGATT
ACAGGCGTGAGCCACCGTGCCTGGCCACGCCAACTAATTTTTGTATTTTGTAGTAGAGACAGGGTTTACCATGT
TGGCCAGGCTGCTCTTGAACCTGACCTCAGGTAATCGACCTGCCTCGGCCTCCCAAAGTGTGGGATTACAGG

355/615

FIGURE 351B

[illegible]

356/615

FIGURE 352

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73492
><subunit 1 of 1, 837 aa, 1 stop
><MW: 90167, pI: 8.39, NX(S/T): 1
MSQTGSHPGRGLAGRWLWGAQPCLLLPIVPLSWLVWLLLLLLASLLPSARLASPLPREEEIVF
PEKLNGSVLPGSGAPARLLCRLQAFGETLLLELEQDSGVQVEGLTVQYLGQAPELLGGAEPGT
YLTGTINGDPESVASLHWDGGALLGVLYRGAELHLQPLEGGTPNSAGGPGAHLRRKSPASG
QGPMC NVKAPLGSPSPRRRAKRFASLSRFVETLVVADDKMAAFHGAGLKYLLTVMAAAKA
FKHPSIRNPVSLVVTRLVILGSGEEGPQVGPSAAQTLRSFCAWQRLNTPEDSGPDHFDTAIL
FTRQDL CGVSTCDTLGMADVGTVCDPARSCAIVEDDGLQSAFTAHELGHVFNMLHDNSKPCI
SLNGPLSTSRHVMA PVMAHVDPEEPWSPCSARFITDFLDNGYGHCLLDKPEAPLHLPVTFPGK
DYDADRQCQLTFGPDSRHCPQLPPPCAALWCSGHLNGHAMCQTKHSPWADGTPCGPAQACMGG
RCLHMDQLQDFNIPQAGGWGPWGPWGDCSRTC GGGVQFSSRDCTRVPVRNGGKYCEGRTRFR
SCNTEDCPTGSALTFREEQCAAYNHRTDLFKSFPGPMDWVPRYTGVAPQDQCKLTCQARALGY
YYVLEPRVVDGTPCSPDSSSVCVQGRCIHAGCDRIIGSKKKFDKCMVCGGDGSGCSKQSGSFR
KFRYGYNNVVTIPAGATHILVRQQGNPGHRSIYLALKLPDGSYALNGEYTLMPSPSTDVVLPGA
VSLRYSGATAASETLSGHGPLAQPLTLQVLVAGNPQDTRLRYSFFVPRPTPSTPRPTPDWLH
RRAQILEILRRRPWAGRK
```

Important features of the protein:**Signal peptide:**

amino acids 1-48

N-glycosylation site.

amino acids 68-71

Glycosaminoglycan attachment site

amino acids 188-191, 772-775

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 182-185

Tyrosine kinase phosphorylation site.

amino acids 730-736

N-myristoylation sites.

amino acids 5-10, 19-24, 121-126, 125-130, 130-135, 147-152, 167-172, 168-173, 174-179, 323-328, 352-357, 539-544, 555-560, 577-582, 679-684, 682-687, 763-768

Amidation sites.

amino acids 560-563, 834-837

Leucine zipper pattern.

amino acids 17-38, 24-45

Neutral zinc metalloproteinases, zinc-binding region signature.

amino acids 358-367

357/615

FIGURE 353

GCGGAACTGGCTCCGGCTGGCACCTGAGGAGCGGCGTGACCCCGAGGGCCCAGGGAGCTGCCC
GGCTGGCCTAGGCAGGCAGCCGCACCATGGCCAGCACGGCCGTGCAGCTTCTGGGCTTCCTGC
TCAGCTTCCTGGGCATGGTGGGCACGTTGATCACCACCATCCTGCCGCACTGGCGGAGGACAG
CGCACGTGGGCACCAACATCCTCACGGCCGTGTCCTACCTGAAAGGGCTCTGGATGGAGTGTG
TGTGGCACAGCACAGGCATCTACCAGTGCCAGATCTACCGATCCCTGCTGGCGCTGCCCCAAG
ACCTCCAGGCTGCCCCGCGCCCTCATGGTCATCTCCTGCCTGCTCTCGGGCATAGCCTGCGCCT
GCGCCGTCATCGGGATGAAGTGCACGCGCTGCGCCAAGGGCACACCCGCCAAGACCACCTTTG
CCATCCTCGGCGGCACCCTCTTCATCCTGGCCGGCCTCCTGTGCATGGTGGCCGTCTCCTGGA
CCACCAACGACGTGGTGCAGAACTTCTACAACCCGCTGCTGCCCAGCGGCATGAAGTTTGAGA
TTGGCCAGGCCCTGTACCTGGGCTTCATCTCCTCGTCCCTCTCGCTCATTGGTGGCACCCCTGC
TTTGCCCTGTCCTGCCAGGACGAGGCACCCTACAGGCCCTACCAGGCCCCGCCAGGGCCACCA
CGACCACTGCAAACACCGCACCTGCCTACCAGCCACCAGCTGCCTACAAAGACAATCGGGCCC
CCTCAGTGACCTCGGCCACGCACAGCGGGTACAGGCTGAACGACTACGTGTGAGTCCCCACAG
CCTGCTTCTCCCCCTGGGCTGCTGTGGGCTGGGTCCCCGGCGGGACTGTCAATGGAGGCAGGGG
TTCCAGCACAAAGTTTACTTCTGGGCAATTTTTGTATCCAAGGAAATAATGTGAATGCGAGGA
AATGTCTTTAGAGCACAGGGACAGAGGGGGAAATAAGAGGAGGAGAAAGCTCTCTATACAAA
GACTGAAAAAAAAAATCCTGTCTGTTTTTGTATTTATTATATATATTTATGTGGGTGATTTGA
TAACAAGTTTAATATAAAGTGA CT TGGGAGTTTGGTCAGTGGGGTTGGTTTGTGATCCAGGAA
TAAACCTTGCGGATGTGGCTGTTTATGAAAAAAAAAAAAA

358/615

FIGURE 354

MASTAVQLLGFLLSFLGMVGTLLTTILPHWRRTAHVGTNILTAVSYLKGLWMECVWHSTGIYQ
CQIYRSLALPQDLQAARALMVISCLLSGIACACAVIGMKCTRCAKGTPAKTTFAILGGTLFI
LAGLLCMVAVSWTTNDVVQNFYNPLPSGMKFEIGQALYLGFISSSLIGGTLLCLSCQDEA
PYRPYQAPPRATTTTANTAPAYQPPAAYKDNRAPSVTSATHSGYRLNDYV

Important features of the protein:

Signal peptide:

amino acids 1-21

Transmembrane domains:

amino acids 82-103, 115-141, 160-182

359/615

FIGURE 355

GAGCTCCCCTCAGGAGCGCGTTAGCTTCACACCTTCGGCAGCAGGAGGGCGGCAGCTTCTCGC
AGGCGGCAGGGCGGGCGGCCAGGATCATGTCACCACCACATGCCAAGTGGTGGCGTTCCTCC
TGTCCATCCTGGGGCTGGCCGGCTGCATCGCGGCCACCGGGATGGACATGTGGAGCAGCCAGG
ACCTGTACGACAACCCCGTCACCTCCGTGTTCCAGTACGAAGGGCTCTGGAGGAGCTGCGTGA
GGCAGAGTTTCAGGCTTCACCGAATGCAGGCCCTATTTACCATCCTGGGACTTCCAGCCATGC
TGCAGGCAGTGCAGGCCCTGATGATCGTAGGCATCGTCCTGGGTGCCATTGGCCTCCTGGTAT
CCATCTTTGCCCTGAAATGCATCCGCATTGGCAGCATGGAGGACTCTGCCAAAGCCAACATGA
CACTGACCTCCGGGATCATGTTCAATTGTCTCAGGTCTTTGTGCAATTGCTGGAGTGTCTGTGT
TTGCCAACATGCTGGTGACTAACTTCTGGATGTCCACAGCTAACATGTACACCGGCATGGGTG
GGATGGTGCAGACTGTTTACAGACCAGGTACACATTTGGTGCGGCTCTGTTCTGGGCTGGGTG
CTGGAGGCCTCACACTAATTGGGGGTGTGATGATGTGCATCGCCTGCCGGGGCCTGGCACCAG
AAGAAACCAACTACAAAGCCGTTTCTTATCATGCCTCAGGCCACAGTGTTCCTACAAGCCTG
GAGGCTTCAAGGCCAGCACTGGCTTTGGGTCCAACACCAAAAACAAGAAGATATACGATGGAG
GTGCCCCGACAGAGGACGAGGTACAATCTTATCCTTCCAAGCACGACTATGTGTAATGCTCTA
AGACCTCTCAGCACGGGCGGAAGAACTCCCGGAGAGCTCACCCAAAAACAAGGAGATCCCA
TCTAGATTTCTTCTTGCTTTTGAATCACAGCTGGAAGTTAGAAAAGCCTCGATTTTCATCTTTG
GAGAGGCCAAATGGTCTTAGCCTCAGTCTCTGTCTCTAAATATTCCACCATAAAACAGCTGAG
TTATTTATGAATTAGAGGCTATAGCTCACATTTTCAATCCTCTATTTCTTTTTTAAATATAA
CTTCTACTCTGATGAGAGAATGTGGTTTTAATCTCTCTCTCACATTTTGATGATTTAGACAG
ACTCCCCCTCTTCTCCTAGTCAATAAACCATTGATGATCTATTTCCAGCTTATCCCAAG
AAAACTTTTGAAAGGAAAGAGTAGACCCAAAGATGTTATTTTCTGCTGTTTGAATTTTGTCTC
CCCACCCCAACTTGGCTAGTAATAAACACTTACTGAAGAAGAAGCAATAAGAGAAAGATATT
TGTAATCTCTCCAGCCCATGATCTCGGTTTTCTTACACTGTGATCTTAAAGTTACCAAACCA
AAGTCATTTTCAGTTTGAGGCAACCAAACCTTTCTACTGCTGTTGACATCTTCTTATTACAGC
AACACCATTCTAGGAGTTTCCTGAGCTCTCCACTGGAGTCTTCTTCTGTCGCGGGTCAGAAA
TTGTCCCTAGATGAATGAGAAAATTATTTTTTTAATTTAAGTCCTAAATATAGTTAAATATA
ATAATGTTTTAGTAAATGATACACTATCTCTGTGAAATAGCCTCACCCCTACATGTGGATAG
AAGGAAATGAAAAATAATTGCTTTGACATTGTCTATATGGTACTTTGTAAAGTCATGCTTAA
GTACAAATTCCATGAAAAGCTCACACCTGTAATCCTAGCACTTTGGGAGGCTGAGGAGGAAGG
ATCACTTGAGCCCAGAAAGTTCGAGACTAGCCTGGGCAACATGGAGAAGCCCTGTCTCTACAAA
ATACAGAGAGAAAAAATCAGCCAGTCATGGTGGCATAACCTGTAGTCCCAGCATTCGGGGAG
GCTGAGGTGGGAGGATCACTTGAGCCCAGGGAGGTTGGGGCTGCAGTGAGCCATGATCACACC
ACTGCACTCCAGCCAGGTGACATAGCGAGATCCTGTCTAAAAAATAAAAAATAAATAATGGA
ACACAGCAAGTCCTAGGAAGTAGGTTAAACTAATTCTTTAA

360/615

FIGURE 356

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73734

><subunit 1 of 1, 261 aa, 1 stop

><MW: 27856, pI: 8.50, NX(S/T): 1

MSTTTCQVVAFLLSILGLAGCIAATGMDMWSTQDLYDNPVTSVFQYEGLRSCVRQSSGFTEC
RPYFTILGLPAMLQAVRALMIVGIVLGAIGLLVSIFALKCIRIGSMEDSAKANMTLTSGIMFI
VSGLCAIAGVSVFANMLVTNFWMSTANMYTGMGGMVQTVQTRYTFGAALFVGWVAGGLTLIGG
VMMCIACRGLAPEETNYKAVSYHASGHSVAYKPGGFKASTGFGSNTKNKKIYDGGARTEDEVQ
SYPSKHDYV

Signal peptide:

amino acids 1-23

Transmembrane domains:

amino acids 81-100, 121-141, 173-194

361/615

FIGURE 357

GGAAAACTGTTCTCTTCTGTGGCACAGAGAACCCTGCTTCAAAGCAGAAGTAGCAGTTCGGG
AGTCCAGCTGGCTAAAACTCATCCCAGAGGATA**ATGG**CAACCCATGCCTTAGAAATCGCTGGG
CTGTTTCTTGGTGGTGTGGAATGGTGGGCACAGTGGCTGTCAGTGTGCCTCAGTGGAGA
GTGTCGGCCTTCATTGAAAACAACATCGTGGTTTTTGAAAACCTCTGGGAAGGACTGTGGATG
AATTGCGTGAGGCAGGCTAACATCAGGATGCAGTGCAAAATCTATGATTCCCTGCTGGCTCTT
TCTCCGGACCTACAGGCAGCCAGAGGACTGATGTGTGCTGCTTCCGTGATGTCCTTCTTGGCT
TTCATGATGGCCATCCTTGGCATGAAATGCACCAGGTGCACGGGGGACAATGAGAAGGTGAAG
GCTCACATTCTGCTGACGGCTGGAATCATCTTCATCATCACGGGCATGGTGGTGCTCATCCCT
GTGAGCTGGGTTGCCAATGCCATCATCAGAGATTTCTATAACTCAATAGTGAATGTTGCCCAA
AAACGTGAGCTTGGAGAAGCTCTCTACTTAGGATGGACCACGGCACTGGTGCTGATTGTTGGA
GGAGCTCTGTTCTGCTGCGTTTTTTGTTGCAACGAAAAGAGCAGTAGCTACAGATACTCGATA
CCTTCCCATCGCACAAACCCAAAAAAGTTATCACACCGGAAAGAAGTCACCGAGCGTCTACTCC
AGAAGTCAGTATGTG**TAG**TTGTGTATGTTTTTTAACTTTACTATAAAGCCATGCAATGACA
AAAATCTATATTACTTTCTCAAAATGGACCCCAAAGAACTTTGATTTACTGTTCTTAACTGC
CTAATCTTAATTACAGGAACTGTGCATCAGCTATTTATGATTCTATAAGCTATTTTACGAGAA
TGAGATATTAAACCCCAATGCTTTGATTGTTCTAGAAAGTATAGTAATTTGTTTTCTAAGGTGG
TTCAAGCATCTACTCTTTTTATCATTTACTTTCAAAATGACATTGCTAAAGACTGCATTATTTT
ACTACTGTAATTTCTCCACGACATAGCATTATGTACATAGATGAGTGTAACATTTATATCTCA
CATAGAGACATGCTTATATGGTTTTATTTAAATGAAATGCCAGTCCATTACACTGAATAAAT
AGAACTCAACTATTGCTTTTTCAGGGAAATCATGGATAGGGTTGAAGAAGGTACTATTAATTG
TTTAAAAACAGCTTAGGGATTAATGTCCTCCATTTATAATGAAGATTAAATGAAGGCTTTAA
TCAGCATTGTAAAGGAAATTGAATGGCTTTCTGATATGCTGTTTTTTAGCCTAGGAGTTAGAA
ATCCTAACTTCTTTATCCTCTTCTCCCAGAGGCTTTTTTTTTCTTGTGTATTAAATTAACATT
TTTAAAACGCAGATATTTTGTCAAGGGGCTTTGCATTCAAACCTGCTTTTCCAGGGCTATACTC
AGAAGAAAGATAAAAGTGTGATCTAAGAAAAAGTGATGGTTTTAGGAAAGTGAAAATATTTTT
GTTTTTGTATTTGAAGAAGAATGATGCATTTTGACAAGAAATCATATATGTATGGATATATTT
TAATAAGTATTTGAGTACAGACTTTGAGGTTTCATCAATATAAATAAAAGAGCAGAAAAATAT
GTCTTGGTTTTCATTTGCTTACCAAAAAACAACAACAAAAAAGTTGTCCTTTGAGAACTTC
ACCTGCTCCTATGTGGGTACCTGAGTCAAAATTGTCATTTTTGTTCTGTGAAAAATAAATTTT
CTTCTTGTACCATTTCTGTTTAGTTTTACTAAAATCTGTAAATACTGTATTTTTCTGTTTATT
CCAAATTTGATGAACTGACAATCCAATTTGAAAGTTTGTGTCGACGTCTGTCTAGCTTAAAT
GAATGTGTTCTATTTGCTTTATACATTTATATTAATAAATTGTACATTTTTCTAATT

362/615

FIGURE 358

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73735

><subunit 1 of 1, 225 aa, 1 stop

><MW: 24845, pI: 9.07, NX(S/T): 0

MATHALEIAGLFLGGVGMVGTVAVTVMQWRVSAFIENNIVVFENFW EGLWMNCVRQANIRMQ
CKIYDSLALSPDLQAARGLMCAASVMSFLAFMAILGMKCTRCTGDNEKVKAHILLTAGIIF
IITGMVVLIPVSWVANAIIRDFYNSIVNVAQKRELGEALYLGWTTALVLIVGGALFCCVFCCN
EKSSSYRYSIPSHRTTQKSYHTGKKSPSVYSRSQYV

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 82-101, 118-145, 164-188

363/615

FIGURE 359

CCCGCGCCCGGTTCTCCCTCGCAGCACCTCGAAGTGCGCCCTCGCCCTCCTGCTCGCGCCCC
GCCGCCATGGCTGCCTCCCCGCGCGGCCTGCTGTCCTGGCCCTGACCGGGCTGGCGCTGCTC
CTGCTCCTGTGCTGGGGCCCAGGTGGCATAAGTGGAATAAACTCAAGCTGATGCTTCAAAAA
CGAGAAGCACCTGTTCCAATAAGACTAAAGTGGCCGTTGATGAGAATAAAGCCAAAGAATTC
CTTGGCAGCCTGAAGCGCCAGAAGCGGCAGCTGTGGGACCGGACTCGGCCCCGAGGTGCAGCAG
TGGTACCAGCAGTTTCTCTACATGGGCTTTGATGAAGCGAAATTTGAAGATGACATCACCTAT
TGGCTTAACAGAGATCGAAATGGACATGAATACTATGGCGATTACTACCAACGTCACTATGAT
GAAGACTCTGCAATTGGTCCCCGGAGCCCCCTACGGCTTTAGGCATGGAGCCAGCGTCAACTAC
GATGACTACTAACCATGACTTGCCACACGCTGTACAAGAAGCAAATAGCGATTCTCTTCATGT
ATCTCCTAATGCCTTACACTACTTGGTTTCTGATTGCTCTATTTGAGCAGATCTTTTCTACC
TACTTTGTGTGATCAAAAAAGAAGAGTTAAAACAACACATGTAAATGCCTTTTGATATTTTCAT
GGGAATGCCTCTCATTTAAAAATAGAAATAAAGCATTTTGTTAAAAAGA

364/615

FIGURE 360

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73742

><subunit 1 of 1, 148 aa, 1 stop

><MW: 17183, pI: 8.77, NX(S/T): 0

MAASPARPAVLALTGLALLLLLCWGPGGISGNKCLKMLQKREAPVPTKTKVAVDENKAKEFLG

SLKRQKRQLWDRTRPEVQQWYQQFLYMGFDEAKFEDDITYWLNRRDRNGHEYYGDIYQRHYDED

SAIGPRSPYGFRHGASVNYDDY

Signal peptide:

amino acids 1-30

366/615

FIGURE 362

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73746

><subunit 1 of 1, 148 aa, 1 stop

><MW: 16896, pI: 6.05, NX(S/T): 1

MTKALLIYLVSSFLALNQASLISRCDLAQVLQLEDLDGFEGYSLSDWLCLAFVESKFNISKIN
ENADGSFDYGLFQINSHYWCNDYKSYSENLCNVDCQDLLNPALLAGIHCAKRIVSGARGMNNW
VEWRLHCSGRPLSYWLTGCRLR**Signal peptide:**

amino acids 1-18

367/615

FIGURE 363

TCTGACCTGACTGGAAGCGTCCAAAGAGGGACGGCTGTCAGCCCTGCTTGACTGAGAACCCAC
CAGCTCATCCCAGACACCTCATAGCAACCTATTTATACAAAGGGGGAAAGAAACACCTGAGCA
GAATGGAATCATTATTTTTTTTCCCAAGGAGAAAACCGGGGTAAAGGGAGGGAAGCAATTCAAT
TTGAAGTCCCTGTGAATGGGCTTTCAGAAGGCAATTAAAGAAATCCACTCAGAGAGGACTTGG
GGTGAAGCTTGGGTCTGTGGTTTTCTGATTGTAAGTGGAAGCAGGTCTTGACACACGCTGTTG
GCAAATGTCAGGACCAGGTAAAGTGAAGTGGCAGAAAACTTCCAGGTGGAACAAGCAACCCAT
GTTCTGCTGCAAGCTTGAAGGAGCCTGGAGCGGGAGAAAGCTAACTTGAACATGACCTGTTGC
ATTTGGCAAGTTCTAGCAACATGCTCCTAAGGAAGCGATACAGGCACAGACCATGCAGACTCC
AGTTCCTCCTGCTGCTCCTGATGCTGGGATGCGTCCTGATGATGGTGGCGATGTTGCACCCCTC
CCCACCACACCCTGCACCAGACTGTCACAGCCCAAGCCAGCAAGCACAGCCCTGAAGCCAGGT
ACCGCCTGGACTTTGGGGAATCCCAGGATTGGGTACTGGAAGCTGAGGATGAGGGTGAAGAGT
ACAGCCCTCTGGAGGGCCTGCCACCCTTTATCTCACTGCGGGAGGATCAGCTGCTGGTGGCCG
TGGCCTTACCCAGGCCAGAAGGAACCAGAGCCAGGGCAGGAGAGGTGGGAGCTACCGCCTCA
TCAAGCAGCCAAGGAGGCAGGATAAGGAAGCCCCAAAGAGGGACTGGGGGGCTGATGAGGACG
GGGAGGTGCTGAAGAAGAGGAGTTGACCCCGTTTCAGCCTGGACCCACGTGGCCTCCAGGAGG
CACTCAGTGCCCGCATCCCCCTCCAGAGGGCTCTGCCCGAGGTGCGGCACCCACTGTGTCTGC
AGCAGCACCCCTCAGGACAGCCTGCCACAGCCAGCGTCATCCTCTGTTTCCATGATGAGGCCT
GGTCCACTCTCCTGCGGACTGTACACAGCATCCTCGACACAGTGCCCGAGGGCCTTCCCTGAAGG
AGATCATCCTCGTGGACGACCTCAGCCAGCAAGGACAACCTCAAGTCTGCTCTCAGCGAATATG
TGGCCAGGCTGGAGGGGGTGAAGTTACTCAGGAGCAACAAGAGGCTGGGTGCCATCAGGGCCC
GGATGCTGGGGGCCACCAGAGCCACCGGGGATGTGCTCGTCTTCATGGATGCCCACTGCGAGT
GCCACCCAGGCTGGCTGGAGCCCCCTCCTCAGCAGAATAGCTGGTGACAGGAGCCGAGTGGTAT
CTCCGGTGATAGATGTGATTGACTGGAAGACTTTCCAGTATTACCCCTCAAAGGACCTGCAGC
GTGGGGTGTGGACTGGAAGCTGGATTTCCACTGGGAACCTTTGCCAGAGCATGTGAGGAAGG
CCCTCCAGTCCCCCATAAGCCCCATCAGGAGCCCTGTGGTGCCCGGAGAGGTGGTGGCCATGG
ACAGACATTACTTCCAAAACACTGGAGCGTATGACTCTCTTATGTGCTGCGAGGTGGTGAAA
ACCTCGAACTGTCTTTCAAGGCCTGGCTCTGTGGTGGCTCTGTTGAAATCCTTCCCTGCTCTC
GGGTAGGACACATCTACCAAATCAGGATTCCCATTCCCCCTCGACCAGGAGGCCACCCTGA
GGAACAGGGTTTCGCATTGCTGAGACCTGGCTGGGGTCATTCAAAGAAACCTTCTACAAGCATA
GCCCAGAGGCCTTCTCCTTGAGCAAGGCTGAGAAGCCAGACTGCATGGAACGCTTGCAGCTGC
AAAGGAGACTGGGTGTGCGGACATTCCACTGGTTTCTGGCTAATGTCTACCCTGAGCTGTACC
CATCTGAACCCAGGCCAGTTTCTCTGGAAGCTCCACAACACTGGACTTGGGCTCTGTGCAG
ACTGCCAGGCAGAAGGGGACATCCTGGGCTGTCCCATGGTGTGGCTCCTTGCAGTGACAGCC
GGCAGCAACAGTACCTGCAGCACACCAGCAGGAAGGAGATTCACTTTGGCAGCCACAGCACC
TGTGCTTTGCTGTGAGGAGGAGCAGGTGATTCTTCAGAACTGCACGGAGGAAGGCCTGGCCA
TCCACCAGCAGCACTGGGACTTCCAGGAGAATGGGATGATTGTCCACATTCTTTCTGGGAAAT
GCATGGAAGCTGTGGTGCAAGAAAACAATAAAGATTTGTACCTGCGTCCGTGTGATGGAAAAG
CCCGCCAGCAGTGGCGATTTGACCAGATAAATGCTGTGGATGAACGATGAATGTCAATGTGAG
AAGGAAAAGAGAATTTTGGCCATCAAATCCAGCTCCAAGTGAACGTAAAGAGCTTATATATT
TCATGAAGCTGATCCTTTTGTGTGTGTCTCCTTGTGTTAGGAGAGAAAAAGCTCTATGAAA
GAATATAGGAAGTTTCTCCTTTTACACCTTATTTTATTGACTGCTGGCTGCTTA

368/615

FIGURE 364

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA73760

><subunit 1 of 1, 639 aa, 1 stop

><MW: 73063, pI: 6.84, NX(S/T): 2

MLLRKRYRHRPCRLQFLLLLLMLGCVLMMVAMLHPPHHTLHQTIVTAQASKHSPEARYRLDFGE
SQDWVLEAEDEGEEYSPLEGLPPFISLREDQLLVAVALPQARRNQSQGRRGGSYRLIKQPRRQ
DKEAPKRDWGADEEDGEVSEEEELTPFSLDPRGLQEALSARIPLQRALPEVRHPLCLQQHPQDS
LPTASVILCFHDEAWSTLLRTVHSILDTPVRAFLKEIILVDDLSQQGQLKSALSEYVARLEGV
KLLRSNKRLGAIRARMLGATRATGDVLVFMDAHCECHPGWLEPLLSRIAGDRSRVVSPVIDVI
DWKTFQYYPSKDLQRGVLDWKLDHFHWEPLPEHVRKALQSPISPIRSPVVPGEVVAMDRHYFQN
TGAYDSLMSLRGGENLELSFKAWLCGGSVEILPCSRVGHYQNDSDSHSPLDQEATLRNRVRIA
ETWLGSFKETFYKHSPEAFSLSKAEKPDCEMERLQLQRRILGCRTFHWFLANVYPELYPSEPRPS
FSGKLHNTGLGLCADCQAEGDILGCPMVLAPCSDSRQQQYLQHTSRKEIHFGSPQHLCFAVRQ
EQVILQNCTEEGLAIHQHWDFFQENGMIVHILSGKCMEAVVQENNKDLYLRPCDGKARQQWRF
DQINAVDER

Signal peptide:

amino acids 1-28

369/615

FIGURE 365

GGAGAGAGGCGCGCGGGTGAAAGGCGCATTGATGCAGCCTGCGGCGGCCTCGGAGCGCGGCGG
AGCCAGACGCTGACCACGTTCTCTCCTCGGTCTCCTCCGCCTCCAGCTCCGCGCTGCCCCGGC
AGCCGGGAGCCATGCGACCCAGGGCCCCGCCCTCCCCGCAGCGGCTCCGCGGCCTCTGCG
TGCTCCTGCTGCTGCAGCTGCCCCGCGCCGTCGAGCGCCTCTGAGATCCCCAAGGGGAAGCAAA
AGGCGCAGCTCCGGCAGAGGGAGGTGGTGGACCTGTATAATGGAATGTGCTTACAAGGGCCAG
CAGGAGTGCTGGTCGAGACGGGAGCCCTGGGGCCAATGTTATTCCGGGTACACCTGGGATCC
CAGGTCGGGATGGATTCAAAGGAGAAAAGGGGGAATGTCTGAGGGAAAGCTTTGAGGAGTCCT
GGACACCCAACTACAAGCAGTGTTTCATGGAGTTCATTGAATTATGGCATAGATCTTGGGAAAA
TTGCGGAGTGATACATTTACAAAGATGCGTTCAAATAGTGCTCTAAGAGTTTTGTTTCAGTGGCT
CACTTCGGCTAAAATGCAGAAATGCATGCTGTCAGCGTTGGTATTTTACATTCAATGGAGCTG
AATGTTTCAGGACCTCTTCCCATTGAAGCTATAATTTATTTGGACCAAGGAAGCCCTGAAATGA
ATTCAACAATTAATATTCATCGCACTTCTTCTGTGGAAGGACTTTGTGAAGGAATTGGTGCTG
GATTAGTGGATGTTGCTATCTGGGTGGCACTTGTTTCAGATTACCCAAAAGGAGATGCTTCTA
CTGGATGGAATTCAGTTTCTCGCATCATTATTGAAGAACTACCAAAATTAAATGCTTTAATTTT
CATTTGCTACCTCTTTTTTTTATTATGCCTTGGAATGGTTCACTTAAATGACATTTTAAATAAG
TTTATGTATACATCTGAATGAAAAGCAAAGCTAAATATGTTTACAGACCAAAGTGTGATTTCA
CACTGTTTTTAAATCTAGCATTATTCATTTTGCTTCAATCAAAAGTGGTTTCAATATTTTTTTT
TAGTTGGTTAGAATACTTTCTTCATAGTCACATTCTCTCAACCTATAATTTGGAATATTGTTG
TGGTCTTTTGTTTTTTCTCTTAGTATAGCATTTTTTAAAAAATATAAAAGCTACCAATCTTTG
TACAATTTGTAAATGTTAAGAATTTTTTTTTATATCTGTTAAATAAAAATTATTTCCAACA

370/615

FIGURE 366

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76393

><subunit 1 of 1, 243 aa, 1 stop

><MW: 26266, pI: 8.43, NX(S/T): 1

MRPQGPAASPQRLRGLLLLLLLQLPAPSSASEIPKGKQKAQLRQREVVDLYNGMCLQGPAGVP
GRDGSPGANVIPGTPGIPGRDGFKEKGECLRESFEESWTPNYKQCSWSSLNYGIDLGKIAEC
TFTKMRSNSALRVLFSGSLRLKCRNACCQRWYFTFNGAECGGLPIEAIYLDQGSPEMNSTI
NIHRTSSVEGLCEGIGAGLVDVAIWVGTCSDYPKGDASTGWNSVSRIIEELPK

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 195-217

371/615

FIGURE 367

GTAAACCAGCGCAGTCCTCCGTGCGTCCCGCCCGCCGCTGCCCTCACTCCCGGCCAGG**AT**GGC
ATCCTGTCTGGCCCTGCGCATGGCGCTGCTGCTGGTCTCCGGGGTTCTGGCCCTGCGGTGCT
CACAGACGATGTTCCACAGGAGCCCGTGCCACGCTGTGGAACGAGCCGGCCGAGCTGCCGTC
GGGAGAAGGCCCCGTGGAGAGCACAGCCCCGGCCGGGAGCCCGTGGACACCGGTCCCCAGC
CCCCACCGTCGCGCCAGGACCCGAGGACAGCACCGCGCAGGAGCGGCTGGACCAGGGCGGCGG
GTCGCTGGGGCCCGGCGCTATCGCGGCCATCGTGATCGCCGCCCTGCTGGCCACCTGCGTGGT
GCTGGCGCTCGTGGTCTGCGCTGAGAAAGTTTCTGCCTCCT**TGA**AGCGAATAAAGGGGCCG
CGCCCGCCCGCGGCGCGACTCGGCAAAAAAAAAAAAAA

372/615

FIGURE 368

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76398

><subunit 1 of 1, 121 aa, 1 stop

><MW: 12073, pI: 4.11, NX(S/T): 0

MASCLALRMALLLVSGVLAPAVLTDDVPQEPVPTLWNEPAELPSGEGPVESTSPGREPVDGTP

PAPTVPAGPEDSTAQERLDQGGGSLGPGAIAAIVIAALLATCVVLALVVVALRKFSAS

Important features of the protein:**Signal peptide:**

amino acids 1-19

Transmembrane domain:

amino acids 91-110

Glycosaminoglycan attachment site.

amino acids 44-47

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 116-119

N-myristoylation site.

amino acids 91-96

373/615

FIGURE 369

GGCCGTTGGTTGGTGCGCGGCTGAAGGGTGTGGCGCGAGCAGCGTCGTTGGTTGGCCGGCGGC
GGGCCGGGACGGGC**ATG**GCCCTGCTGCTGTGCTGGTGTGCTGACGGCGGCGCTGGCCCACG
GCTGTCTGCACTGCCACAGCAACTTCTCCAAGAAGTTCTCCTTCTACCGCCACCATGTGA
TCAAGTCTTGGTGGGTGGGCGACATCCCCGTGTGAGGGGCGCTGCTCACCGACTGGAGCGACG
ACACGATGAAGGAGCTGCACCTGGCCATCCCCGCCAAGATCACCCGGGAGAAGCTGGACCAAG
TGGCGACAGCAGTGTACCAGATGATGGATCAGCTGTACCAGGGGAAGATGTACTTCCCCGGGT
ATTTCCCCAACGAGCTGCGAAACATCTTCCGGGAGCAGGTGCACCTCATCCAGAACGCCATCA
TCGAAAGGCACCTGGCACCAGGCAGCTGGGGAGGAGGGCAGCTCTCCAGGGAGGGACCCAGCC
TAGCACCTGAAGGATCAATGCCATCACCCCGCGGGGACCTCCCC**TAAG**TAGCCCCCAGAGGCG
CTGGGAGTGTGGCACCGCCCTCCCCGAAGTTTGCTCCATCTCACGCTGGGGGTCAACCTGG
GGACCCCTTCCCTCCGGGCCATGGACACACATACATGAAAACCAGGCCGACTCGACTGTCAGC
ACCGCTGTGGCATCTTCCAGTACGAGACCATCTCCTGCAACAACCTGCACAGACTCGCACGTG
CCTGCTTTGGCTATAACTGCGAGTAGGGCTCAGGCATCACACCCACCCGTGCCAGGGCCCTAC
TGTCCCTGGGGTCCCAGGCTCTCCTTGAGGGGGCTCCCCGCTTCCACCTGGCTGTCATCGG
GTAGGGCGGGGCCGTGGTTTCAGGGGCGCACCACTTCCAAGCCTGTGTCCCACAGGTCTCGG
CGCAGTGAAGTCAGCTGTCCAGGGCCTCCTGAACCTACATAAATAACTGGCACAAGTAAGTCC
CCTCCTCAAACCAACACAGGCAGTGTGTATGTGAGCACCTCGTGGGTGAGTATGTGTGGGG
CACAGGCTGGCTCCCTCAGCTCCACGTCCTAGAGGGGCTCCCGAGGAGGTGGAACCTCAACC
CAGCTCTGCGCAGGAGGCGGCTGCAGTCCCTTTCTCCCTCAAAGGTCTCCGACCCTCAGCTGG
AGGCGGGCATCTTTCCCTAAAGGGTCCCCATAGGGTCTGGTTCCACCCCATCCCAGGTCTGTGG
TCAGAGCCTGGGAGGGTTCCCTACGATGGTTAGGGGTGCCCCATGGAGGGGCTGACTGCCCA
CATTGCCTTTTCAGACAGGACACGAGCATGAGGTAAGGCCGCCCTGACCTGGACTTCAGGGGGA
GGGGGTAAAGGGAGAGAGGAGGGGGGCTAGGGGGTCTCTAGATCAGTGGGGGCACTGCAGGT
GGGGCTCTCCCTATACCTGGGACACCTGCTGGATGTCACCTCTGCAACCACACCCATGTGGTG
GTTTCATGAACAGACCAGCTCCTCTGCCTTCTCCTGGCCTGGGACACACAGAGCCACCCCGG
CCTTGTGAGTGACCCAGAGAAGGGAGGCCTCGGGAGAAGGGGTGCTCGTAAGCCAACACCAGC
GTGCCGCGCCTGCACACCCTTCGGACATCCAGGCACGAGGGTGTGCTGGATGTGGCCACAC
ATAGGACCACACGTCCCAGCTGGGAGGAGAGGCCTGGGGCCCCCAGGGAGGGAGGCAGGGGGT
GGGGGACATGGAGAGCTGAGGCAGCCTCGTCTCCCCGCAGCCTGGTATCGCCAGCCTTAAGGT
GTCTGGAGCCCCCACACTTGGCCAACCTGACCTTGGAAGATGCTGCTGAGTGTCTCAAGCAGC
ACTGACAGCAGCTGGGCCTGCCCCAGGGCAACGTGGGGGCGGAGACTCAGCTGGACAGCCCCT
GCCTGTCACTCTGGAGCTGGGCTGCTGCTGCCTCAGGACCCCCTCTCCGACCCCGGACAGAGC
TGAGCTGGCCAGGGCCAGGAGGGCGGGAGGGAGGGAATGGGGGTGGGCTGTGCGCAGCATCAG
CGCCTGGGCAGGTCCGCAGAGCTGCGGGATGTGATTAAAGTCCCTGATGTTTCTC

374/615

FIGURE 370

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76399

><subunit 1 of 1, 157 aa, 1 stop

><MW: 17681, pI: 7.65, NX(S/T): 1

MALLLCLVCLTAALAHGCLHCHSNFSKKFSFYRHHVNFKSWWVGDI PVSGALLTDWSDDTMKE

LHLAIPAKITREKLDQVATAVYQMMDQLYQGKMYFPGYFPNELRNIFREQVHLIQNAIIERHL

APGSWGGGQLSREGPSLAPEGSMPSRGDLP

Signal peptide:

amino acids 1-15

375/615

FIGURE 371

GCCGGCTGTGCAGAGACGCC**ATG**TACCGGCTCCTGTCAGCAGTGACTGCCCGGGCTGCCGCC
CCGGGGGCTTGGCCTCAAGCTGCGGACGACGCGGGGTCCATCAGCGCGCCGGGCTGCCGCCTC
TCGGCCACGGCTGGGTGCGGGGCTCGGGCTGGGGCTGGGGCTGGCGCTCGGGGTGAAGCTGG
CAGGTGGGCTGAGGGGCGCGCCCCGCGCAGTCCCCCGCGGCCCCCGACCCTGAGGCGTCGC
CTCTGGCCGAGCCGCCACAGGAGCAGTCCCTCGCCCCGTGGTCTCCGCAGACCCGGCGCCGC
CCTGCTCCAGGTGCTTCGCCAGAGCCATCGAGAGCAGCCGCGACCTGCTGCACAGGATCAAGG
ATGAGGTGGGCGCACCGGGCATAGTGGTTGGAGTTTCTGTAGATGGAAAAGAAGTCTGGTCAG
AAGGTTTAGGTTATGCTGATGTTGAGAACCGTGACCATGTAAACCAGAGACAGTTATGCGAA
TTGCTAGCATCAGCAAAAGTCTCACCATGGTTGCTCTTGCCAAATTGTGGGAAGCAGGGAAAC
TGGATCTTGATATTCCAGTACAACATTATGTTCCCGAATTCCCAGAAAAAGAATATGAAGGTG
AAAAGGTTTCTGTCACAACAAGATTACTGATTTCCCATTTAAGTGGAATTCGTCATTATGAAA
AGGACATAAAAAAGGTGAAAGAAGAGAAAGCTTATAAAGCCTTGAAGATGATGAAAGAGAATG
TTGCATTTGAGCAAGAAAAAGAAGGCAAAAGTAATGAAAAGAATGATTTTACTAAATTTAAAA
CAGAGCAGGAGAATGAAGCCAAATGCCGGAATTCAAAACCTGGCAAGAAAAAGAATGATTTTG
AACAAGGCGAATTATATTTGAGAGAAAAGTTTGAAAATTCAATTGAATCCCTAAGATTATTTA
AAAATGATCCTTTGTCTTCAAACCTGGTAGTCAGTTTTTGTATTCAACTTTTGGCTATACCC
TACTGGCAGCCATAGTAGAGAGAGCTTCAGGATGTAAATATTTGGACTATATGCAGAAAATAT
TCCATGACTTGGATATGCTGACGACTGTGCAGGAAGAAAACGAGCCAGTGATTTACAATAGAG
CAAGG**TAA**ATGAATACCTTCTGCTGTGTCTAGCTATATCGCATCTTAACACTATTTTATTAAT
TAAAAGTCAAATTTTCTTTGTTTCCATTCCAAAATCAACCTGCCACATTTTGGGAGCTTTTCT
ACATGTCTGTTTTCTCATCTGTAAAGTGAAGGAAGTAAACATGTTTATAAAGTAAAAAAA

376/615

FIGURE 372

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76522

><subunit 1 of 1, 373 aa, 1 stop

><MW: 41221, pI: 8.54, NX(S/T): 0

MYRLLSAVTARAAAPGGLASSCGRRGVHQRAGLPPLGHGWVGGLGLGLGLALGVKLAGGLRGA
APAQSPAAPDPEASPLAEPPEQEQSLAPWSPQTPAPPSCSRCFARAIESSRDLLHRIKDEVGAPG
IVVGVSVDGKEVWSEGLGYADVENRVPCKPETVMRIASISKSLTMVALAKLWEAGKLDLDIPV
QHYVPEFPEKEYEKEKVSVTTRLLISHLSGIRHYEKDIKKVKEEKAYKALKMMKENVAFEQEK
EGKSNEKNDFTKFKTEQENEAKCRNSKPGKKKNDFEQGELYLREKFENSIESLRLFKNDPLFF
KPGSQFLYSTFGYTLLAAIVERASGCKYLDYMQKIFHDLDMMLTTVQEENEPIYNNR

Signal peptide:

amino acids 1-19

Transmembrane domain:

amino acids 39-60

377/615

FIGURE 373

GACTACGGGGAGAGAGAGAGAGACCAGGACAGCTGCTGAGACCTCTAAGAAGTCCAGATACTAA
GAGCAAAGATGTTTCAAACCTGGGGGCCTCATTGTCTTCTACGGGCTGTTAGCCCAGACCATGG
CCCAGTTTGGAGGCCTGCCCCTGCCCTGGACCAGACCCTGCCCTTGAATGTGAATCCAGCCCCTG
CCCTTGAGTCCCACAGGTCTTGCAAGGAAGCTTGACAAATGCCCTCAGCAATGGCCTGCTGTCT
GGGGGCCTGTTGGGCATTCTGGAAAACCTTCCGCTCCTGGACATCCTGAAGCCTGGAGGAGGT
ACTTCTGGTGGCCTCCTTGGGGGACTGCTTGGAAAAGTGACGTGAGTGATTCCTGGCCTGAAC
AACATCATTGACATAAAGGTCACTGACCCCCAGCTGCTGGAACCTTGGCCTTGTGCAGAGCCCT
GATGGCCACCGTCTCTATGTCAACATCCCTCTCGGCATAAAGCTCCAAGTGAATACGCCCCCTG
GTCGGTGCAAGTCTGTTGAGGCTGGCTGTGAAGCTGGACATCACTGCAGAAATCTTAGCTGTG
AGAGATAAGCAGGAGAGGATCCACCTGGTCCTTGGTGAATGCACCCATTCCCCTGGAAGCCTG
CAAATTTCTCTGCTTGATGGACTTGGCCCCCTCCCCATTCAAGGTCTTCTGGACAGCCTCACA
GGGATCTTGAATAAAGTCCTGCCTGAGTTGGTTCAGGGCAACGTGTGCCCTCTGGTCAATGAG
GTTCTCAGAGGCTTGGACATCACCTGGTGCATGACATTGTTAACATGCTGATCCACGGACTA
CAGTTTGTCAATCAAGGTCTTAAGCCTTCCAGGAAGGGGCTGGCCTCTGCTGAGCTGCTTCCCAG
TGCTCACAGATGGCTGGCCCATGTGCTGGAAGATGACACAGTTGCCTTCTCTCCGAGGAACCT
GCCCCCTCTCCTTTCCCACCAGGCGTGTGTAACATCCCATGTGCCTCACCTAATAAAATGGCT
CTTCTTATGCA

378/615

FIGURE 374

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76533

><subunit 1 of 1, 256 aa, 1 stop

><MW: 26713, pI: 5.62, NX(S/T): 0

MFQTGGLIVFYGLLAQTMAQFGGLPVPLDQTLPLNVNPALPLSPTGLAGSLTNALSNGLL
SGGLLGILENLPLLDILKPGGGTSGGLLGGLLGKVTSTVIPGLNNIIDIKVTDQPQLLELGL
VQSPDGHRLYVTIPLGIKLQVNTPLVGASLLRLAVKLDITAEILAVRDKQERIHVLGDC
THSPGSLQISLLDGLGPLPIQGLLDSL TGILNKVLPVLVQGNVCPLVNEVLRGLDITLVH
DIVNMLIHGLQFVIKV

Important features of the protein:**Signal peptide:**

Amino acids 1-19

Transmembrane domain:

Amino acids 79-97

N-myristoylation sites:

Amino acids 46-52;49-55;58-64;62-68;66-72;80-86;81-87;
82-88;85-91;86-92;89-95;202-208;233-239

379/615

FIGURE 375

AGTTCTGAGAAAGAAGGAAATAAACACAGGCACCAAACCACTATCCTAAGTTGACTGTCCTTT
AAATATGTCAAGATCCAGACTTTTTCAGTGTACCTCAGCGATCTCAACGATAGGGATCTTGTG
TTTGCCGCTATTCCAGTTGGTGCTCTCGGACCTACCATGCGAAGAAGATGAAATGTGTGTAAA
TTATAATGACCAACACCCTAATGGCTGGTATATCTGGATCCTCCTGCTGCTGGTTTTTGGTGGC
AGCTCTTCTCTGTGGAGCTGTGGTCTCTGCCTCCAGTGTGGCTGAGGAGACCCCGAATTGA
TTCTCACAGGCGCACCATGGCAGTTTTTGTCTGTTGGAGACTTGGACTCTATTTATGGGACAGA
AGCAGCTGTGAGTCCAACCTGTTGGAATTCACCTCAAACCTCAAACCCCTGACCTATATCCTGT
TCCTGCTCCATGTTTTGGCCCTTTAGGCTCCCCACCTCCATATGAAGAAATTGTAAAAACAAC
CTGATTTTTAGGTGTGGATTATCAATTTAAAGTATTAACGACATCTGTAATTCCAAAACATCAA
ATTTAGGAATAGTTATTTTCAGTTGTTGGAATGTCCAGAGATCTATTCATATAGTCTGAGGAA
GGACAATTCGACAAAAGAATGGATGTTGGAAAAAATTTTGGTCATGGAGATGTTTAAATAGTA
AAGTAGCAGGCTTTTGATGTGTCACTGCTGTATCATACTTTTATGCTACACAACCAAATTAAT
GCTTCTCCACTAGTATCCAAACAGGCAACAATTAGGTGCTGGAAGTAGTTTCCATCACATTTA
GGACTCCACTGCAGTATACAGCACACCATTTTCTGCTTTAAACTCTTTCCTAGCATGGGGTCC
ATAAAAATTATTATAATTTAACAATAGCCCAAGCCGAGAATCCAACATGTCCAGAACCAGAAC
CAGAAAGATAGTATTTGAATGAAGGTGAGGGGAGAGAGTAGGAAAAAGAAAAGTTTGGAGTTG
AAGGGTAAAGGATAAATGAAGAGGAAAAGGAAAAGATTACAAGTCTCAGCAAAAACAAGAGGT
TTTATGCCCCAACCTGAAGAGGAAGAAATTGTAGATAGAAGGTGAAGGAGATTGCTGAAGATA
TAGAGCACATATAATGCCAACACGGGGAGAAAAGAAAATTTCCCCTTTTACAGTAATGAATGT
GGCCTCCATAGTCCATAGTGTTTCTCTGGAGCCTCAGGGCTTGGCATTATTTGCAGCATCATG
CTAAGAACCTTCGGCATAGGTATCTGTTCCCATGAGGACTGCAGAAGTAGCAATGAGACATCT
TCAAGTGGCATTTTTGGCAGTGGCCATCAGCAGGGGGACAGACAAAACATCCATCACAGATGA
CATATGATCTTCAGCTGACAAATTTGTTGAACAAAACAATAAACATCAATAGATATCTAAAAA

380/615

FIGURE 376

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77303

><subunit 1 of 1, 146 aa, 1 stop

><MW: 16116, pI: 4.99, NX(S/T): 0

MSRSRLFSVTSAISTIGILCLPLFQLVLSDLPCCEEDEMCVNYNDQHPNGWYIWILLLLVLVAA

LLCGAVVLCLQCWLRRPRIDSHRRTMAVFAVGDLDSIYGTEAAVSPTVGIHLQTQTPDLYPVP

APCFGPLGSPPPYEEIVKTT

Signal peptide:

amino acids 1-29

Transmembrane domain:

amino acids 52-70

381/615

FIGURE 377

CGCGGATCGGACCCAAGCAGGTGCGCGGCGGCGGCAGGAGAGCGGCCGGGCGTCAGCTCCTCG
ACCCCCGTGTCGGGCTAGTCCAGCGAGGCGGACGGGCGGCGTGGGCCCC**ATG**GCCAGGCCCCGGC
ATGGAGCGGTGGCGCGACCGGCTGGCGCTGGTGACGGGGGCGCTCGGGGGGCATCGGCGCGGCC
GTGGCCCCGGGCCCTGGTCCAGCAGGGACTGAAGGTGGTGGGCTGCGCCCCGCACTGTGGGCAAC
ATCGAGGAGCTGGCTGCTGAATGTAAGAGTGACAGGCTACCCCGGGACTTTGATCCCCTACAGA
TGTGACCTATCAAATGAAGAGGACATCCTCTCCATGTTCTCAGCTATCCGTTCTCAGCACAGC
GGTGTAGACATCTGCATCAACAATGCTGGCTTGGCCCCGGCCTGACACCCTGCTCTCAGGCAGC
ACCAGTGGTTGGAAGGACATGTTCAATGTGAACGTGCTGGCCCTCAGCATCTGCACACGGGAA
GCCTACCAGTCCATGAAGGAGCGGAATGTGGACGATGGGCACATCATTAACATCAATAGCATG
TCTGGCCACCGAGTGTTACCCCTGTCTGTGACCCACTTCTATAGTGCCACCAAGTATGCCGTC
ACTGCGCTGACAGAGGGACTGAGGCAAGAGCTTCGGGAGGCCCAGACCCACATCCGAGCCACG
TGCATCTCTCCAGGTGTGGTGGAGACACAATTGCGCTTCAAACCTCCACGACAAGGACCCTGAG
AAGGCAGCTGCCACCTATGAGCAAATGAAGTGTCTCAAACCCGAGGATGTGGCCGAGGCTGTT
ATCTACGTCCCTCAGCACCCCCGCACACATCCAGATTGGAGACATCCAGATGAGGCCCCACGGAG
CAGGTGACC**TAGT**GACTGTGGGAGCTCCTCCTTCCCTCCCCACCCTTCATGGCTTGCTCCTG
CCTCTGGATTTTAGGTGTTGATTTCTGGATCACGGGATACCACTTCCTGTCCACACCCCGACC
AGGGGCTAGAAAATTTGTTTGAGATTTTATATCATCTTGTCAAATTGCTTCAGTTGTAAATG
TGAAAAATGGGCTGGGGAAAGGAGGTGGTGTCCCTAATTGTTTACTTGTTAACTTGTTCTTG
TGCCCCCTGGGCACTTGGCCTTTGTCTGCTCTCAGTGTCTTCCCTTTGACATGGGAAAGGAGTT
GTGGCCAAAATCCCCATCTTCTTGACCTCAACGTCTGTGGCTCAGGGCTGGGGTGGCAGAGG
GAGGCCTTCACCTTATATCTGTGTTGTTATCCAGGGCTCCAGACTTCCTCCTCTGCCTGCCCC
ACTGCACCCCTCTCCCCCTTATCTATCTCCTTCTCGGCTCCCCAGCCCAGTCTTGGCTTCTTGT
CCCCCTCCTGGGGTCATCCCTCCACTCTGACTCTGACTATGGCAGCAGAACACCAGGGCCTGGC
CCAGTGGATTTTCATGGTGATCATTAATAAAGAAAAATCGCAACCAAAAAAAAAAAAA

382/615

FIGURE 378

MARPGMERWRDRLALVTGASGGIGA A VARALVQQGLKVVG CARTVGNIEELAAECKSAGYPGT
LIPYRCDLSNEEDILSMFSAIRSQHSGVDICINNAGLARPD TLLSGSTSGWKDMFNVNVLALS
ICTREAYQSMKERNVDDGHIININSMGHRVLP LSVTHFY SATKYAVTALTEGLRQELREAQT
HIRATCISPGVVETQFAFKLHDKDPEKAAATYEQMKCLKPEDVAEAVIYVLSTPAHIQIGDIQ
MRPTEQVT

Important features of the protein:

Signal peptide:

amino acids 1-17

N-myristoylation sites.

amino acids 18-24, 21-27, 22-28, 24-30, 40-46, 90-96, 109-115,
199-205

Short-chain alcohol dehydrogenase.

amino acids 30-42, 104-114

383/615

FIGURE 379

GAGCGGAGTAAATCTCCACAAGCTGGGAACAAACCTCGTCCCAACTCCCACCCACCGGCGTT
TCTCCAGCTCGATCTGGAGGCTGCTTCGCCAGTGTGGGACGCAGCTGACGCCCCGCTTATTAGC
TCTCGCTGCGTCGCCCCGGCTCAGAAGCTCCGTGGCGGCGGCGACCGTGACGAGAAGCCACG
GCCAGCTCAGTTCTCTTCTACTTTGGGAGAGAGAGAAAGTCAGATGCCCTTTTAAACTCCCT
CTTCAAACTCATCTCCTGGGTGACTGAGTTAATAGAGTGGATACAACCTTGCTGAAGATGAA
GAATATACAATATTGAGGATATTTTTTTCTTTTTTTTTTCAAGTCTTGATTTGTGGCTTACCT
CAAGTTACCATTTTTTCAGTCAAGTCTGTTTGTTGCTTCTTCAGAAATGTTTTTTACAATCTC
AAGAAAAATATGTCCCAGAAATTGAGTTTACTGTTGCTTGTATTTGGACTCATTGTTGGGATT
GATGTTACTGCACTATACTTTTCAACAACCAAGACATCAAAGCAGTGTCAAGTTACGTGAGCA
AATACTAGACTTAAGCAAAGATATGTTAAAGCTCTAGCAGAGGAAAATAAGAACACAGTGGA
TGTCGAGAACGGTGCTTCTATGGCAGGATATGCGGATCTGAAAAGAACAATTGCTGTCCTTCT
GGATGACATTTTGCAACGATTGGTGAAGCTGGAGAACAAGTTGACTATATTGTTGTGAATGG
CTCAGCAGCCAACACCACCAATGGTACTAGTGGGAATTTGGTGCCAGTAACCACAAATAAAAG
AACGAATGTCTCGGGCAGTATCAGATAGCAGTTGAAAATCACCTTGTGCTGCTCCATCCACTG
TGGATTATATCCTATGGCAGAAAAGCTTTATAATTGCTGGCTTAGGACAGAGCAATACTTTAC
AATAAAAGCTCTACACATTTTCAAGGAGTATGCTGGATTGATGGAATCTAATTCTGTACATA
AAAATTTTAAAGTTATTTGTTTGCTTTCAGGCAAGTCTGTTCAATGCTGTACTATGTCCTTAA
AGAGAATTTGGTAACTTGTTGATGTGGTAAGCAGATAGGTGAGTTTTGTATAAATCTTTTGT
GTTTGAGATCAAGCTGAAATGAAAACACTGAAAACATGGATTGATTTCTATAACACATTTAT
TTAAGTATATAACACGTTTTTTGGACAAGTGAAGAATGTTAATCATTCTGTGATTTGTTCTC
AATAGATGTAAGTGTAGACTACGGCTATTTGAAAAATGTGCTTATTGTACTATATTTTGT
ATTCCAATTATGAGCAGAGAAAGGAAATATAATGTTGAAAATAATGTTTTGAAATCATGACCC
AAAGAATGTATTGATTTGCACTATCCTTCAGAATAACTGAAGGTTAATTATTGTATATTTTAA
AAAATTACACTTATAAGAGTATAATCTTGAAATGGGTAGCAGCCACTGTCCATTACCTATCGT
AAACATTGGGGCAATTTAATAACAGCATTAAAATAGTTGTAACTCTAATCTTATACTTATTG
AAGAATAAAAGATATTTTTATGATGAGAGTAACAATAAAGTATTCATGATTTTTTCACATACAT
GAATGTTGATTTTAAAGTTTAAATCCTTTGAGTGTCTATGCTATCAGGAAAGCACATTATTTCC
ATATTTGGGTAAATTTTGCTTTTATTATATTGGTCTAGGAGGAAGGGACTTTGGAGAATGGAA
CTCTTGAGGACTTTAGCCAGGTGTATATAATAAAGGTACTTTTGTGCTGCATTAAATTTGCTTG
GAAAGTGTAAACATTATATTATATAAGAGTATCCTTTATGAAATTTTGAATTTGTATAACAGA
TGCATTAGATATTCATTTTATATAATGGCCACTTAAATAAGAACATTTAAATATAAACTAT
GAAGATTGACTATCTTTTCAGGAAAAAAGCTGTATATAGCACAGGGAACCCTAATCTTGGGTA
ATTCTAGTATAAAACAAATTATACTTTTATTAAATTTCCCTTGTAGCAAATCTAATTGCCAC
ATGGTGCCCTATATTTTCATAGTATTTATTCTCTATAGTAACTGCTTAAGTGCAGCTAGCTTCT
AGATTTAGACTATATAGAATTTAGATATTGTATTGTTTCGTCATTATAATATGCTACCACATGT
AGCAATAATTACAATATTTTATTAAATAAAATATGTGAAATATTGTTTCATGAAAGACAGATT
TCCAAATCTCTCTCTCTCTCTGTACTGTCTACCTTTATGTGAAGAAATTAATTATATGCCA
TTGCCAGGT

384/615

FIGURE 380

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77648

><subunit 1 of 1, 140 aa, 1 stop

><MW: 15668, pI: 10.14, NX(S/T): 5

MFFTISRKNMSQKLSLLLLVFGLIWGLMLLHYTFQQRHQSSVKLREQILDLSKRYVKALAE

NKNTVDVENGASMAGYADLKRTIAVLLDDILQRLVKLENKVDYIVVNGSAANTTNGTSGNLVP

VTTNKRTNVSGSIR

Important features of the protein:**Signal peptide:**

amino acids 1-26

385/615

FIGURE 381

AACTTCTAC**ATG**GGCCTCCTGCTGCTGGTGCTCTTCCTCAGCCTCCTGCCGGTGGCCTACACC
ATCATGTCCCTCCCACCCTCCTTTGACTGCGGGCCGTTCAGGTGCAGAGTCTCAGTTGCCCGG
GAGCACCTCCCCTCCCGAGGCAGTCTGCTCAGAGGGCCTCGGCCCAAGATTCAGTTCTGGTT
TCATGCCAGCCTGTAAAAGGCCATGGAACCTTTGGGTGAATCACCGATGCCATTTAAGAGGGTT
TTCTGCCAGGATGGAAATGTTAGGTCGTTCTGTGTCTGCGCTGTTCAATTCAGTAGCCACCAG
CCACCTGTGGCCGTTGAGTGCTTGAAAT**TG**AGGAACAGAGAAAATTAATTTCTCATGTATTTTT
CTCATTTATTTATTAATTTTTAACTGATAGTTGTACATATTTGGGGGTACATGTGATATTTGG
ATACATGTATACAATATATAATGATCAAATCAGGGTAACTGGGATATCCATCACATCAAACAT
TTATTTTTTTATTTCTTTTTAGACAGAGTCTCACTCTGTACCCAGGCTGGAGTGCAGTGGTGCC
ATCTCAGCTTACTGCAACCTCTGCCTGCCAGGTTCAAGCGATTCTCATGCCTCCACCTCCCAA
GTAGCTGGGACTACAGGCATGCACCACAATGCCCAACTAATTTTTGTATTTTTAGTAGAGACG
GGGTTTTGCCATGTTGCCAGGCTGGCCTTGAACCTCCTGGCCTCAAACAATCCACTTGCCTCG
GCCTCCCAAAGTGTTATGATTACAGGCGTGAGCCACCGTGCCTGGCCTAAACATTTATCTTTT
CTTTGTGTTGGGAACCTTGAAATTATACAATGAATTATTGTTAACTGTCATCTCCCTGCTGTG
CTATGGAACACTGGGACTTCTTCCCTCTATCTAACTGTATATTTGTACCAGTTAACCAACCGT
ACTTCATCCCCACTCCTCTCTATCCTTCCCAACCTCTGATCACCTCATTCTACTCTCTACCTC
CATGAGATCCACTTTTTTAGCTCCACATGTGAGTAAGAAAATGCAATATTTGTCTTTCTGTG
CCTGGCTTATTTCACTTAACATAATGACTTCCTGTTCCATCCATGTTGCTGCAAATGACAGGA
TTTCGTTCTTAATTTCAATTAAATAACCACACATGGCAAAAA

386/615

FIGURE 382

MGLLLLVLFLSLLPVAYTIMSLPPSFDCGPFRVSVAREHLPSRGSLLRGPRPRI PVLVSCQ
PVKGHGTLGESPMPEFKRVFCQDGNVRSFCVCAVHFSSHQPPVAVECLK

Important features of the protein:

Signal peptide:

amino acids 1-18

N-myristoylation site.

amino acids 86-92

Zinc carboxypeptidases, zinc-binding region 2 signature.

amino acids 68-79

387/615

FIGURE 383

TTCTGAAGTAACGGAAGCTACCTTGTATAAAGACCTCAACACTGCTGACCATGATCAGCGCAG
CCTGGAGCATCTTCCTCATCGGGACTAAAATTGGGCTGTTCCCTCAAGTAGCACCTCTATCAG
TTATGGCTAAATCCTGTCCATCTGTGTGTCGCTGCGATGCGGGTTTCATTTACTGTAATGATC
GCTTTCTGACATCCATTCCAACAGGAATACCAGAGGATGCTACAACCTCTCTACCTTCAGAACA
ACCAAATAAATAATGCTGGGATTCTTCAGATTTGAAAACTTGCTGAAAGTAGAAAGAATAT
ACCTATAACCACAACAGTTTTAGATGAATTTCTTACCAACCTCCCAAAGTATGTAAAGAGTTAC
ATTTGCAAGAAAATAACATAAGGACTATCACTTATGATTCACTTTCAAAAAATCCCTATCTGG
AAGAATTACATTTAGATGACAACCTCTGTCTCTGCAGTTAGCATAGAAGAGGGAGCATTCCGAG
ACAGCAACTATCTCCGACTGCTTTTCTGTCCCGTAATCACCTTAGCACAAATCCCTGGGGTT
TGCCAGGACTATAGAAGAACTACGCTTGATGATAATCGCATATCCACTATTTTCATCACCAT
CTCTTCAAGGTCTCACTAGTCTAAAACGCCTGGTTCTAGATGGAAACCTGTTGAACAATCATG
GTTTAGGTGACAAAGTTTCTTCAACCTAGTTAATTTGACAGAGCTGTCCCTGGTGCGGAATT
CCCTGACTGCTGCACCAGTAAACCTTCCAGGCACAAACCTGAGGAAGCTTTATCTTCAAGATA
ACCACATCAATCGGGTGCCCCCAAATGCTTTTTCTTATCTAAGGCAGCTCTATCGACTGGATA
TGTCCAATAATAACCTAAGTAATTTACCTCAGGGTATCTTTGATGATTTGGACAATATAACAC
AACTGATTCTTCGCAACAATCCCTGGTATTGCGGGTGCAAGATGAAATGGGTACGTGACTGGT
TACAATCACTACCTGTGAAGGTCAACGTGCGTGGGCTCATGTGCCAAGCCCCAGAAAAGGTTT
GTGGGATGGCTATTAAGGATCTCAATGCAGAACTGTTTGATTGTAAGGACAGTGGGATTGTAA
GCACCATTGAGATAACCACTGCAATACCCAACACAGTGTATCCTGCCAAGGACAGTGGCCAG
CTCCAGTGACCAAACAGCCAGATATTAAGAACCCAAGCTCACTAAGGATCAACAAACCACAG
GGAGTCCCTCAAGAAAAACAATTACAATTACTGTGAAGTCTGTACCTCTGATACCATTCATA
TCTCTTGAAACTTGCTCTACCTATGACTGCTTTGAGACTCAGCTGGCTTAAACTGGGCCATA
GCCCCGCATTTGGATCTATAACAGAAACAATTGTAACAGGGGAACGCAGTGAGTACTTGGTCA
CAGCCCTGGAGCCTGATTCACCCTATAAAGTATGCATGGTTCCCATGGAAACCAGCAACCTCT
ACCTATTTGATGAAACTCCTGTTTGTATTGAGACTGAAACTGCACCCCTTCGAATGTACAACC
CTACAACCACCCTCAATCGAGAGCAAGAGAAAGAACCTTACAAAAACCCAATTTACCTTTGG
CTGCCATCATTTGGTGGGGCTGTGGCCCTGGTTACCATTGCCCTTCTTGCTTTAGTGTGTTGGT
ATGTTTCATAGGAATGGATCGCTCTTCTCAAGGAACCTGTGCATATAGCAAAGGGAGGAGAAGAA
AGGATGACTATGCAGAAGCTGGCACTAAGAAGGACAACCTCTATCCTGGAAATCAGGGAAACTT
CTTTTCAGATGTTACCAATAAGCAATGAACCCATCTCGAAGGAGGAGTTTGTAAATACACACCA
TATTTCTCCTAATGGAATGAATCTGTACAAAAACAATCACAGTGAAAGCAGTAGTAACCGAA
GCTACAGAGACAGTGGTATTCCAGACTCAGATCACTCACACTCATGATGCTGAAGGACTCACA
GCAGACTTGTGTTTTGGGTTTTTTAAACCTAAGGGAGGTGATGGT

388/615

FIGURE 384

MISAAWSIFLIGTKIGLFLQVAPLSVMAKSCPSVCRC DAGFIYCND RFLTSIPTGIPEDATTL
YLQNNQINNAGIPSDLKNLLKVERIYLYHNSLDEFPTNLPKYVKELHLQENNI RTITYDSL SK
IPYLEELHLDDNSVSAVSIEEGA FRDSNYLRLLFLSRNHLSTIPWGLPRTIEELRLDDNRIST
ISSPSLQGLTSLKRLVLDGNLLNNHGLGDKVFFNLVNLTELSLVRNSLTAAPVNLPGTNLRKL
YLQDNHINRVPPNAFSYLRLQLYRLDMSNNLSNLPQGIFDDL DNITQLILRNNPWYCGCKMKW
VRDWLQSLPVKVNVRGLMCQAPEKVRGMAIKDLNAELFDCKDSGIVSTIQITTAIPNTVYPAQ
GOWPAPVTKQPDIKNPCLTKDQQTGSPSRKTITITVKS VTSDTIHISWKLALPMTALRLSWL
KLGHS PAFGSITETIVTGERSEYLVTALEPDSPYKVC MVPMETSNLYLFDETPVC IETETAPL
RMYNPTTTTLNREQEKEPYKNPNLPLAAIIGGAVALVTIALLALVCWYVHRNGSLFSRNCAYSK
GRRRKDDYAEAGTKKDNSILEIRETSFQMLPISNEPISKEEFVIHTIFPPNGMNLYKNNHSES
SSNRSYRDSGIPDSDHSHS

Important features of the protein:**Signal peptide:**

amino acids 1-28

Transmembrane domain:

amino acids 531-552

N-glycosylation sites.

amino acids 226-229, 282-285, 296-299, 555-558, 626-629, 633-636

Tyrosine kinase phosphorylation site.

amino acids 515-522

N-myristoylation sites.amino acids 12-17, 172-177, 208-213, 359-364, 534-539, 556-561,
640-645**Amidation site.**

amino acids 567-570

Leucine zipper pattern.

amino acids 159-180

Phospholipase A2 aspartic acid active site.

amino acids 34-44

389/615

FIGURE 385

CCGTCATCCCCCTGCAGCCACCCTTCCCAGAGTCCTTTGCCAGGCCACCCAGGCTTCTTGG
CAGCCCTGCCGGGCCACTTGTCTTCATGCTCTGCCAGGGGAGGTGGGAAGGAGGTGGGAGGAG
GGCGTGCAGAGGCAGTCTGGGCTTGGCCAGAGCTCAGGGTGCTGAGCGTGTGACCAGCAGTGA
GCAGAGGCCGGCCATGGCCAGCCTGGGGCTGCTGCTCCTGCTCTTACTGACAGCACTGCCACC
GCTGTGGTCCCTCCTCACTGCCTGGGCTGGACACTGCTGAAAGTAAAGCCACCATTGCAGACCT
GATCCTGTCTGCGCTGGAGAGAGCCACCGTCTTCTAGAACAGAGGCTGCCTGAAATCAACCT
GGATGGCATGGTGGGGGTCCGAGTGCTGGAAGAGCAGCTAAAAAGTGTCCGGGAGAAGTGGGC
CCAGGAGCCCCCTGCTGCAGCCGCTGAGCCTGCGCGTGGGGATGCTGGGGGAGAAGCTGGAGGC
TGCCATCCAGAGATCCCTCCACTACCTCAAGCTGAGTGATCCCAAGTACCTAAGAGAGTTCCA
GCTGACCCTCCAGCCCGGTTTTTGAAGCTCCACATGCCTGGATCCACACTGATGCCTCCTT
GGTGTACCCACGTTTCGGGCCCCAGGACTCATTCTCAGAGGAGAGAAGTGACGTGTGCCTGGT
GCAGCTGCTGGGAACCGGGACGGACAGCAGCGAGCCCTGCGGCCTCTCAGACCTCTGCAGGAG
CCTCATGACCAAGCCCGGCTGCTCAGGCTACTGCCTGTCCACCAACTGCTCTTCTTCTCTG
GGCCAGAATGAGGGGATGCACACAGGGACCACTCCAACAGAGCCAGGACTATATCAACCTCTT
CTGCGCCAACATGATGGACTTGAACCGCAGAGCTGAGGCCATCGGATACGCCTACCCTACCCG
GGACATCTTCATGGAAAACATCATGTTCTGTGGAATGGGCGGCTTCTCCGACTTCTACAAGCT
CCGGTGGCTGGAGGCCATTCTCAGCTGGCAGAAACAGCAGGAAGGATGCTTCGGGGAGCCTGA
TGCTGAAGATGAAGAATTATCTAAAGCTATTCAATATCAGCAGCATTTTTTCGAGGAGAGTGAA
GAGGCGAGAAAAACAATTTCCAGATTCTCGCTCTGTTGCTCAGGCTGGAGTACAGTGGCGCAA
TCTCGGCTCACTGCAACCTTTGCCTCCTGGGTTCAAGCAATTCTCTTGCCCTCATCCTCCCGAG
TAGCTGGGACTACAGGAGCGTGCCACCATACCTGGCTAATTTTTATATTTTTTTAGTAGAGAC
AGGGTTTCATCATGTTGCTCATGCTGGTCTCGAACTCCTGATCTCAAGAGATCCGCCCACCTC
AGGCTCCCAAAGTGTGGGATTATAGGTGTGAGCCACCGTGTCTGGCTGAAAAGCACTTTCAAA
GAGACTGTGTTGAATAAAGGGCCAAGGTTCTTGCCACCCAGCACTCATGGGGGCTCTCTCCCC
TAGATGGCTGCTCCTCCCACAACACAGCCACAGCAGTGGCAGCCCTGGGTGGCTTCTTATACA
TCCTGGCAGAATACCCCCCAGCAAAACAGAGAGCCACACCCATCCACACCGCCACCACCAAGCA
GCCGCTGAGACGGACGGTTCCATGCCAGCTGCCTGGAGGAGGAACAGACCCCTTTAGTCCTCA
TCCCTTAGATCCTGGAGGGCACGGATCACATCCTGGGAAGAAGGCATCTGGAGGATAAGCAAA
GCCACCCCGACACCCAATCTTGGAAGCCCTGAGTAGGCAGGGCCAGGGTAGGTGGGGGCCGGG
AGGGACCCAGGTGTGAACGGATGAATAAAGTTCAACTGCAACTGAAAAAAAAA

390/615

FIGURE 386

MSARGRWEGGRRACRGSGLLARAQGAERTVSSEQRPAMASLGLLLLLLLLTALPPLWSSSLPG
LDTAESKATIADLILSALERATVFLEQRLPEINLDGMVGVRVLEEQLKSVREKWAQEPLLQPL
SLRVGMLGEKLEAAIQRS LHYLKLSDPKYLREFQLTLPGFWKLP HAWIHTDASLVYPTFGPQ
DSFSEERSDVCLVQLLGTGTDSEPCGLSDLCRSLMTKPGCSGYCLSHQLLFFLWARMRGCTQ
GPLQQSQDYINLFCANMMDLNRRAEAIGYAYPTRDIFMENIMFCGMGGFSDFYKLRWLEAILS
WQKQQEGCFGEFDAEDEELSKAIQYQQHFSRRVKRREKQFPDSRSVAQAGVQWRNLGSLQPLP
PGFKQFSLILPSSWDYRSVPPYLANFYIFLVETGFHHVAHAGLELLISRPPTSGSQSVGL

Important features of the protein:**Signal peptide:**

amino acids 1-26

Transmembrane domain:

amino acids 39-56

Tyrosine kinase phosphorylation sites.

amino acids 149-156, 274-282

N-myristoylation sites.

amino acids 10-16, 20-26, 63-69, 208-214

Amidation site.

amino acids 10-14

Glycoprotein hormones beta chain signature 1.

amino acids 230-237

391/615

FIGURE 387

GGTCTGAGTGCAGAGCTGCTGTCATGGCGGCCGCTCTGTGGGGCTTCTTTCCCGTCCTGCTGC
TGCTGCTGCTATCGGGGATGTCCAGAGCTCGGAGGTGCCCGGGGCTGCTGCTGAGGGATCGG
GAGGGAGTGGGGTCGGCATAGGAGATCGCTTCAAGATTGAGGGGCGTGCAGTTGTTCCAGGGG
TGAAGCCTCAGGACTGGATCTCGCGGCCCGAGTGCTGGTAGACGGAGAAGAGCACGTCGGTT
TCCTTAAGACAGATGGGAGTTTTGTGGTTCATGATATACCTTCTGGATCTTATGTAGTGGAAG
TTGTATCTCCAGCTTACAGATTTGATCCCGTTCGAGTGGATATCACTTCGAAAGGAAAAATGA
GAGCAAGATATGTGAATTACATCAAAACATCAGAGGTTGTCAGACTGCCCTATCCTCTCCAAA
TGAAATCTTCAGGTCCACCTTCTTACTTTATTAAAAGGGAATCGTGGGGCTGGACAGACTTTC
TAATGAACCCAATGGTTATGATGATGGTTCTTCCTTTATTGATATTTGTGCTTCTGCCTAAAG
TGGTCAACACAAGTGATCCTGACATGAGACGGGAAATGGAGCAGTCAATGAATATGCTGAATT
CCAACCATGAGTTGCCTGATGTTTCTGAGTTCATGACAAGACTCTTCTCTTCAAAATCATCTG
GCAAATCTAGCAGCGGCAGCAGTAAAACAGGCAAAAGTGGGGCTGGCAAAAGGAGGTAGTCAG
GCCGTCCAGAGCTGGCATTTCACAAACACGGCAACACTGGGTGGCATCCAAGTCTTGAAAAA
CCGTGTGAAGCAACTACTATAAACTTGAGTCATCCCGACGTTGATCTCTTACAACGTGTGTATGTT
AACTTTTTTAGCACATGTTTTGTACTTGGTACACGAGAAAACCCAGCTTTCATCTTTTGTCTGT
ATGAGGTCAATATTGATGTCACTGAATTAATTACAGTGTCTTATAGAAAAATGCCATTAATAAA
TTATATGAACTACTATACATTATGTATATTAATTAACATCTTAATCCAGAAATCAAAAAAA
AAAAAAAAAAAAAAAAAAAAA

392/615

FIGURE 388

MAAALWGFFPVLLLLLLSGDVQSSEVPGAAAEGSGGSGVGIGDRFKIEGRAVPGVKPQDWIS
AARVLVDGEEHVGFLKTDGSFVVHDIPSGSYVVEVVSPAYRFDPRVDITSKGKMRARYVNYI
KTSEVVRPLPYPLQMKSSGPPSYFIKRESWGWTDFLMNPMVMMMLVPLLI FVLLPKVVNTSDPD
MRREMEQSMNMLNSNHELDPDVSEFMTRLFSSKSSGKSSSGSSKTGKSGAGKRR

Important features of the protein:**Signal sequence:**

amino acids 1-23

Transmembrane domain:

amino acids 161-182

N-glycosylation site.

amino acids 184-187

Glycosaminoglycan attachment sites.

amino acids 37-40, 236-239

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 151-154

N-myristoylation sites.

amino acids 33-38, 36-41, 38-44, 229-234

Amidation site.

amino acids 238-241

ATP/GTP-binding site motif A (P-loop).

amino acids 229-236

393/615

FIGURE 389

GTCGTGTGCTTGGAGGAAGCCGCGGAACCCCCAGCGTCCGTCCATGGCGTGGAGCCTTGGGAG
CTGGCTGGGTGGCTGCCTGCTGGTGTGAGCATTGGGAATGGTACCACCTCCCGAAAATGTCAG
AATGAATTCTGTTAATTTCAAGAACATTCTACAGTGGGAGTCACCTGCTTTTGCCAAAGGGAA
CCTGACTTTTACAGCTCAGTACCTAAGTTATAGGATATTCCAAGATAAATGCATGAATACTAC
CTTGACGGAATGTGATTTCTCAAGTCTTTCCAAGTATGGTGACCACACCTTGAGAGTCAGGGC
TGAATTTGCAGATGAGCATTGAGACTGGGTAAACATCACCTTCTGTCTGTGGATGACACCAT
TATTGGACCCCCCTGGAATGCAAGTAGAAGTACTTGTGATTCTTTACATATGCGTTTCTTAGC
CCCTAAAATTGAGAATGAATACGAACTTGGACTATGAAGAATGTGTATAACTCATGGACTTA
TAATGTGCAATACTGGAAAAACGGTACTGATGAAAAGTTTCAAATTACTCCCCAGTATGACTT
TGAGGTCCTCAGAAACCTGGAGCCATGGACAACCTATTGTGTTCAAGTTCGAGGGTTTCTTCC
TGATCGGAACAAAGCTGGGGAATGGAGTGAGCCTGTCTGTGAGCAAACAACCCATGACGAAAC
GGTCCCCCTGCTGGATGGTGGCCGTCATCCTCATGGCCTCGGTCTTCATGGTCTGCCTGGCACT
CCTCGGCTGCTTCTCCTTGTGTGGTGCCTTTACAAGAAGACAAAGTACGCCTTCTCCCCTAG
GAATTCTCTTCCACAGCACCTGAAAGAGTTTTTGGGCCATCCTCATCATAACACACTTCTGTT
TTTCTCCTTTCCATTGTCGGATGAGAATGATGTTTTTGACAAGCTAAGTGTGATTGCAGAAGA
CTCTGAGAGCGGCAAGCAGAATCCTGGTGACAGCTGCAGCCTCGGGACCCCGCCTGGGCAGGG
GCCCCAAAGCTTAGGCTCTGAGAAGGAAACACACTCGGCTGGGCACAGTGACGTACTCCATCTC
ACATCTGCCTCAGTGAGGGATCAGGGCAGCAAACAAGGGCCAAGACCATCTGAGCCAGCCCCA
CATCTAGAACTCCAGACCTGGACTTAGCCACCAGAGAGCTACATTTTAAAGGCTGTCTTGGCA
AAAATACTCCATTTGGGAACTCACTGCCTTATAAAGGCTTTTCATGATGTTTTTCAGAAGTTGGC
CACTGAGAGTGTAATTTTCAGCCTTTTATATCACTAAAATAAGATCATGTTTTAATTGTGAGA
AACAGGGCCGAGCACAGTGGCTCACGCCTGTAATACCAGCACCTTAGAGGTCGAGGCAGGCGG
ATCACTTGAGGTCAGGAGTTCAAGACCAGCCTGGCCAATATGGTGAAACCCAGTCTCTACTAA
AAATACAAAAATTAGCTAGGCATGATGGCGCATGCCTATAATCCCAGCTACTCGAGTGCCTGA
GGCAGGAGAATTGCATGAACCCGGGAGGAGGAGGAGGAGGTTGCAGTGAGCCGAGATAGCGGC
ACTGCACTCCAGCCTGGGTGACAAAGTGAGACTCCATCTCAAAAAAAAAAAAAAAAAAATTGTG
AGAAACAGAAATACTTAAATGAGGAATAAGAATGGAGATGTTACATCTGGTAGATGTAACAT
TCTACCAGATTATGGATGGACTGATCTGAAAATCGACCTCAACTCAAGGGTGGTCAGCTCAAT
GCTACACAGAGCACGGACTTTTGGATTCTTTGCAGTACTTTGAATTTATTTTCTACCTATAT
ATGTTTTATATGCTGCTGGTGTCCATTAAAGTTTTACTCTGTGTTGC

394/615

FIGURE 390

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA83551
><subunit 1 of 1, 325 aa, 1 stop
><MW: 37011, pI: 5.09, NX(S/T): 4
MAWSLGSWLGGCLLVSALGMVPPPENVRMNSVNFKNILQWESPAFAKGNLTFTAQYLSYRIFQ
DKCMNTTLTECDFSSLSKYGDHTLRVRAEFADSDWNITFCPVDDTIIGPPGMQVEVLADS
LHMRFLAPKIENEYETWTMKNVYNSWTYNVQYWKNGTDEKFQITPQYDFEVLRLNLEPWTTYCV
QVRGFLPDRNKAGEWSEPVEQTTHDETVPSWMVAVILMASVFMVCLALLGCFSLWCVYKKT
KYAFSPRNSLPQHLKEFLGHPHNTLLFFSFPLSDENDVFDKLSVIAEDSESGKQNPGDSCSL
GTPPGQGPQS
```

Important features of the protein:**Signal peptide:**

amino acids 1-19

Transmembrane domain:

amino acids 222-245

N-glycosylation sites.

amino acids 49-53, 68-72, 102-106, 161-165

N-myristoylation sites.

amino acids 6-12, 316-322

395/615

FIGURE 391

CTGTGCAGCTCGAGGCTCCAGAGGCACACTCCAGAGAGAGCCAAGGTTCTGACGCGATGAGGA
AGCACCTGAGCTGGTGGTGGCTGGCCACTGTCTGCATGCTGCTCTTCAGCCACCTCTCTGCGG
TCCAGACGAGGGGCATCAAGCACAGAATCAAGTGGAACCGGAAGGCCCTGCCAGCACTGCCC
AGATCACTGAGGCCCAGGTGGCTGAGAACCGCCGGGAGCCTTCATCAAGCAAGGCCGCAAGC
TCGACATTGACTTCGGAGCCGAGGGCAACAGGTACTACGAGGCCAACTACTGGCAGTTCCCCG
ATGGCATCCACTACAACGGCTGCTCTGAGGCTAATGTGACCAAGGAGGCATTTGTCACCGGCT
GCATCAATGCCACCCAGGCGGCGAACCAGGGGGAGTTCCAGAAGCCAGACAACAAGCTCCACC
AGCAGGTGCTCTGGCGGCTGGTCCAGGAGCTCTGCTCCCTCAAGCATTGCGAGTTTTGGTTGG
AGAGGGGCGCAGGACTTCGGGTCAACCATGCACCAGCCAGTGCTCCTCTGCCTTCTGGCTTTGA
TCTGGCTCATGGTGAAATTAAGCTTGCCAGGAGGCTGGCAGTACAGAGCGCAGCAGCGAGCAAA
TCCTGGCAAGTGACCCAGCTCTTCTCCCCAAACCCACGCGTGTTCTGAAGGTGCCCAGGAGC
GGCGATGCACTCGCACTGCAAATGCCGCTCCACGTATGCGCCCTGGTATGTGCCTGCGTTCT
GATAGATGGGGGACTGTGGCTTCTCCGTCACTCCATTCTCAGCCCCTAGCAGAGCGTCTGGCA
CACTAGATTAGTAGTAAATGCTTGATGAGAAGAACACATCAGGCACTGCGCCACCTGCTTCAC
AGTACTTCCCAACAACCTCTTAGAGGTAGGTGTATTCCCGTTTTACAGATAAGGAACTGAGGC
CCAGAGAGCTGAAGTACTGCACCCAGCATCACCAGCTAGAAAGTGGCAGAGCCAGGATTC AAC
CCTGGCTTGTCTAACCCAGGTTTTCTGCTCTGTCCAATTCCAGAGCTGTCTGGTGATCACTT
TATGTCTCACAGGGACCCACATCCAAACATGTATCTCTAATGAAATTGTGAAAGCTCCATGTT
TAGAAATAAATGAAAACACCTGA

396/615

FIGURE 392

MRKHL S W W L A T V C M L L F S H L S A V Q T R G I K H R I K W N R K A L P S T A Q I T E A Q V A E N R P G A F I K Q G
R K L D I D F G A E G N R Y Y E A N Y W Q F P D G I H Y N G C S E A N V T K E A F V T G C I N A T Q A A N Q G E F Q K P D N K
L H Q Q V L W R L V Q E L C S L K H C E F W L E R G A G L R V T M H Q P V L L C L L A L I W L M V K

Important features of the protein:**Signal peptide:**

amino acids 1-26

Transmembrane domain:

amino acids 157-171

N-glycosylation sites.

amino acids 98-102, 110-114

Tyrosine kinase phosphorylation site.

amino acids 76-83

N-myristoylation sites.

amino acids 71-77, 88-94, 93-99, 107-113, 154-160

Amidation site.

amino acids 62-66

397/615

FIGURE 393

TGAAATGACTTCCACGGCTGGGACGGGAACCTTCCACCCACAGCTATGCCTCTGATTGGTGAA
TGGTGAAGGTGCCTGTCTAACTTTTCTGTAAAAAGAACCAGCTGCCTCCAGGCAGCCAGCCCT
CAAGCATCACTTACAGGACCAGAGGGACAAGACATGACTGTGATGAGGAGCTGCTTTTCGCCAA
TTTAACACCAAGAAGAATTGAGGCTGCTTGGGAGGAAGGCCAGGAGGAACACGAGACTGAGAG
ATGAATTTTCAACAGAGGCTGCAAAGCCTGTGGACTTTAGCCAGACCCTTCTGCCCTCCTTTG
CTGGCGACAGCCTCTCAAATGCAGATGGTTGTGCTCCCTTGCCTGGGTTTTACCCTGCTTCTC
TGGAGCCAGGTATCAGGGGCCCAGGGCCAAGAATTCCACTTTGGGCCCTGCCAAGTGAAGGGG
GTTGTTCCCCAGAACTGTGGGAAGCCTTCTGGGCTGTGAAAGACACTATGCAAGCTCAGGAT
AACATCACGAGTGCCCGGCTGCTGCAGCAGGAGGTTCTGCAGAACGTCTCGGATGCTGAGAGC
TGTTACCTTGTCACACCCCTGCTGGAGTTCTACTTGAAAAGTGTTCCTCAAAAACCACCACAAT
AGAACAGTTGAAGTCAGGACTCTGAAGTCATTCTCTACTCTGGCCAACAACTTTGTTCTCATC
GTGTCACAACTGCAACCCAGTCAAGAAAATGAGATGTTTTCCATCAGAGACAGTGCACACAGG
CGTTTTCTGCTATTCCGGAGAGCATTCAAACAGTTGGACGTAGAAGCAGCTCTGACCAAAGCC
CTTGGGGAAGTGGACATTCTTCTGACCTGGATGCAGAAATTCTACAAGCTCT**GGA**ATGTCTAGA
CCAGGACCTCCCTCCCCCTGGCACTGGTTTTGTTCCCTGTGTCATTTCAAACAGTCTCCCTTCC
TATGCTGTTCACTGGACACTTCACGCCCTTGGCCATGGGTCCCATTTCTTGGCCCAGGATTATT
GTCAAAGAAGTCATTCTTTAAGCAGCGCCAGTGACAGTCAGGGAAGGTGCCTCTGGATGCTGT
GAAGAGTCTACAGAGAAGATTCTTGTATTTATTACAACCTCTATTTAATTAATGTCAGTATTTT
AACTGAAGTTCTATTTATTTGTGAGACTGTAAGTTACATGAAGGCAGCAGAATATTGTGCCCC
ATGCTTCTTTACCCCTCACAATCCTTGCCACAGTGTGGGGCAGTGGATGGGTGCTTAGTAAGT
ACTTAATAAACTGTGGTGCTTTTTTTTGGCCTGTCTTTGGATTGTTAAAAAACAGAGAGGGATG
CTTGGATGTAAACTGAACTTCAGAGCATGAAAATCACACTGTCTTCTGATATCTGCAGGGAC
AGAGCATTGGGGTGGGGGTAAAGGTGCATCTGTTTGAAAAGTAAACGATAAAATGTGGATTAAA
GTGCCCAGCACAAAGCAGATCCTCAATAAACATTTCAATTTCCCACCCACACTCGCCAGCTCAC
CCCATCATCCCTTTCCCTTGGTGCCCTCCTTTTTTTTTTTATCCTAGTCATTCTTCCCTAATCT
TCCACTTGAGTGTCAAGCTGACCTTGCTGATGGTGACATTGCACCTGGATGTACTATCCAATC
TGTGATGACATTCCCTGCTAATAAAAAGACAACATAACTCCAAAAAAAAAAAAAAAAAAAAAA
AAAA

398/615

FIGURE 394

```
></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA88002
><subunit 1 of 1, 206 aa, 1 stop
><MW: 23799, pI: 9.12, NX(S/T): 3
MNFQQRQLQSLWTLARPFPCPPLLATASQMOMVVLPCLGFTLLLWSQVSGAQGGQEFHFGPCQVKG
VVPQKLWEAFWAVKDTMQAQDNITSARLLQQEVLQNVSDAESCYLVHTLLEFYLKTVFKNHHN
RTVEVRTLKSFSTLANNFVLIVSQLQPSQENEMFSIRDSAHRRFLLFRRAFKQLDVEAALTKA
LGEVDILLTWMQKFYKL
```

Signal sequence:
amino acids 1-42

N-glycosylation sites.
amino acids 85-89, 99-103, 126-130

399/615

FIGURE 395

GCCTTGGCCTCCCAAAGGGCTGGGATTATAGGCGTGACCACCATGTCTGGTCCAGAGTCTCAT
TTCCTGATGATTTATAGACTCAAAGAAAACTATGTTTCAGAAGCTCTCTTCTCTTCTGGCCTC
CTCTCTGTCTTCTTTCCCTCTTTCTTCTTATTTTAATTAGTAGCATCTACTCAGAGTCATGCA
AGCTGGAAATCTTTCATTTTGCTTGTCAGTGGGGTAGGTCAGTCTTAGTTTTTATTTTT
TGAAATTTCACTTTCAGATTCAGGGGGTACATGTGAAGGTTTGTTTTATGAGTATATTGCAT
GATGCTGAGGTTTGGGGT

400/615

FIGURE 396

MFRSSLLFWPPLCLLSLFLILISSIYSESKLEIFHFACQWGRSLSLSFYFLKFQLSDSGGT
CEGLFYEYIA

Important features of the protein:

Signal peptide:

amino acids 1-25

N-myristoylation site.

amino acids 62-68

401/615

FIGURE 397

CATGCCGCTGCCGCCGCTGCTGCTGTTGCTCCTGGCGGCGCCTTGGGGACGGGCAGTTCCTG
TGTCTCTGGTGGTTTGCCTAAACCTGCAAACATCACCTTCTTATCCATCAACATGAAGAATGT
CCTACAATGGACTCCACCAGAGGGTCTTCAAGGAGTTAAAGTTACTTACACTGTGCAGTATTT
CATATATGGGCAAAGAAATGGCTGAATAAATCAGAATGCAGAAATATCAATAGAACCTACTG
TGATCTTTCTGCTGAAACTTCTGACTACGAACACCAGTATTATGCCAAAGTTAAGGCCATTTG
GGGAACAAAGTGTTCCAAATGGGCTGAAAGTGGACGGTTCTATCCTTTTTTAGAAACACAAAT
TGGCCCACCAGAGGTGGCACTGACTACAGATGAGAAGTCCATTCTGTTGTCCTGACAGCTCC
AGAGAAGTGGAAGAGAAATCCAGAAGACCTTCTGTTTCCATGCAACAAATATACTCCAATCT
GAAGTATAACGTGTCTGTGTTGAATACTAAATCAAACAGAACGTGGTCCCAGTGTGTGACCAA
CCACACGCTGGTGCTCACCTGGCTGGAGCCGAACACTCTTTACTGCGTACACGTGGAGTCCTT
CGTCCCAGGGCCCCCTCGCCGTGCTCAGCCTTCTGAGAAGCAGTGTGCCAGGACTTTGAAAGA
TCAATCATCAGAGTTCAAGGCTAAATCATCTTCTGGTATGTTTTGCCCATATCTATTACCGT
GTTTCTTTTTTCTGTGATGGGCTATTCCATCTACCGATATATCCACGTTGGCAAAGAGAAACA
CCCAGCAAATTTGATTTTGATTTATGGAAATGAATTTGACAAAAGATTCTTTGTGCCTGCTGA
AAAAATCGTGATTAACCTTTATCACCCCTCAATATCTCGGATGATTCTAAAATTTCTCATCAGGA
TATGAGTTTACTGGGAAAAAGCAGTGATGTATCCAGCCTTAATGATCCTCAGCCCAGCGGGAA
CCTGAGGCCCCCTCAGGAGGAAGAGGAGGTGAAACATTTAGGGTATGCTTCGCATTTGATGGA
AATTTTTTGTGACTCTGAAGAAAACACGGAAGGTACTTCTCTCACCCAGCAAGAGTCCCTCAG
CAGAACAATACCCCCGGATAAAACAGTCATTGAATATGAATATGATGTCAGAACCACTGACAT
TTGTGCGGGGCCTGAAGAGCAGGAGCTCAGTTTGCAGGAGGAGGTGTCCACACAAGGAACATT
ATTGGAGTCGCAGGCAGCGTTGGCAGTCTTGGGCCCGCAAACGTTACAGTACTCATAACCCCC
TCAGCTCCAAGACTTAGACCCCCTGGCGCAGGAGCACACAGACTCGGAGGAGGGGCCGGAGGA
AGAGCCATCGACGACCCTGGTCGACTGGGATCCCCAACTGGCAGGCTGTGTATTCTTCGCT
GTCCAGCTTCGACCAGGATTCAGAGGGCTGCGAGCCTTCTGAGGGGGATGGGCTCGGAGAGGA
GGGTCTTCTATCTAGACTCTATGAGGAGCCGGCTCCAGACAGGCCACCAGGAGAAAATGAAAC
CTATCTCATGCAATTCATGGAGGAATGGGGGTATATGTGCAGATGGAAAAC**TGAT**GCCAACA
CTTCCTTTTGCCTTTTGTTTCCTGTGCAAACAAGTGAGTCACCCCTTTGATCCCAGCCATAAA
GTACCTGGGATGAAAGAAGTTTTTTCCAGTTTGTGTCAGTGTCTGTGAGAA

402/615

FIGURE 398

MPLPPLLLLLLAAPWGRAVPCVSGGLPKPANITFLSINMKNVLQWTPPEGLQGVKVTYTVQYF
IYGQKKWLNKSECRNINRTYCDLSAETSDYEHQYYAKVKAIWGTKCSKWAESGRFYPFLETQI
GPPEVALTTDEKSISVVLTAPEKWKRNPEDLPVSMQQIYSNLKYNVSVLNTKSNRTWSQCVTN
HTLVLTWLEPNTLYCVHVESFVPGPPRAQPSEKQCARTLKDQSSEFKAKIIFWYVLPISITV
FLFSVMGYSIYRYIHVGKEKHPPANLILYGNEDKRFVPAEKIVINFITLNISSDDSKISHQD
MSLLGKSSDVSSLNDPQPSGNLRPPQEEEEVKHLGYASHLMEIFCDSEENTEGTSLTQQESLS
RTIPDPKTVIEYEDVRTTDCAGPEEQELSLQEEVSTQGTLLSQALAVLGPQTLQYSYTP
QLQDLPLAQEHTDSEEGPEEPPSTTLVDWDPQTGRLCIPSLSSFDQDSEGCEPSEGDLGEE
GLLSRLYEPPAPDRPPGENETYLMQFMEEWGLYVQMEN

Signal sequence:

amino acids 1-18

Transmembrane domain:

amino acids 240-260

N-glycosylation sites.amino acids 31-34, 72-75, 80-83, 171-174, 180-183, 189-192,
304-307, 523-526**Tyrosine kinase phosphorylation site.**

amino acids 385-392, 518-526

N-myristoylation sites.

amino acids 53-58, 106-111, 368-373, 492-497

Tissue factor

amino acids 1-278

403/615

FIGURE 399

CCGGCG**ATG**TCGCTCGTGCTGCTAAGCCTGGCCGCGCTGTGCAGGAGCGCCGTACCCCGAGAG
CCGACCGTTCAATGTGGCTCTGAAACTGGGCCATCTCCAGAGTGGATGCTACAACATGATCTA
ATCCCGGAGACTTGAGGGACCTCCGAGTAGAACCTGTTACAAGTGTGCAACAGGGGAC
TATTCAATTTTGATGAATGTAAGCTGGGTACTCCGGGCAGATGCCAGCATCCGCTTGTTGAAG
GCCACCAAGATTTGTGTGACGGGCAAAAGCAACTTCCAGTCTTACAGCTGTGTGAGGTGCAAT
TACACAGAGGCCTTCCAGACTCAGACCAGACCCTCTGGTGGTAAATGGACATTTTCCTACATC
GGCTTCCCTGTAGAGCTGAACACAGTCTATTTTCATTGGGGCCCATATATTCCTAATGCAAAT
ATGAATGAAGATGGCCCTTCCATGTCTGTGAATTTACCTCACCAGGCTGCCTAGACCACATA
ATGAAATATAAAAAAAGTGTGTCAAGGCCGGAAGCCTGTGGGATCCGAACATCACTGCTTGT
AAGAAGAATGAGGAGACAGTAGAAGTGAACCTCACAACCACTCCCCTGGGAAACAGATACATG
GCTCTTATCCAACACAGCACTATCATCGGGTTTTCTCAGGTGTTTGAGCCACACCAGAAGAAA
CAAACGCGAGCTTCAGTGGTGATTCCAGTGACTGGGGATAGTGAAGGTGCTACGGTGCAGCTG
ACTCCATATTTTCCTACTTGTGGCAGCGACTGCATCCGACATAAAGGAACAGTTGTGCTCTGC
CCACAAACAGGCGTCCCTTTCCCTCTGGATAACAACAAAAGCAAGCCGGGAGGCTGGCTGCCT
CTCCTCCTGCTGTCTCTGCTGGTGGCCACATGGGTGCTGGTGGCAGGGATCTATCTAATGTGG
AGGCACGAAAGGATCAAGAAGACTTCCTTTTCTACCACCACACTACTGCCCCCATTAAGGTT
CTTGTGGTTTACCCATCTGAAATATGTTTCCATCACACAATTTGTTACTTCACTGAATTTCTT
CAAAACCATTCAGAAAGTGAGGTCATCCTTGAAAAGTGGCAGAAAAAGAAAATAGCAGAGATG
GGTCCAGTGCAGTGGCTTGCCACTCAAAAGAAGGCAGCAGACAAAGTCGTCTTCCTTCTTTCC
AATGACGTCAACAGTGTGTGCGATGGTACCTGTGGCAAGAGCGAGGGCAGTCCCAGTGAGAAC
TCTCAAGACCTCTTCCCCCTTGCCCTTTAACCTTTTCTGCAGTGATCTAAGAAGCCAGATTTCAT
CTGCACAAATACGTGGTGGTCTACTTTAGAGAGATTGATACAAAAGACGATTACAATGCTCTC
AGTGTCTGCCCCAAGTACCACCTCATGAAGGATGCCACTGCTTTCTGTGCAGAACTTCTCCAT
GTCAAGCAGCAGGTGTCAGCAGGAAAAAGATCACAAGCCTGCCACGATGGCTGCTGCTCCTTG
TAG

404/615

FIGURE 400

MSLVLLSLAALCRSAVPREPTVQCGSETGPSPEWMLQHDLI PGDLRDLRVEPVTTTSVATGDYS
ILMNVSWVLRADASIRLLKATKICVTGKSNFQSYSCVRCNYTEAFQTQTRPSGGKWTFSYIGF
PVELNTVYFIGAHNIPNANMNEDGPSMSVNFTSPGCLDHIMKYKKKCVKAGSLWDPNITACKK
NEETVEVNFTTTPLGNRYMALIQHSTIIGFSQVFEPHQKKQTRASVVIPVTGDSEGATVQLTP
YFPTCGSDCIRHKGTVVLCPTGVPFPLDNNKSKPGGWLPLLLLSLLVATWVLVAGIYLMWRH
ERIKKTSFSTTTLLPPIKVLVVYPSEICFHHTICYFTEFLQNHCRSEVILEKWQKKKIAEMGP
VQWLATQKKAADKVVFLSNDVNSVCDGTCGKSEGPSSENSQDLFPLAFNLFCSDLRSQIHLH
KYVVVYFREIDTKDDYNALSVC PKYHLMKDATAFCAELLHV KQVSAGKRSQACHDGCCSL

Important features of the protein:**Signal peptide:**

amino acids 1-14

Transmembrane domain:

amino acids 290-309

N-glycosylation sites.amino acids 67 - 71, 103 - 107, 156 - 160, 183 - 187, 197 - 201
and 283 - 287**cAMP- and cGMP-dependent protein kinase phosphorylation sites.**

amino acids 228 - 232 and 319 - 323

Casein kinase II phosphorylation sites.

amino acids 178 - 182, 402 - 406, 414 - 418 and 453 - 457

N-myristoylation site.

amino acids 116-122

Amidation site.

amino acids 488-452

405/615

FIGURE 401

GGGAACAGGGAACTATCAGCCCCTCGGCCTCCGGGCCCTGCATTCTCTAGCCATGGACCG
GGACCTTTTGCGGCAGTCGCTAAATTGCCACGGGTCGTCTTTGCTCTCTCTACTTTCGGAG
CGAACAGCAGGACAATCCACACTTCCGTAGCCTCCTGGGGTCGGCCGCCGAGCCAGCCCG
GGGCCCCGCCGCCAGCACCCGTTGCAGGGCAGAAAAGAGAAGAGAGTTGACAACATCGA
GATACAGAAATTCATCTCCAAAAAGCGGATCTGCTTTTTGCACTTTCCTGGAAATCAGA
TGCACCTGCAACTTCTGAAATTAATGAAGACAGTGAAGATCATTATGCAATCATGCCACC
TTTAGAGCAATTCATGGAGATACCTAGTATGGATCGGAGAGAGAGCTGTTTTTCCGAGATAT
TGAGCGTGGTGATATAGTGATTGGAAGAATTAGTTCTATTTCGGGAATTCGGTTTTTTCAT
GGTGTGATCTGTTTAGGAAGTGGTATCATGAGAGATATAGCCCACTTAGAAATCACAGC
TCTTTGTCCCTTAAGAGATGTGCCTTCTCACAGTAACCATGGGGATCCTTTATCATATTA
CCAAACTGGTGACATCATTCGAGCTGGAATCAAGGATATTGACAGATACCATGAAAAGCT
AGCAGTATCTCTGTATAGCTCTTCTCTCCACCACACCTATCTGGTATTAAATTAGGTGT
AATTAGCTCTGAAGAGCTTCCTTTATACTACAGGAGAAGTGTTGAGCTAAATAGCAATTC
TTTGGAGTCCATGAAAATGTCATGCAGAGTTCCTTGGGATTTGTTAATCCAGGAGTAGT
TGAATTCCTTCTAGAAAACTAGGAATAGATGAATCTAATCCACCATCTTTAATGAGAGG
CCTACAAAGCAAAAATTTCTCTGAAGATGATTTTGCTTCTGCATTGAGAAAAAACAATC
CGCATCTTGGGCTTTAAATGTGTGAAGATCGGAGTTGACTATTTTAAAGTTGGACGCCA
TGTGGATGCTATGAATGAATACAATAAAGCTTTGGAAATAGACAAACAAAACGTGGAAGC
TTTGGTAGCTCGTGGAGCATTATATGCGACAAAAGGAAGTTTGAACAAAGCAATAGAAGA
TTTTGAGCTTGCATTAGAAAAGTGTCCAAGTTCACAGAAATGCAAGAAAATACCTCTGCCA
GACACTTGTAGAGAGAGGAGGACAGTTAGAAGAAGAAGAAAAGTTTTTAAATGCTGAAAG
TTACTATAAGAAAGCCTTGGCTTTGGATGAGACTTTTAAAGATGCAGAGGATGCTTTGCA
GAACTTCATAAATATATGCAGAAATCTTTGGAATTAAGAGAAAAACAAGCTGAAAAGGA
AGAAAAGCAGAAAACAAAGAAAATAGAAACAAGTGCAGAAAAGTTGCGTAAGCTCTTAAA
AGAAGAGAAGAGGCTAAAGAAGAAAAGAAGAAAATCAACTTCTTCTTCAAGTGTTTCTTC
TGCTGATGAATCAGTGTCTTCATCATCATCCTCTTCCTCTTCTGGTCACAAAAGGCATAA
GAAACATAAGAGGAACCGTTCAGAGTCTTCTCGCAGTTCCAGAAGGCATTATCTAGGGC
ATCCTCAAATCAGATAGATCAGAATAGGAAAGATGAGTGCTACCCAGTTCAGCTAATAC
TTCAGCATCTTTTCTTAACCATAAAACAAGAAGTGGAGAACTACTGGGGAAGCAGGATAG
GTTACAGTATGAAAAGACACAGATAAAAGAGAAAAGATAGATGCCCTCTCTCTTCATCTTC
ACTTGAAATACCGGATGATTTTGGAGTGTACTCCTATTTATTTAAAAAGTTAACTATAAA
ACAGCCTCAGGCAGGTCTTCAGGAGATATTCCAGAAGAGGGCATTGTTATCATAGATGA
CAGCTCCATTATGTTACTGACCCTGAAGACCTTCAAGTGGGACAAGATATGGAGGTGGA
AGACAGTGGTATTGATGATCCTGACCACGGGTAGGCTTAGGTTATGTGTGTGTATGTGT
CTTAGTTTTTAAACAAAAAATTTAAAAAGTAAAAAACTAAAAATAGAAAAATGCTTAGAG
AATAAGGATATAAAGAATATTTTTGTGCAGTTGAACAATGAGTGCTTAAGCTAAATGTCA
TCACAAAAGAGTAAAAAATTTTACAAAATTTAAAAATGTTTAAAGTTAAAAAGCTCTAGG
AAGCTAAGGTCAATTTATTATTGGAGAAATAAAATTTATTTTATGAATTTACTGT

406/615

FIGURE 402

MDRDLRLRQSLNCHGSSLLSLLRSEQQDNPHFRSLLGSAAEPARGPPPQHPLQGRKEKRVD
NIEIQKFISKKADLLFALSWKSDAPATSEINEDSEDHYAIMPPLEQFMEIPSMRRELFF
RDIERGDIVIGRISSIREFGFFMVLICLGSGIMRDIAHLEITALCPLRDVPSHSNHGDPL
SYYQTGDIIRAGIKDIDRYHEKLAVSLYSSSLPPLHSGIKLGVISSEELPLYRRSVELN
SNSLESYENVMQSSLGFVNPGVVEFLLEKLGIDESNPPSLMRGLQSKNFSEDDFASALRK
KQSASWALKCVKIGVDYFKVGRHVDAMNEYNKALEIDKQNVREALVARGALYATKGSLNKA
IEDFELALENCPTHRNARKYLCQTLVERGGQLEEEEEKFLNAESYYKKALALDETFKDAED
ALQKLHKYMQKSLELREKQAEKEEKQKTKKIETSAEKLRLKLLKEEKRLKKRRKSTSSSS
VSSADESVSSSSSSSSSGHKKRHHKRNRSSESSRRHSSRRASSNQIDQNRKDECYPVP
ANTSASFLNHKQEVKLLGKQDRLQYEKTOIKEKDRCPLSSSSSLEIPDDFGVYSYLFKKL
TIKQPQAGPSGDIPEEGIVIIDSSIHVTDPEDLQVGQDMEVEDSGIDDPDHG

Important features of the protein:**Signal peptide:**

Amino acids 1-23

Transmembrane domain:

Amino acids 138-155

N-glycosylation sites:

Amino acids 288-292;508-512;542-546

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 300-304;472-476;473-477;517-521;598-602

N-myristoylation sites:

Amino acids 218-224;222-228;271-277;348-354

Amidation site:

Amino acids 52-56

Cell attachment sequence:

Amino acids 125-128

407/615

FIGURE 403

CCGAGGCGGGAGGAGCCCGAGGGGGCGCGAGCCCCGCATGAATCATTGTAGTCAATCATTTTC
CAGTTCTCAGCCGCTCAGTTGTGATCAAGGGACACGTGGTTTCCGAAGTCCAGCTCAGAATA
GGAAAATAACTTTGGGATTTTATATTGGAAGACATGGATCTTGCTGCCAACGAGATCAGCATTT
ATGACAAACTTTTTCAGAGACTGTTGATTGTTGGTGAGACAGACCGGCCATCAGTGTGGCATGTCAG
AGAAGGCAATTGAAAAATTTATCAGACAGCTGCTGGAAAAGAATGAACCTCAGAGACCCCCC
CGCAGTATCCTCTCCTTATAGTTGTGTATAAGGTTCTCGCAACCTTGGGATTAATCTTGCTCA
CTGCCTACTTTGTGATTCAACCTTTCAGCCCATTAGCACCTGAGCCAGTGCTTTCTGGAGCTC
ACACCTGGCGCTCACTCATCCATCACATTAGGCTGATGTCCTTGCCCATTGCCAAGAAGTACA
TGTGAGAAAATAAGGGAGTTCCTCTGCATGGGGGTGATGAAGACAGACCCTTTCCAGACTTTG
ACCCCTGGTGGACAAACGACTGTGAGCAGAATGAGTCAGAGCCCATTCTGCCAACTGCACTG
GCTGTGCCCAGAAACACCTGAAGGTGATGCTCCTGGAAGACGCCCCAAGGAAATTTGAGAGGC
TCCATCCACTGGTGATCAAGACGGGAAAGCCCCTGTTGGAGGAAGAGATTTCAGCATTTTTTGT
GCCAGTACCTGAGGCGACAGAAGGCTTCTCTGAAGGGTTTTTCGCCAAGTGGTGGCGCTGCT
TTCCTGAGCGGTGGTTCCCATTTCTTATCCATGGAGGAGACCTCTGAACAGATCACAAATGT
TACGTGAGCTTTTTCTGTTTTCACTCACCTGCCATTTCCAAAAGATGCCTCTTTAAACAAGT
GCTCCTTTCTTCACCCAGAACCTGTTGTGGGGAGTAAGATGCATAAGATGCCTGACCTATTTA
TCATTGGCAGCGGTGAGGCCATGTTGCAGCTCATCCCTCCCTTCCAGTGCCGAAGACATTGTC
AGTCTGTGGCCATGCCAATAGAGCCAGGGGATATCGGCTATGTGACACCACTGGAAGG
TCTACGTTATAGCCAGAGGGGTCCAGCCTTTGGTCATCTGCGATGGAACCGCTTTCTCAGAAC
TGTAGGAAATAGAACTGTGCACAGGAACAGCTTCCAGAGCCGAAAACCAGGTTGAAAGGGGAA
AAATAAAAACAAAACGATGAACTGCAAAA

408/615

FIGURE 404

MDLAANEISIIYDKLSETVDLVRQTGHQCGMSEKAIEKFIRQLLEKNEPQRPPQYPLLIVVYK
VLATLGLILLTAYFVIQPFSPLAPEPVLGAHTWRSLIHHIRLMSLPIAKKYMSENKGVPLHG
GDEDRPFPDFDPWWTNDCEQNESEPIPANCTGCAQKHLKVMILLEDAPRKFERLHPLVIKTGKP
LLEEEIQHFLCQYPEATEGFSEGFFAKWWRCFPERWFPPYPWRRPLNRSQMLRELFVFTHL
PFPKASLNKCSFLHPEPVVGSKMHKMPDLFIIGSGEAMLQLIPPFQCRRHCSVAMPIEPGD
IGYVDTTHWKVYVIARGVQPLVICDGTAFSEL

409/615

FIGURE 405

TGCCGGGCTGCGGGGCGCCTTGACTCTCCCTCCACCCTGCCTCCTCGGGCTCCACTCGTCTGCCCTGGACTCCC
GTCTCCTCCTGTCTCCTCCGGCTTCCAGAGCTCCCTCCTTATGGCAGCAGCTTCCCGCTCTCCGGCGCAGCTTCT
CAGCGGACGACCCTCTCGCTCCGGGGCTGAGCCCAGTCCCTGGATGTTGCTGAAACTCTCGAGATCATGCGCGGG
TTTGGCTGCTGCTTCCCCGCGGGTGCCACTGCCACCGCCGCGCCTCTGCTGCCGCCGTCCGCGGGATGCTCAG
TAGCCCGCTGCCCGGCCCCCGGATCCTGTGTTCCCTCGAAGCCGTTTGCTGCTGCAGAGTTGCACGAAC TAGTC
ATGGTGCTGTGGGAGTCCCCGCGGCAGTGCAGCAGCTGGACACTTTGCGAGGGCTTTTGCTGGCTGCTGCTGCTG
CCCGTCATGCTACTCATCGTAGCCCGCCGTTGAAGCTCGCTGCTTTCCCTACCTCCTTAAGTGACTGCCAAACG
CCCACCGCTGGAATTGCTCTGGTTATGATGACAGAGAAAATGATCTCTTCTCTGTGACACCAACACCTGTAAA
TTTGATGGGGAATGTTTAAGAATTGGAGACACTGTGACTTGCGTCTGTGAGTTCAAGTGCAACAATGACTATGTG
CCTGTGTGTGGCTCCAATGGGGAGAGCTACCAGAATGAGTGTTACCTGCGACAGGCTGCATGCAAACAGCAGAGT
GAGATACTTGTGGTGTGAGAAAGGATCATGTGCCACAGATGCAGGATCAGGATCTGGAGATGGAGTCCATGAAGGC
TCTGGAGAACTAGTCAAAAGGAGACATCCACCTGTGATATTTGCCAGTTTGGTGCAGAATGTGACGAAGATGCC
GAGGATGTCTGGTGTGTGTGTAATATTGACTGTTCTCAAACCAACTTCAATCCCCTCTGCGCTTCTGATGGGAAA
TCTTATGATAATGCATGCCAAATCAAAGAAGCATCGTGTGAGAAACAGGAGAAAATTGAAGTCATGCTTTTGGGT
CGATGTCAAGATAACACAAC TACAAC TACTAAGTCTGAAGATGGGCATTATGCAAGAACAGATTATGCAGAGAAT
GCTAACAAATTAGAAGAAAGTGCCAGAGAACACCACATACCTTGTCCGGAACATTACAATGGCTTCTGCATGCAT
GGGAAGTGTGAGCATTCTATCAATATGCAGGAGCCATCTTGAGGTGTGATGCTGGTTATACTGGACAACACTGT
GAAAAAAGGACTACAGTGTCTATACGTTGTTCCCGGTCTGTACGATTTTCAGTATGTCTTAATCGCAGCTGTG
ATTGGAACAATTCAGATTGCTGTGTCATCTGTGTGGTGGTCTCTGCATCACAAGGAAATGCCCCAGAAGCAACAGA
ATTCACAGACAGAAGCAAAATACAGGGCACTACAGTTCAGACAATACAACAAGAGCGTCCACGAGGTTAATCTAA
AGGGAGCATGTTTTCAGTGGCTGGACTACCGAGAGCTTGGACTACACAATACAGTATTATAGACAAAAGAATAA
GACAAGAGATCTACACATGTTGCCTTGCAATTTGTGGTAATCTACACCAATGAAAAATGTACTACAGCTATATTT
GATTATGTATGGATATATTTGAAATAGTATACATGTCTTGATGTTTTTTCTGTAATGTAAATAAACTATTTATA
TCACACAATATAGTTTTTTCTTTCCCATGTATTTGTTATATATAATAAAATACTCAGTGATGAG

410/615

FIGURE 406

MVLWESPRQCSSWTLCBGF CWLLLLPVMLLIVARPVKLA AFPTSLSDCQTPTGWNC SGY
DDRENDLFLCDTNTCKFDGECLRIGDTVTCVCQFKCNNDYVPVCGSNGESYQNECYLRQ
AACKQQSEILVVSEGSCATDAGSGSGDGVHEGSGETSQKETSTCDICQFGAECDEDAED
VWCVCNIDCSQTNFNPLCASDGKSYDNACQIKEASCQKQEKIEVMSLGRCQDNTTTTTTK
SEDGHYARTDYAENANKLEESAREHHIPCPEHYNGFCMHGKCEHSINMQEPSRCRDAGY
TGQHCEKKDYSVLYVVPGPVRFQYVLLAAVIGTIQIAVICVVVLCITRKCPRSNRIHQ
KQNTGHYSSDNTTRASTRLI

411/615

FIGURE 407

CTCGCAGCCGAGCGCGGCCGGGGAAGGGCTCTCCTTCCAGCGCCGAGCACTGGGCCCTGGCAG
ACGCCCCAAGATTGTTGTGAGGAGTCTAGCCAGTTGGTGAGCGCTGTAATCTGAACCAGCTGT
GTCCAGACTGAGGCCCCATTTGCATTGTTTAACTACTTAGAAAATGAAGTGTTCATTTTTTAA
CATTCCTCCTCCAATTGGTTTAAATGCTGAATTACTGAAGAGGGCTAAGCAAAACCAGGTGCTT
GCGCTGAGGGCTCTGCAGTGGCTGGGAGGACCCCGGCGCTCTCCCCGTGTCCTCTCCACGACT
CGCTCGGCCCTCTGGAATAAAACACCCGCGAGCCCCGAGGGCCCAGAGGAGGCCGACGTGCC
CGAGCTCCTCCGGGGGTCCCGCCCCGCGAGCTTTCTTCTCGCCTTCGCATCTCCTCCTCGCGCG
TCTTGACATGCCAGGAATAAAAGGATACTCACTGTTACCATTTCTGGCTCTCTGTCTTCCAA
GCCCTGGGAATGCACAGGCACAGTGCACGAATGGCTTTGACCTGGATCGCCAGTCAGGACAGT
GTTTAGATATTGATGAATGCCGAACCATCCCCGAGGCCTGCCGAGGAGACATGATGTGTGTTA
ACCAAAATGCGGGGTATTTATGCATTCCCCGACAAACCCTGTGTATCGAGGGCCCTACTCGA
ACCCCTACTCGACCCCTACTCAGGTCCGTACCCAGCAGCTGCCCCACCACTCTCAGCTCCAA
ACTATCCCACGATCTCCAGGCCTCTTATATGCCGCTTTGGATACCAGATGGATGAAAGCAACC
AATGTGTGGATGTGGACGAGTGTGCAACAGATTCCCACCAGTGCACCCCCACCAGATCTGCA
TCAATACTGAAGGCGGGTACACCTGCTCCTGCACCGACGGATATTGGCTTCTGGAAGGCCAGT
GCTTAGACATTGATGAATGTCGCTATGGTTACTGCCAGCAGCTCTGTGCGAATGTTCTTGGAT
CCTATTCTTGATACATGCAACCCTGGTTTTTACCCTCAATGAGGATGGAAGGTCTTGCCAAGATG
TGAACGAGTGTGCCACCGAGAACCCCTGCGTGCAAACCTGCGTCAACACCTACGGCTCTCTCA
TCTGCCGCTGTGACCCAGGATATGAACTTGAGGAAGATGGCGTTCATTGCAGTGATATGGACG
AGTGCAGCTTCTCTGAGTTCCTCTGCCAACATGAGTGTGTGAACCAGCCCCGGCACATACTTCT
GCTCCTGCCCTCCAGGCTACATCCTGCTGGATGACAACCGAAGCTGCCAAGACATCAACGAAT
GTGAGCACAGGAACACACGTGCAACCTGCAGCAGACGTGCTACAATTTACAAGGGGGCTTCA
AATGCATCGACCCCATCCGCTGTGAGGAGCCTTATCTGAGGATCAGTGATAACCGCTGTATGT
GTCCTGCTGAGAACCCTGGCTGCAGAGACCAGCCCTTTACCATCTTGTACCGGGACATGGACG
TGGTGTGAGGACGCTCCGTTCCCGCTGACATCTTCCAAATGCAAGCCACGACCCGCTACCCCTG
GGGCCTATTACATTTTCCAGATCAAATCTGGGAATGAGGGCAGAGAATTTTACATGCGGCAAA
CGGGCCCCATCAGTGCCACCCTGGTGATGACACGCCCCATCAAAGGGCCCCGGGAAATCCAGC
TGGACTTGGAATGATCACTGTCAACACTGTCACTCAACTTCAGAGGCAGCTCCGTGATCCGAC
TGCGGATATATGTGTCGAGTACCCATTCTGAGCCTCGGGCTGGAGCCTCCGACGCTGCCTCT
CATTGGCACCAAGGGACAGGAGAAGAGAGGAAATAACAGAGAGAATGAGAGCGACACAGACGT
TAGGCATTTCTGCTGAACGTTTTCCCCGAAGAGTCAGCCCCGACTTCCTGACTCTCACCTGTA
CTATTGCAGACCTGTCACCCTGCAGGACTTGCCACCCCCAGTTCCTATGACACAGTTATCAAA
AAGTATTATCATTGCTCCCCTGATAGAAGATTGTTGGTGAATTTTCAAGGCCTTCAGTTTATT
TCCACTATTTTCAAAGAAAATAGATTAGGTTTGCGGGGGTCTGAGTCTATGTTCAAAGACTGT
GAACAGCTTGCTGTCACTTCTTACCTCTTCCACTCCTTCTCTCACTGTGTTACTGCTTTGCA
AAGACCCGGGAGCTGGCGGGGAACCCTGGGAGTAGCTAGTTTGCTTTTTCGTACACAGAGAA
GGCTATGTAAACAAACCACAGCAGGATCGAAGGGTTTTTATAGAGAATGTGTTTCAAACCATGC
CTGGTATTTTCAACCATAAAAGAAGTTTCAGTTGTCCTTAAATTTGTATAACGGTTTAATTCT
GTCTTGTTCAATTTTGTGATTTTTTAAAAAATATGTCGTAGAATTCCTTCGAAAGGCCTTCAGA
CACATGCTATGTTCTGTCTTCCCAAACCCAGTCTCCTCTCCATTTTAGCCCAGTGTTTTCTTT
GAGGACCCCTTAATCTTGCTTTCTTTAGAATTTTACCCAATTGGATTGGAATGCAGAGGTCT
CCAACTGATTAAATATTTGAAGAGA

412/615

FIGURE 408

MPGIKRILTVTILALCLPSPGNAQAQCTNGFDLDRQSGQCLDIDECRTIPEACRGDMMCVNQ
GGYLCIPRTNPVYRGPYSNPYSTPYSGPYAAAPPLSAPNYPTISRPLICRFGYQMDENQCV
DVDECATDSHQCNPTQICINTEGGYTCSTDGWLLLEGQCLDIDECRYGYCQQLCANVPGSYS
CTCNPGFNEDGRSCQDVNECATENPCVQTCVNTYGSLICRCDPGYELEEDGVHCSMDDECS
FSEFLCQHECVNQPGETYFCSCPPGYILLDDNRSCQDINECEHRNHTCNLQOTCYNLQGGFKCI
DPIRCEEPYLRISDNRCMCPAENPGCRDQPFITILYRDMDVVSGRSVPADIFQMQATTRYPGAY
YIFQIKSGNEGREFYMRQTGPISATLVMTRPIKGPRIQLDLEMITVNTVINFRGSSVIRLRI
YVSQYPF

Important features of the protein:**Signal peptide:**

amino acids 1-25

N-glycosylation sites.

amino acids 283-287, 296-300

N-myristoylation sites.amino acids 21-27, 64-70, 149-155, 186-192, 226-232, 242-248,
267-273, 310-316**Aspartic acid and asparagine hydroxylation sites.**

amino acids 144-156, 181-193, 262-274

Cell attachment sequence.

amino acids 54-57

Calcium-binding EGF-like.

amino acids 131-166, 172-205, 211-245, 251-286

413/615

FIGURE 409

CCCACGCGTCCGCGGACGCGTGGGTCTGACTAGTTCTAGATCGCGAGCGGCCGCCGCGGGCTCA
GGGAGGAGCACCAGCTGCGCCGACCCCTGAGAGATGTTGGTGCCATGTGGAAGGTGATTGTT
TCGCTGGTCCTGTTGATGCCTGGCCCTGTGATGGGCTGTTTCGCTCCCTATACAGAAGTGTT
TCCATGCCACCTAAGGGAGACTCAGGACAGCCATTATTTCTCACCCTTACATTGAAGCTGGG
AAGATCCAAAAGGAAGAGAATTGAGTTTGGTCGGCCCTTTCCAGGACTGAACATGAAGAGT
TATGCCGGCTTCCTCACCCTGAATAAGACTTACAACAGCAACCTCTTCTTCTGGTTCTTCCCA
GCTCAGATACAGCCAGAAGATGCCCCAGTAGTTCTCTGGCTACAGGGTGGGCCGGGAGGTTCA
TCCATGTTTGGACTCTTTGTGGAACATGGGCCTTATGTTGTCACAAGTAACATGACCTTGCCT
GACAGAGACTTCCCCTGGACCACAACGCTCTCCATGCTTTACATTGACAATCCAGTGGGCACA
GGCTTCAGTTTTACTGATGATACCCACGGATATGCAGTCAATGAGGACGATGTAGCACGGGAT
TTATACAGTGCATAATTGAGTTTTTCCAGATATTTCTGAATATAAAAAATAATGACTTTTTAT
GTCAGTGGGGAGTCTTATGCAGGGAAATATGTGCCAGCCATTGCACACCTCATCCATTCCCTC
AACCTGTGAGAGAGGTGAAGATCAACCTGAACGGAATTGCTATTGGAGATGGATATTCTGAT
CCGAATCAATTATAGGGGGCTATGCAGAATTCCTGTACCAAATGGCTTGTGGATGAGAAG
CAAAAAAGTACTTCCAGAAGCAGTGCCATGAATGCATAGAACACATCAGGAAGCAGAAGTGG
TTTGAGGCCTTTGAAATACTGGATAAACTACTAGATGGCGACTTAACAAGTGATCCTTCTTAC
TTCCAGAATGTTACAGGATGTAGTAATTACTATAACTTTTTGCGGTGCACGGAACCTGAGGAT
CAGCTTTACTATGTGAAATTTTTGTCACTCCAGAGGTGAGACAAGCCATCCACGTGGGGAAT
CAGACTTTTAATGATGGAATATAGTTGAAAAGTACTTGCGAGAAGATACAGTACAGTCAGTT
AAGCCATGGTTAACTGAAATCATGAATAATTATAAGGTTCTGATCTACAATGGCCAACCTGGAC
ATCATCGTGCGAGCTGCCCTGACAGAGCGCTCCTTGATGGGCATGGACTGGAAAGGATCCCAG
GAATACAAGAAGGCAGAAAAAAAGTTTTGGAAGATCTTTAAATCTGACAGTGAAGTGGCTGGT
TACATCCGGCAAGCGGGTGACTTCCATCAGGTAATTATTCGAGGTGGAGGACATATTTTACCC
TATGACCAGCCTCTGAGAGCTTTTGACATGATTAATCGATTTCATTTATGGAAAAGGATGGGAT
CCTTATGTTGGATTAATACTACCTTCCCAAAGAGAACATCAGAGGTTTTTCATTGCTGAAAAGAA
AATCGTAAAAACAGAAAATGTCATAGGAATAAAAAAATTATCTTTTCATATCTGCAAGATTTT
TTTCATCAATAAAAAATTATCCTTGAAACAAGTGAGCTTTTGTGTTTTGGGGGGAGATGTTTACT
ACAAAATTAACATGAGTACATGAGTAAGAATTACATTATTTAACTAAAGGATGAAAGGTATG
GATGATGTGACACTGAGACAAGATGTATAAATGAAATTTTAGGGTCTTGAATAGGAAGTTTTA
ATTTCTTCTAAGAGTAAGTGAAGTGCAGTTGTAACAAACAAAGCTGTAACATCTTTTCTG
CCAATAACAGAAGTTTGGCATGCCGTGAAGGTGTTGGAAATATTATTGGATAAGAATAGCTC
AATTATCCCAAATAAATGGATGAAGCTATAATAGTTTTGGGGAAAAGATTCTCAAATGTATAA
AGTCTTAGAACAAAAGAATTCTTTGAAATAAAAAATATTATATATAAAAGTAAAAA

414/615

FIGURE 410

MVGAMWKVIVSLVLLMPGPCDGLFRSLYRSVSMPPKGDGQPLFLTPYIEAGKIQKGRELSLV
GPFPGLNMKSYAGFLT VNKTYNSNLFFWFFPAQIQPEDAPVVLWLQGGPGGSSMFGLFVEHGP
YVVT SNMTLRDRDFPWTTLSMLYIDNPVGTGFSFTDDTHGYAVNEDDVARDLYSALIQFFQI
FPEYKNNDFFYVTGESYAGKYVPAIAHLIHS LNPNVREVKINLNGIAIGDGYSDPESIIGGYAEF
LYQIGLLDEKQKKYFQKQCHECIEHIRKQNWFEAFEILDKLLDGDLTSDPSYFQNV TGCSNYY
NFLRCTEPEDQLYYVKFLSLPEVRQAIHVGNQTFNDGTIVEKYLREDTVQSVKPWLTEIMNNY
KVLIIYNGQLDIIVAAALTERSLMGMDWKGSQEYKKAEEKVWKIFKSDSEVAGYIRQAGDFHQV
IIRGGGHILPYDQPLRAFDMINRFIYGKGWDPYVG

Signal sequence:

amino acids 1-22

N-glycosylation site.

amino acids 81-85, 132-136, 307-311, 346-350

Casein kinase II phosphorylation site.amino acids 134-138, 160-164, 240-244, 321-325, 334-338, 348-352,
353-357, 424-428**Tyrosine kinase phosphorylation site.**

amino acids 423-432

N-myristoylation site.

amino acids 22-28, 110-116, 156-162, 232-238

Serine carboxypeptidases, serine active site.

amino acids 200-208

Crystallins beta and gamma 'Greek key' motif signature.

amino acids 375-391

415/615

FIGURE 411

GCAAGCCAAGGCGCTGTTTGAGAAGGTGAAGAAGTTCGGGACCCATGTGGAGGAGGGGGACATTGTGTACCGCCT
CTACATGCGGCAGACCATCATCAAGGTGATCAAGTTCATCCTCATCATCTGCTACACCGTCTACTACGTGCACAA
CATCAAGTTCGACGTGGACTGCACCGTGGACATTGAGAGCCTGACGGGCTACCGCACCTACCGCTGTGCCCCACCC
CCTGGCCACACTCTTCAAGATCCTGGCGTCTTCTACATCAGCCTAGTCATCTTCTACGGCCTCATCTGCATGTA
CACACTGTGGTGGATGCTACGGCGCTCCCTCAAGAAGTACTCGTTTGAGTCGATCCGTGAGGAGAGCAGCTACAG
CGACATCCCCGACGTCAAGAACGACTTCGCCTTCATGCTGCACCTCATTGACCAATACGACCCGCTCTACTCCAA
GCGCTTCGCGCTCTTCTGTGCGAGGTGAGTGAGAACAAGCTGCGGCAGCTGAACCTCAACAACGAGTGGACGCT
GGACAAGCTCCGGCAGCGGCTCACCAAGAACGCGCAGGACAAGCTGGAGCTGCACCTGTTTCATGCTCAGTGGCAT
CCCTGACACTGTGTTTGACCTGGTGGAGCTGGAGGTCTCAAGCTGGAGCTGATCCCCGACGTGACCATCCCCGCC
CAGCATTGCCAGCTCACGGGCTCAAGGAGCTGTGGCTCTACCACACAGCGGCCAAGATTGAAGCGCTGCGCT
GGCCTTCCTGCGCGAGAACCTGCGGGCGCTGCACATCAAGTTCACCGACATCAAGGAGATCCCGCTGTGGATCTA
TAGCCTGAAGACACTGGAGGAGCTGCACCTGACGGGCAACCTGAGCGCGGAGAACAACCGCTACATCGTCATCGA
CGGGCTGCGGGAGCTCAAACGCTCAAGGTGCTGCGGCTCAAGAGCAACCTAAGCAAGCTGCCACAGGTGGTCAC
AGATGTGGGCGTGCACCTGCAGAAGCTGTCCATCAACAATGAGGGCACCAGCTCATCGTCTCAACAGCCTCAA
GAAGATGGCGAACCTGACTGAGCTGGAGCTGATCCGCTGCGACCTGGAGCGCATCCCCACTCCATCTTCAGCCT
CCACAACCTGCAGGAGATTGACCTCAAGGACAACAACCTCAAGACCATCGAGGAGATCATCAGCTTCAGCACCT
GCACCGCTCACCTGCCTTAAGCTGTGGTACAACCACATCGCCTACATCCCCATCCAGATCGGCAACCTCACCAA
CCTGGAGCGCTCTACCTGAACCGCAACAAGATCGAGAAGATCCCCACCCAGCTCTTCTACTGCCGCAAGCTGCG
CTACCTGGACCTCAGCCACAACAACCTGACCTTCCTCCCTGCCGACATCGGCCTCCTGCAGAACCTCCAGAACCT
AGCCATCACGGCCAACCGGATCGAGACGCTCCCTCCGGAGCTCTTCCAGTGCCGGAAGCTGCGGGCCCTGCACCT
GGGCAACAACGTGCTGCAGTCACTGCCCTCCAGGTGGGCGAGCTGACCAACCTGACGCAGATCGAGCTGCGGGG
CAACCGGCTGGAGTGCTGCTGCTGCTGGAGCTGGGCGAGTGCCCACTGCTCAAGCGCAGCGCTTGGTGGTGGAGGA
GGACCTGTTCAACACACTGCCACCCGAGGTGAAGGAGCGGCTGTGGAGGGCTGACAAGGAGCAGGCTGAGCGGAG
GCCGGCCAGCACAGCAAGCAGCAGGACCGCTGCCAGTCTCAGGCCCGAGGGGCGAGGCTAGCTTCTCCAG
AACTCCCGGACAGCCAGGACAGCCTCGCGGCTGGGCGAGGAGCTGGGGCGCTTGTGAGTCAGGCCAGAGCGAGA
GGACAGTATCTGTGGGGCTGCCCCCTTTTCTCCCTCTGAGACTCACGTCCCCAGGGCAAGTGCTTGTGGAGGAG
AGCAAGTCTCAAGAGCGCAGTATTTGGATAATCAGGGTCTCCTCCCTGGAGGCCAGCTCTGCCCCAGGGGCTGAG
CTGCCACCAGAGGTCTTGGGACCTCACCTTAGTCTTGGTATTTATTTTCTCCATCTCCACCTCTTCATCC
AGATAACTTATACATTCCCAAGAAAGTTCAGCCCAGATGGAAGGTGTTGAGGGAAAGGTGGGCTGCCCTTTTCCCC
TTGTCTTATTTAGCGATGCCGCCGGGCATTTAACACCCACCTGGACTTCAGCAGAGTGGTCCGGGGCGAACCAG
CCATGGGACGGTCACCCAGCAGTGCCGGGCTGGGCTCTGCGGTGCGGTCCACGGGAGAGCAGGCCTCCAGCTGGA
AAGGCCAGGCCTGGAGCTTGCTCTTCAGTTTTTGTGGCAGTTTTAGTTTTTTGTTTTTTTTTTTAAATCAAA
AAACAATTTTTTTAAAAAAAGCTTTGAAAATGGATGGTTTGGGTATTAAGGAGAAAAAAAGCTTAAAAAA
AAAAGACACTAACGGCCAGTGAGTTGGAGTCTCAGGGCAGGGTGGCAGTTTTCCCTTGAGCAAGCAGCCAGACGT
TGAAGTGTGTTTCTTCCCTGGGCGCAGGGTGCAGGGTGTCTCCGGATCTGGTGTGACCTTGGTCCAGGAGTT
CTATTTGTTCTGGGAGGGAGGTTTTTTTGTGTTGTTTTTGGGTTTTTTTGGTGTCTTGTGTTTTCTTCTCCTCC
ATGTGTCTTGGCAGGCACTCATTTCTGTGGCTGTGCGCCAGAGGGAATGTTCTGGAGCTGCCAAGGAGGGAGGAG
ACTCGGTTGGCTAATCCCCGATGAACGGTGTCCATTGCGACCTCCCCCTCCTCGTGCCTGCCCTGCCCTCTCCA
CGCAGTGTGTTAAGGAGCCAAGAGGAGCCACTTCGCCAGACTTTGTTTCCCCACCTCCTCGGGCATGGGTGTGT
CCAGTGCCACCGCTGGCCTCCGCTGCTTCCATCAGCCCTGTGCGCCACCTGGTCCCTTCATGAAGAGCAGACACTTA
GAGGCTGGTCCGGAATGGGAGGTGCGCCCTGGGAGGGCAGGCGTTGGTTCCAAGCCGTTCCCGTCCCTGGCGC
CTGGAGTGCACACAGCCAGTCCGACCTGGTGGCTGGAAGCCAACCTGCTTTAGATCACTCGGGTCCCCACCTT
AGAAGGGTCCCCGCTTAGATCAATCACGTGGACACTAAGGCACGTTTTAGAGTCTCTTGTCTTAATGATTATGT
CCATCCGTCTGTCCGTCCATTTGTGTTTTCTGCGTCTGTGTCATTGGATATAATCCTCAGAAATAATGCACACTAG
CCTCTGACAACCATGAAGCAAAATCCGTTACATGTGGGTCTGAACCTGTAGACTCGGTACAGTATCAAATAAA
ATCTATAACAGAAAAA

416/615

FIGURE 412

MRQTIKVIKFILIICYTVYYVHNKFDVDCTVDIESLTGYRTYRCAHPLATLFKILASFYIS
LVIFYGLICMYTLWWMLRRSLKKYSFESIREESSYSDIPDVKNDFAFMLHLIDQYDPLYSKRF
AVFLSEVSENKLRQLNLNNEWTLDKLRQRLTKNAQDKLELHLFMLSIGIPDTVFDLVELEVLKL
ELIPDVTIPPSIAQLTGLKELWLYHTAAKIEAPALAFLENLRLALHIKFTDIKEIPLWIYSLK
TLEELHLTGNSAENNRYIVIDGLRELKRLKVLRLKSNLSKLPQVVTDVGVHLQKLSINNEG
KLIVLNSLKKMANLTELELIRCDLERIPHSIFSLHNLQEIIDLKDNNLKTIEEIIISFQHLHRLT
CLKLWYNHAIYIPIQIGNLTNLERLYLNRNKIEKIPTQLFYCRKLRYLDLSHNNLTFLPADIG
LLQNLQNLAITANRIETLPPELFQCRKLRLHLGNNVLQSLPSRVGELTNLTQIELRGNRLEC
LPVELGECPLLKRSGLVVEEDLFNTLPPEVKERLWRADKEQA

Transmembrane domain:

amino acids 51-75 (type II)

N-glycosylation site.

amino acids 262-266, 290-294, 328-332, 396-400, 432-436, 491-495

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 85-89

Casein kinase II phosphorylation site.amino acids 91-95, 97-101, 177-181, 253-257, 330-334, 364-368,
398-402, 493-497**N-myristoylation site.**

amino acids 173-179, 261-267, 395-401, 441-447

417/615

FIGURE 413

GAATCATCCACGCACCTGCAGCTCTGCTGAGAGAGTGCAAGCCGTGGGGGTTTTGAGCTCATC
TTCATCATTCATATGAGGAAATAAGTGGTAAAAATCCTTGGAATACAATGAGACTCATCAGAA
ACATTTACATATTTTGTAGTATTGTTATGACAGCAGAGGGTGATGCTCCAGAGCTGCCAGAAG
AAAGGGAAGCTGATGACCAACTGCTCCAACATGTCTCTAAGAAAGGTTCCCGCAGACTTGACCC
CAGCCACAACGACACTGGATTTATCCTATAACCTCCTTTTTCAACTCCAGAGTTGAGATTTTC
ATTCTGTCTCCAACTGAGAGTTTTGATTCTATGCCATAACAGAATTC AACAGCTGGATCTCA
AAACCTTTGAATTCAACAAGGAGTTAAGATATTTAGATTTGTCTAATAACAGACTGAAGAGTG
TAACTTGGTATTTACTGGCAGGTCTCAGGTATTTAGATCTTTCTTTTAATGACTTTGACACCA
TGCCTATCTGTGAGGAAGCTGGCAACATGTCACACCTGGAAATCCTAGGTTTGAGTGGGGCAA
AAATACAAAATCAGATTTCCAGAAAATTGCTCATCTGCATCTAAATACTGTCTTCTTAGGAT
TCAGAACTCTTCTCATTATGAAGAAGGTAGCCTGCCCATCTTAAACACAACAAAATGCACA
TTGTTTTACCAATGGACACAAATTTCTGGGTTCTTTTGCGTGATGGAATCAAGACTTCAAAAA
TATTAGAAATGACAAATATAGATGGCAAAAGCCAATTTGTAAGTTATGAAATGCAACGAAATC
TTAGTTTAGAAAATGCTAAGACATCGGTTCTATTGCTTAATAAAGTTGATTTACTCTGGGACG
ACCTTTTCCTTATCTTACAATTTGTTTGGCATAACATCAGTGGAACACTTTGAGATCCGAAATG
TGACTTTTGGTGGTAAGGCTTATCTTGACCACAATTCATTTGACTACTCAAATACTGTAATGA
GAACTATAAAATTGGAGCATGTACATTTGAGAGTGTTTTACATTCAACAGGATAAAAATCTATT
TGCTTTTGACCAAAATGGACATAGAAAACCTGACAATATCAAATGCACAAATGCCACACATGC
TTTTCCCGAATTATCCTACGAAATTCCAATATTTAAATTTTGCCAATAATATCTTAACAGACG
AGTTGTTTAAAAGAACTATCCAACCTGCCTCACTTGAAAACCTCTCATTTTGAATGGCAATAAAC
TGGAGACACTTTCTTAGTAAGTTGCTTTGCTAACAAACACACCCTTGGAACTTGGATCTGA
GTCAAAATCTATTACAACATAAAAATGATGAAAATTGCTCATGGCCAGAACTGTGGTCAATA
TGAATCTGTATACAATAAATTGTCTGATTCTGTCTTCAGGTGCTTGCCCAAAAGTATTCAAA
TACTTGACCTAAATAATAACCAATCCAACCTGTACCTAAAGAGACTATTCATCTGATGGCCT
TACGAGAACTAAATATTGCATTTAATTTTCTAACTGATCTCCCTGGATGCAGTCATTTTCAGTA
GACTTTTCAGTTCTGAACATTGAAATGAACTTCATTTCTCAGCCCATCTCTGGATTTTGTTCAGA
GCTGCCAGGAAGTTAAACTCTAAATGCGGGAAGAAATCCATTCCGGTGTACCTGTGAATTAA
AAAATTTCAATTCAGCTTGAAACATATTGAGAGGTGATGATGGTTGGATGGTCAGATTCATACA
CCTGTGAATACCTTTTAAACCTAAGGGGAAGTGGTTAAAAGACGTTTCATCTCCACGAATTAT
CTTGCAACACAGCTCTGTTGATTGTCACCATTGTTGGTTATTATGCTAGTTCTGGGGTTGGCTG
TGGCCTTCTGCTGTCTCCACTTTGATCTGCCCTGGTATCTCAGGATGCTAGGTCAATGCACAC
AAACATGGCACAGGGTTAGGAAAACAACCCAAGAACAACTCAAGAGAAATGTCCGATTCCACG
CATTTATTTTCATACAGTGAACATGATTCTCTGTGGGTGAAGAATGAATTGATCCCAATCTAG
AGAAGGAAGATGGTTCTATCTTGATTTGCCTTTATGAAAGCTACTTTGACCTGGCAAAAGCA
TTAGTGAAAATATTGTAAGCTTCATTGAGAAAAGCTATAAGTCCATCTTTGTTTTGTCTCCCA
ACTTTGTCCAGAATGAGTGGTGCCATTATGAATTTCTACTTTGCCACCACAATCTCTTCCATG
AAAATTTCTGATCATATAATTCTTATCTTACTGGAACCCATTCCATTCTATTGCATTCCCACCA
GGTATCATAAACTGAAAGCTCTCTGGAAAAAAGCATACTTGGAATGGCCCAAGGATAGGC
GTAAATGTGGGCTTTTCTGGGCAACCTTCGAGCTGCTATTAAATGTTAATGTATTAGCCACCA
GAGAAATGTATGAACTGCAGACATTCACAGAGTTAAATGAAGAGTCTCGAGGTTCTACAATCT
CTCTGATGAGAACAGATTGTCTATAAAATCCACAGTCCTTGGAAGTTGGGGACCACATACA
CTGTTGGGATGTACATTGATACAACTTTATGATGGCAATTTGACAATATTTATTAATAATAA
AAATGGTTATTTCCCTTCATATCAGTTTCTAGAAGGATTTCTAAGAATGTATCCTATAGAAACA
CCTTCACAAGTTTATAAGGGCTTATGGAAAAAGGTGTTTCATCCCAGGATTGTTTATAATCATG
AAAAATGTGGCCAGGTGCAGTGGCTCACTCTTGTAAATCCCAGCACTATGGGAGGCCAAGGTGG
GTGACCCACGAGGTCAAGAGATGGAGACCATCCTGGCCAACATGGTGAAACCCTGTCTCTACT
AAAAATACAAAATTAGCTGGGCGTGATGGTGCACGCCTGTAGTCCCAGCTACTTGGGAGGCT
GAGGCAGGAGAAATCGCTGAACCCGGGAGGTGGCAGTTGCAGTGAGCTGAGATCGAGCCACTG
CACTCCAGCCTGGTGACAGAGCGAGACTCCATCTCAAAAAAAGAAAAAAGAAAAAAGAAAAA
ATGGAAAACATCCTCATGGCCACAAAATAAGGTCTAATTCAATAAATTATAGTACATTAATGT
AATATAATATTACATGCCACTAAAAAGAATAAGGTAGCTGTATATTTCTGGTATGGAAAAA
CATATTAATATGTTATAAACTATTAGGTTGGTGCAAACTAATTGTGGTTTTTGCCATTGAAA
TGGCATTGAAATAAAGTGTAAGAAATCTATACAGATGTAGTAACAGTGGTTTTGGGTCTGG
GAGGTTGGATTACAGGGAGCATTGATTTCTATGTTGTGTATTCTATAATTTGAATTGTT
TAGAATGAATCTGTATTTCTTTTATAAGTAGAAAAAATAAAGATAGTTTTTACAGCCT

418/615

FIGURE 414

MRLIRNIYIFCSIVMTAEGDAPELPEERELMTNCSNMSLRKVPADLTPATTTLDLSYNLLFQL
QSSDFHSVSKLRVLILCHNRIQQDLKTFFFNKELRYLDLSNNRLKSVTWYLLAGLRYLDLSF
NDFDTMPICEEAGNMSHLEILGLSGAKIQKSDFQKIAHLHLNTVFLGFRTLPHYEEGSLPILN
TTKLHIVLPMDTNFWVLLRDGIKTSKILEMTNIDGKSQFVSYEMQRNLSLENAKTSVLLLNKV
DLLWDDLFLILQFVWHTSVEHFQIRNVTFGGKAYLDHNSFDYSNTVMRTIKLEHVHFRVFIQ
QDKIYLLLTkMDIENLTISNAQMPHMLFPNYPTKFQYLNfANNILTDELfKRTIQLPHLKTLI
LNGNKLETLSLVSCFANNTPLEHLDLSQNLLQHKNdENCsWPETVVNMNLSYNKLSDSVFRCL
PKSIQILDNNNQIQTVPKETIHLMALRELNIAFNFLTDLPGCSHFSRLSVLNIEMNFILSPS
LDFVQSCQEVKTLNAGRNPFRCTCELKNFIQLETYSEVMMVGWSDSYTCEYPLNLRGTRLKDV
HLHELSCNTALLIVTIVVIMLVGLAVAFCCCLHFDLPWYLRMLGQCTQTWHRVRKTTQEQLKR
NVRFHAFISYSEHDSLWVKNELIPNLEKEDGSILICLYESYFDPGKSISENIVSFIEKSYKSI
FVLSPNFVQNEWCHYEFYFAHNNLFHENSdHIILILLEPIPFYCIPTRYHKLKALLEKKAYLE
WPKDRRCGLFWANLRAAINVNVLATREMYELQTfTELNEESRGSTISLMRTDCL

419/615

FIGURE 415

CGGACGCGTGGGCGGACGCGTGGGCCTGGGCAAGGGCCGGGGCGCCGGGCGGAGCCACCTCTTCCCCTCCCCCGC
TTCCCCTGTCGCGCTCCGCTGGCTGGACGCGCTGGAGGAGTGGAGCAGCACCCGGCCGGCCCTGGGGGCTGACAGT
CGGCAAAGTTTGGCCCGAAGAGGAAGTGGTCTCAAACCCCGGCAGGTGGCGACCAGGCCAGACCAGGGGCGCTCG
CTGCCTGCGGGCGGGCTGTAGGCGAGGGCGCGCCCCAGTGCCGAGACCCGGGGCTTCAGGAGCCGGCCCCGGGAG
AGAAGAGTGGCGGGCGGACGGAGAAAACAACTCAAAGTTGGCGAAAGGCACCGCCCCCTACTCCCGGGCTGCCG
CCGCCTCCCCGCCCCAGCCCTGGCATCCAGAGTACGGGTGAGCCCGGGCCATGGAGCCCCCTGGGGAGGCGG
CACCAGGGAGCCTGGGCGCCCGGGCTCCGCGCGACCCCATCGGGTAGACCACAGAAGCTCCGGGACCCCTTCG
GCACCTCTGGACAGCCCAGGATGCTGTTGGCCACCCTCCTCCTCCTCCTTGGAGGCGCTCTGGCCCATCCAG
ACCGGATTATTTTTCCAAATCATGCTTGTGAGGACCCCCAGCAGTGCTCTTAGAAGTGCAGGGCACCCTTACAGA
GGCCCCCTGGTCCGGGACAGCCGCACCTCCCCTGCCAACTGCACCTGGCTCATCTGGGCAGCAAGGAACAGACTG
TCACCATCAGGTTCCAGAAGCTACACCTGGCCTGTGGCTCAGAGCGCTTAACCTACGCTCCCCTCTCCAGCCAC
TGATCTCCCTGTGTGAGGCACCTCCAGCCCTCTGCAGCTGCCCGGGGGCAACGTACCATCACTTACAGCTATG
CTGGGGCCAGAGCACCCATGGGCCAGGGCTTCCTGCTCTCCTACAGCCAAGATTGGCTGATGTGCCTGCAGGAAG
AGTTTCAGTGCCTGAACCACCGCTGTGTATCTGCTGTCCAGCGCTGTGATGGGGTTGATGCCTGTGGCGATGGCT
CTGATGAAGCAGGTTGCAGCTCAGACCCCTTCCCTGGCCTGACCCCAAGACCCGTCCCCTCCCTGCCCTTGAATG
TCACCTTGGAGGACTTCTATGGGGTCTTCTCCTCCTCCTGGATATACACACCTAGCCTCAGTCTCCACCCCCAGT
CCTGCCATTGGCTGCTGGACCCCCATGATGGCCGGCGGCTGGCCGTGCGCTTCACAGCCCTGGACTTGGGCTTTG
GAGATGCAGTGCACTGTGTATGACGGCCCTGGGCCCCCTGAGAGCTCCCGACTACTGCGTAGTCTACCCACTTCA
GCAATGGCAAGGCTGTCACTGTGGAGACACTGTCTGGCCAGGCTGTTGTGTCTTACCACACAGTTGCTTGGAGCA
ATGGTCGTGGCTTCAATGCCACCTACCATGTGCGGGGCTATTGCTTGCCTTGGGACAGACCCCTGTGGCTTAGGCT
CTGGCCTGGGAGCTGGCGAAGGCCTAGGTGAGCGCTGCTACAGTGAGGCACAGCGCTGTGACGGCTCATGGGACT
GTGCTGACGGCACAGATGAGGAGGACTGCCAGGCTGCCACCTGGACACTTCCCCTGGGACTTGGGCTTGGGCTTTG
CTGGTGCCACAGCCTGCTACCTGCCTGCTGACCGCTGCAACTACCAGACTTTCTGTGCTGATGGAGCAGATGAGA
GACGCTGTGCGCATTGCCAGCCTGGCAATTTCCGATGCCGGGACGAGAAGTGCCTGTATGAGACGTGGGTGTGCG
ATGGGCAGCCAGACTGTGCGGACGGCAGTGATGAGTGGGACTGCTCCTATGTTCTGCCCCGCAAGGTCAATACAG
CTGCAGTCATTGGCAGCCTAGTGTGCGGCCCTGCTCCTGGTCATCGCCCTGGGCTGCACCTGCAAGCTCTATGCCA
TTCGCACCCAGGAGTACAGCATCTTTGCCCCCTCTCCCGGATGGAGGCTGAGATTGTGCAGCAGCAGGCACCCC
CTTCTACGGGCAGCTCATTTGCCAGGGTGCCATCCCACCTGTAGAAGACTTTCTACAGAGAATCCTAATGATA
ACTCAGTGTGGGCAACCTGCGTTCTCTGCTACAGATCTTACGCCAGGATATGACTCCAGGAGGTGGCCAGGTG
CCCCCGCTCGTCAGCGGGGCCGCTTGATGCGACGCTGGTACGCCGTCTCCGCCGTGGGGCTTGCTCCCTCGAA
CCAACACCCCGGCTCGGGCCTCTGAGGCCAGATCCCAGTGCACACCTTCTGCTGCTCCCCTTGGGGCCCTAGATG
GTGGCACAGGTCCAGCCCGTGGGGCGGGGCGAGTGGGTGGGCAAGATGGGGAGCAGGCACCCCACTGCCCATCA
AGGCTCCCCTCCCCTCTGCTAGCACGTCTCCAGCCCCACTACTGTCCCTGAAGCCCCAGGGCCACTGCCCTCAC
TGCCCTAGAGCCATCACTATTGTCTGGAGTGGTGCAGGCCCTGCGAGGCCGCTGTTGCCAGCCTGGGGCCCC
CAGGACCAACCCGGAGCCCCCTGGACCCACACAGCAGTCTGGCCCTGGAAGATGAGGACGATGTGCTACTGG
TGCCACTGGCTGAGCCGGGGGTGTGGGTAGCTGAGGCAGAGGATGAGCCACTGCTTACCTGAGGGGACCTGGGG
CTTACTGAGGCCTCTCCCCTGGGGGCTCTACTCATAGTGGCACAACCTTTTAGAGGTGGGTGAGCCTCCCCTCC
ACCACTTCTTCCCCTGTCCCTGGATTTCAGGGACTTGGTGGGCCTCCCGTTGACCCTATGTAGCTGCTATAAAGT
TAAGTGTCCCTCAGGCAGGGAGAGGGCTCACAGAGTCTCCTCTGTACGTGGCCATGGCCAGACCCCCAGTCCCT
TCACCACCACTGCTCCCCACGCCACCACCTTTGGGTGGCTGTTTTTAAAAAGTAAAGTTCTTAGAGGATCATA
GGTCTGGACACTCCATCCTTGCCAAACCTCTACCCAAAAGTGGCCTTAAGCACCGGAATGCCAATTAACCTAGAGA
CCCTCCAGCCCCCAAGGGGAGGATTTGGGCAGAACCTGAGGTTTTGCCATCCCAATCCCTCCTACAGGCCTGG
CTCACA AAAAGAGTGCAACAAATGCTTCTATTCCATAGCTACGGCATTGCTCAGTAAGTTGAGGTCAAAAATAAA
GGAATCATACATCTC

420/615

FIGURE 416

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA49631
<subunit 1 of 1, 713 aa, 1 stop
<MW: 76193, pI: 5.42, NX(S/T): 4
MLLATLLLLLLGGALAHDPRIIFPNHACEDPPAVLLEVQGT LQRPLVRDSRTSPANCTWLILG
SKEQTVTIRFQKLHLACGSERLTLRSPLQLISLCEAPPSPLQLPGGNVTITYSYAGARAPMG
QGFLLSYSQDWLMCLQEEFQCLNHRCVSAVQRCGDGVDACGDGSDEAGCSSDFFPGLTPRPVPS
LPCNVTLEDFYGVFSSPGYTHLASVSHPSCHWLLDPHDGRR LAVRFTALDLGFGDAVHVYDG
PGPPESSRLRLSLTHFSNGKAVTVETLSGQAVVSYHTVAWSNGRGFNATYHVRGYCLPWDRPC
GLGSGLGAGEGLGERCYSEAQRCDGSWDCADGTDEEDCPGCPPGHFPCGAAGTSGATACYLPA
DRCNYQTFCADGADERRCRHCQPGNFRRCRDEKCVYETWVCDGQPD CADGSDEWDCSYVLPRKV
ITAAVIGSLVCGLLLVIALGCTCKLYAIRTQEYSIFAPLSRMEAEIVQQQAPPSYGQLIAQGA
IPPVEDFPTENPNDNSVLGNLRSLLQILRQDMTPGGGPGARRRQ RGLMRRLVRRLLRWGLLP
RTNTPARASEARSQVTPSAAPLEALDGGTGPAREGGAVGGQDGEQAPPLPIKAPLPSASTSPA
PTTVPEAPGPLPSLPLEPSLLSGVVQALRGRLLPSLGPPGPTRSP PGPHTAVLALEDEDDVLL
VPLAEPGVVVAEAEDEPLLT
```

Important features:**Signal peptide:**

amino acids 1-16

Transmembrane domain:

amino acids 442-462

LDL-receptor class A (LDLRA) domain proteins

amino acids 411-431, 152-171, 331-350 and 374-393

421/615

FIGURE 417

GTCTGTTCTTTGCTCTCTCGCGCCAGTCCTCCTCCTGGTTCTCTCAGCCGCTGTCTGGAGGAGAGCACCCGGA
GACGCGGGCTGCAGTCGCGGCGGCTTCTCCCGCCTGGGCGGCCTGCGCGCTGGGCAGGTGCTGAGCGCCCTAG
AGCCTCCCTTGCCGCTCCTCCTCTGCCCCGCGCAGCAGTGCACATGGGGTGTGGAGGTAGATGGGCTCCCG
GCCCCGGAGGCGCGGTGGATGCGGCGCTGGGCAGAACGAGCCGCGGATTCCAGCTGCCCCGCGCGCCCCGGGCG
CCCCTGCGAGTCCCCGGTTCAAGCCATGGGGACCTCTCCGAGCAGCAGCACCGCCCTCGCCTCCTGAGCCGCATC
GCCCCCGAGCCACAGCCACGATGATCGCGGGCTCCCTTCTCCTGCTTGGATTCTTAGCACCACCACAGCTCAG
CCAGAACAGAAGGCCCTCGAATCTCATTGGCACATACCGCCATGTTGACCGTGCCACCGGCCAGGTGCTAACCTGT
GACAAGTGTCCAGCAGGAACCTATGTCTCTGAGCATTGTACCAACACAAGCCTGCGCGTCTGCAGCAGTTGCCCT
GTGGGGACCTTTACCAGGCATGAGAATGGCATAGAGAAATGCCATGACTGTAGTCAGCCATGCCATGGCCAATG
ATTGAGAAATTACCTTGTGCTGCCTTGACTGACCGAGAATGCATTGCCACCTGGCATGTTCCAGTCTAACGCT
ACCTGTGCCCCCATACGGTGTGTCTGTGGGTGGGGTGTGCGGAAGAAAGGACAGAGACTGAGGATGTGCGG
TGTAAGCAGTGTGCTCGGGGTACCTTCTCAGATGTGCTTCTAGTGTGATGAAATGCAAAGCATACACAGACTGT
CTGAGTCAGAACCTGGTGGTGATCAAGCCGGGGACCAAGGAGACAGACAACGTCTGTGGCACACTCCCGTCTTC
TCCAGCTCCACCTCACCTTCCCCTGGCACAGCCATCTTCCACGCCCTGAGCACATGGAAACCATGAAGTCCCT
TCCTCCACTTATGTTCCCAAAGGCATGAACCAACAGAATCCAACCTCTTCTGCTCTGTTAGACCAAGGTAAGT
AGTAGCATCCAGGAAGGGACAGTCCCTGACAACACAAGCTCAGCAAGGGGGAAGGAAGACGTGAACAAGACCCTC
CCAAACCTTCAGGTAGTCAACCACCAGCAAGGCCCCACCACAGACACATCCTGAAGCTGCTGCCGTCCATGGAG
GCCACTGGGGGCGAGAAGTCCAGCAGCGCCATCAAGGGCCCCAAGAGGGGACATCCTAGACAGAACCTACACAAG
CATTTTGACATCAATGAGCATTGCCCCTGGATGATTGTGCTTTTCTGCTGCTGGTGTGTTGTGGTATTGTGGTG
TGCAATATCCGGAAGCTCGAGGACTCTGAAAAAGGGGCCCCGCGCAGGATCCAGTGCCATTGTGGAAGGCA
GGGCTGAAGAAATCCATGACTCCAACCCAGAACCGGGAGAAATGGATCTACTACTGCAATGGCCATGGTATCGAT
ATCCTGAAGCTTGTAGCAGCCCAAGTGGGAAGCCAGTGGAAAGATATCTATCAGTTTCTTTGCAATGCCAGTGAG
AGGGAGGTTGCTGCTTTCTCCAATGGGTACACAGCCGACCACGAGCGGGCCTACGCAGCTCTGCAGCATGGACC
ATCCGGGGCCCCGAGGCCAGCCTCGCCAGCTAATTAGCGCCCTGCGCCAGCACCGGAGAAACGATGTTGTGGAG
AAGATTGCTGGGCTGATGGAAGACACCACCCAGCTGGAACTGACAACTAGCTCTCCCGATGAGCCCCAGCCCG
CTAGCCCCGAGCCCCATCCCCAGCCCCAACGCGAACTTGAGAATTCGCTCTCCTGACGGTGGAGCCTTCCCCA
CAGGACAAGAACAAGGCTTCTTCGTGGATGAGTCGGAGCCCCCTTCTCGCTGTGACTCTACATCCAGCGGCTCC
TCGCGCTGAGCAGGAACGGTTCCTTTATTACCAAGAAAGAAAGACACAGTGTGCGGCAGGTACGCCCTGGAC
CCCTGTGACTTGCAGCCTATCTTTGATGACATGCTCCACTTTCTAAATCCTGAGGAGCTGCGGGTGATTGAAGAG
ATTCCCCAGGCTGAGGACAACTAGACCGGCTATTGCAATTTATTGGAGTCAAGAGCCAGGAAGCCAGCCAGACC
CTCCTGGACTCTGTTTATAGCCATCTTCTGACCTGCTGTAGAACATAGGGATACTGCATTCTGGAATTAATCA
ATTTAGTGGCAGGGTGGTTTTTAAATTTCTTCTGTTTCTGATTTTGTGTTTGGGGTGTGTGTGTGTGTTGT
GT
TCTCTCTCTTTTTTTTTTAAATAACTCTTCTGGGAAGTTGGTTTTATAAGCCTTTGCCAGGTGTAAGTGTGTGAA
ATACCCACCACTAAAGTTTTTAAAGTTCCATATTTTCTCCATTTTGCCTTCTTATGTATTTTCAAGATTATTCTG
TGCACTTTAAATTTACTTAACCTTACCATAAATGCAGTGTGACTTTTCCACACACTGGATTGTGAGGCTCTTAAC
TTCTTAAAGTATAATGGCATCTTGTGAATCCTATAAGCAGTCTTTATGTCTCTTAACATTACACCTACTTTTT
AAAAACAAATATTATTACTATTTTTATTATTGTTTGTCTTTATAAATTTCTTAAAGATTAAAGAAATTTAAGA
CCCCATTGAGTTACTGTAATGCAATTCACTTTGAGTTATCTTTTAAATATGTCTTGTATAGTTTCAATTCATGG
CTGAAACTTGACCACACTATTGCTGATTGTATGGTTTTTACCTGGACACCGTGTAGAATGCTTGATTACTTGTAC
TCTTCTTATGCTAATATGCTCTGGGCTGGAGAAATGAAATCCTCAAGCCATCAGGATTTGCTATTTAAGTGGCTT
GACAACCTGGGCCACCAAGAACTTGAACCTTACCTTTTAGGATTTGAGCTGTTCTGGAACACATTGCTGCACTTT
GGAAAGTCAAAATCAAGTGCCAGTGGCGCCCTTTCCATAGAGAATTTGCCAGCTTTGCTTTAAAGATGTCTTG
TTTTTATATACATAATCAATAGGTCCAATCTGCTCTCAAGGCCCTGGTCTGGTGGGATTCTTCAACCAATT
ACTTTAATTAATAATGGCTGCAACTGTAAGAACCCTTGTCTGATATATTGCAACTATGCTCCCATTTACAAATG
TACCTTCTAATGCTCAGTTGCCAGGTTCCAATGCAAAGGTGGCGTGGACTCCCTTTGTGTGGGTGGGGTTGTGG
GTAGTGGTGAAGGACCGATATCAGAAAAATGCCTTCAAGTGTACTAATTTATTAATAAACATTAGGTGTTGTTA
AAAAA

422/615

FIGURE 418

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA52594
><subunit 1 of 1, 655 aa, 1 stop
><MW: 71845, pI: 8.22, NX(S/T): 8
MGTSPSSSTALASCSRIARRATATMIAGSLLLLGFLSTTTAQPEQKASNLIQTYRHVDRATGQ
VLTCDKCPAGTYVSEHCTNTSLRVCSSCPVGTFTTRHENGIEKCHDCSQPCPWPMIEKLPCAAL
TDRECTCPPGMFQSNATCAPHTVCPVGWGVRRKKGTTEDVRCCKQCARGTFSDVPSSVMKCKAY
TDCLSQNLVVIKPGTKETDNVCGTLPSSFSSSTSPSPGTAFPRPEHMETHEVPSSTYVPKGMN
STESNSSASVRPKVLSSIQEGTVPDNTSSARGKEDVNKTLPNLQVNVHQQGPVHHRHILKLLPS
MEATGGEKSSTPIKGPKRGHPRQNLHKHFDINEHLPWMIVLFLLLVLVVIIVVCSIRKSSRTLK
KGPRQDPSAIVEKAGLKKSMTPTQNREKWIYYCNGHGIDILKLVAQVGSQWKDIYQFLCNAS
EREVAAFSNGYTADHERAYAALQHWITIRGPEASLAQLISALRQHRNDVVEKIRGLMEDTTQL
ETDKLALPMSPLSPSPISPNAKLENSALLTVEPSPQDKNKGFFVDESEPLLRC DSTSSGS
SALSRNGSFITKEKKD TVLRQVRLDPCDLQPIFDDMLHFLNPEELRVIEEIPQAEDKLDRLF
IIGVKSQEASQTLLDSVYSHLPDLL
```

Signal sequence:

amino acids 1-41

Transmembrane domain:

amino acids 350-370

423/615

FIGURE 419

ATGGCTGGTGACGGCGGGGCCGGGCAGGGGACCGGGGCCGGGCCCGGGAGCGGGCCAGCTGCCGGGAGCCCTGA
ATCACCGCCTGGCCCCGACTCCACCATGAACGTCGCGCTGCAGGAGCTGGGAGCTGGCAGCAACGTGGGATTCCAG
AAGGGGACAAGACAGCTGTTAGGCTCACGCACGCAGCTGGAGCTGGTCTTAGCAGGTGCCTCTCTACTGCTGGCT
GCACTGCTTCTGGGCTGCCTTGTGGCCCTAGGGGTCCAGTACCACAGAGACCCATCCCACAGCACCTGCCTTACA
GAGGCCTGCATTGAGTGGCTGGAAAAATCCTGGAGTCCCTGGACCGAGGGGTGAGCCCCTGTGAGGACTTTTAC
CAGTTCTCCTGTGGGGGCTGGATTTCGGAGGAACCCCTGCCCGATGGGCGTTCTCGCTGGAACACCTTCAACAGC
CTCTGGGACCAAAACCAGGCCATACTGAAGCACCTGCTTGAAAACACCACCTTCAACTCCAGCAGTGAAGCTGAG
CAGAAGACACAGCGCTTCTACCTATCTTGCCTACAGTGGAGCGCATTGAGGAGCTGGGAGCCCAGCCACTGAGA
GACCTCATTGAGAAGATTGGTGGTTGGAACATTACGGGGCCCTGGGACCAGGACAACCTTTATGGAGGTGTTGAAG
GCAGTAGCAGGGACCTACAGGGCCACCCCATTTCTTACCCTCTACATCAGTGCCGACTCTAAGAGTTCCAACAGC
AATGTTATCCAGGTGGACCACTGCTGGGCTCTTCTGCCCTCTCGGGATTACTACTTAAACAGAAGTGCCAATGAG
AAAGTGCTCACTGCCTATCTGGATTACATGGAGGAACCTGGGGATGCTGCTGGGTGGGCGGCCACCTCCACGAGG
GAGCAGATGCAGCAGGTGCTGGAGTTGGAGATACAGCTGGCCAACATCACAGTGCCCCAGGACCAGCGGCGCGAC
GAGGAGAAGATCTACCACAAGATGAGCATTTCGGAGCTGCAGGCTCTGGCGCCCTCCATGGACTGGCTTGAGTTC
CTGTCTTTCTTGCTGTACCATTGGAGTTGAGTGACTCTGAGCCTGTGGTGGTGTATGGGATGGATTATTTGCAG
CAGGTGTGAGAGCTCATCAACCGCACGGAAACCAAGCATCCTGAACAATTACCTGATCTGGAACCTGGTGCAAAAG
ACAACCTCAAGCCTGGACCGACGCTTTGAGTCTGCACAAGAGAAGCTGCTGGAGACCCTCTATGGCACTAAGAAG
TCCTGTGTGCCGAGGTGGCAGACCTGCATCTCCAACACGATGACGCCCTTGGCTTTGCTTTGGGGTCACTCTTC
GTGAAGGCCACGTTTGACCGGCAAAGCAAAGAAATTGCAGAGGGGATGATCAGCGAAATCCGGACCGCATTGAG
GAGGCCCTGGGACAGCTGGTTTGGATGGATGAGAAGACCGCCAGGCAGCCAAGGAGAAAGCAGATGCCATCTAT
GATATGATTGGTTTCCCAGACTTTATCCTGGAGCCCAAAGAGCTGGATGATGTTTATGACGGGTACGAAATTTCT
GAAGATTCTTTCTTCCAAAACATGTTGAATTTGTACAACTTCTCTGCCAAGGTTATGGCTGACCAGCTCCGCAAG
CCTCCCAGCCGAGACCAGTGGAGCATGACCCCCAGACAGTGAATGCCTACTACCTTCCAACCTAAGAATGAGATC
GTCTTCCCCGCTGGCATCCTGCAGGCCCCCTTCTATGCCCGCAACCACCCCAAGGCCCTGAACCTCGGTGGCATC
GGTGTGGTTCATGGGCCATGAGTTGACGCATGCCTTTGATGACCAAGGGCGCGAGTATGACAAAGAAGGGAACCTG
CGGCCCTGGTGGCAGATGAGTCCCTGGCAGCCTTCCGGAACCAACACGGCCTGCATGGAGGAACAGTACAATCAA
TACCAGGTCAATGGGGAGAGGCTCAACGGCCGCCAGACGCTGGGGGAGAACATTACTGACAACGGGGGGCTGAAG
GCTGCCTACAATGCTTACAAAGCATGGCTGAGAAAGCATGGGGAGGAGCAGCAACTGCCAGCCGTGGGGCTCACC
AACCACAGCTCTTCTTCGTGGGATTTGCCAGGTGTGGTGTCTCGGTCCGCACACCAGAGAGCTCTCACGAGGGG
CTGGTGACCGACCCCCACAGCCCTGCCCGCTTCCGCGTGTGGGCACTCTCTCCAACCTCCCGTGACTTCTGCGG
CACTTCGGCTGCCCTGTGCGCTCCCCCATGAACCCAGGGCAGCTGTGTGAGGTGTGGTTAGACCTGGATCAGGGGA
GAAATGGCCAGCTGTACACAGACCTGGGGCAGCTCTCCTGACAAAGCTGTTTGCTCTTGGGTTGGGAGGAAGCAA
ATGCAAGCTGGGCTGGGTCTAGTCCCTCCCCCCACAGGTGACATGAGTACAGACCCTCCTCAATCACCACATTG
TGCTCTGCTTTGGGGGTGCCCTGCCTCCAGCAGAGCCCCCACCATTCACTGTGACATCTTCCGTGTACCCT
GCCTGGAAGAGGTCTGGGTGGGGAGGCCAGTTCCCATAGGAAGGAGTCTGCC

424/615.

FIGURE 420

MNVALQELGAGSNVGFQKGTRQLLGSRTQLELVLAGASLLLAALLLGCLVALGVQYHRDPSHS
TCLTEACIRVAGKILES LDRGVSPCEDFYQFSCGGWIRRNPLPDGRSRWNTFNSLWDQNQAIL
KHLENTTFNSSEAEQKTQRFYLSCLQVERIEELGAQPLRDLIEKIGGWNITGPWDQDNFME
VLKAVAGTYRATPFFTVYISADSKSSNSNVIQVDQSGFLPSRDYYLNRTANEKVLTA YLDYM
EELGMLLGGRPTSTREQMQQVLELEIQLANITVPQDQRRDEEKIYHKMSISELQALAPSMDWL
EFLSFLLSPLELSDSEPVVVYGMDYLQQVSELINRTEPSILNNYLIWNLVQKTTSSLD RRFES
AQEKLLETLYGTTKSCVPRWQTCISNTDDALGFALGSLFVKATFDRQSKEIAEGMISEIRTAF
EEALGQLVWMDEKTRQAAKEKADAIYDMIGFPDFILEPKELDDVYDGYEISEDSFFQNMLNLY
NFSKVMADQLRKPPSRDQWSMTPQTVNAYYLPKNEIVFPAGILQAPFYARNHPKALNFGGI
GVVMGHELTHAFDDQGREYDKEGNLRPWWQNESLA AFRNHTACMEEQYNQYQVNGERLNGRQT
LGENITDNGGLKAAYNAYKAWLRKHGEEQQLPVGLTNHQLFFVGFAQVWC SVRTPESSHEGL
VTDPHSPARFRVLGTLSNSRDFLRHFGCPVGSPMNP GQLCEVW

Type II Transmembrane domain:

amino acids 32-57

425/615

FIGURE 421

GGCGCCGCGTAGGCCCGGGAGGCCGGGCCGGGCTGCGAGCGCCTGCCCCATGCGCCGCC
GCCTCTCCGCACGATGTTCCCCTCGCGGAGGAAAGCGGCGCAGCTGCCCTGGGAGGACGGCAG
GTCCGGGTTGCTCTCCGGCGGCCTCCCTCGGAAGTGTTCCGTCTTCCACCTGTTCTGGCCTG
CCTCTCGCTGGGCTTCTTCTCCCTACTCTGGCTGCAGCTCAGCTGCTCTGGGGACGTGGCCCCG
GGCAGTCAGGGGACAAGGGCAGGAGACCTCGGGCCCTCCCCGTGCCTGCCCCCAGAGCCGCC
CCCTGAGCACTGGGAAGAAGACGCATCCTGGGGCCCCACCGCCTGGCAGTGCTGGTGCCCTT
CCGCGAACGCTTCGAGGAGCTCCTGGTCTTCTGTGCCCCACATGCGCCGCTTCTTGAGCAGGAA
GAAGATCCGGCACCACATCTACGTGCTCAACCAGGTGGACCACTTCAGGTTCAACCGGGCAGC
GCTCATCAACGTGGGCTTCTTGAGAGCAGCAACAGCACGGACTACATTGCCATGCACGACGT
TGACCTGCTCCCTCTCAACGAGGAGCTGGACTATGGCTTTCTGAGGCTGGGCCCTTCCACGT
GGCCTCCCCGGAGCTCCACCCTCTCTACCACTACAAGACCTATGTCGGCGGCATCCTGCTGCT
CTCCAAGCAGCACTACCGGCTGTGCAATGGGATGTCCAACCGCTTCTGGGGCTGGGGCCGCGA
GGACGACGAGTTCTACCGGCGCATTAAAGGGAGCTGGGCTCCAGCTTTTCCGCCCTCGGGAAT
CACAACCTGGGTACAAGACATTTGCCCACCTGCATGACCCAGCCTGGCGGAAGAGGGACCAGAA
GCGCATCGCAGCTCAAAAACAGGAGCAGTTCAAGGTGGACAGGGAGGGAGGCCTGAACACTGT
GAAGTACCATGTGGCTTCCCGCACTGCCCTGTCTGTGGGCGGGGCCCTGCACTGTCCTCAA
CATCATGTTGGACTGTGACAAGACCGCCACACCCTGGTGCACATTCAGCTTGAGCTGGATGGAC
AGTGAGGAAGCCTGTACCTACAGGCCATATTGCTCAGGCTCAGGACAAGGCCTCAGGTCGTGG
GCCCAGCTCTGACAGGATGTGGAGTGGCCAGGACCAAGACAGCAAGCTACGCAATTGCAGCCA
CCCGGCCGCAAGGCAGGCTTGGGCTGGGCCAGGACACGTGGGGTGCCTGGGACGCTGCTTGC
CATGCACAGTGATCAGAGAGAGGCTGGGGTGTGTCCTGTCCGGGACCCCCCTGCCTTCCTGC
TCACCCTACTCTGACCTCCTTACGTGCCCAGGCCTGTGGGTAGTGGGGAGGGCTGAACAGGA
CAACCTCTCATCACCCTACTCTGACCTCCTTACGTGCCCAGGCCTGTGGGTAGTGGGGAGGG
CTGAACAGGACAACCTCTCATCACCCCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAA

426/615

FIGURE 422

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56531
><subunit 1 of 1, 327 aa, 1 stop
><MW: 37406, pI: 9.30, NX(S/T): 1
MFPSRRKAAQLPWEDGRSGLLSGGLPRKCSVFHLFVACL SLGFFSLLWLQLSCSGDVARAVRG
QGQETSGPPRACPPPEPPPEHWEEDASWGPHRLAVLVPFRERFEELLVFVPHMRRFLSRKKIRH
HIYVLNQVDHFRFNRAALINVGFLSSNSTDYIAMHDVDLLPLNEELDYGFP EAGPFHVASPE
LHPLYHYKTYVGGILLLSKQHYRLCNGMSNRFWGWGREDD E FYRRIKGAGLQLFRPSGITTGY
KTFRHLHDP AWRKRDQKRIAAQKQEQFKVDREGGLNTVKYHVASRTALSVGGAPCTVLNIMLD
CDKTATPWCTFS
```

Signal peptide:

amino acids 1-42

Transmembrane domain:

amino acids 29-49 (type II)

N-glycosylation site.

amino acids 154-158

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 27-31

Tyrosine kinase phosphorylation site.

amino acids 226-233

N-myristoylation site.

amino acids 19-25, 65-71, 247-253, 285-291, 303-309, 304-310

427/615

FIGURE 423

CCATCCCTGAGATCTTTTTATAAAAAACCCAGTCTTTGCTGACCAGACAAAGCATAACCAGATC
TCACCAGAGAGTCGCAGACACT**ATG**CTGCCTCCCATGGCCCTGCCAGTGTGTCTGGATGCT
GCTTTCCTGCCTCATTCTCCTGTGTCAGGTTCAAGGTGAAGAAACCCAGAAGGAACTGCCCTC
TCCACGGATCAGCTGTCCCAAAGGCTCCAAGGCCTATGGCTCCCCCTGCTATGCCTTGTTTTT
GTCACCAAAAATCCTGGATGGATGCAGATCTGGCTTGCCAGAAGCGGCCCTCTGGAAAAGTGGT
GTCTGTGCTCAGTGGGGCTGAGGGATCCTTCGTGTCCTCCCTGGTGAGGAGCATTAGTAACAG
CTACTCATACATCTGGATTGGGCTCCATGACCCACACAGGGCTCTGAGCCTGATGGAGATGG
ATGGGAGTGGAGTAGCACTGATGTGATGAATTACTTTGCATGGGAGAAAAATCCCTCCACCAT
CTTAAACCCTGGCCACTGTGGGAGCCTGTCAAGAAGCACAGGATTTCTGAAGTGGAAAGATTA
TAACTGTGATGCAAAGTTACCCTATGTCTGCAAGTTCAAGGACT**TAG**GGCAGGTGGGAAGTCAG
CAGCCTCAGCTTGGCGTGCAGCTCATCATGGACATGAGACCAGTGTGAAGACTCACCCTGGAA
GAGAATATTCTCCCCAACTGCCCTACCTGACTACCTTGTCATGATCCTCCTTCTTTTTCTT
TTTCTTCACCTTCATTTTCAAGGCTTTTCTCTGTCTTCCATGTCTTGAGATCTCAGAGAATAATA
ATAAAAATGTTACTTTATAAAAAAAAAAAAAAAAAAAAAA

428/615

FIGURE 424

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA56965
<subunit 1 of 1, 175 aa, 1 stop
<MW: 19330, pI: 7.25, NX(S/T): 1
MLPPMALPSVSWMLLSCLILLCQVQGEETQKELPSPRISCPKGSKAYGSPCYALFLSPKSWMD
ADLACQKRPSGKLVSVLSGAEGSFVSSLVRSISNSYSYIWIGLHDPTQGSEPDGDGWEWSSTD
VMNYFAWEKNPSTILNPGHCGSLSRSTGFLKWKDYNCDAKLPYVCKEKD

Important features:**Signal peptide:**

amino acids 1-26

C-type lectin domain signature.

amino acids 146-171

429/615

FIGURE 425

CGGACGCGTGGGCGCCACCTCCGGAACAAGCCATGGTGGCGGCGACGGTGGCAGCGGGCGTGG
CTGCTCCTGTGGGCTGCGGCCTGCGCGCAGCAGGAGCAGGACTTCTACGACTTCAAGGCGGTC
AACATCCGGGGCAAACCTGGTGTGCTGGAGAAGTACCGGGATCGGTGTCCCTGGTGGTGAAT
GTGGCCAGCGAGTGCGGCTTCACAGACCAGCACTACCGAGCCCTGCAGCAGCTGCAGCGAGAC
CTGGGCCCCCACCACCTTTAACGTGCTCGCCTTCCCCTGCAACCAGTTTGGCCAACAGGAGCCT
GACAGCAACAAGGAGATTGAGAGCTTTGCCCCGCCGCACCTACAGTGTCTCATTTCCCCTATGTTT
AGCAAGATTGCAGTCACCGGTACTGGTGCCCATCCTGCCTTCAAGTACCTGGCCCAGACTTCT
GGGAAGGAGCCACCTGGAACCTTCTGGAAGTACCTAGTAGCCCCAGATGGAAAGGTGGTAGGG
GCTTGGGACCCAACTGTGTCAAGTGGAGGAGGTCAGACCCCAGATCACAGCGCTCGTGAGGAAG
CTCATCCTACTGAAGCGAGAAGACTTATTAAACCACCGCGTCTCCTCCTCCACCACCTCATCCCG
CCCACCTGTGTGGGGCTGACCAATGCAAACCTCAAATGGTGCTTCAAAGGGAGAGACCCACTGA
CTCTCCTTCCTTTACTCTTATGCCATTGGTCCCATCATTCTTGTGGGGGAAAAATTCTAGTAT
TTTGATTATTTGAATCTTACAGCAACAAATAGGAACTCCTGGCCAATGAGAGCTCTTGACCAG
TGAATCACCAGCCGATACGAACGTCTTGCCAACAAAAATGTGTGGCAAATAGAAGTATATCAA
GCAATAATCTCCCACCCAAGGCTTCTGTAAACTGGGACCAATGATTACCTCATAGGGCTGTTG
TGAGGATTAGGATGAAATACCTGTGAAAGTGCCTAGGCAGTGCCAGCCAAATAGGAGGCATTC
AATGAACATTTTTTGCATATAAACCAAAAAATAACTTGTTATCAATAAAAACTTGCATCCAAC
ATGAATTTCCAGCCGATGATAATCCAGGCCAAAGGTTTAGTTGTTGTTATTTCTCTGTATTA
TTTTCTTCATTACAAAAGAAATGCAAGTTCATTGTAACAATCCAAACAATACCTCACGATATA
AAATAAAAATGAAAGTATCCTCCTCAAAAA

430/615

FIGURE 426

MVAATVAAAWLLLWAAACAQQEQDFYDFKAVNIRGKLVSLVKYRGSVSLVVNVASECGFTDQH
YRALQQLQORDLGPHHFNVLAFCNQFGQQEPDSNKEIESFARRTYSVSFPMFSKIAVTGTGAH
PAFKYLAQTSKPTWTFWKYLVAPDGKVVGAWDPTVSVEEVRPQITALVRKLILLKREDL

431/615

FIGURE 427

CAGTTCTGAAATCAATGGAGTTAATTTAGGGAATACAAACCAGCCATGGGGGGTGGAGATTGCC
TTTGCCTCAGTGATTCTCACCTGCCTCTCCCTTCTGGCAGCAGGAGTCTCCCAGGTTGTTCTT
CTCCAGCCAGTTCCAACCTCAGGAGACAGGTCCCAAGGCCATGGGAGATCTCTCCTGTGGCTTT
GCCGGCCACTCATGAGAGTGTTTTTGTGTAAAGTATTTTTTAGAATACTGTTGACTTCTTCAT
GATTTAATAACCATCCTTTGCGAAGTTTTATGAGGCTTTAGGGGAATGTCAACCCTCAAATTT
TTGTTATACTAGATGGCTTCCATTTACCCACCACTATTTTAAGGTCCCTTTATTTTTAGGTTT
AAGGTTCAATTTGACTTGAGAAAGTGCCCTTCTGCAGCTTCATTGATTTTGTTTATCTTCACTA
TTAATTGTAACGATTAAAAAAGAATAAGAGCACGCAGACCTCTAGGAGAATATTTTATCCCTG
GGTGGCCCTGACACATTTATGTAGTGATCCCACAAATGTGATTGTTAATTTAAATGTTATTCT
AATATTAGTACATTCAGTTGTGATGTAATATGAATAACCAGAATCTATTTCTTAAAGTTTTG
AGTATATTTTTCAACTAGATATTTGTATAGAAAGACTGAATAGTGATG

432/615

FIGURE 428

MGVEIAFASVILTCLSLAAGVSQVLLQPVPTQETGPKAMGDLSCGFAGHS

433/615

FIGURE 429

CCAAAGTGATCATTTGAAAAAGAGATATCCACATCTTCAAGCCCATATAAAGGATAGAAGCTG
CACAGGGCAGCTTTACTTACTCCAGCACCTTCTCTCCAGGCAAATGGTGCTGACCATCTTT
GGGATACAATCTCATGGATACGAGGTTTTTAAACATCATCAGCCCAAGCAACAATGGTGGCAAT
GTTCAAGGAGACAGTGACAATTGATAATGAAAAAATACCGCCATCGTTAACATCCATGCAGGA
TCATGCTCTTCTACCACAATTTTTGACTATAAACATGGCTACATTGCATCCAGGGTGCTCTCC
CGAAGAGCCTGCTTTATCCTGAAGATGGACCATCAGAACATCCCTCCTCTGAACAATCTCCAA
TGGTACATCTATGAGAAACAGGCTCTGGACAACATGTTCTCCAACAAATACACCTGGGTCAAG
TACAACCTCTGGAGTCTCTGATCAAAGACGTGGATTGGTTCCTGCTTGGGTCAACCATTGAG
AAACTCTGCAAACATATCCCTTTGTATAAGGGGGAAGTGGTTGAAAACACACATAATGTCGGT
GCTGGAGGCTGTGCAAAGGCTGGGCTCCTGGGCATCTTGGGAATTTCAATCTGTGCAGACATT
CATGTTTAGGATGATTAGCCCTCTTGTTTTATCTTTCAAAGAAATACATCCTTGGTTTACAC
TCAAAGTCAAATTAAATTCTTTCCAATGCCCACTAATTTTGAGATTCAAGTCAGAAAATA
TAAATGCTGTATTTATA

434/615

FIGURE 430

><ss.DNA57834
><subunit 1 of 1, 176 aa, 1 stop
><MW: 19616, pI: 7.11, NX(S/T): 0
MVLTIIFGIQSHGYEVFNIIISPSNNGGNVQETVTIDNEKNTAIVNIHAGSCSSTTIFDYKH
GYIASRVLSRRACFILKMDHQNIPLNNLQWYIYEKQALDNMFSNKYTWVKYNPLESLIK
DVDWFLLGSPIEKLCKHIPLYKGEVVENTHNVGAGGCAKAGLLGILGISICADIHV

Important features:**Signal peptide:**

Amino acids 1-26

N-myristoylation sites:

Amino acids 48-54;153-159;156-162;167-173

435/615

FIGURE 431

GCGTGGGGATGTCTAGGAGCTCGAAGGTGGTGCTGGGCCTCTCGGTGCTGCTGACGGCGGCCA
CAGTGGCCGGCGTACATGTGAAGCAGCAGTGGGACCAGCAGAGGCTTCGTGACGGAGTTATCA
GAGACATTGAGAGGCAAATTCGGAAAAAGAAAACATTCGTCTTTTGGGAGAACAGATTATTT
TGACTGAGCAACTTGAAGCAGAAAGAGAGAAGATGTTATTGGCAAAGGATCTCAAAAATCAT
GACTTGAATGTGAAATATCTGTTGGACAGACAACACGAGTTTGTGTGTGTGTGTGATGGAGA
GTAGCTTAGTAGTATCTTCATCTTTTTTTTTTGGTCACCTGTCCTTTTAACTTGATCAAATAAA
GGACAGTGGGTATATAAGTTACTGCTTTCAGGGTCCCTTATATCTGAATAAAGGAGTGTGGG
CAGACACTTTTTGGAAGAGTCTGTCTGGGTGATCCTGGTAGAAGCCCCATTAGGGTCACTGTC
CAGTGCTTAGGGTTGTTACTGAGAAGCACTGCCGAGCTTGTGAGAAGGAAGGGATGGATAGTA
GCATCCACCTGAGTAGTCTGATCAGTCGGCATGATGACGAAGCCACGAGAACATCGACCTCAG
AAGGACTGGAGGAAGGTGAAGTGGAGGGAGAGACGCTCCTGATCGTCGAATCC

436/615

FIGURE 432

MSRSSKVLGLSVLLTAATVAGVHVKQQWDQQRLRDGVIRDIERQIRKKENIRLLGEQIILTE
QLEAEREKMLLAKGSQKS

437/615

FIGURE 433

GAATTCGTGTCTCGGCACTCACTCCCGGCGCCCGGACAGGGAGCTTTCGCTGGCGCGCTTGGCCGGCGACAGGA
CAGGTTCCGGGACGTCCATCTGTCCATCCGTCGGGAGAGAAATTACAGATCCGCAGCCCCGGGATGGGGCCGGCCC
CGCTGCCGCTGCTGCTGGGCCTCTTCTCCCGCGCTCTGGCGTAGAGCTATCACTGAGGCAAGGGAAGAAGCCA
AGCCTTACCCGCTATTCCCGGGACCTTTTCCAGGGAGCCTGCAAACTGACCACACACCGCTGTTATCCCTTCCTC
ACGCCAGTGGGTACCAGCCTGCCTTGATGTTTTTACCACCCAGCCTGGAAGACCACATACAGGAAACGTAGCCATT
CCCCAGGTGACCTCTGTGAATCAAAGCCCCCTACCGCCTCTTGCCTTCAAACACACAGTTGGACACATAATACTT
TCTGAACATAAAGGTGTCAAATTTAATTGCTCAATCAATGTACCTAATATATACCAGGACACCACAATTTCTTG
TGGAAAGATGGGAAGGAATTGCTTGGGGGACATCATCGAATTACACAGTTTATCCAGATGATGAAGTTACAGCA
ATAATCGCTTCTTCAGCATAACCAGTGTGCAGCGTTCAGACAATGGGTCGTATATCTGTAAGATGAAAATAAAC
AATGAAGAGATCGTGTCTGATCCCATCTACATCGAAGTACAAGGACTTCTCACTTTACTAAGCAGCCTGAGAGC
ATGAATGTCACCAGAAACACAGCCTTCAACCTCACCTGTGAGGCTGTGGGCCCGCCTGAGCCCGTCAACATTTTC
TGGGTTCAAACAGTAGCCGTGTTAACGAACAGCCTGAAAAATCCCCGGCGTGCTAACTGTTCCAGGCCTGACG
GAGATGGCGGTCTTCAGTTGTGAGGCCACAAATGACAAAGGGCTGACCGTGTCCAGGGAGTGCAGATCAACATC
AAAGCAATTCCCTCCCCACCAACTGAAGTCAGCATCCGTAACAGCACTGCACACAGCATTCGTATCTCTGGGT
CCTGGTTTTGATGGATACTCCCCGTTCCAGGAATTGCAGCATTGAGTCAAGGAAGCTGATCCGCTGGGTAATGGC
TCAGTCATGATTTTTAAACACCTCTGCCTTACCACATCTGTACCAAAATCAAGCAGCTGCAAGCCCTGGCTAATTAC
AGCATTGGTGTCTTCTGCATGAATGAAATAGGCTGGTCTGCAGTGAGCCCTTGGATTCTAGCAAGCAGCACTGAA
GGAGCCCCATCAGTAGCACCTTTAATGTCACTGTGTTTCTGAATGAATCTAGTGATAATGTGGACATCAGATGG
ATGAAGCCTCCGACTAAGCAGCAGGATGGAGAAGTGGTGGGCTACCGGATATCCACGTGTGCAGAGTGCAGGG
ATTTCCAAAGAGCTCTTGGAGGAAGTTGGCCAGAATGGCAGCCGAGCTCGGATCTCTGTTCAAGTCCACAATGCT
ACGTGCACAGTGAGGATTGCAGCCGTACCAGAGGGGGAGTTGGGCCCTTCAGTGATCCAGTGAAAATATTTATC
CCTGCACACGGTTGGGTAGATTATGCCCCCTCTTCAACTCCGGCGCCTGGCAACGCAGATCCTGTGCTCATCATC
TTTGGCTGCTTTTGTGGATTATTTTGTATGGGTTGATTTTATACATCTCCTTGGCCATCAGAAAAAGAGTCCAG
GAGACAAAGTTTGGGAATGCATTACAGAGGAGGATTCTGAATTAGTGGTGAATTATATAGCAAGAAATCCTTC
TGTCGGCGAGCCATTGAACCTTACCTTACATAGCTTGGGAGTCAGTGAGGAACACAAAATAAACTAGAAGATGTT
GTGATTGACAGGAATCTTCTAATTCTTGGAAAAATCTGGGTGAAGGAGAGTTTGGGTCTGTAATGGAAGGAAT
CTTAAGCAGGAAGATGGGACCTCTCTGAAAGTGGCAGTGAAGACCATGAAGTTGGACAACCTTTCACATCGGGAG
ATCGAGGAGTTTCTCAGTGAGGCAGCGTGCATGAAAGACTTCAGCCACCCAAATGTCATTTCGACTTCTAGGTGTG
TGTATAGAAATGAGCTCTCAAGGCATCCCAAGCCCATGGTAATTTACCCTTCATGAAATACGGGGACCTGCAT
ACTTACTTACTTTATTTCCCGATTGGAGACAGGACCAAGCATATTCCTCTGCAGACACTATTGAAGTTTCATGGTG
GATATTGCCCTGGGAATGGAGTATCTGAGCAACAGGAATTTTCTTCATCGAGATTTAGCTGCTCGAAACTGCATG
TTGCGAGATGACATGACTGTCTGTGTTGCGGACTTCGGCCCTCTCTAAGAAGATTTACAGTGGCGATTATTACCGC
CAAGGCCGATTGCTAAGATGCCTGTTAAATGGATCGCCATAGAAAGTCTTGACAGCCGAGTCTACACAAGTAAA
AGTGATGTGTGGGCATTTGGCGTGACCATGTGGGAAATACGTACGCGGGGAATGACTCCCTATCCTGGGGTCCAG
AACCATGAGATGTATGACTATCTTCTCCATGGCCACAGGTTGAAGCAGCCGAAGACTGCCTGGATGAAGTGTAT
GAAATAATGTACTCTTGCTGGAGAACCGATCCCTTAGACCGCCCCACCTTTTCAGTATTGAGGCTGCAGCTAGAA
AACTCTTAGAAAGTTTGCCTGACGTTCCGAACCAAGCAGACGTTATTTACGTCAATACACAGTTGCTGGAGAGC
TCTGAGGGCCTGGCCAGGGCCCCACCTTGCTCCACTGGACTTGAAACATCGACCTGACTCTATAATTGCCTCC
TGCACTCCCCGCGTGCATCAGTGTGGTTCACAGCAGAAGTTTCATGACAGCAAACCTCATGAAGGACGGTACATC
CTGAATGGGGGAGTGAGGAATGGGAAGATCTGACTTCTGCCCCCTCTGCTGCAGTCACAGCTGAAAAGAACAGT
GTTTTACCGGGGAGAGACTTGTTAGGAATGGGGTCTCCTGGTCCCATTCGAGCATGCTGCCCTTGGGAAGCTCA
TTGCCCGATGAACCTTTGTTTGTGCTGACGACTCCTCAGAAGGCTCAGAAGTCTGATGTGAGGAGAGGTGCGGGGA
GACATTCAAAAATCAAGCCAATTCTTCTGCTGTAGGAGAATCCAATTGTACCTGATGTTTTTGGTATTTGTCTT
CCTTACCAAGTGAACCTCATGGCCCCAAGCACCAGATGAATGTTGTTAAGGAAGCTGTCATTAAAAATACATAA
TATATATTTATTTAAAGAGAAAAAATATGTGTATATCATGAAAAAGACAAGGATATTTTAAATAAAACATTACTTA
TTTCATTTCACTTATCTTGCATATCTTAAATTAAGCTTCAGCTGCTCCTTGATATTAACCTTTGTACAGAGTTG
AAGTTGTTTTTCACTTCTTTTCTTTTTCATTACTATTAAATGTAAAAATATTTGTAAATGAATGCCATATT
TGACTTGGCTTCTGGTCTTGATGTATTTGATAAGAATGATTAATTTTCTGATATGGCTTCATAATAAAATTGAA
ATAGGA

438/615

FIGURE 434

MGPAPLPILLGLFLPALWRRRAITEAREEAKPYPLFPGPFGSLQTDHTPLLSLPHASGYQPALMFSPQTQGRPHT
GNVAIPQVTSVESKPLPPLAFKHTVGHIILSEHKGVKFNCSINVPNIYQDTTISWWKDGKELLGGHHRITQFYPD
DEVTAIASFISITSVQRSDNGSYICKMKINNEEIVSDPIYIEVQGLPHFTKQPESMNVTNTAFNLTCQAVGPPE
PVNIFWVQNSSRVNEQPEKSPGVLTVPGLTEMAVFSCAHNDKGLTVSQGVQINIKAIKPSPPTEVSIRNSTAHSI
LISWVPGFDGYSPPFRNCISIQVKEADPLGNGSVMIFNTSALPHLYQIKQLQALANYSIGVSCMNEIGWSAVSPWIL
ASTTEGAPSVAPLNVTVFLNESSDNVDIRWMKPPTKQQDGELVGYRISHVWQSAGISKELLEVEVGQNGSRARISV
QVHNATCTVRIAAVTRGGVGPFSDPVKIFIPAHGWVDYAPSSTPAPGNADPVLIIFGCFGCGFILIGLILYISLAI
RKRVQETKFGNAFTEEDSELVNYIAKKSFCRRRAIELTLHSLGVSEELQNKLEDVVIDRNLILGKILGEGEFGS
VMEGNLKQEDGTSKLVAVKTMKLDNSSHREIEEFLSEAACMKDFSHPNVIRLLGVCIEMSSQGIPKPMVILPFMK
YGD LHTYLLYSRLETGPKHIPLOTLLKFMVDIALGMEYLSNRNFLHRDLAARNCMRLRDDMTVCVADFGLSKKIYS
GDYYRQGRIAKMPVKWIAIESLADRVYTSKSDVWAFGVTMWEIRTRGMTYPYPGVQNHMYDYLLHGHRLKQPEDC
LDELYEIMYSCWRTPDLPDRPTFSVLRQLQLEKLLSLPDVRNQADVIVNTQLLESSEGLAQGP TLAPLDLNDP
SIIASCTPRAAISVVTAEVHDSKPHEGRYILNGGSEEWEDLTSAPSAAVTAEKNSVLPGERLVRNGVSWSHSSML
PLGSSLPDELLFADDSSEGSEVLM

Signal sequence:

Amino acids 1-18

Transmembrane domain:

Amino acids 501-520

N-glycosylation sites:

Amino acids 114-118;170-174;207-211;
215-219;234-238;294-298;316-320;329-333;
336-340;354-358;389-393;395-399;442-446;
454-458;625-629

Tyrosine kinase phosphorylation sites:

Amino acids 675-683;865-873;923-930

N-myristoylation sites:

Amino acids 41-47;110-116;171-177;
269-275;275-281;440-446;507-513;535-541;
966-972

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 351-362

Tyrosine protein kinases specific active-site signature:

Amino acids 719-732

439/615

FIGURE 435

AATGTGAGAGGGGCTGATGGAAGCTGATAGGCAGGACTGGAGTGTTAGCACCAGTACTGGATG
TGACAGCAGGCAGAGGAGCACTTAGCAGCTTATTCAGTGTCCGATTCTGATTCGGGCAAGGAT
CCAAGCATGGAAATGCTGCCGTCGGGCAACTCCTGGCACACTGCTCCTCTTTCTGGCTTTCCTG
CTCCTGAGTTCCAGGACCGCACGCTCCGAGGAGGACCGGGACGGCCTATGGGATGCCTGGGGC
CCATGGAGTGAATGCTCACGCACCTGCGGGGGAGGGGCCTCCTACTCTCTGAGGCGCTGCCTG
AGCAGCAAGAGCTGTGAAGGAAGAAATATCCGATACAGAACATGCAGTAATGTGGACTGCCCA
CCAGAAGCAGGTGATTTCCGAGCTCAGCAATGCTCAGCTCATAATGATGTCAAGCACCATGGC
CAGTTTTATGAATGGCTTCCTGTGTCTAATGACCTGACAACCCATGTTCACTCAAGTGCCAA
GCCAAAGGAACAACCCTGGTTGTTGAACTAGCACCTAAGGTCTTAGATGGTACGCGTTGCTAT
ACAGAATCTTTGGATATGTGCATCAGTGGTTTATGCCAAATTGTTGGCTGCGATCACCAGCTG
GGAAGCACCGTCAAGGAAGATAACTGTGGGGTCTGCAACGGAGATGGGTCCACCTGCCGGCTG
GTCCGAGGGCAGTATAAATCCCAGCTCTCCGCAACCAAATCGGATGATACTGTGGTTGCACTT
CCCTATGGAAGTAGACATATTGCCTTGTCTTAAAAGGTCCTGATCACTTATATCTGGAAACC
AAAACCCTCCAGGGGACTAAAGGTGAAAACAGTCTCAGCTCCACAGGAACTTTCCTTGTGGAC
AATTCTAGTGTGGACTTCCAGAAATTTCCAGACAAAGAGATACTGAGAATGGCTGGACCACTC
ACAGCAGATTTTCATTGTCAAGATTCTGTAACCTCGGGCTCCGCTGACAGTACAGTCCAGTTCATC
TTCTATCAACCCATCATCCACCGATGGAGGGAGACGGATTTCTTTCTTGCTCAGCAACCTGT
GGAGGAGGTTATCAGCTGACATCGGCTGAGTGCTACGATCTGAGGAGCAACCGTGTGGTTGCT
GACCAATACTGTCACTATTACCCAGAGAACATCAAACCCAAACCCAAGCTTCAGGAGTGCAAC
TTGGATCCTTGTCCAGCCAGTGACGGATACAAGCAGATCATGCCTTATGACCTCTACCATCCC
CTTCCTCGGTGGGAGGCCACCCCATGGACCGCGTGCTCCTCCTCGTGTGGGGGGGGCATCCAG
AGCCGGGCAGTTTCCTGTGTGGAGGAGGACATCCAGGGGCATGTCACTTCAGTGGAAGAGTGG
AAATGCATGTACACCCCTAAGATGCCCATCGCGCAGCCCTGCAACATTTTGTACTGCCCTAAA
TGGCTGGCACAGGAGTGGTCTCCGTGCACAGTGACATGTGGCCAGGGCCTCAGATACCGTGTG
GTCCTCTGCATCGACCATCGAGGAATGCACACAGGAGGCTGTAGCCCCAAAACAAAGCCCCAC
ATAAAAGAGGAATGCATCGTACCCACTCCCTGCTATAAACCCAAAGAGAACTTCCAGTCGAG
GCCAAGTTGCCATGGTTCAAACAAGCTCAAGAGCTAGAAGAAGGAGCTGCTGTGTCAGAGGAG
CCCTCGTAAAGTTGTAAAAGCACAGACTGTTCTATATTTGAACTGTTTTGTTTAAAGAAAGCA
GTGTCTCACTGGTTGTAGCTTTCATGGGTTCTGAACTAAGTGTAATCATCTCACCAAAGCTTT
TTGGCTCTCAAATTAAAGATTGATTAGTTTCAAAAAAAAAA

440/615

FIGURE 436

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA58847
<subunit 1 of 1, 525 aa, 1 stop
<MW: 58416, pI: 6.62, NX(S/T): 1
MECCRATPGTLLLLFLAFLLLSSRTARSEEDRDGLWDAWGPWSECSRTC GGGASYSLRRLSS
KSCGRNIRYRTCSNVDCPPEAGDFRAQQCSAHNDVKHHGQFYEWLPVSNDPDNPCSLKCQAK
GTTLVVELAPKVLDTGTRCYTESLDMCISGLCQIVGCDHQLGSTVKEDNCGVCNGDGSTCRLVR
GQYKSQLSATKSDDTVVALPYGSRHIRLVLGKPDHLYLETCTLQGTKGENSLSSSTGTFLVDNS
SVDFQKFPDKEILRMAGPLTADFIVKIRNSGSADSTVQFIIFYQPIIHRWRETDFFP SATCGG
GYQLTSAECYDLRSNRVVADQYCHYYPENIKPKPKLQECNLDPCPASDGYKQIMPYDLYHPLP
RWEATPWTACSSSSCGGGIQSRAVSCVEEDIQGHVTSVEEWKCMYTPKMPIAQPCNIFDCPKWL
AQEWSPCTVTTCGQGLRYRVVLCIDHRGMHTGGCSPKTKPHIKEECIVPTPCYKPKEKLPVEAK
LPWFKQAQEELEEGA AVSEEPS
```

Important features:**Signal peptide:**

amino acids 1-25

N-glycosylation site.

amino acids 251-254

Thrombospondin 1

amino acids 385-399

von Willebrand factor type C domain proteins

amino acids 385-399, 445-459 and 42-56

441/615

FIGURE 437

AACTGGAAGGAAAGAAAGAAAGGTCAGCTTTGGCCCAGATGTGGTTACCCCTTGGTCTCCTGT
CTTTATGTCTTTCTCCTCTTCCTATTCTGTTCATCTCCCTCACTTAAGTCTCAGGCCTGTCAGC
AGCTCCTGTGGACATTGCCATCCCCCTCTGGTAGCCTTCAGAGCAAACAGGACAACCTATGTTA
TGGATGTTTCCACCAACCAGGGTAGTGGCATGGAGCACCGTAACCATCTGTGCTTCTGTGATC
TCTATGACAGAGCCACTTCTCCACCTCTGAAATGTTCCCTGCTCTTGAAATCTGGCATGAGATG
GCACAGGTGACCACGCAGAAGCCACCAGAATCTTGCCTGCCCTATTCCCTCCTCCCAAGTCTGT
TCTCTTATTGTCAACCTCAGCACAAACAGGCTGGCGCCAATGGCATTACAGAGAAAGCAATCTG
TGTGGCTAGTGGGCAGATTACCATGCAAGCCCCAGGAGAAATGGAGGAGCTTTGTAGCCACCT
CCCTGTCAGCCAGTATTAACATGTCCCCTTCCCCCTGCCCCGCCGTAGATTGAGGACATTCGC
CCCTGTGTGCCACCAAACCAGGACTTTCCCCTTGGCTTGGCATCCCTGGCTCTCTCCTGGTAC
CCAGCAAGACGTCTGTTCCAGGGCAGTGTAGCATCTTTCAAGCTCCGTTACTATGGCGATGGC
CATGATGTTACAATCCCACCTTGCTGAATAATCAAGTGGGAAGGGGAAGCAGAGGGAAATGGG
GCCATGTGAATGCAGCTGCTCTGTTCTCCCTACCCTGAGGAAAAACCAAAGGGAAGCAACAGG
AACTTCTGCAACTGGTTTTTATCGGAAAGATCATCCTGCCTGCAGATGCTGTTGAAGGGGCAC
AAGAAATGTAGCTGGAGAAGATTGATGAAAGTGCAGGTGTGTAAGGAAATAGAACAGTCTGCT
GGGAGTCAGACCTGGAATTCTGATTCCAACTCTTTATTACTTTGGGAAGTCACTCAGCCTCC
CCGTAGCCATCTCCAGGGTGACGGAACCCAGTGTATTACCTGCTGGAACCAAGGAAACTAACA
ATGTAGGTTACTAGTGAATACCCCAATGGTTTCTCCAATTATGCCCATGCCACCAAAACAATA
AAACAAAATTCTCTAACACTGAAA

442/615

FIGURE 438

MWLPLGLLSLCLSPILSSPSLKSQACQQLLWTLPSPLVAFRANRTTYVMDVSTNQSGMEH
RNHLCFCDLYDRATSPPLKCSLL

443/615

FIGURE 439

GTTCCTCATAGTTGGCGTCTTCTAAAGGAAAACTAAATGAGGAACTCAGCGGACCGGGAGCGACGCGCTT
GAGGGAAGCATCCCTAGCTGTTGGCGCAGAGGGGCGAGGCTGAAGCCGAGTGGCCCCGAGGTGTCTGAGGGGCTGG
GGCAAAGGTGAAAGAGTTTCAAGCAAGCTTCCTGGAACCCATGACCCATGAAGTCTTGTGACATTTATACCGT
CTGAGGGTAGCAGCTCGAACTAGAAGAAGTGGAGTGTGCCAGGGACGGCAGTATCTCTTTGTGTGACCCTGGC
GGCCTATGGGACGTTGGCTTCAGACCTTTGTGATACACCATGCTGCGTGGGACGATGACCGCGTGGAGAGGAATG
AGGCCTGAGGTACACTGGCTTGCCTCCTAGCCACAGCAGGCTGCTTTGCTGACTTGAACGAGGTCCCTCAG
GTCACCGTCCAGCCTGCGTCCACCGTCCAGAAGCCCGGAGGCAGTGTGATCTTGGGCTGCGTGGTGGAACTCCA
AGGATGAATGTAACCTGGCGCTGAATGGAAAGGAGCTGAATGGCTCGGATGATGCTCTGGGTGTCTCATCACC
CACGGGACCCCTCGTCATCACTGCCCTTAACAACCACTGTGGGACGGTACCAGTGTGTGGCCCGGATGCCTGCG
GGGCTGTGGCCAGCGTGCCAGCCACTGTGACACTAGCCAATCTCCAGGACTTCAAGTTAGATGTGCAGCAGCTG
ATTGAAGTGGATGAGGGAAACACAGCAGTCATTGCCTGCCACCTGCCCTGAGAGCCACCCCAAAGCCAGGTCCGG
TACAGCGTCAACAAGAGTGGCTGGAGGCCCTCCAGAGGTAACCTACCTGATCATGCCCTCAGGGAACCTCCAGATT
GTAGATGCCAGGAGGACGAGGGCATGTACAAGTGTGCAGCCTACAACCCAGTGAAGGAGGAGGAGGAGGAGG
TCCGGCTCCAGCGACAGGCTACGTGTGCGCCGCTCCACCGCTGAGGCTGCCCCGATCATCTACCCCCAGAGGCC
CAAACCATCATCGTCACCAAAGGCCAGAGTCTATTCTGGAGTGTGTGGCCAGTGGAAATCCCACCCACAGGGT
ACCTGGGCCAAGGATGGGTCCAGTGTACCGGCTACAAGACGCGCTTCTGTGAGCAACCTCCTCATCGAC
ACCACGAGCGAGGAGGACTCAGGCACCTACCGTGCATGGCCGACAATGGGGTTGGGCAGCCCGGCGAGCGGT
ATCCTCTACAATGTCCAGGTGTTTGAACCCCTGAGGTACCATGGAGCTATCCAGCTGGTCACTCCCTGGGGC
CAGAGTGCCAAGCTTACCTGTGAGGTGCGTGGGAACCCCGCCCTCCGTGCTGTGGGTGAGGAATGCTGTGCC
CTCATCTCCAGCCAGCGCTCCGGCTCTCCCGCAGGGCTGCGCGTGTGCTCAGCATGGGCTCAGGACGAGGAC
GTCTACCAAGTGCATGGCCGAGAACGAGGTTGGGAGCGCCATGCCGTAGTCCAGCTGCGGACCTCCAGGCCAAGC
ATAACCCCAAGGCTATGGCAGGATGCTGAGCTGGCTACTGGCACACCTCCTGTATCACCTCCAAACTCGGCAAC
CCTGAGCAGATGCTGAGGGGGCAACCGGCGCTCCCGAGACCCCAACGTAGTGGGGCTGCTTCCCGAAGTGT
CCAGGAGAGAAGGGGAGGGGGCTCCCGCCGAGGCTCCCGACCTCAGCTCAGCTCGCCCCGACCTCCAGACAGAC
TCATATGAACCTGGTGTGGCGGCTCGGCATGAGGGCAGTGGCCGGGCGCCAATCCTCTACTATGTGGTGAACAC
CGCAAGCAGGTACAAATTCCTCTGACGATTGGACCATCTCTGGCATTCAGCCAACAGCAGCCGCTGACCTC
ACCAGACTTGACCCCGGAGCTTGTATGAAGTGGAGATGGCAGCTTACAACCTGTGCGGGAGAGGGCCAGACAGCC
ATGGTCACCTTCGGAACCTGGACGGCGGCCCAACCCGAGATCATGGCCAGCAAGAGCAGCAGATCCAGAGAGAC
GACCTGGAGCCAGTCCCAGAGCAGCAGCCAGCCAGACCAGCGCCGCTCTCCCCCAGAGCTCCCGACAGG
CCCACCATCTCCACGGCTCCGAGACCTCAGTGTAGTACCTGGATTCCCCGTGGGAATGGTGGGTTCCTCAATC
CAGTCTTCCGTGTGGAGTACAAGAAGCTAAAGAAAGTGGGAGACTGGATTCTGGCCACCAGCGCCATCCCCCA
TCGCGGCTGTCCGTGGAGATCACGGGCTAGAGAAAGGCACCTCCTACAAGTTTCGAGTCCGGGCTCGAACATG
CTGGGGGAGAGCGAGCCAGCGCCCCCTCTCGGCCCTACGTGGTGTGCGGCTACAGCGGTGCGGTGTACGAGAGG
CCCGTGGCAGGTCTTATATACCTTCACGGATGCGGTCAATGAGACCACCATCATGCTCAAGTGGATGTACATC
CCAGCAAGTAACAACAACACCCCAATCCATGGCTTTTATATCTATTATCGACCCACAGACAGTGAACATGATAGT
GACTACAAGAAGGATATGGTGGAAAGGGGACAAGTACTGGCACTCCATCAGCCACCTGCAGCCAGAGACCTCCTAC
GACATTAAGATGCACTGCTTCAATGAAGGAGGGGAGAGCGAGTTGAGCAACGTGATGATCTGTGAGACCAAGCT
CGGAAGTCTTCTGGCCAGCCTGGTTCGACTGCCACCCCAACTCTGGCCCCACCACAGCCGCCCCCTTCTGAAACC
ATAGAGCGGCGGTGGGCACTGGGGCCATGGTGGCTCGCTCCAGCGACCTGCCCTATCTGATTGTGCGGGTGTG
CTGGGCTCCATCGTTCTCATCATCGTCACCTTCATCCCCTTCTGCTTGTGGAGGGCCTGGTCTAAGCAAAACAT
ACAACAGACCTGGGTTTCTCAGAGTGCCCTTCCACCTCCTGCCGTATACTATGGTGCCATTGGGAGGACTC
CCAGGCCACCAGGCCAGTGGACAGCCCTACCTCAGTGGCATCAGTGGACGGGCTGTGCTAATGGGATCCACATG
AATAGGGGCTGCCCTCGGCTGCAGTGGGCTACCCGGGCTAGAGCCCAAGCCCAAGCAGCACTGCCAGGGGAGCTTCAG
CAGCAGAGTGACACCAGCAGCCTGCTGAGGCAGACCCATCTTGGCAATGGATATGACCCCAAGTCACCGATC
ACGAGGGGCTCCAAGTCTAGCCCGGACGAGGGCTTTTCTTATACACTGCCCGACGACTCCACTCACCAGCTG
CTGCAGCCCCATCAGACTGCTGCCAACGCCAGGAGCAGCCTGCTGCTGTGGGCCAGTCAGGGGTGAGGAGAGCC
CCCGACAGTCTGTCTTGAAGCAGTGTGGGACCTTCATTTCACTCAGGCCCCCATGCTGCTTGGGCTTGTG
CCAGTTGAAGAGGTGGACAGTCTGACTCCTGCCAAGTGAAGTGGAGGAGTGGTGTCCCCAGCACCCCGTAGGG
GCCTACGTAGGACAGGAACCTGGAATGCAGCTCTCCCGGGGCCACTGGTGCCTGTGCTTTTGAACACCACT
CTCACAATTTAGGCAGAAGCTGATATCCAGAAAGACTATATATTGTTTTTTTTTAAAAAAAAGAGAAAAA
AGAGACAGAGAAAAATTGGTATTTATTTTCTATTATAGCCATATTTATATATTTATGCACTTGTAAATAAATGTA
TATGTTTTATAATTCTGGAGAGACATAAGGAGTCTTACCCGTTGAGGTTGGAGAGGAAAAATAAGAAGCTGCCA
CCTAACAGGAGTCAACCAGGAAGACCCGACAGGCTGGCGCGGGACAGACTCCTAACCTGGGGCTCTGCAGTG
GCAGGCGAGGCTGCAGGAGGCCACAGATAAGCTGGCAAGAGGAAGGATCCAGGCACATGTTTATCAGGACA
TGAGGGAACAGCAAGGGGACGGTATCACAGCTGGAGACCCACACAGATGGCTGGATCCGGTCTACGGGAA
ACATTTTCTAAGATGCCATGAGAACAGACCAAGATGTGTACAGCACTATGAGCATTAAAAACCTTCCAGAAT
CAATAATCCGTGGCAACATATCTCTGTAAAAACAACACTGTAACCTTCTAAATAAATGTTAGTCTTCCCTGTAAAA

444/615

FIGURE 440

MLRGTMTAWRGMRPEVTLACLLLATAGCFADLNEVPQVTVQPASTVQKPGGTIVILGCVVEPPR
MNVTWRLNGKELNGSDDALGVLITHGTLVITALNNHTVGRYQCVARMPAGAVASVPATVTLAN
LQDFKLDVQHVEVDEGNTAVIACHLPESHKPAQVRYSVKQEWLEASRGNYLIMPSGNLQIVN
ASQEDEGMYKCAAYNPVTQEVKTSGSSDRLRVRRSTAEAAARIIPPEAQTIIVTKGQSLILEC
VASGIPPPRVTWAKDGSSVTGYNKTRFLLSNLLIDTTSEEDSGTYRCMADNGVGQPGAIVILY
NVQVFEPPEVTMELSOLVIPWGQSAKLTCEVRGNPPPSVLWLRNAVPLISSQRLRLSRRALRV
LSMGPEDEGVYQCMAENEVGSAAHAVVQLRTSRPSITPRLWQDAELATGTPPVSPSKLGNPEQM
LRGQPALPRPPTSVGPASPKCPGEGKGQGAPEAPIILSSPRTSKTDSYELVWRPRHEGSGRAP
ILYYVVKHRKQVTNSSDDWTISGIPANQHRLTLRLDPGSLYEVEMAAYNCAGEGQTAMVTFR
TGRRPKPEIMASKEQQIQRDDPGASQSSSQPDHGRLSPPEAPDRPTISTASETSVYVTWIPR
GNGGFPIQSFVEYKKLKKVGDWILATSAIPPSRLSVEITGLEKGTSYKFRVRALNMLGESEP
SAPSRPYVVS GYSGRVYERPVAGPYITFTDAVNETTIMLKWMIIPASNNNTPIHGFYIYYRPT
DSDNDSYK KDMVEGD KYWHSISHLQ PETS YDIKMQCFNEGGESEFSNVMICETKARKSSGQP
GRLPPPTLAPPQPPLPETIERPVGTGAMVARSSDLPYLIVGVVLGSIVLIIVTFIPFCLWRAW
SKQKHTTDLGFPRSALPPSCPYTMVPLGGLPGHQASGQPYLSGISGRACANGIHMNRGCPSAA
VGYPGMKPQQHCPGELQQQSDTSLLRQTHLNGYDPQSHQITRGPKSSPDEGSFLYTLPPDS
THQLLQPHHDCCQRQE QPAAVGQSGVRRAPDSPVLEAVWDPPFHS GPPCCLGLVPVEEVDS PD
SCQVSGGDWCPQHVPV GAYVGQEPGMQLSPGPLVRVSFETPPLTI

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 16-30 (type II), 854-879

445/615

FIGURE 441

GAGAGAATAGCTACAGATTCTCCATCCTCAGTCTTTGCAAGGCGACAGCTGTGCCAGCCGGGC
TCTGGCAGGCTCCTGGCAGCATGGCAGTGAAGCTTGGGACCCTCCTGCTGGCCCTTGCCCTGG
GCCTGGCCCAGCCAGCCTCTGCCCCGCCGAAGCTGCTGGTGTTTCTGCTGGATGGTTTTCTGCT
CAGACTACATCAGTGATGAGGCGCTGGAGTCATTGCCTGGTTTTCAAAGAGATTGTGAGCAGGG
GAGTAAAAGTGGATTACTTGACTCCAGACTTCCCTAGTCTCTCGTATCCCAATTATTATACCC
TAATGACTGGCCGCCATTGTGAAGTCCATCAGATGATCGGGAACCTACATGTGGGACCCACCA
CCAACAAGTCCTTTGACATTGGCGTCAACAAAGACAGCCTAATGCCTCTCTGGTGGAATGGAT
CAGAACCTCTGTGGGTCACTCTGACCAAGGCCAAAAGGAAGGTCTACATGTACTACTGGCCAG
GCTGTGAGGTTGAGATTCTGGGTGTCAGACCCACCTACTGCCTAGAATATAAAAATGTCCCAA
CGGATATCAATTTTGCCAATGCAGTCAGCGATGCTCTTGACTCCTTCAAGAGTGGCCGGGCCG
ACCTGGCAGCCATATACCATGAGCGCATTGACGTGGAAGGCCACCACTACGGGCCTGCATCTC
CGCAGAGGAAAGATGCCCTCAAGGCTGTAGACACTGTCCTGAAGTACATGACCAAGTGGATCC
AGGAGCGGGGCCTGCAGGACCGCCTGAACGTCATTATTTTCTCGGATCACGGAATGACCGACA
TTTTCTGGATGGACAAAGTGATTGAGCTGAATAAGTACATCAGCCTGAATGACCTGCAGCAAG
TGAAGGACCGCGGCCTGTTGTGAGCCTTTGGCCGGCCCCTGGGAAACACTCTGAGATATATA
ACAAACTGAGCACAGTGGAACACATGACTGTCTACGAGAAAGAAGCCATCCCAAGCAGGTTCT
ATTACAAGAAAGGAAAGTTTGTCTCTCCTTTGACTTTAGTGGCTGATGAAGGCTGGTTCATAA
CTGAGAATCGAGAGATGCTTCCGTTTTGGATGAACAGCACCGGCAGGCGGGAAGGTTGGCAGC
GTGGATGGCACGGCTACGACAACGAGCTCATGGACATGCGGGGCATCTTCCTGGCCTTCGGAC
CTGATTTCAAATCCAACCTCAGAGCTGCTCCTATCAGGTGCGGTGGACGTCTACAATGTCATGT
GCAATGTGGTGGGCATCACCCCGCTGCCCAACAACGGATCCTGGTCCAGGGTGATGTGCATGC
TGAAGGGCCGCGCCGGCACTGCCCCGCTGTCTGGCCCAGCCACTGTGCCCTGGCACTGATTC
TTCTCTTCCTGCTTGCATAACTGATCATATTGCTTGTCTCAGAAAAAACACCATCAGCAAAG
TGGGCCTCCAAAGCCAGATGATTTTCATTTTATGTGTGAATAATAGCTTCATTAACACAATCA
AGACCATGCACATTGTAAATACATTATTCTTGGATAATTCTATACATAAAAGTTCCTACTTGT
TAAA

446/615

FIGURE 442

MAVKLGTLALLALGLAQPASARRKLLVFLLDGFRSDYISDEALESPLPGFKEIVSRGVKVDYL
TPDFPSLSYPNYYTLMTGRHCEVHQMIGNYMWDPTTNKSFDIGVNKDSLMLPWWNGSEPLWVT
LTKAKRKVYMYWPGCEVEILGVRPTYCLEYKNVPTDINFANAVSDALDSFKSGRADLAAYH
ERIDVEGHHYGPASPQRKDALKAVDTVLYKMTKWIQERGLQDRLNVII FSDHGMTDIFWMDKV
IELNKYISLNDLQQVKDRGPVVSLLWPAPGKHSEIYNKLSTVEHMTVYEKEAIPSRFYKKGKF
VSPLTLVADEGWFITENREMLPFWMNSTGRREGWQRGWHGYDNELMDMRGIFLAFGPDFKSNF
RAAPIRSVDVYNVMCNVVGITPLPNNGSWSRVMCMLKGRAGTAPPVWPSHCALALILLELLA

Important features of the protein:**Signal peptide:**

amino acids 1-22

N-glycosylation sites.

amino acids 100-104, 118-122, 341-345, 404-408

N-myristoylation sites.

amino acids 148-154, 365-371

Amidation site.

amino acids 343-347

447/615

FIGURE 443

AGTGACTGCAGCCTTCCTAGATCCCCCTCCACTCGGTTTCTCTCTTTGCAGGAGCACCGGCAGC
ACCAGTGTGTGAGGGGAGCAGGCAGCGGTCTAGCCAGTTCCTTGATCCTGCCAGACCACCCA
GCCCCCGGCACAGAGCTGCTCCACAGGCACCAATGAGGATCATGCTGCTATTACAGCCATCCT
GGCCTTCAGCCTAGCTCAGAGCTTTGGGGCTGTCTGTAAGGAGCCACAGGAGGAGGTGGTTCC
TGGCGGGGGCCGCAGCAAGAGGGATCCAGATCTCTACCAGCTGCTCCAGAGACTCTTCAAAAG
CCACTCATCTCTGGAGGGATTGCTCAAAGCCCTGAGCCAGGCTAGCACAGATCCTAAGGAATC
AACATCTCCCGAGAAACGTGACATGCATGACTTCTTTGTGGGACTTATGGGCAAGAGGAGCGT
CCAGCCAGAGGGAAAGACAGGACCTTTCTTACCTTCAGTGAGGGTTCCTCGGCCCTTCATCC
CAATCAGCTTGGATCCACAGGAAAGTCTTCCCTGGGAACAGAGGAGCAGAGACCTTTATAAGA
CTCTCCTACGGATGTGAATCAAGAGAACGTCCCCAGCTTTGGCATCCTCAAGTATCCCCGAG
AGCAGAAATAGGTACTCCACTTCCGGACTCCTGGACTGCATTAGGAAGACCTCTTCCCTGTCC
CAATCCCCAGGTGCGCACGCTCCTGTTACCCTTCTCTTCCCTGTTCTTGTAAACATTCTTGTG
CTTTGACTCCTTCTCCATCTTTTCTACCTGACCCTGGTGTGGAACTGCATAGTGAATATCCC
CAACCCCAATGGGCATTGACTGTAGAATACCCTAGAGTTCCTGTAGTGTCTACATTAATAAT
ATAATGTCTCTCTCTATTCTCAACAATAAAGGATTTTTGCATATGAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAA

448/615.

FIGURE 444

MRIMLLFTAILAFSLAQSFQAVCKEPQEEVVPGGGRSKRDPDLYQLLQRLFKSHSSLEGLLKA
LSQASTDPKESTSPKRDMDHDFVGLMGKRSVQPEGKTGPFLPSVRVPRPLHPNQLGSTGKSS
LGTEEQRPL

Important features:

Signal peptide:

amino acids 1-18

Tyrosine kinase phosphorylation site.

amino acids 36-45

N-myristoylation site.

amino acids 33-39, 59-65

Amidation site.

amino acids 90-94

Leucine zipper pattern.

amino acids 43-65

Tachykinin family signature.

amino acids 86-92

449/615

FIGURE 445

TGGACTTCTCTGGACCACAGTCCTCTGCCAGACCCCTGCCAGACCCCAGTCCACCATGATCCATCTGGGTCACAT
CCTCTTCCTGCTTTTGCTCCAGTGGCTGCAGCTCAGACGACTCCAGGAGAGAGATCATCACTCCCTGCCTTTTA
CCCTGGCACTTCAGGCTCTTGTTCCGGATGTGGGTCCCTCTCTCTGCCGCTCCTGGCAGGCCTCGTGGCTGCTGA
TGCGGTGGCATCGCTGCTCATCGTGGGGGCGGTGTTCCCTGTGCGCACGCCCACGCCGCAGCCCCGCCCAAGATGG
CAAAGTCTACATCAACATGCCAGGCAGGGGGCTGACCCTCCTGCAGCTTGGACCTTTGACTTCTGACCCCTCTCATC
CTGGATGGTGTGTGGTGGCACAGGAACCCCGCCCCAACTTTTGGATTGTAATAAAACAATTGAAACACCA

450/615

FIGURE 446

MIHLGHILFLLLLPVAAAQTTPGERSSLPAFYPGTSGSCSGCSLSLPLLAGLVAADAVASLLIVGAVFLCARPR
RSPAQDGKVYINMPGRG

Signal peptide:	Amino acids 1-18
transmembrane domain:	Amino acids 51-70
Glycosaminoglycan attachment site:	Amino acids 40-44
N-myristoylation sites:	Amino acids 34-40;37-43;52-58
Prokaryotic membrane lipoprotein lipid attachment site:	Amino acids 29-40

451/615

FIGURE 447

GCCAGGTGTGCAGGCCGCTCCAAGCCCAGCCTGCCCCGCTGCCGCCACC**ATG**ACGCTCCTCCC
CGGCCTCCTGTTTCTGACCTGGCTGCACACATGCCTGGCCCACCATGACCCCTCCCTCAGGGG
GCACCCCCACAGTCACGGTACCCACACTGCTACTCGGCTGAGGAACTGCCCTCGGCCAGGC
CCCCCACACCTGCTGGCTCGAGGTGCCAAGTGGGGGCAGGCTTTGCCTGTAGCCCTGGTGTC
CAGCCTGGAGGCAGCAAGCCACAGGGGGAGGCACGAGAGGCCCTCAGCTACGACCCAGTGCCC
GGTGCTGCGGCCGGAGGAGGTGTTGGAGGCAGACACCCACCAGCGCTCCATCTCACCCCTGGAG
ATACCGTGTGGACACGGATGAGGACCGCTATCCACAGAAGCTGGCCTTCGCCGAGTGCCTGTG
CAGAGGCTGTATCGATGCACGGACGGGCCGCGAGACAGCTGCGCTCAACTCCGTGCGGCTGCT
CCAGAGCCTGCTGGTGCTGCGCCGCCGGCCCTGCTCCCGCGACGGCTCGGGGCTCCCCACACC
TGGGGCCTTTGCCTTCCACACCGAGTTCATCCACGTCCCCGTGGCTGCACCTGCGTGCTGCC
CCGTTCAGTG**TGA**CCGCCGAGGCCGTGGGGCCCCTAGACTGGACACGTGTGCTCCCCAGAGGG
CACCCCTATTTATGTGTATTTATTGTTATTTATATGCCTCCCCAACACTACCCCTGGGGTC
TGGGCATTCCCCGTGTCTGGAGGACAGCCCCCACTGTTCTCCTCATCTCCAGCCTCAGTAGT
TGGGGGTAGAAGGAGCTCAGCACCTCTTCCAGCCCTTAAAGCTGCAGAAAAGGTGTCACACGG
CTGCCTGTACCTTGGCTCCCTGTCCTGCTCCCGGCTTCCCTTACCCTATCACTGGCCTCAGGC
CCCGCAGGCTGCCTCTTCCCAACCTCCTTGGAAGTACCCCTGTTTCTTAAACAATTATTTAAG
TGTACGTGTATTATTAAACTGATGAACACATCCCCAAAA

452/615

FIGURE 448

MTLLPGLLFLTWLHTCLAHHDPSLRGHPHSHGTPHCYSAEELPLGQAPPHELLARGAKWGQALP
VALVSSLEAASHRGRHERPSATTQCPVLRPEEVLEADTHQRSISPWRYRVDTDDEDRYPQKLAF
AECLCRGCIDARTGRETAALNSVRLQLSLVLRRRRPCSRDGSGLPTPGAFAFHTEFIHVPVGC
TCVLPRSV

Important features:

Signal peptide:

amino acids 1-18

Tyrosine kinase phosphorylation site.

amino acids 112-121

N-myristoylation sites.

amino acids 32-38, 55-61, 133-139

Leucine zipper pattern.

amino acids 3-25

Homologous region to IL-17.

amino acids 99-195

453/615

FIGURE 449

TGCAGAGCTTGTGGAGGCC**ATG**GGGCGCGTCGTCGCGGAGCTCGTCTCCTCGCTGCTGGGGTT
GTGGCTGTTGCTGTGCAGCTGCGGATGCCCCGAGGGCGCCGAGCTGCGTGCTCCGCCAGATAA
AATCGCGATTATTGGAGCCGGAATTGGTGGCACTTCAGCAGCCTATTACCTGCGGCAGAAATT
TGGGAAAGATGTGAAGATAGACCTGTTTGAAAGAGAAGAGGTCGGGGGCGCCTGGCTACCAT
GATGGTGCAGGGGCAAGAATACGAGGCAGGAGGTTCTGTCAATCCATCCTTTAAATCTGCACAT
GAAACGTTTTGTCAAAGACCTGGGTCTCTCTGCTGTTTCAGGCCTCTGGTGGCCTACTGGGGAT
ATATAATGGAGAGACTCTGGTATTTGAGGAGAGCAACTGGTTCATAATTAACGTGATTAAATT
AGTTTGGCGCTATGGATTTCAATCCCTCCGTATGCACATGTGGGTAGAGGACGTGTTAGACAA
GTTTCATGAGGATCTACCGCTACCACTCTCATGACTATGCCTTCAGTAGTGTGAAAAATTACT
TCATGCTCTAGGAGGAGATGACTTCCTTGGAATGCTTAATCGAACACTTCTTGAAACCTTGCA
AAAGGCCGGCTTTTCTGAGAAGTTCCTCAATGAAATGATTGCTCCTGTTATGAGGGTCAATTA
TGGCCAAAGCACGGACATCAATGCCTTTGTGGGGGCGGTGTCCTGTCTGTTCTGATTCTGG
CCTTTGGGCAGTAGAAGGTGGCAATAAACTTGTCTGCTCAGGGCTTCTGCAGGCATCCAAAAG
CAATCTTATATCTGGCTCAGTAATGTACATCGAGGAGAAAACAAAGACCAAGTACACAGGAAA
TCCAACAAAGATGTATGAAGTGGTCTACCAAATTGGAAGTGAAGTTCAGACTTCATATGA
CATCGTCTTGGTGGCCACTCCGTTGAATCGAAAAATGTGGAATATTACTTTTCTCAACTTTGA
TCCTCCAATTGAGGAATTCCATCAATATTATCAACATATAGTGACAACCTTTAGTTAAGGGGGA
ATTGAATACATCTATCTTTAGCTCTAGACCCATAGATAAATTTGGCCTTAATACAGTTTAAAC
CACTGATAATTCAGATTTGTTTCAATTAACAGTATTGGGATTGTGCCCTCTGTGAGAGAAAAGGA
AGATCCTGAGCCATCAACAGATGGAACATATGTTTGGAAGATCTTTTCCCAAGAACTCTTAC
TAAAGCACAAATTTTAAAGCTCTTTCTGTCTATGATTATGCTGTGAAGAAGCCATGGCTTGC
ATATCCTCACTATAAGCCCCCGGAGAAATGCCCCCTCTATCATCTCCATGATCGACTTTATTA
CCTCAATGGCATAGAGTGTGCAGCAAGTGCCATGGAGATGAGTGCCATTGCAGCCCACAACGC
TGCACTCCTTGCCTATCACCGCTGGAACGGGCACACAGACATGATTGATCAGGATGGCTTATA
TGAGAACTTAAACTGAACTAT**TGA**AGTGACACACTCCTTTTCCCCTCCTAGTTCCAAATGA
CTATCAGTGGCAAAAAAGAACAAAATCTGAGCAGAGATGATTTTGAACCAGATATTTTGCCAT
TATCATTTGTTTAATAAAAGTAATCCCTGCTGGTCATAGGAAAAAAAAAAAAA

454/615

FIGURE 450

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA62880

<subunit 1 of 1, 505 aa, 1 stop

<MW: 56640, pI: 6.10, NX(S/T): 4

MGRVVAELVSSLLGLWLLCSCGCPEGAELRAPDKIAIIGAGIGGTSAAYYLRQKFGKDVKI
DLFEREEVGGRLATMMVQGOEYEAGGSVIHPLNLHMKRFVKDLGLSAVQASGGLLGIYNGETL
VFEESNWFIIINVIKLVWRYGFQSLRMHMMWVEDVLDKFMRIYRYQSHDYAFSSVEKLLHALGGD
DFLGMNLNRTLLETLOKAGFSEKFLNEMIAVPMRVNYGQSTDINAFVGA VSLSCSDSGLWAVEG
GNKLVC SGLLQASKSNLISGSVMYIEEKT KTKYTGNPTKMYEVVYQIGTETRSDFYDIVLVAT
PLNRKMSNITFLNFDPPIEEFHQYYQHIVTTLVKGELNTSIFSSRPIDKFGLNTVLTDDNSDL
FINSIGIVPSVREKEDPEPSTDGTYVWKIFSQETLTKAQILKLFLSYDYAVKKPWLAYPHYKP
PEKCP SIILHDLRYLLNGIECAASAMEMSAIAAHNAALLAYHRWNGHTDMIDQDGLYEKLKTEL

Important features:**Signal peptide:**

amino acids 1-23

N-glycosylation sites.

amino acids 196-200, 323-327, 353-357

Tyrosine kinase phosphorylation site.

amino acids 291-298

N-myristoylation sites.amino acids 23-29, 41-47, 43-49, 45-51, 46-52, 72-78, 115-121,
119-125, 260-266, 384-390, 459-465**Prokaryotic membrane lipoprotein lipid attachment site.**

amino acids 12-23, 232-243

456/615

FIGURE 452

MASYLYGVLFVAVGLCAPIYCVSPANAPSAYPRPSSTKSTPASQVYSLNTDFAFRLYRRLVLET
PSQNIFFSPVSVSTSLAMLSLGAHSVTKTQILOGLGFNLTHTPESAIHQGFQHLVHSLTVPSK
DLTLKMGSALFVKKELQLQANFLGNVKRLYEAEVFSTDFSNPSIAQARINSHVKKKTQGKVVD
IIQGLDLLTAMVLVNHIFFKAKWEKPFHLEYTRKNFPFLVGEQVTVQVPMMHQKEQFAFGVDT
ELNCFVLQMDYKGDVAFFVLPSKGKMRQLEQALSARTLIKWSHSLQKRWIEVFIPRFSISAS
YNLETILPKMGIQNAFDKNADFSGIAKRDSLQVSKATHKAVLDVSEEGTEATAATTTKFIVRS
KDGPSYFTVSEFNRTFLMMITNKATDGILFLGKVENPTKS

Signal peptide:
amino acids 1-20

457/615

FIGURE 453

CTCCGGGTCCCCAGGGGCTGCGCCGGGCCGCTGGCAAGGGGGACGAGTCAGTGGACACTCCAGGAAGAGCGGC
CCCCGGGGGGCGATGACCGTGCGCTGACCCTGACTCACTCCAGGTCCGGAGGCGGGGGCCCCGGGGCGACTCG
GGGGCGGACCGCGGGGCGGAGCTGCCGCCCGTGAGTCCGGCCGAGCCACCTGAGCCCGAGCCGCGGGACACCGTC
GCTCCTGCTCTCCGAATGCTGCGCACCGCGATGGGCCTGAGGAGCTGGCTCGCCGCCCCATGGGGCGCGCTGCCG
CCTCGGCCACCGCTGCTGCTGCTCCTGCTGCTGCTGCTCCTGCTGCAGCCGCCGCTCCGACCTGGGCGCTCAGC
CCCCGGATCAGCCTGCCCTCTGGGCTCTGAAGAGCGGCCATTCTCAGATTCTGAAGCTGAACACATCTCCAACCTAC
ACAGCCCTTCTGCTGAGCAGGATGGCAGGACCTGTACGTGGGTGCTCGAGAGGCCCTCTTTGCACTCAGTAGC
AACCTCAGCTTCTGCCAGGCGGGGAGTACCAGGAGCTGCTTTGGGGTGCAGACGCAGAGAAGAAACAGCAGTGC
AGCTTCAAGGGCAAGGACCCACAGCGGACTGTCAAACTACATCAAGATCCTCCTGCCGCTCAGCGGCAGTCAC
CTGTTACCTGTGGCAGCAGCCTTCAGCCCCATGTGTACCTACATCAACATGGAGAATTACACCTGGCAAGG
GACGAGAAGGGGAATGTCTCCTGGAAGATGGCAAGGGCCGTTGTCCTTCGACCCGAATTTCAAGTCCACTGCC
CTGGTGGTTGATGGCGAGCTTACACTGGAACAGTCAGCAGCTTCAAGGGAATGACCCGGCCATCTCGCGGAGC
CAAAGCCTTCGCCCCACCAAGACCGAGAGCTCCCTCACTGGCTGCAAGACCCAGCTTTTGTGGCCTCAGCCTAC
ATTCTGAGAGCCTGGGCAGCTTGAAGGCGATGATGACAAGATCTACTTTTCTTCAGCGAGACTGGCCAGGAA
TTTGAGTTCTTTGAGAACACCATTTGTGTCCCGCATTTGCCCGCATCTGCAAGGGCGATGAGGGTGGAGAGCGGGTG
CTACAGCAGCGCTGGACCTCCTTCCTCAAGGCCAGCTGCTGTGCTCAGGCCCGACGATGGCTTCCCCTTCAAC
GTGCTGCAGGATGTCTTCAGCTGAGCCCCAGCCCCAGGACTGGCGTGACACCTTTTCTATGGGGTCTTCACT
TCCCAGTGGCACAGGGGAATACAGAAGGCTCTGCCCTCTGTGCTTCACAATGAAGGATGTGCAGAGAGTCTTC
AGCGGCCTCTACAAGGAGGTGAACCGTGAGACACAGCAGTGGTACACCGTGACCCACCCGGTGCCACACCCCGG
CCTGGAGCGTGATCACCAACAGTGCCCGGGAAAGGAAGATCAACTCATCCCTGCAGCTCCCAGACCGCGTGCTG
AACTTCTCAAGGACCACTTCTGATGGACGGGCGAGTCCGAAGCCGATGCTGCTGCTGCAGCCCCAGGCTCGC
TACCAGCGCGTGGCTGTACACCGCGTCCCTGGCCTGCACCACACCTACGATGTCTCTTCTGGGCACTGGTGAC
GGCCGGCTCCACAAGGCAGTGAGCGTGGGCCCCGGGTGCACATCATTGAGGAGCTGCAGATCTTCTCATCGGGA
CAGCCCGTTCAGAATCTGCTCCTGGACACCCACAGGGGGCTGCTGTATGCGGCCTCACACTCGGGCGTAGTCCAG
GTGCCCATGGCCAACTGCAGCCTGTACCGGAGCTGTGGGGACTGCCTCCTCGCCCGGGACCCCTACTGTGCTTGG
AGCGGCTCCAGCTGCAAGCACGTACGCTTACCAGCCTCAGCTGGCCACCAGGCGGTGGATCCAGGACATCGAG
GGAGCCAGCGCCAAGGACCTTTGCAGCGCGTCTTCGGTTGTGTCCCGTCTTTTGTACCAACAGGGGAGAAGCCA
TGTGAGCAAGTCCAGTTCCAGCCCAACACAGTGAACACTTTGGCCTGCCGCTCCTCTCAACCTGGCGACCCGA
CTCTGGCTACGCAACGGGGCCCCCGTCAATGCCTCGGCCCTCCTGCCACGTGCTACCCACTGGGGACCTGCTGCTG
GTGGGCACCCAAACAGCTGGGGGAGTTCCAGTGTGGTCACTAGAGGAGGGCTTCCAGCAGCTGGTAGCCAGCTAC
TGCCAGAGGTGGTGGAGGACGGGGTGGCAGACCAACAGATGAGGGTGGCAGTGTACCCGTCAATTATCAGACA
TCGCGTGTGAGTGACCAAGCTGGTGGCAAGGCCAGCTGGGGTGCAGACAGGTCTACTGGAAGGAGTTCTGGTG
ATGTGCACGCTCTTTGTGCTGGCCGTGCTGCTCCAGTTTTATTCTTGCTCTACCGGCACCGGAACAGCATGAAA
GTCTTCTGAAGCAGGGGGAATGTGCCAGCGTGCACCCAAAGACCTGCCCTGTGGTGCTGCCCTGAGACCCGC
CCACTCAACGGCCTAGGGCCCCCTAGCACCCCGCTCGATCACCGAGGGTACCAGTCCCTGTGAGACAGCCCCCG
GGGGCCCGAGTCTTCACTGAGTCAGAGAAGAGGCCACTCAGCATCCAAGACAGCTTCGTGGAGGTATCCCCAGTG
TGCCCCCGGGCCCCGGTCCGCTTGGCTCGGAGATCCGTGACTCTGTGGTGTGAGAGCTGACTTCCAGAGGACGC
TGCCCTGGGTTTCAAGGGCTGTGAATGCTCGGAGAGGGTCAACTGGACCTCCCCTCCGCTCTGCTCTTCTGGAAC
ACGACCGTGGTGCCCGGCCCTTGGGAGCCTTGGAGCCAGCTGGCCTGCTGCTCTCAGTCAAGTAGCGAAGCTCC
TACCACCCAGACACCAACAGCCGTGGCCCCAGAGGTCTGGCCAAATATGGGGGCTGCCCTAGGTTGGTGGAA
CAGTGCTCCTTATGTAACTGAGCCCTTTGTTTAAAAAACAATTCCAAATGTGAACTAGAATGAGAGGGAAGAG
ATAGCATGGCATGCAGCACACAGGCTGCTCCAGTTTATGGCCTCCAGGGGTGCTGGGGATGCATCCAAGTGG
TTGCTGAGACAGAGTTGGAAACCCTCACCAACTGGCCTCTTACCTTCCACATTATCCCGCTGCCACCGGCTGC
CCTGTCTCACTGCAGATTACAGGACAGCTTGGGCTGCGTGCGTTCTGCCTTGCCAGTCAGCCGAGGATGTAGTTG
TTGCTGCCGTGCTCCCACCCTCAGGGACAGAGGGCTAGGTTGGCACTGCGGCCCTCACCAGTCTGGGCTC
GGACCCAACTCCTGGACCTTTCCAGCCTGTATCAGGCTGTGGCCACACGAGAGGACGCGGAGCTCAGGAGAGA
TTTCGTGACAATGTACGCTTTCCCTCAGAATTCAAGGAAGAGACTGTGCGCTGCCTTCTCCGTTGTTGCGTGA
GAACCCGTGTGCCCTTTCCACCATATCCACCTCGCTCCATCTTGAACCAACACGAGGAACCTAAGTGCACC
CTGGTCTCTCCCCAGTCCCCAGTTACCCCTCCATCCCTCACCTTCTCCACTCTAAGGGATATCAACACTGCCC
AGCACAGGGGCCCTGAATTTATGTGGTTTTTATACATTTTTTAATAAGATGCACCTTTATGTCAATTTTTAATAAA
GTCTGAAGAATTACTGTTAAAAAATAA

458/615

FIGURE 454

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA67962
><subunit 1 of 1, 837 aa, 1 stop
><MW: 92750, pI: 7.04, NX(S/T): 6
MLRTAMGLRSWLAAPWGALPPRPPLLLLLLLLLLLLLLQPPPPTWALSPRISLPLGSEERPFLRFE
AEHISNYTALLLSRDGRTLYVGAREALFALSSNLSFLPGGEYQELLWGADAEEKKQQCSFKGKD
PQRDCQNYIKILLPLSGSHLFTCGTAAFSMPCTYINMENFTLARDEKGNVLLEDGKGRCPFDP
NFKSTALVVDGELYTGTVSSFQGNPAISRSQSLRPTKTESSLNWLQDPAFVASAYIPESLGS
LQGDDDKIYFFFSETGQFEFFENTIVSRIARICKGDEGGERVLQQRWTSFLKAQLLCSRPD
GFPFNVLQDVFTLSPSPQDWRDTLFYGVFTSQWHRGTTEGSAVCVFTMKDVQRVFSGLYKEVN
RETQQWYTVTHPVPTPRPGACITNSARERKINSSLQLPDRVLNFLKDHFLMDGQVRSRMLLLQ
PQARYQRVAVHRVPGLHHTYDVLFLGTGDGRLHKAVSVGPRVHIIIEELQIFSSGQPVQNLLLD
THRGLLYAASHSGVVQVPMANCSLYRSCGDCLLARDPYCAWSGSSCKHVSlyQPQLATRPWIQ
DIEGASAKDLCSASSVSPSFVPTGEKPCQVQFQPNVTNTLACPLLSNLATRLWLRNGAPVN
ASASCHVLPTGDLLLVTQQLGEFQCWSLEEGFQQLVASYCPEVVEDGVADQTDGGSVPVII
STSRVSAPAGGKASWGADRSYWKEFLVMCTLFVLAVLLPVLFLLYRHRNSMKVFLKQGECAV
HPKTCPVVLPPEPTRPLNGLGPPSTPLDHRGYQSLSDSPPGARVFTSEKRPLSIQDSFVEVSP
VCPRPRVRLGSEIRDSV
```

Transmembrane domains:

amino acids 23-46 (type II), 718-738

459/615

FIGURE 455

TAAGATGAGGGCATCCCTCACGTTACACCCCTGGTGGCATCTGCCAGCCCTGTTCTGGGGAC
AAGGCGGGCTTTTCGTGGGAGCCATGCTCAGCCTGCCAGGAAGCCAAGCCCTACAGTGCAGAGG
AAACAGAATTTCAACGGGAAGCTGGTTTGCTTCATACCATTGGGATCTGCTGGTAAAGCTGTT
ATTTGGGTTTAGGGACTGATCCCTTGACGTTTACTTCTGGATCACCATGAATGGCCAAGATGG
TGGCAGAACACGCTGTGGACCCTGAGTTAGAGACAATGCAAATGTTGGATTGGGTGTAATTCT
TTTTGAATCCCAGATCCAGTCTGTACTTGAATATGAGCAGAAGATCTACAAGAATGCTGACAG
GGAACCGTGTTAAGACCCAGCACCCCTATTCCCAGGAGCTTCTGGCCTGACCATCTGCAGCCA
AAGCACTAACAGGGACAGATATGGGAATGTCCACCTTTGATCCGCATCCTGCACAATAGTGGT
CCCACCATGGCTGCCACTTTTTTATACTATTTGGAGAAAAGACCTTGTATAAATTCGAGGCCC
GAGTGACTAACGTCTCTGTACACGGAAATGGGTACTTGGTGGCATAGAGAAACACAATTAGC
CACTTTTTTCAGCTACACTTCTCACTCAGCTGCACCCTACACTTCTCACTCAGGTGCACCCCT
TCTGCTGTCTTTTCCCAACGTACTGGGTCCCGAGCGTGGTGGGTATTTGCCACACTGGGTGC
CAGCTCAGCAGCCCCCACCTCTCTTTATTCTCTCAAAGCTGGTCTTTCTGACTATCATTGT
GGTAGGGGGAGGACAGATGCTAAAGGTGGAAGCTGACCTGGAGAAAGAGACACACGGGGTGAC
TGTGGCAAAGGACAGCTGGAAAAGAACTCTATCACTTCTTCATTGGCAACCACAAGGCACCC
GAGGCCATGGCACTCCCAGAGGCTGTGCGCAGAGCCAAGCCTCTCAACCTCTTCTGGCCCTGC
GTCCTGCAGCGAAGTCTCTGCTGTAAGACAGTAGACTCCTTCGATGAGGTGCTCAAAAATGCT
ACCCGGGGTGGTGGTGTCTGGCTTGCACTCTGGCCCAGTTCAGAGAAAGTTGCAGAGATCAGGG
GCCAAGGATGTCATAGCCCCAGGTTGTCTCAGGGTCCCAATCCTAGGGCAGGGTGTGCATGG
AAGCAAGAACTATGGAAACCTAGCTCCAGTCTGCAGGCTCTGAGCCCCCTAGTTCTCACTCCA
GCGGGGCTCCCTCACTGCACAGAACCCACCCCTTCTGTGTGGGCACTGCTGACCACACAGATG
ACCCAGACCCAAAGAGCCTGGCAGAAGCTCTGTGGTTGGAGCTGGGCTCCGTCTCCAGGTCTG
GTTACAGGGGGATCAGGAAGGCTCTTTTCCACCTGTGGCTTCACTGGCCCTTTGAGATTTCTTA
TCTACCCGTTACTTCACTTACCCTTGACAGGGGGCCAGGGAGTCAAGAATATACCGTGTTCCTC
CAGGGTTTAAAGCCGGCCATGCCTTCCCGAGAGCATAACCAACTTGACAGGGGTGCCAGTTAC
CCCACAACTGAAGGAAGGAGATCCTTCCCCGTCCCCAGGAGTGCTCTCAACCAGCCTCAGA
AAGCTTGAGAAGATGGACCCTTTGCCCCACCAGGGTTAATTCCTGGTGGGGCAGCTCGGCTGTG
ATCAGGGCAACCAAACCTATAGGAAGCCTTCCAGTGTGAGCTGGAATTAGACTGAACATGTGC
TTGGGCCTGCCTCTCCCTAGACGCAGTTGCGGGGCACTCCAGGGAATGAACCAGCTCAAGTGT
GTCCCTAACAGCAGCCTGGAGCTACCCCCAATCCCTCACAGCCTGACCTCCTCATTCATCA
GATCTCGTGCCG

460/615

FIGURE 456

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA69555
><subunit 1 of 1, 148 aa, 1 stop
><MW: 16214, pI: 10.22, NX(S/T): 0

MGTWWHRETQLATFSATLLTQLHPTLLTQVHPLLLSFPQRTGSRWWVFATLGASSAAPH
LSLFSPKLVFLTIIVVGGQMLKVEADLEKETHGVTVAKDSWKRNSITSSLATTRHPRPW
HSQRLCAEPSLSTSSGPASCSEVSAVRQ

Important features of the protein:**Signal peptide:**

Amino acids 1-28

Transmembrane domain:

Amino acids 64-78

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 103-107

N-myristoylation sites:

Amino acids 53-59;94-100

461/615

FIGURE 457

CCCGCGCGCCCCTGGCACTCAATCCCCGCCATGTGGGGGCTCCTGCTCGCCCTGGCCGCCTTC
GCGCCGGCCGTCGGCCCCGGCTCTGGGGGCGCCAGGAACTCGGTGCTGGGCCTCGCGCAGCCC
GGGACCACCAAGGTCCCAGGCTCGACCCCGGCCCTGCATAGCAGCCCGGCACAGCCCGGCG
GAGACAGCTAACGGGACCTCAGAACAGCATGTCCGGATTTCGAGTCATCAAGAAGAAAAAGGTC
ATTATGAAGAAGCGGAAGAAGCTAACTCTAACTCGCCCCACCCCACTGGTGACTGCCGGGCCC
CTTG TGACCCCCACTCCAGCAGGGACCCCTCGACCCCGCTGAGAAACAAGAAACAGGCTGTCCT
CCTTTGGGTCTGGAGTCCCTGCGAGTTTTCAGATAGCCGGCTTGAGGCATCCAGCAGCCAGTCC
TTTGGTCTTGGAACACACCGAGGACGGCTCAACATTTCATTTCAGGCCTGGAGGACGGCGATCTA
TATGATGGAGCCTGGTGTGCTGAGGAGCAGGACGCCGATCCATGGTTTCAGGTGGACGCTGGG
CACCCACCCGCTTCTCGGGTGTTATCACACAGGGCAGGAACCTCTGTCTGGAGGTATGACTGG
GTCACATCATACAAGGTCCAGTTCAGCAATGACAGTCGGACCTGGTGGGGAAAGTAGGAACCAC
AGCAGTGGGATGGACGCAGTATTTCTGCCAATTCAGACCCAGAACTCCAGTGCTGAACCTC
CTGCCGGAGCCCCAGGTGGCCCGCTTCATTTCGCTGCTGCCCCAGACCTGGCTCCAGGGAGGC
GCGCCTTGCTTCCGGGCAGAGATCCTGGCCTGCCAGTCTCAGACCCCAATGACCTATTCCTT
GAGGCCCTGCGTCGGGATCCTCTGACCCTCTAGACTTTCAGCATCACAATTACAAGGCCATG
AGGAAGCTGATGAAGCAGGTACAAGAGCAATGCCCCAACATCACCCGCATCTACAGCATTTGGG
AAGAGCTACCAGGGCCTGAAGCTGTATGTGATGGAAATGTGCGACAAGCCTGGGGAGCATGAG
CTGGGGGAGCCTGAGGTGCGCTACGTGGCTGGCATGCATGGGAACGAGGCCCTGGGGCGGGAG
TTGCTTCTGCTCCTGATGCAGTTCCTGTGCCATGAGTTCCTGCGAGGGAACCCACGGGTGACC
CGGCTGCTCTCTGAGATGCGCATTCACCTGCTGCCCTCCATGAACCCTGATGGCTATGAGATC
GCCTACCACCGGGGTTCAGAGCTGGTGGGCTGGGCCGAGGGCCGCTGGAACAACCAGAGCATC
GATCTTAACCATAATTTTGCTGACCTCAACACACCACTGTGGGAAGCACAGGACGATGGGAAG
GTGCCCCACATCGTCCCCAACCATCACCTGCCATTGCCCACTTACTACACCCTGCCCAATGCC
ACCGTGGCTCCTGAAACGCGGGCAGTAATCAAGTGGATGAAGCGGATCCCCTTTGTGCTAAGT
GCCAACCTCCACGGGGGTGAGCTCGTGGTGTCTACCCATTCGACATGACTCGCACCCCGTGG
GCTGCCCGCGAGCTCACGCCCACACCAGATGATGCTGTGTTTCGCTGGCTCAGCACTGTCTAT
GCTGGCAGTAATCTGGCCATGCAGGACACCAGCCGCCGACCCTGCCACAGCCAGGACTTCTCC
GTGCACGGCAACATCATCAACGGGGCTGACTGGCACACGGTCCCCGGGAGCATGAATGACTTC
AGCTACCTACACACCAACTGCTTTGAGGTCACTGTGGAGCTGTCCTGTGACAAGTTCCCTCAC
GAGAATGAATTGCCCCAGGAGTGGGAGAACAACAAAGACGCCCTCCTCACCTACCTGGAGCAG
GTGCGCATGGGCATTGCAGGAGTGGTGGGGACAAGGACACGGAGCTTGGGATTGCTGACGCT
GTCATTGCCGTGGATGGGATTAACCATGACGTGACCACGGCGTGGGGCGGGGATTATTGGCGT
CTGCTGACCCCAAGGGACTACATGGTGA CTGCCAGTGCCGAGGGCTACCATTCAGTGACACGG
AACTGTGCGGTACCTTTGAAGAGGGCCCCCTTCCCCTGCAATTTTCGTGCTCACCAGACTCCC
AAACAGAGGCTGCGCGAGCTGCTGGCAGCTGGGGCCAAGGTGCCCCCGGACCTTCGCAGGCGC
CTGGAGCGGCTAAGGGGACAGAAGGATTGATACCTGCGGTTTAAGAGCCCTAGGGCAGGCTGG
ACCTGTCAAGACGGGAAGGGGAAGAGTAGAGAGGGAGGGACAAAGTGAGGAAAAGGTGCTCAT
TAAAGCTACCGGGCACCTTAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

462/615

FIGURE 458

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71162
><subunit 1 of 1, 734 aa, 1 stop
><MW: 81677, pI: 6.60; NX(S/T): 6
MWGLLLALAAFAVGPALGAPRNSVLGLAQPGETTKVPGSTPALHSSPAQPPAETANGTS
EQHVRIIRVIKKKKVIMKKRKKLTLTRPTPLVTAGPLVTPTPAGTLDPAEKQETGCPPLGL
ESLRVSDSRLEASSSQSFGLGPHRGRLNIHSGLEDGDLYDGAWCAEEQDADPWFQVDAGH
PTRFSGVITQGRNSVWRYDWVTSYKVQFSNDSRTWWGSRNHSSGMDAVFPANSDPETPVL
NLLPEPQVARFIRLLPQTWLQGGAPCLRAEILACPVSDPNDLFLEAPASGSSDPLDFQHH
NYKAMRKLMKQVQEQCPNITRIYSIGKSYQGLKLYVMEMSDKPGEHELGEPEVRYVAGMH
GNEALGRELLLLLLMQFLCHEFLRGNPRVTRLLSEMRIHLLPSMNPDGYEIAYHRGSELVG
WAEGRWNNQSIDLNHNFADLNTPLWEAQDDGKVPHIVPNHHLPLPTYTLPNATVAPETR
AVIKWMKRIPFVLSANLHGGELVVSYPFDMTRTPWAARELTPTPDDAVFRWLSTVYAGSN
LAMQDTSRRPCHSQDFSVHGNIINGADWHTVPGSMNDFSYLHTNCFEVTVELSCDKFPHE
NELPQEWENNKDALLTYLEQVRMGIAGVVRDKDTELGIADAVIAVDGINHDVTTAWGGDY
WRLLT PGDYMVTASAEGYHSVTRNCRVTFEEGPFPCNFVLTKTPKQRLRELLAAGAKVPP
DLRRRLERLRGQKD
```

463/615

FIGURE 459

TAAAACAGCTACAATATTCCAGGGCCAGTCACTTGCCATTTCTCATAACAGCGTCAGAGAGAA
AGAACTGACTGAAACGTTTGAGATGAAGAAAGTTCTCCTCCTGATCACAGCCATCTTGGCAGT
GGCTGTTGGTTTCCCAGTCTCTCAAGACCAGGAACGAGAAAAAAGAAGTATCAGTGACAGCGA
TGAATTAGCTTCAGGGTTTTTTGTGTTCCCTTACCCATATCCATTTGCCCCACTTCCACCAAT
TCCATTTCCAAGATTTCCATGGTTTAGACGTAATTTTCTATTCCAATACCTGAATCTGCCCC
TACAACTCCCCCTTCCTAGCGAAAAGTAAACAAGAAGGATAAGTCACGATAAACCTGGTCACCT
GAAATTGAAATTGAGCCACTTCCTTGAAGAATCAAAATTCCTGTTAATAAAAGAAAAACAAAT
GTAATTGAAATAGCACACAGCATTCTCTAGTCAATATCTTTAGTGATCTTCTTTAATAAACAT
GAAAGCAAAGATTTTGGTTTCTTAATTTCCACA

464/615

FIGURE 460

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA71290
><subunit 1 of 1, 85 aa, 1 stop
><MW: 9700, pI: 9.55, NX(S/T): 0
MKKVLLLLITAILAVAVGFPVSQDQEREKRSISDSDELASGFFVFPYPYFPRPLPPIPFPRFPW
FRRNFPIPIPIESAPTTPLPSEK

Important features of the protein:**Signal peptide:**

amino acids 1-17

Homologous region to B3-hordein:

amino acids 47-85

Important features of the protein:**Signal peptide:**

Amino acids 1-20

N-glycosylation sites:

Amino acids 57-61;210-214;220-224;318-322;428-432;472-476

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 80-84

N-myristoylation sites:Amino acids 3-9;20-29;39-48;152-161;161-170;262-271;358-364;
538-544;560-566;637-643**Zinc carboxypeptidases, zinc-binding region 2 signature:**

Amino acids 498-509

Zinc carboxypeptidases:

Amino acids 391-411

465/615

FIGURE 461

AGCAGGAGCAGGAGAGGGACAATGGAAGCTGCCCCGTCCAGGTTTCATGTTCTCTTATTTCTC
CTCACGTGTGAGCTGGCTGCAGAAGTTGCTGCAGAAGTTGAGAAATCCTCAGATGGTCCTGGT
GCTGCCCAGGAACCCACGTGGCTCACAGATGTCCCAGCTGCCATGGAATTCATTGCTGCCACT
GAGGTGGCTGTATAGGCTTCTTCCAGGATTTAGAAATACCAGCAGTGCCCATACTCCATAGC
ATGGTGCAAAAATTCCCAGGCGTGTCAATTTGGGATCAGCACTGATTCTGAGGTTCTGACACAC
TACAACATCACTGGGAACACCATCTGCCTCTTTCGCCTGGTAGACAATGAACAACCTGAATTTA
GAGGACGAAGACATTGAAAGCATTGATGCCACCAAATTGAGCCGTTTCATTGAGATCAACAGC
CTCCACATGGTGACAGAGTACAACCCTGTGACTGTGATTGGGTATTCAACAGCGTAATTCAG
ATTCATCTCCTCCTGATAATGAACAAGGCCTCCCCAGAGTATGAAGAGAACATGCACAGATAC
CAGAAGGCAGCCAAGCTCTTCCAGGGGAAGATTCTCTTTATTCTGGTGGACAGTGGTATGAAA
GAAAATGGGAAGGTGATATCATTCTTCAAACCTAAAGGAGTCTCAACTGCCAGCTTTGGCAATT
TACCAGACTCTAGATGACGAGTGGGATACACTGCCACAGCAGAAGTTCCGTAGAGCATGTG
CAAAACTTTTGTGATGGATTCTTAAGTGGAAAATTGTTGAAAGAAAATCGTGAATCAGAAGGA
AAGACTCCAAAGGTGGAACCTTGACTTCTCCTTGGAACCTACATATGGCCAAGTATCTACTTTA
TGCAAAGTAAAAAGGCACAACCTCAAATCTCAGAGACACTAAACAACAGGATCACTAGGCCTGC
CAACCACACACACACGCACGTGCACACACGCACGCACGCGTGCACACACACACGCGCACACAC
ACACACACACAGAGCTTCATTTCTGTCTTAAATCTCGTTTTCTCTTCTCCTTCTTTTAAA
TTTCATATCCTCACTCCCTATCCAATTTCTTCTTATCGTGCAATTCATACTCTGTAAGCCCAT
CTGTAACACACCTAGATCAAGGCTTTAAGAGACTCACTGTGATGCCTCTATGAAAGAGAGGCA
TTCCTAGAGAAAGATTGTTCCAATTTGTCAATTAATATCAAGTTTGTATACTGCACATGACTT
ACACACAACATAGTTCTCTGCTCTTTTAAGGTTACCTAAGGGTTGAAACTCTACCTTCTTTTCAT
AAGCACATGTCCGTCTCTGACTCAGGATCAAAAACCAAAGGATGGTTTTAAACACCTTTGTGA
AATTGTCTTTTTTGCCAGAAGTTAAAGGCTGTCTCCAAGTCCCTGAACTCAGCAGAAATAGACC
ATGTGAAAACCTCATGCTTGGTTAGCATCTCCAACCTCCCTATGTAAATCAACAACCTGCATAA
TAAATAAAAGGCAATCATGTTATA

466/615

FIGURE 462

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76401
><subunit 1 of 1, 273 aa, 1 stop
><MW: 30480, pI: 4.60, NX(S/T): 1
MEAAPS RFMFLLFLLTCELA AEVAAEVEKSSDGPAAQEPTWLT DVPAAMEFIAATEVAVIGF
FQDLEIPAVPILHSMVQKFPGV SFGISTDSEVLTHYNITGNTICL FRLVDNEQLNLEDEDIES
IDATKLSRFIEINSLH MVTEYNPVTVIGLFNSVIQIHLLIMNKASPEYEENMHRYQKA AKLF
QGKILFILVDSGMKENGKVISFFKLKESQLPALAIYQTL DDEWDTLPTAEVSVEHVQNFCDGF
LSGKLLKENRESEGKTPKVEL
```

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 143-162

467/615

FIGURE 463

CTCGCTTCTTCCTTCTGGATGGGGGCCAGGGGGGCCAGGAGAGTATAAAGGCGATGTGGAGG
GTGCCCCGGCACAACCAGACGCCAGTCACAGGCGAGAGCCCTGGG**ATG**CACCGGCCAGAGGCC
ATGCTGCTGCTGCTCACGCTTGCCCTCCTGGGGGGCCCCACCTGGGCAGGGAAGATGTATGGC
CCTGGAGGAGGCAAGTATTTAGCA~~CC~~ACTGAAGACTACGACCATGAAATCACAGGGCTGCGG
GTGTCTGTAGGTCTTCTCCTGGTGAAAAGTGTCCAGGTGAAACTTGGAGACTCCTGGGACGTG
AAACTGGGAGCCTTAGGTGGGAATACCCAGGAAGTCACCCTGCAGCCAGGCGAATACATCACA
AAAGTCTTTGTCGCCTTCCAAGCTTTCCTCCGGGGTATGGTCATGTACACCAGCAAGGACCGC
TATTTCTATTTTGGGAAGCTTGATGGCCAGATCTCCTCTGCCTACCCAGCCAAGAGGGGCAG
GTGCTGGTGGGCATCTATGGCCAGTATCAACTCCTTGGCATCAAGAGCATTGGCTTTGAATGG
AATTATCCACTAGAGGAGCCGACCACTGAGCCACCAGTTAATCTCACATACTCAGCAA~~ACT~~CA
CCCGTGGGTGCGT**TAG**GGTGGGGTATGGGGCCATCCGAGCTGAGGCCATCTGTGTGGTGGTGGC
TGATGGTACTGGAGTAACTGAGTCGGGACGCTGAATCTGAATCCACCAATAAATAAAGCTTCT
GCAGAAAA

468/615

FIGURE 464

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76541
><subunit 1 of 1, 178 aa, 1 stop
><MW: 19600, pI: 5.89, NX(S/T): 1
MHRPEAMLLLLTLALLGGPTWAGKMYGPGGGKYFSTTEDYDHEITGLRVSVGLLLVKSQVVKL
GDSWDVKLGALGGNTQEVTLQPGYITKVFAFQAFRLGMVMYTSKDRYFYFGKLDGQISSAY
PSQEGQVLVGIYGQYQLLGIKSIGFEWNYPLEEPTTEPPVNLTYSANSPVGR
```

Signal peptide:
amino acids 1-22

469/615

FIGURE 465

CGGACGCGTGGGTCCGGCGGCCTGAGGCTGCACCGGGCACGGGTGGGCCGCAATCCAGCCTGGGCGGAGCCGGAG
TTGCGAGCCGCTGCCTAGAGGCCGAGGAGCTCACAGCTATGCGGCTGGAGGCCCGGAGAGCTCGGGGGACCCGCT
TGCTGCTGCTGCTACTACTGCTGCTGCTGCTGGCCAGTGCCAGGCGCCGGGTGCTTCAAGGACATATCCCTGGGC
AGCCAGTCACCCCGCACTGGGTCTGGATGGACAACCCTGGCGCACCGTCAGCCTGGAGGAGCCGGTCTCGAAGC
CAGACATGGGGCTGGTGGCCCTGGAGGCTGAAGGCCAGGAGCTCCTGCTTGAAGTGAAGAACACAGGCTGC
TGGCCCCAGGATACATAGAAACCCACTACGGCCCCAGATGGGCAGCCAGTGCTGGCCCCCAACCACACGGATC
ATTGCCACTACCAAGGGCGAGTAAGGGGCTTCCCCGACTCCTGGGTAGTCTCTGCACCTGCTCTGGGATGAGTG
GCCTGATCACCTCAGCAGGAATGCCAGTATTATCTGCGTCCCTGGCCACCCCGGGGCTCCAAGGACTTCTCAA
CCCACGAGATCTTTTCGGATGGAGCAGCTGCTCACCTGGAAAGGAACCTGTGGCCACAGGGATCCTGGGAACAAAG
CGGGCATGACCAGCCTTCTGGTGGTCCCCAGAGCAGGGGAGGCGAGAAGCGCGCAGGACCCGGAAGTACCTGG
AACTGTACATTGTGGCAGACCACACCCTGTTCTTGACTCGGCACCGAAACTTGAACCACACCAACAGCGTCTCC
TGGAAAGTCGCCAACTACGTGGACCAAGCTTCTCAGGACTCTGGACATTTCAGGTGGCGCTGACCGGCCCTGGAGTGT
GGACCGAGCGGGACCGCAGCCGCTCACGCAGGACGCCAACGCCACGCTCTGGGCCCTTCTGCAGTGGCGCCGGG
GGCTGTGGGCGCAGCGCCCCACGACTCCGCGCAGCTGCTCACGGGCCGCGCCTTCCAGGGCGCCACAGTGGGCC
TGGCGCCCGTCGAGGGCATGTGCCGCGCCGAGAGCTCGGGAGGCGTGAGCACGGACCACTCGGAGCTCCCCATCG
GCGCCGACGCCACCATGGCCCATGAGATCGGCCACAGCCTCGGCCCTCAGCCACGACCCCGACGGCTGCTGCGTGG
AGGCTGCGGCGGAGTCCGGAGGCTGCGTCTATGGCTGCGGCCACCGGGCACCCGTTTCCGCGCTGTTTCAGCGCCT
GCAGCCCGCGCCAGCTGCGCGCCTTCTTCCGCAAGGGGGGCGCGCTTGCCCTCTCCAATGCCCGGACCCCGGAC
TCCCGGTGCCCGCGCGCTCTGCGGGAACGGCTTCTGTGAAGCGGGCGAGGAGTGTGACTGCGGCCCTGGCCAGG
AGTGCCGCGACCTCTGCTGCTTTGCTCACAACCTGCTGCTGCGCCCGGGGGCCAGTGCGCCACGGGGACTGCT
GCGTGCGCTGCTGCTGAAGCCGGCTGGAGCGCTGTGCCGCCAGGCCATGGGTGACTGTGACCTCCCTGAGTTTT
GCACGGGCACCTCCTCCCACTGTCCCCAGACGTTTACCTACTGGACGGCTCACCTGTGCCAGGGGAGTGGCT
ACTGCTGGGATGGCGCATGTCCCACGCTGGAGCAGCAGTGCCAGCAGCTCTGGGGGCTGGCTCCACCCAGCTC
CCGAGGCCTGTTTCCAGGTGGTGAACCTCTGCGGGAGATGCTCATGGAACTGCGGCCAGGACAGCGAGGGCCACT
TCCTGCCCTGTGCAGGGAGGGATGCCCTGTGTGGGAAGCTGCAGTGCCAGGGTGGAAAGCCAGCCTGCTCGCAC
CGCACATGGTGCCAGTGGACTCTACCGTTACCTAGATGGCCAGGAAGTGAAGTGTGCGGGAGCCTTGGCACTCC
CCAGTGCCAGCTGGACCTGCTTGGCCTGGGCCTGGTAGAGCCAGGCACCCAGTGTGGACCTAGAATGGTGTGCC
AGAGCAGGCGCTGCAGGAAGAATGCCTTCCAGGAGCTTACGCGCTGCTGCTGCTGCCACAGCCACGGGGTTT
GCAATAGCAACCAATACTGCCACTGTGCTCCAGGCTGGGCTCCACCCCTTCTGTGACAAGCCAGGCTTTGGTGGCA
GCATGGACAGTGGCCCTGTGCAGGCTGAAAACCATGACACCTTCTGCTGGCCATGCTCCTCAGCGTCTGCTGC
CTCTGCTCCCAGGGGCGCGCCTGGCCTGGTGTGCTACCGACTCCCAGGAGCCCATCTGCAGCGATGCAGCTGGG
GCTGCAGAAGGGACCCCTGCGTGCAGTGGCCCCAAAGATGGCCCCACACAGGGACCAACCCCTGGGCGCGCTTACC
CCATGGAGTTGGGCCCCACAGCCACTGGACAGCCCTGGCCCTGGACCCTGAGAAGTCTCATGAGCCAGCAGCC
ACCCTGAGAAGCCTCTGCCAGCAGTCTCGCCTGACCCCCAAGCAGATCAAGTCCAGATGCCAAGATGCCCTCT
GGTGAAGAGGTAGCTCCTAAAATGAACAGATTTAAAGACAGGTGGCCACTGACAGCCACTCCAGGAAGTGAAGT
CAGGGGCGAGAGCCAGTGAATCACCGGACCTCCAGCACCTGCAGGCAGCTTGAAGTTTCTTCCCCGAGTGGAGCT
TCGACCCACCCACTCCAGGAACCCAGAGCCACATTAGAAGTTCCTGAGGGCTGGAGAACACTGCTTGGGCACACT
CTCCAGCTCAATAAACCATCAGTCCCAGAAGCAAGGTACACAGCCCTGACCTCCCTCACCAGTGGAGGCTGG
GTAGTGTGGCCATCCAAAAGGGCTCTGTCTGGGAGTCTGGTGTGTCTCTACATGCAATTTCCACGGACCCA
GCTCTGTGGAGGCGATGACTGCTGGCCAGAAGCTAGTGGTCTGGGGCCCTATGGTTTCAGTGAAGTCCACACTCC
CTGCGAGCCTGGCTGGCCTCTGCAACAAACATAATTTTGGGGACCTTCTTCTGTTTTCTTCCACCCCTGTCTT
CTCCCTAGGTGGTTCCTGAGCCCCCACCCTAATCCAGTGCTACACCTGAGGTTCTGGAGCTCAGAATCTGAC
AGCCTCTCCCCATTCTGTGTGTGTCCGGGGGACAGAGGGAACCATTTAAGAAAAGATACCAAGTAGAAGTCAA
AAGAAAGACATGTTGGCTATAGGCGTGGTGGCTCATGCTATAATCCAGCACTTTGGGAAGCCGGGGTAGGAGG
ATCACCAGAGGCCAGCAGGTCCACACCAGCCTGGGCAACACAGCAAGACACCGCATCTACAGAAAAATTTAAAA
TTAGCTGGGCGTGGTGTGTGTGTACCTGTAGGCTAGCTGCTCAGGAGGCTGAAGCAGGAGGATCACTTGAGCCTG
AGTTCAACACTGCAGTGAAGTATGGTGGCACCCTGCACTCCAGCCTGGGTGACAGAGCAAGACCCCTGTCTCTAA
AATAAATTTTAAAGGACTTAAAAAAGGAAAAAAGAAAAAAGAAAAA

470/615

FIGURE 466

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76788
><subunit 1 of 1, 813 aa, 1 stop
><MW: 87739, pI: 6.94, NX(S/T): 5

MGWRPRRRARGTPLL LLLLLLLLLLWVPVPGAGVLQGHIPGQPVTPHWVLDGQPWRTVSLEEPVSKPDMGLVALEAEGQ
ELLLELEKNHRL LAPGYIETHYGPDPGVVLAPNHTDHCHYQGRVRGFPDSWVVLCTCSGMSGLITLSRNASYYL
RPWPPRGSKDFSTHEIFRMEQLLTWKGTGHRDPGNKAGMTSLPGGPQSRGRREARTRKYLELYIVADHTLFLT
RHRNLNHTKQRLLEVANYVDQLRLTDIQVALTGLEVWTERDRSRVTQDANATLWAFLOWRRGLWAQRPHDSAQL
LTGRAFGQATVGLAPVEGMCRAESSGGVSTDHSELPIGAAATMAHEIGHSLGLSHDPDGCCVEAAAESGGCVMAA
ATGHPFPRVFSACSRRLRAFFRKGGGACLSNAPDPGLPVFPALCGNGFVEAGEECDGPGQECRDLCCFAHNCS
LRPGAQCAHGDCCVRLKPKAGALCRQAMGDCDLPEFCTGTSSHCPPDVYLLDGSPCARGSGYCWDGACPTLEQQ
CQQLWGP GSHPAPEACFQVVNSAGDAHGNCGQDSEGHFLPCAGRDALCGKLCQCGGKPSLLAPHMVPVDSTVHLD
GOEVT CRGALALPSAQLDLLGLGLVEPGTQCGPRMVCQSRRCRKNAPQELQRCLTACHSHGVCNSNHNCHCAPGW
APPFCDKPGFGGSMDSGPVQAENHDTFLLAMLLSVLLPLLPAGLAWCCYRLPGAHLQRCSWGCRDPACSGPKD
GPHRDHPLGGVHPMELGPTATGQWPPLDPENSHEPSSHPEKPLPAVSPDPQADQVQMPRSLW

Important features of the protein:**Signal peptide:**

Amino acids 1-27

Transmembrane domain:

Amino acids 702-720

N-glycosylation sites:

Amino acids 109-113;145-149;231-235;276-280;448-452

Tyrosine kinase phosphorylation site:

Amino acids 236-244

N-myristoylation sites:

Amino acids 29-35;185-191;195-201;308-314;318-324;326-332;338-344;370-376;
400-406;402-408;454-460;504-510;510-516;517-523;580-586;
601-607;661-667;687-693;717-723;719-725

Amidation site:

Amino acids 200-204

Neutral zinc metalloproteinases, zinc-binding region signature:

Amino acids 342-352

FIGURE 467

[illegible]

472/615

FIGURE 468

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77623
><subunit 1 of 1, 97 aa, 1 stop
><MW: 10160, pI: 6.56, NX(S/T): 0
MQLGTGLLLAAVLSLQLAAAEAIWCHQCTGFGGCSHGSRCLRDSTHCVTTATRVLSNTEDLPL
VTKMCHIGCPDIPSLGLGPYYSIACCQTSLCNHD

Important features of the protein:

Signal peptide:

amino acids 1-20

N-myristoylation sites.

amino acids 6-11 and 33-38

Prokaryotic membrane lipoprotein lipid attachment sites.

amino acids 24-34 and 78-88

473/615

FIGURE 469

CATGGAGCCTCTTGCAGCTTACCCGCTAAAATGTTCCGGGCCAGAGCAAAGGTATTTGCAGT
TTTGCTGTCTATAGTTCTATGCACAGTAACGCTATTTCTTCTACAATAAAATTCCTCAAACC
TAAAATCAACAGCTTTTATGCCTTTGAAGTGAAGGATGCAAAGGAAGAACTGTTTCTCTGGA
AAAGTATAAAGGCAAAGTTTCACTAGTTGTAAACGTGGCCAGTGACTGCCAACTCACAGACAG
AAATTACTTAGGGCTGAAGGAAGTGCACAAAGAGTTTGGACCATCCCACTTCAGCGTGTGGC
TTTTCCCTGCAATCAGTTTGGAGAATCGGAGCCCCGCCAAGCAAGGAAGTAGAATCTTTTGC
AAGAAAAAAGTACGGAGTAACTTTCCCCATCTTCCACAAGATTAAGATTCTAGGATCTGAAGG
AGAACCTGCATTTAGATTTCTTGTTGATTCTTCAAAGAAGGAACCAAGGTGGAATTTTTGGAA
GTATCTTGTCAACCCTGAGGGTCAAGTTGTGAAGTTCTGGAGGCCAGAGGAGCCATTGAAGT
CATCAGGCCTGACATAGCAGCTCTGGTTAGACAAGTGATCATAAAAAAGAAAGAGGATCTAT**G**
AGAATGCCATTGCGTTTCTAATAGAACAGAGAAATGTCTCCATGAGGGTTTGGTCTCATTTTA
AACATTTTTTTTTTGGAGACAGTGTCTCACTCTGTCACCCAGGCTGGAGTGCAGTAGTGCGTT
CTCAGCTCATTGCAACCTCTGCCTTTTTAAACATGCTATTAAATGTGGCAATGAAGGATTTTT
TTTAAATGTTATCTTGCTATTAAGTGGTAATGAATGTTCCAGGATGAGGATGTTACCCAAAG
CAAAAATCAAGAGTAGCCAAAGAATCAACATGAAATATATTAAGTACTTCTCTGACCATACT
AAAGAATTCAGAATACACAGTGACCAATGTGCCTCAATATCTTATTGTTCAACTTGACATTTT
CTAGGACTGTACTTGATGAAAATGCCAACACACTAGACCACTCTTTGGATTCAAGAGCACTGT
GTATGACTGAAATTTCTGGAATAACTGTAAATGGTTATGTTAATGGAATAAACACAAATGTT
GAAAAATGTAAATATATATACATAGATTCAAATCCTTATATATGTATGCTTGTTTTGTGTAC
AGGATTTTGTTTTTTCTTTTTAAGTACAGGTTCCTAGTGTTTTACTATAACTGTCACTATGTA
TGTAAGTACATATATAAATAGTCATTTATAAATGACCGTATTATAACATTTGAAAAAGTCTT
CATCAAAAAAAAAAAAAA

474/615

FIGURE 470

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA80136
><subunit 1 of 1, 209 aa, 1 stop
><MW: 23909, pI: 9.68, NX(S/T): 0
MEPLAAYPLKCSGPRAKVFAVLLSIVLCTVTLFLLQLKFLKPKINSFYAFEVKDAKGRTVSLE
KYKGKVS LVNVASDCQLTDRNYLGLKELHKEFGPSHFSVLAFPCNQFGESEPRPSKEVESFA
RKNYGVTFPIFHKIKILGSEGEPAFRFLVDSSKKEPRWNFWKYLVNPEGQVVKFWRPEEPIEV
IRPDIAALVRQVVIKKKEDL
```

Important features of the protein:

Signal peptide:

amino acids 1-31

Glutathione peroxidases signature 2.

amino acids 104-112

Glutathione peroxidases.

amino acids 57-82

475/615

FIGURE 471

GCCCTAACCTTCCCAGGGCTCAGCTCTTTGGAGCTGCCATTTCCTCCGGCTGCGAGAAAGGACGCGCGCCCTGCG
TCGGGCGAAGAAAAGAAGCAAACTTGTCCGGAGGGTTTCGTCATCAACCTCCTTCCCAGAACTTAAACCTCCT
GCCGGGGCCATCCCTAGACAGAGGAAAGTTCTGTCAGAGCCGACCAGCCCTAGTGGATCTGGGGCAGGCAGCGGC
GCTGGCTGTGGAATTAGATCTGTTTTGAACCCAGTGGAGCGCATCGCTGGGGCTCGGAAGTCACCGTCCGCGGGC
ACCGGGTTGGCGCTGCCGAGTGAACCGACAGTTTGGAGCCCTCGGCTGCAAGTGGCCTCTCCTCCCGCGGTT
GTTGTTTCAGTGTCCGGTGAGGGCTGCGAGTGTGGCAAGTTGCAAAGAGAGCCTCAGAGGTCGGAAGAGCGCTGCG
CTCCTACTCGCGTTCGCTTCTTCTCTCTCGGTTCCCTACTGTGAAATCGCAGCGACATTTACAAAGGCCTCCG
GGTCTTACCGAGACCGATCCGACGCTTTGGCCCGGTCGTGCCTATTGCATCGGGAGCCCCGAGCACCGGCGAA
GGACTGGCGGGTGGGGTAGGGAGGTGGCGGGCGGGCATGGCGAGGTTCCCGAAGGCCGACCTGGCCGCTGCAGG
AGTTATGTTACTTTGCCACTTCTTCACGGACCAGTTTCAGTTCCCGATGGGAAACCCGGAGACCAAATCCTTGA
TTGGCAGTATGGAGTTACTCAGGCCTTCCCTCACACAGAGGAGGAGGTGGAAGTTGATTACACGCGTACAGCCA
CAGGTGGAAAAGAACTTGGACTTTCTCAAGCGGGTAGACACGAACCGAGCAAGCGTCGGCCAAAGACTCTCCTGA
GCCCAGAAGCTTCACAGACCTGCTGCTGGATGATGGGCAGGACAATAACACTCAGATCGAGGAGGATACAGACCA
CAATTACTATATATCTCGAATATATGGTCCATCTGATTCTGCCAGCCGGGATTTATGGGTGAACATAGACCAAAT
GGAAAAAGATAAAGTGAAGATTCATGGAATATTGTCCAATACTCATCGGCAAGCTGCAAGAGTGAATCTGTCCTT
CGATTTTCCATTTTATGGCCACTTCTTACGTGAAATCACTGTGGCAACCGGGGGTTTCATATACACTGGAGAAGT
CGTACATCGAATGCTAACAGCCACACAGTACATAGCACCTTTAATGGCAAATTCGATCCAGTGTATCCAGAAA
TTCAACTGTCAGATATTTTGATAATGGCACAGCACTTGTGGTCCAGTGGGACCATGTACATCTCCAGGATAATTA
TAACCTGGGAAGCTTCACATTCCAGGCAACCCTGCTCATGGATGGACGAATCATCTTTGGATACAAAGAAATTCC
TGTCTTGGTCACACAGATAAGTTCAACCAATCATCCAGTGAAAGTCGGACTGTCCGATGCATTTGTGCTTGTCCA
CAGGATCCAACAAATTCCTAATGTTTGAAGAAGAACAAATTTATGAATACCACCGAGTAGAGCTACAAATGTCAA
AATTACCAACATTTCCGGCTGTGGAGATGACCCCATACCCACATGCCTCCAGTTAACAGATGTGGCCCTGTGT
ATCTTCTCAGATTGGCTTCAACTGCAGTTGGTGTAGTAACTTCAAAGATGTTCCAGTGGATTTGATCGTCATCG
GCAGGACTGGGTGGACAGTGGATGCCCTGAAGAGTCAAAGAGAAGATGTGTGAGAATACAGAACCAGTGGAAAC
TTCTTCTCGAACCACCACAACCGTAGGAGCGACAACCACCCAGTTCCAGGGTCTTAACCTACCACCAGAAGAGCAGT
GACTTCTCAGTTTCCCACCAGCCTCCCTACAGAAGATGATACCAAGATAGCACTACATCTAAAAGATAATGGAGC
TTCTACAGATGACAGTGCAGCTGAGAAGAAAGGGGAACCTCCACGCTGGCCTCATATTGGAATCCTCATCCT
GGTCTCATTTGTAGCCACAGCCATTCTTGTGACAGTCTATATGTATCACCACCAACATCAGCAGCCAGCATCTT
CTTTATTGAGAGACGCCCCAAGCAGATGGCCTGCGATGAAGTTTAGAAGAGGCTCTGGACATCCTGCCTATGCTGA
AGTTGAACCAAGTTGGAGAGAAAGAAGGCTTTATTGTATCAGAGCAGTGCTAAAATTTCTAGGACAGAACAACACC
AGTACTGGTTTACAGGTGTTAAGACTAAAATTTTGCCTATACCTTTAAGACAAACAAACACACACACAAAC
AAGCTCTAAGCTGCTGTAGCCTGAAGAAGACAAGATTTCTGGACAAGCTCAGCCAGGAAACAAAGGTTAAACAA
AAAATAAACTTATACAAGATACATTTTACTGAACATAGAATTCCCTAGTGGAATGTCATCTATAGTTCAT
CGGAACATCTCCCGTGGACTTATCTGAAGTATGACAAGATTATAATGCTTTTGGCTTAGGTGCAGGGTTGCAAAG
GGATCAGAAAAAAAATCATAATAAAGCTTTAGTTTCATGAGG

476/615

FIGURE 472

MARFPKADLAAAGVMLLCHFFTDQFQFADGKPGDQILDWQYGVTAQAFPHTEEEVEVD SHAYSH
RWKRNLDFLKAVDTNRASVGQDSPEPRSFDTLLLDGQDNNTQIEEDTDHNYISRIYGPSDS
ASRDLWVNIDQMEKDKVKIHGILSNTHRQAARVNLSFDFFFYGHFLREITVATGGFIYTGEVV
HRMLTATQYIAPLMANFDPSVSRNSTVRYFDNGTALVVQWDHVHLQDNYNLGSFTFQATLLMD
GRIIFGYKEIPVLVTQISSTNHPVKVGLSDAFVVVHRIQQIPNVRRTIYEYHRVELQMSKIT
NISAVEMTFLPTCLQFNRCGPCVSSQIGFNCSWCSKLQRCSSGFDRHRQDWVDSGCPEESKEK
MCENTEPVETSSRTTTTGVGATTTQFRVLTTTTRAVTSQFPTSLPTEDDTKIALHLKDNGASTD
DSAAEKKGGTLHAGLIIGILILVLIVATAILVTVMYHHPTSAASIFFIERRPSRWPAMKFRR
GSGHPAYAEVEPVGEKEGFIVSEQC

Important features of the protein:**Transmembrane domain:**

amino acids 454-478

N-glycosylation sites.

amino acids 103-107, 160-164, 213-217, 221-225, 316-320, 345-349

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 297-301, 492-496, 503-507

N-myristoylation sites.amino acids 42-48, 100-106, 147-153, 279-285, 397-403, 450-456,
455-461

477/615

FIGURE 473

CGCGGAGCCCTGCGCTGGGAGGTGCACGGTGTGCACGCTGGACTGGACCCCCATGCAACCCCG
CGCCCTGCGCCTTAACCAGGACTGCTCCGCGCGCCCTGAGCCTCGGGCTCCGGCCCGGACCT
GCAGCCTCCCAGGTGGCTGGGAAGAACTCTCCAACAATAAATACATTTGATAAGAAAGATGGC
TTTAAAAGTGCTACTAGAACAAAGAGAAAACGTTTTTCACTCTTTTAGTATTACTAGGCTATTT
GTCATGTAAAGTGACTTGTGAATCAGGAGACTGTAGACAGCAAGAATTCAGGGATCGGTCTGG
AAACTGTGTTCCCTGCAACCAGTGTGGGCCAGGCATGGAGTTGTCTAAGGAATGTGGCTTCGGC
TATGGGGAGGATGCACAGTGTGTGACGTGCCGGCTGCACAGGTTCAAGGAGGACTGGGGCTTC
CAGAAATGCAAGCCCTGTCTGGACTGCGCAGTGGTGAACCGCTTTCAGAAGGCAAATTGTTCA
GCCACCAGTGATGCCATCTGCGGGGACTGCTTGCCAGGATTTTATAGGAAGACGAAACTTGTC
GGCTTTCAAGACATGGAGTGTGTGCCCTGTGGAGACCCTCCTCCTTACGAACCGCACTGT
GCCAGCAAGGTCAACCTCGTGAAGATCGCGTCCACGGCCTCCAGCCCACGGGACACGGCGCTG
GCTGCCGTTATCTGCAGCGCTCTGGCCACCGTCTGCTGGCCCTGCTCATCCTCTGTGTCATC
TATTGTAAGAGACAGTTTATGGAGAAGAAACCCAGCTGGTCTCTGCGGTCGCAGGACATTCAG
TACAACGGCTCTGAGCTGTCTGTTTTGACAGACCTCAGCTCCACGAATATGCCACAGAGCC
TGCTGCCAGTGCCGCCGTGACTCAGTGCAGACCTGCGGGCCGGTGCCTTGCTCCCATCCATG
TGCTGTGAGGAGGCTGCAGCCCCAACCCGGCGACTCTTGGTGTGGGGTGCAATTCTGCAGCC
AGTCTTCAGGCAAGAAACGCAGGCCAGCCGGGGAGATGGTGCCGACTTCTTCGGATCCCTC
ACGCAGTCCATCTGTGGCGAGTTTTTCAGATGCCTGGCCTCTGATGCAGAATCCCATGGGTGGT
GACAACATCTCTTTTTGTGACTCTTATCCTGAACTCACTGGAGAAGACATTCATTCTCTCAAT
CCAGAACTGAAAGCTCAACGTCTTTGGATTCAAATAGCAGTCAAGATTGGTGGTGGGGCT
GTTCCAGTCCAGTCTCATTCTGAAAACCTTTACAGCAGCTACTGATTTATCTAGATATAACAAC
AACTGGTAGAATCAGCATCAACTCAGGATGCACTAACTATGAGAAGCCAGCTAGATCAGGAG
AGTGGCGCTGTCATCCACCCAGCCACTCAGACGTCCCTCCAGGAAGCTTAAAGAACCTGCTTC
TTTCTGCAGTAGAAGCGTGTGCTGGAACCCAAAGAGTACTCCTTTGTTAGGCTTATGGACTGA
GCAGTCTGGACCTTGCATGGCTTCTGGGGCAAAAATAAATCTGAACCAAACCTGACGGCATTG
AAGCCTTTCAGCCAGTTGCTTCTGAGCCAGACCAGCTGTAAGCTGAAACCTCAATGAATAACA
AGAAAAGACTCCAGGCCGACTCATGATACTCTGCATCTTTCCTACATGAGAAGCTTCTCTGCCAC
AAAAGTGACTTCAAAGACTGATGGGTGAGCTGGCAGCCTATGAGATTGTGGACATATAACAA
GAAACAGAAATGCCCTCATGCTTATTTTCATGGTGATTGTGGTTTTACAAGACTGAAGACCCA
GAGTATACTTTTTCTTCCAGAAATAATTTACATACCGCCTATGAAATATCAGATAAATTACCT
TAGCTTTTATGTAGAATGGGTTCAAAAGTGAGTGTCTTCTATTTGAGAAGGACACTTTTTCATC
ATCTAAACTGATTGCGATAGGTGGTTAGAATGGCCCTCATATTGCCTGCCTAAATCTTGGGTT
TATTAGATGAAGTTTACTGAATCAGAGGAATCAGACAGAGGAGGATAGCTCTTTCAGAAATCC
AACTTCTGACCTCAGCCTCGGTCTCATGAACACCCGCTGATCTCAGGAGAACACCTGGGCTA
GGGAATGTGGTCGAGAAAGGGCAGCCCATTGCCAGAAATTAACACATATTGTAGAGACTTGTA
TGCAAAGGTGGCATATTTATATGAAAATTAGTTGCTATAGAAACATTTGTTGCATCTGTCCC
TCTGCCTGAGCTTAGAAGGTTATAGAAAAAGGGTATTTATAAACATAAATGACCTTTTACTTG
CATTGTATCTTATACTAAAGGCTTTAGAAATTACAACATATCAGGTTCCCTACTACTGAAGT
AGCCTTCCGTGAGAACACACCACATGTTAGGACTAGAAGAAAATGCACAATTTGTAGGGGTTT
GGATGAAGCAGCTGTAACCTGCCCTAGTGTAGTTTGACCAGGACATTGTCGTGCTCCTTCCAAT
TGTGTAAGATTAGTTAGCACATCATCTCCTACTTTAGCCATCCGGTGTGGATTTAAGAGGAC
GGTGCTTCTTTCTATTAAAGTGCTCCATCCCTACCATCTACACATTAGCATGTCTCTAGAG
CTAAGACAGAAATTAACCCCGTTCAAGTCAAAAGCAGGGAATGGTTCATTTACTCTTAATCTT
TATGCCCTGGAGAAGACCTACTTGAACAGGGCATATTTTTTAGACTTCTGAACATCAGTATGT
TCGAGGGTACTATGATATTTTGGTTTGAATGCCCTGCCCAAGTCACTGTCTTTTAACTTTT
AACTGAATATTAAATGTATCTGTCTTTCCT

478/615

FIGURE 474

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA84210
><subunit 1 of 1, 417 aa, 1 stop
><MW: 45305, pI: 5.12, NX(S/T): 6
MALKVLLEQEKTFFTLLVLLGYLSCKVTCESGDCRQQEFRDRSGNVCVPCNQCGPGMELSK
ECGFGYGEDAQCVTCLRHFKEDWGFQKCKPCLDCAVVNRFAQKNC SATSDAICGDCLPG
FYRKTCLVGFQDMECVPCGDP PPPPYEPHCASKVNLVKIASTASSPRDTALAAVICSALAT
VLLALLILCVIYCKRQFMEEKPSWSLSQDIQYNGSELSCFDRPQLHEYAHRACQCRRD
SVQTCGPVRLLPSCCEEACSPNPATLGCGVHSAASLQARNAGPAGEMVPTFFGSLTQSI
CGEFSDAWPLMQNPMGGDNISFCDSYPELTGEDIHSLNPELESSTSLDSNSSQDLVGGAV
PVQSHSENFTAATDLSRYNNTLVESASTQDALTMRSQLDQESGAVIHPATQTSLQEA
```

Important features of the protein:**Signal peptide:**

Amino acids 1-25

Transmembrane domain:

Amino acids 169-192

N-glycosylation sites:

Amino acids 105-109;214-218;319-323;350-354;368-372;379-383

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 200-204;238-242

Tyrosine kinase phosphorylation site:

Amino acids 207-214

N-myristoylation sites:

Amino acids 55-61;215-221;270-276

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 259-270

TNFR/NGFR family cysteine-rich region proteins:

Amino acids 89-96

479/615

FIGURE 475

AGCCAGGCAGCACATCACAGCGGGAGGAGCTGTCCCAGGTGGCCCAGCTCAGCAATGGCAATG
GGGGTCCCCAGAGTCATTCTGCTCTGCCTCTTTGGGGCTGCGCTCTGCCTGACAGGGTCCCAA
GCCCTGCAGTGCTACAGCTTTGAGCACACCTACTTTGGCCCCTTTGACCTCAGGGCCATGAAG
CTGCCCAGCATCTCCTGTCCTCATGAGTGCTTTGAGGCTATCCTGTCTCTGGACACCGGGTAT
CGCGCGCCGCTGACCCTGGTGCGGAAGGGCTGCTGGACCGGGCCTCCTGCGGGCCAGACGCAA
TCGAACCCGGACGCGCTGCCGCCAGACTACTCGGTGGTGCGCGGCTGCACAACCTGACAAATGC
AACGCCCACCTCATGACTCATGACGCCCTCCCCAACCTGAGCCAAGCACCCGACCCGCCGACG
CTCAGCGGGCGCCGAGTGCTACGCCTGTATCGGGGTCCACCAGGATGACTGCGCTATCGGCAGG
TCCCGACGAGTCCAGTGTCACCAGGACCAGACCGCCTGCTTCCAGGGCAGTGGCAGAATGACA
GTTGGCAATTTCTCAGTCCCTGTGTACATCAGAACCTGCCACCGGCCCTCCTGCACCACCGAG
GGCACCACCAGCCCCTGGACAGCCATCGACCTCCAGGGCTCCTGCTGTGAGGGGTACCTCTGC
AACAGGAAATCCATGACCCAGCCCTTCACCAGTGCTTCAGCCACCACCCCTCCCCGAGCACTA
CAGGTCCTGGCCCTGCTCCTCCAGTCCTCCTGCTGGTGGGGCTCTCAGCATAGACCGCCCCT
CCAGGATGCTGGGGACAGGGCTCACACACCTCATTCTTGCTGCTTCAGCCCCTATCACATAGC
TCACTGGAAAATGATGTTAAAGTAAGAATTGCAAAA

480/615

FIGURE 476

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA86576
><subunit 1 of 1, 251 aa, 1 stop
><MW: 26935, pI: 7.42, NX(S/T): 2
MAMGVPRVILLCLFGAALCLTGSQLQCYSFEHTYFGPFDLRAMKLPSISCPHECFEAILSLD
TGYRAPVTLVRKGCWTGPPAGQTQSNPDALPPDYSVVRGCTTDKCNAHLMTHDALPNLSQAPD
PPTLSGAECYACIGVHQDDCAIGRSRRVQCHQDQTACFQGSGRMTVGNFSPVYIIRTCHRPSC
TTEGTTSPWTAIDLQSCCEGYLCNRKSMTQPFETSASATTPPRALQVLALLLPVLLLVGLSA
```

Important features of the protein:**Signal peptide:**

amino acids 1-19

Transmembrane domain:

amino acids 233-251

N-glycosylation sites.

amino acids 120-124, 174-178

N-myristoylation sites.

amino acids 15-21, 84-90

481/615

FIGURE 477

CCCACGCGTCCGGGACAGATGAACTTAAAAGAGAAGCTTTAGCTGCCAAAGATTGGGAAAGGGAAAGGACAAAAA
AGACCCCTGGGCTACACGGCGTAGGTGCAGGGTTTCTACTGCTGTTCTTTATGCTGGGAGCTGTGGCTGTAAC
CAACTAGGAAATAACGTATGCAGCAGCTATGGCTGTGAGAGAGTTGTGCTTCCCAAGACAAAGGCAAGTCCTGTT
TCTTTTTCTTTTTGGGGAGTGTCTTGGCAGGTTCTGGGTTTGGACGTTATTCCGGTGAAGTGAAGAAACAGAGAA
AGGATCCTTTGTGGTCAATCTGGCAAAGGATCTGGGACTAGCAGAGGGGGAGCTGGCTGCAAGGGGAACAGGGT
GGTTTCCGATGATAACAAACAATACCTGCTCCTGGATTACATACCGGGAATTGCTCACAAATGAGAACTGGA
CCGAGAGAAGCTGTGTGGCCCTAAAGAGCCCTGTATGCTGTATTTCCAAATTTTAAATGGATGATCCCTTTCAGAT
TTACCGGGCTGAGCTGAGAGTCAGGGATATAAATGATCACGCCAGTATTTTCCAGGACAAAGAAACAGTCTTAAA
AATATCAGAAAATACAGCTGAAGGGACAGCATTAGACTAGAAAGAGCACAGGATCCAGATGGAGGACTTAACGG
TATCCAAAACCTACACGATCAGCCCCAACTCTTTTTTCCATATTAACATTAGTGGCGGTGATGAAGGCATGATATA
TCCAGAGCTAGTGTGGACAAAGCACTGGATCGGGAGGAGCAGGGAGAGCTCAGCTTAACCTCAGCGCTGGA
TGGTGGGTCTCCATCCAGGTCTGGGACCTCTACTGTACGCATCGTTGTCTTGGACGTCAATGACAATGCCCCACA
GTTTGGCCAGGCTCTGTATGAGACCCAGGCTCCAGAAAACAGCCCCATTGGGTTCTTATTGTTAAGGTATGGGC
AGAAGATGTAGACTCTGGAGTCAACGCGGAAGTATCCTATTCTTTTTGATGCCTCAGAAAATATTGAAACGAC
CTTTCAAATCAATCCTTTTTCTGGGGAAATCTTTCTCAGAGAATTGCTTGATTATGAGTTAGTAAATCTTACAA
AATAAATATACAGGCAATGGACGGTGGAGGCCCTTCTGCAAGATGTAGGGTTTTAGTGGAAAGTATTGGACACCAA
TGACAATCCCCCTGAACTGATCGTATCATCTTTTCCAACTCTGTTGCTGAGAATCTCCTGAGACGCGCTGGC
TGTTTTTAAGATTAATGACAGAGACTCTGGAGAAAATGGAAAGATGGTTTGCTACATTCAAGAGAATCTGCCATT
CCTACTAAAACCTTCTGTGGAGAATTTTTACATCCTAATTACAGAAGGCGCGCTGGACAGAGAGATCAGAGCCGA
GTACAACATCACTATCACCGTCACTGACTTGGGGACCCAGGCTGAAAACCGAGCACAACATAACGGTCTCTGGT
CTCCGACGTCAATGACAACGCCCCCGCCTTACCCAAACCTCCTACACCTGTTCTGTCGCGGAGAACACAGCCCC
CGCCCTGCACATCGGCAGCGTCAAGCGCCACAGACAGAGACTCGGGCACCACGCCCAGGTCACTACTCGCTGCT
CGCCGCCCAAGACCCGACCTGCCCCCTCGCCTCCTGCTCCTCATCAACGCGGACAAACGCGCCACCTGTTGCCCC
CAGGTCTGCTGACTACGAGGCCCTGCAGGCTTTCGAGTTCGCGCTGGGCGCCACAGACCGCGGCTCCCCCGCGCT
GAGCAGAGAGGCGCTGGTGCAGCTGCTGGTGTGGACGCCAACGACAACCTCGCCCTTCTGCTGTACCCGCTGCA
GAACGGCTCCGCGCCCTGCACCGAGCTGGTGCCCCGGCGGGCCGAGCCGGGCTACCTGGTGACCAAGGTGGTGGC
GGTGGACGGCGACTCGGGCCAGAACGCCTGGCTGTCTGACAGCTGCTCAAGGCCACGGAGCCCGGGCTGTTCCG
TGTGTGGGCGACAATGGGGAGGTGCGCACCGCCAGGCTGCTGAGCGAGCGGACGACGCAAGCACAGGCTCGT
GGTGTCTGTCAAGGACAATGGCGAGCCTCCTCGCTCGGCCACCGCCACGCTGCACTTGCTCCTGGTGGACGGCTT
CTCCCAGCCCTACCTGCCTCTCCCGAGGCGGCCCCGGCCAGGCCAGGCCAGGCCGAGGCCGACTTGCTCACCGTCTA
CCTGGTGGTGGCGTTGGCCTCGGTGTCTTCGCTCTTCTCCTCTCGGTGCTCCTGTTCTGTCGGCGGTGCGGCTGTG
CAGGAGGAGCAGGGCGGCTCGGTGGGTCTGCTCGGTGCCCCAGGGTCTTTTCCAGGGCATCTGGTGGACGT
GAGGGGCGCTGAGACCTGTCCCAGAGCTACAGTATGAGGTGTGTCTGACGGGAGGCCCCGGGACCAAGTGAAGT
CAAGTTCTTGAACCAAGTTATTTCCGATATTCAGGCACAGGGCCCTGGGAGGAAGGGTGAAGAAAATTCACCTT
CCGAAATAGCTTTGGATTTAATATTAGTAAAGTCTGTTTTTAGTTTCATATACTTTTGGTGTGTTACATAGCCA
TGTTTTCTATTAGTTTACTTTTAAATCTCAAATTTAAGTTATTATGCAACTTCAAGCATTATTTTCAAGTAGTATA
CCCCTGTGGTTTTACAATGTTTCATCTTTTTTTGCAATTAATAAACAAGTGGGTTAATTTAATGAGTATTTTTTT
CTAAATGATAGTGTAAAGGTTTTAATCTTTTCCAACTGCCCAAGGAATTAATTAATTAATATCTCATTAACAGAA
ATCTGAGGTTTTGATTCATTTTCAAGCTTGCATCTCATGATTCTAATCACTTCTGTCTATAGTGTACTTGCTCTA
TTTAAGAAGGCATATCTACATTTCCAACTCATCTAACATTCTATATATTGCTGTTTGAACCATGTCAATTA
TTTCTACATCATGTATTAAAAAGAAATATTTCTCTACTACTATGCTCATGACAAAATGAAACAAAGCATATTGT
GAGCAATACTGAACATCAATAATACCCTTAGTTTTATATACTTATTATTTTATCTTTAAGCATGCTACTTTTACTT
GGCCAATATTTTCTTATGTTAACTTTTGGTGTATGATATATAAAGAGACTATGCCTTATAATTGAATAAAATTATAA
TCTGCCTGAAATGAATAAAATAAAACATTTTGAAATGTGAAAAAAAAAAAAAAAAAAAAA

482/615

FIGURE 478

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA87976
><subunit 1 of 1, 800 aa, 1 stop
><MW: 87621, pI: 4.77, NX(S/T): 7
MAVRELCFPRQRQVLFLEFLFWGVSLAGSGFGGRYSVTEETEKGSFVVNLAKDLGLAEGELAARG
TRVVSDDNKQYLLLLDSHTGNLLTNEKLDREKLCGPKEPCMLYFQILMDDPFQIYRAELRVRDI
NDHAPVFQDKETVLKISENTAEGTAFRLERAQDPDGGGLNGIQNYTISPNSFFHINISGGDEGM
IYPELVLDKALDREEQGELSLTLTALDGGSPSRSGTSTVRIVLVDVNDNAPQFAQALYETQAP
ENSPIGFLIVKVWAEDVDSGVNAEVSYSFFDASENIRTTTFQINPFSGEIFLRELLDYELVNSY
KINIQAMDGGGLSARCRVLVEVLDTNDNPPELIVSSFSNSVAENSPETPLAVFKINDRDSGEN
GKMVCYIQENLPFLKPSVENFYILITEGALDREIRAEYNITITVTDLGTPLRKTEHNITVLV
SDVNDNAPAFQTQTSYTLFVRENNSPALHIGSVSATDRDSGTNAQVTYSLLPPQDPHLPLASLV
SINADNGHLFALRSLDYELQAFEFVRGATDRGSPALSREALVRVLVDANDNSPFVLYPLQN
GSAPCTELVPRAAEPGYLVTKVVAVDGDSGQNAWLSYQLLKATEPGLFGVWAHNGEVVRTARLL
SERDAAKHRLVVLVKDNGEPPRSATATLHLLLVLDGFSQPYLPLPEAAPAQAEADLLTVYLV
VALASVSSLFLLSVLLFVAVRLCRRSRAASVGRCSVPEGPFGHLVDVRGAETLSQSYQYEV
LTGGPGTSEFKFLKPVISDIQAQGPGRKGEENSTFRNSFGFNIQ
```

Important features of the protein:**Signal peptide:**

amino acids 1-26

Transmembrane domain:

amino acids 687-711

N-glycosylation sites.

amino acids 169-173, 181-185, 418-422, 436-440, 567-571, 788-792

Glycosaminoglycan attachment site.

amino acids 28-32

Tyrosine kinase phosphorylation sites.

amino acids 394-402, 578-585

N-myristoylation sites.amino acids 22-28, 27-33, 53-59, 82-88, 162-168, 184-190,
217-223, 324-330, 325-331, 471-477, 568-574, 759-765**Amidation site.**

amino acids 781-785

Aminoacyl-transfer RNA synthetases class-II signature 1.

amino acids 117-138

Cadherins extracellular repeated domain signature.

amino acids 121-132, 230-241, 335-346, 439-450, 549-560

483/615

FIGURE 479

CTCGGCTGGATTTAAGGTTGCCGCTAGCCGCTGGGAATTTAAGGGACCCACACTACCTTCCC
GAAGTTGAAGGCAAGCGGTGATTGTTTGTAGACGGCGCTTTGTC**ATG**GGACCTGTGCGGTTGG
GAATATTGCTTTTCCCTTTTTTTGGCCGTGCACGAGGCTTGGGCTGGGATGTTGAAGGAGGAGG
ACGATGACACAGAACGCTTGCCAGCAAATGCGAAGTGTGTAAGCTGCTGAGCACAGAGCTAC
AGGCGGAAGTGAAGTGCACCGGTGATCTCGAGAGGTGCTGGAGCTGGGGCAGGTGCTGGATA
CAGGCAAGAGGAAGAGACACGTGCCTTACAGCGTTTCAGAGACAAGGCTGGAAGAGGCCTTAG
AGAATTTATGTGAGCGGATCCTGGACTATAGTGTTCACGCTGAGCGCAAGGGCTCACTGAGAT
ATGCCAAGGGTCAGAGTCAGACCATGGCAACACTGAAAGGCCTAGTGCAGAAGGGGGTGAAGG
TGGATCTGGGGATCCCTCTGGAGCTTTGGGATGAGCCAGCGTGGAGGTACATACCTCAAGA
AGCAGTGTGAGACCATGTGGAGGAGTTTGAAGACATTGTGGGAGACTGGTACTTCCACCATC
AGGAGCAGCCCCCTACAAAATTTTCTCTGTGAAGGTCATGTGCTCCAGCTGCTGAAACTGCAT
GTCTACAGGAAACTTGGAAGTGGAAAGGAGATCACAGATGGGGAAGAGAAAACAGAAGGGGAGG
AAGAGCAGGAGGAGGAGGAGGAAGAGGAGGAAGAGGAAGGGGGAGACAAGATGACCAAGACAG
GAAGCCACCCCAAACCTTGACCGAGAAGATCTT**TGA**CCCTTGCCTTTGAGCCCCCAGGAGGGGA
AGGGATCATGGAGAGCCCTCTAAAGCCTGCACTCTCCCTGCTCCACAGCTTTCAGGGTGTGTT
TATGAGTGACTCCACCCAAGCTTGTAGCTGTTCTCTCCCATCTAACCTCAGGCAAGATCCTGG
TGAAACAGCATGACATGGCTTCTGGGGTGGAGGGTGGGGGTGGAGGTCTGCTCCTAGAGATG
AACTCTATCCAGCCCCCTAATTGGCAGGTGTATGTGCTGACAGTACTGAAAGCTTTCTCTTT
AACTGATCCCACCCCCACCCAAAAGTCAGCAGTGGCACTGGAGCTGTGGGCTTTGGGGAAGTC
ACTTAGCTCCTTAAGGTCTGTTTTTTAGACCCTTCCAAGGAAGAGGCCAGAACGGACATTCTCT
GCGATCTATATACATTGCCTGTATCCAGGAGGCTACACACCAGCAAACCGTGAAGGAGAATGG
GACACTGGGTGATGGCCTGGAGTTGCTGATAATTTAGGTGGGATAGATACTTGGTCTACTTAA
GCTCAATGTAACCCAGAGCCACCATATAGTTTTATAGGTGCTCAACTTTCTATATCGCTATT
AACTTTTTTCTTTTTTTCTA

484/615

FIGURE 480

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA92256
><subunit 1 of 1, 248 aa, 1 stop
><MW: 28310, pI: 4.63, NX(S/T): 0
MGPVRLGILLFLFLAVHEAWAGMLKEEDDDTERLPSKCEVCKLLSTELQAELSRTGRSREVLE
LGQVLDTGKRKRHPYPSVSETRLEEALENLCERILDYSVHAERKGSRLRYAKGQSQTMTATLKGL
VQKGVKVDLGIPLELWDEPSVEVTYLKKQCETMLEEFEDIVGDWYFHHQEQLQNFLCEGHVL
PAAETACLQETWTGKEITDGEEKTEGEEEQEEEEEEEEEGGDKMTKTGSHPKLDREDL
```

Important features of the protein:**Signal peptide:**

amino acids 1-21

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 106-110

N-myristoylation site.

amino acids 115-121

Amidation site.

amino acids 70-74

485/615

FIGURE 481

GGCGTGTGCAAGGCGGGGTCCGGCCCGCGCAGGTCGGGTAAGCGCGTCTAGGGCGCTGCGCGG
CGCAGCGAAAAATGGCGGCTTCCAGGTGGGCGCGCAAGGCCGTGGTCCTGCTTTGTGCTCTGA
CCTGCTGCTGCTGCTGCTACTGCTACCACCGCTGGGTCTGCGCGGCCGAAGGCTCGCCCGG
GACGCCCCGACGAGTCTACCCACCTCCCCGGAAGAAGAAGGATATTCGCGATTACAATGA
TGCAGACATGGCGCGTCTTCTGGAGCAATGGGAGAAAGATGATGACATTGAAGAAGGAGATCT
TCCAGAGCACAAGAGACCTTCAGCACCTGTGCACTTCTCAAAGATAGACCCAAGCAAGCCTGA
AAGCATATTGAAAATGACGAAAAAAGGGAAGACTCTCATGATGTTTGTCACTGTATCAGGAAG
CCCTACTGAGAAGGAGACAGAGGAAATTACGAGCCTCTGGCAGGGCAGCCTTTTCAATGCCAA
CTATGACGTCCAGAGGTTCAATTGTGGGATCAGACCGTGCTATCTTCATGCTTCGCGATGGGAG
CTACGCCTGGGAGATCAAGGACTTTTTGGTCCGGTCAAGACAGGTGTGCTGATGTAACCTCTGGA
GGGCCAGGTGTACCCCGGCAAAGGAGGAGGAAGCAAAGAGAAAAATAAAACAAAGCAAGACAA
GGGCAAAAAAAGAAGGAAGGAGATCTGAAATCTCGGTCTTCCAAGGAAGAAAATCGAGCTGG
GAATAAAAGAGAAGACCTGTGATGGGGCAGCAGTGACGCGCTGTGGGGGGACAGGTGGACGTG
GAGAGCTCTTTGCCAGCTCCTGGGGTGGGAGTGGTCTCAGGCAACTGCACACCGGATGACAT
TCTAGTGTCTTCTAGAAAGGGTCTGCCACATGACCAGTTTGTGGTCAAAGAATTACTGCTTAA
TAGGCTTCAAGTAAGAAGACAGATGTTTTCTAATTAATACTGGACACTGACAAATTCATGTTT
ACTATAAAATCTCCTTACATGGAAATGTGACTGTGTTGCTTTTTCCCATTTACACTTGGTGAG
TCATCAACTCTACTGAGATTCCACTCCCCTCCAAGCACCTGCTGTGATTGGGTGGCCTGCTCT
GATCAGATAGCAAATTCTGATCAGAGAAGACTTTAAACTCTTGACTTAATTGAGTAAACTCT
TCATGCCATATACATCATTTTTCATTATGTTAAAGGTAAAATATGCTTTGTGAACCTCAGATGTC
TGTAGCCAGGAAGCCAGGGTGTGTAAATCCAAAATCTATGCAGGAAATGCGGAGAATAGAAAA
TATGTCACTTGAAATCCTAAGTAGTTTGAATTTCTTTGACTTGAATCTTACTCATCAGTAAG
AGAACTCTTGGTGTCTGTGAGGTTTTATGTGGTCTGTAAAGTTAGGGGTCTGTTTTGTTTCC
TTATTTAGGAAAGAGTACTGCTGGTGTGAGGGGTATATGTTCCATTTAATGTGACAGTTTT
AAAGGATTTAAGTAGGGAATCAGAGTCCTTTGCAGAGTGTGACAGACGACTCAATAACCTCAT
TTGTTTCTAAACATTTTCTTTGATAAAGTGCTTAAATCTGTGCTTTCGTATAGAGTAACATG
ATGTGCTACTGTTGATGTCTGATTTTGCCGTTTCATGTTAGAGCCTACTGTGAATAAGAGTTAG
AACATTTATATACAGATGTCATTTCTAAGAACTAAAATTCTTTGGGAAAAACCCTCAAAAAA
AAAAAAAAAAAAAAAAAAAAA

486/615

FIGURE 482

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA92289
><subunit 1 of 1, 234 aa, 1 stop
><MW: 26077, pI: 8.13, NX(S/T): 1
MAASRWARKAVVLLCASDLLLLLLLLLPPPGSCAAEGSPGTPDESTPPPRKKKKDIRDYND
ADMARLLEQWEKDDDDIEEGDLPEHKRPSAPVDFSKIDPSKPE SILKMTKKGKTLMMFVTV
SGSPTEKETEEITSLWQGSLEFNANYDVQRFIVGSDRAIFMLRDGSYAWWEIKDFLVGQDRC
ADVTLEGQVYPGKGGGSKEKNKTKQDKGKKKKEGDLKSRSSKEENRAGNKREDL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-32

N-glycosylation site:

Amino acids 201-205

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 85-89

Tyrosine kinase phosphorylation site:

Amino acids 50-59

N-myristoylation sites:

Amino acids 30-36;138-144;153-159;176-182

Amidation site:

Amino acids 207-211

FIGURE 483

[illegible]

488/615

FIGURE 484

MALPPGPAALRHTLLLLPALLSSGWGELEPQIDGQTWAERALRENERHAFTCRVAGGPGTPRL
AWYLDGQLQEASTSRLLSVGGEAFSGGTSTFTVTAHRAQHELNCSLQDPRSGRSANASVILNV
QFKPEIAQVGAKYQEAQGPGLLVVLFAVLRANPPANVTWIDQGPVTVNTSDFLVLD AQNYPW
LTNHTVQLQLRSLAHNLSVVATNDVGVTASLPAPGPSRHPSLISSDSNNLKLNNVRLPRENM
SLPSNLQLNDLTPDSRAVKPADRQMAQNNSRPELLDPEPGGLLTSQGFIRLPVLGYIYRVSSV
SSDEIWL

N-glycosylation sites:

amino acids 106-110, 119-123, 162-166, 175-179, 192-196, 205-209,
251-255, 280-284

Glycosaminoglycan attachment site:

amino acids 23-27

Casein kinase II phosphorylation sites:

amino acids 36-40, 108-112, 164-168, 282-286, 316-320

N-myristoylation sites:

amino acids 34-40, 89-95, 215-221, 292-298, 293-299

489/615

FIGURE 485

AGAGTTCCTTTTTCTAGGTCGATTAGGTTATACATTGTTGAAGTATAGTTTCGAGTTAGAATT
GGTCATTTTATTTTCAGTGTTTCACAGAAATCGAAGAAGACAGAAATGGCGCTTCTGTGGTGG
ATATCTACAGTAGCAATACTGTTGTTTACTTCGACGATTTTGGGAACATACGTTGAAGCTGGT
GCCGCTAAGTCTAACGAAGAAGAGATTGTGAACAAAAGCGAATTTGGAAGATTTCCACGAGGG
TCGAGAAAGGATGCATCGGGGTGCCACAAGCCGGGCTACCCTGTACCCCTCATTCTCGCTGC
CCTCCACCTCCCCATGTGCAGCGTCCTCGTCCTATTCTGCATGCTTAGTCTAACACCATCAGG
CTCGTTTATCTTTTCTGTCATTGATCTCACCAGGAGCAAATCACTAGTGCGTGCTTCTGATTC
ACGTAACGTAGTATGTAAATAAATGTCAGTGATATTATGAATTGGTAAAACATTTCTGTTATC
TAAATAAACAGTGAAGTTTGTTTGACTAAAAAAA

490/615

FIGURE 486

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96855
><subunit 1 of 1, 84 aa, 1 stop
><MW: 9274, pI: 9.70, NX(S/T): 1
MALLWWISTVAILLFTSTILGTYVEAGAAKSNEEEIVNKSEFGRFPRGSRKDASGCHKPG
YPVPPHSRCPPPPHVQRP RPILHA
```

Signal peptide:

Amino acids 1-21

N-glycosylation site:

Amino acids 38-42

N-myristoylation site:

Amino acids 27-33

491/615

FIGURE 487

CGGGGACGGAAGCGGCCCTGGGCCCCGAGGGGCTGGAGCCGGGCCGGGGCGATGTGGAGCGCG
GGCCGCGGCGGGGCTGCCTGGCCGGTGCTGTTGGGGCTGCTGCTGGCGCTGTTAGTGCCGGGC
GGTGGTGCCGCCAAGACCGGTGCGGAGCTCGTGACCTGCGGGTCGGTGCTGAAGCTGCTCAAT
ACGCACCACCGCGTGCGGCTGCACTCGCACGACATCAAATACGGATCCGGCAGCGGCCAGCAA
TCGGTGACCGGCGTAGAGGCGTCGGACGACGCCAATAGCTACTGGCGGATCCGCGGCGGCTCG
GAGGGCGGGTGCCCGCGCGGGTCCCCGGTGCGCTGCGGGCAGGCGGTGAGGCTCACGCATGTG
CTTACGGGCAAGAACCTGCACACGCACCACTTCCCGTCGCCGCTGTCCAACAACCAGGAGGTG
AGTGCCTTTGGGGAAGACGGCGAGGGCGACGACCTGGACCTATGGACAGTGCCTGCTCTGGA
CAGCACTGGGAGCGTGAGGCTGCTGTGCGCTTCCAGCATGTGGGCACCTCTGTGTTCCCTGTCA
GTCACGGGTGAGCAGTATGGAAGCCCCATCCGTGGGCAGCATGAGGTCCACGGCATGCCAGT
GCCAACACGCACAATACGTGGAAGGCCATGGAAGGCATCTTCATCAAGCCTAGTGTGGAGCCC
TCTGCAGGTCACGATGAACTCTGAGTGTGTGGATGGATGGGTGGATGGAGGGTGGCAGGTGGG
GCGTCTGCAGGGCCACTCTTGGCAGAGACTTTGGGTTTGTAGGGTCCTCAAGTGCCTTTGTG
ATTAAAGAATGTTGGTCTATGAAA

492/615

FIGURE 488

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96857
><subunit 1 of 1, 221 aa, 1 stop
><MW: 23598, pI: 6.96, NX(S/T): 0
MWSAGRGGAAWPVLLGLLLALLVPGGGAAKTGAELVTCGSVLKLLNTHHRVRLHSHDIKYGSG
SGQQSVTGVEASDDANSYWRIRGGSEGGCPRGSPVRCGQAVRLTHVLTGKNLHTHHFPSPLSN
NQEVSAFGEDGEGDDLDLWTVRCSGQHWEREAAVRFQHVGTSVFLSVTGEQYGSPIRGQHEVH
GMPSANTHNTWKAMEGIFIKPSVEPSAGHDEL
```

Important features of the protein:**Signal peptide:**

amino acids 1-28

Glycosaminoglycan attachment site.

amino acids 62-66

N-myristoylation sites.amino acids 16-22, 25-31, 27-33, 61-67, 71-77, 86-92, 87-93,
91-97, 190-196**Endoplasmic reticulum targeting sequence.**

amino acids 218-223

493/615

FIGURE 489

CAGCAGCCGAGACAGCAGCTGAGACGGCAGCGGCAGCTTCTCAGGGCCGGAGCCAGTTCTTGGAGGAGACTCTGC
ACAGGGCATGGATCACTGTGGTGCCCTTTTCTGTGCCTGTGCCTTCTGACTTTGCAGAATGCAACAACAGAGAC
ATGGGAAGAATCCTGAGCTACATGGAGAATATGCAGGTGTCCAGGGCCGGAGCTCAGTTTTTCTCTCGTCA
ACTCCACCAGCTGGAGCAGATGCTACTGAACACCAGCTTCCCAGGCTACAACCTGACCTTGACAGACCCACCAT
CCAGTCTCTGGCCTTCAAGCTGAGCTGTGACTTCTCTGGCCTCTCGCTGACCAGTGCCACTCTGAAGCGGGTGCC
CCAGGCAGGAGGTGAGCATGCCCGGGGTGAGCAGCCCATGCAGTTCCCGCCGAGCTGACCCGGGACGCTGCAA
GACCCGCCCCAGGGAGCTGCGGCTCATCTGTATCTACTTCTCCAACACCCACTTTTTCAAGGATGAAAACAATC
ATCTCTGCTGAATAACTACGTCTTGGGGGCCAGCTGAGTCATGGGCACGTGAACAACCTCAGGGATCTGTGAA
CATCAGCTTCTGGCACAACCAAAGCCTGGAAGGCTACACCCTGACCTGTGTCTTCTGGAAGGAGGGAGCCAGGAA
ACAGCCCTGGGGGGGCTGGAGCCCTGAGGGCTGTCTGACAGAGCAGCCCTCCCACTCTCAGGTGCTCTGCCGCTG
CAACCACCTCACCTACTTTGCTGTCTCATGCAACTCTCCCGAGCCCTGGTCCCTGCAGAGTTGCTGGCACCTCT
TACGTACATCTCCCTCGTGGGCTGCAGCATCTCCATCGTGGCCTCGCTGATCACAGTCTGCTGCATTTCCATTT
CAGGAAGCAGAGTGACTCCTTAACACGTATCCACATGAACCTGCATGCCTCCGTGCTGCTCCTGAACATCGCCTT
CCTGCTGAGCCCCGATTGCAATGTCTCCTGTGCCCGGGTGCAGTGCACGGCTCTGGCCGCTGCCCTGCACTA
CGCGCTGCTCAGCTGCCCTACCTGGATGGCCATCGAGGGCTTCAACCTTACCTCCTCCTCGGGCGTGTCTACAA
CATCTACATCCGCAGATATGTGTTCAAGCTTGGTGTGCTAGGCTGGGGGGCCCCAGCCCTCCTGGTGTGCTTTT
CCTCTCTGTCAAGAGCTCGGTATACGGACCCTGCACAATCCCGTCTTCGACAGCTGGGAGAATGGCACAGGCTT
CCAGAACATGTCCATATGCTGGGTGCGGAGCCCCGTGGTGCACAGTGTCTGGTGCATGGGCTACGGCGGCTCAC
GTCCCTCTTCAACCTGGTGGTGTGCTGGCCTGGGCGCTGTGGACCCTGCGCAGGCTGCGGGAGCGGGCGGATGCACC
AAGTGTGAGGGCCTGCCATGACACTGTCACTGTGCTGGGCGCTACCGTGTGCTGGGAACCACTGGGCCTTGGC
CTTCTTTTCTTTTGGCGTCTTCTGTGCTGCCCGAGCTGTTCTCTTACCATCTTAAACTCGCTGTACGGTTTCTT
CCTTTCTGTGTGTTCTGCTCCAGCGGTGCCGCTCAGAAGCAGAGGCCAAGGCACAGATAGAGGCCTTCACTC
CTCCCAACAACACAGTAGTCCGGGCCTCCTGGCCTGGAATCCTCAGCCTCTCTGGCCGCCAGTAGCCCTGAGGCT
ACGGCTCCTGTAGAGAGGGTGGCAGGCCTGCTGCTGGACCCCAGAGGCCACTGTGACCGCCAAGGGGCCTTTTC
CACTTCCAGGCCTCTCCAGGCACTGAGGGGAAGGCATTGCTCTACCTCTCCCTGACATTTTGTCTCCGGGGCAGA
TCCAACCTTACCTGGGGCAGCAAACTTTGTCTGGTACCTGGGCCCAGCTCGCCAGGGATGTGGGCAGAGCACC
GCCTGGGCATCAGGAAGCCAAGTTTCAAGGACTGTCTTTGAGTCTGTCTGTATGACCTTGGGCCTGCCACTTCTC
ACAGACCCTAGGTATCCACAGCTGTGACATGGGGGCAAGCAGCTTTGTTTCAGCCTAACCCAGGAGCTTAGTAAA
AATTGCATAAGACCAGGGGGAAGAGTGTGAGCGTGGGGTGGGAATTCCCGCGGCCTCCACCTGCTTGTAGGGGC
AGGATCTCATTAGGCTGCCCTGGAAGCACCTGCTTGGCCCTGCCACCTTCTCCAGGGGAGGGCCAGATGGCAT
CCTGGCTTGGGGCGGGTGGGACCTACCCAGGCTCTGAGACTTTACTGGCCTATGCCTGAGGCCTCTTTTCTCTTA
ACTCCCTAAATTATGATGACTCCAAGTCCAAGCCCACCCTTCCCAAAGATTGGGAGGTTCCGCCGTTCCAGAGG
CTCCTCCTGCGGTGCTCCCAAGACTTCCATAGACCATCTGGACCAGTAGCCCATCCCGCAGTTTTCTTGGGGGCA
GAGGAAAACGCTTCTTTCTCCTCCAGCTGAATCAGCTGGATCCAGTGTCTGGCTGTTTGGTGATTGGGCAAGA
TTGAATTTGCCAGGTAGGCGTGAGAGTGTGGGTTTTAAATTGGAAGCTCAGGCCATAGTTTTCAGAGAAATCACC
TTACCCAGACCTTTCATGAGACAGTGTCTCATGAAGCCAGTGGCTTTCCAGAACGAACACTAGGCGGCACCGTTG
GTCCACACTCAGAGGCCCTTGGCGCCAAGACTGCATCTAGAATCGCTCAAACACCTGTTTGCAGACCCCATGCAC
CAGCTGGAGGGGGCGTAAGTGCAGGACTGCGCCTACTGAGTGACCCATTTCTCCAGGAGGAAAGGCAAGACAG
CTTACACGGCCATTTGTCTTTTCCCAATGCGGCGGTGCACCTTTCGCTCTTGGGGGCTGCACCCAGACATAGC
TGGCACCAGAGCAGGGTGTGAGGTGGTGGTGTGCTCAGGGCCCTGCCCCAGGCCACTGGGCGGTTTTGATGACCT
CAAAGGTACAGGCAGAAAATAGGAGCAGGATTTCCCTGGGGAAAAGTTATCTGGGACATCTTCTGCTCTTCT
GTACATTTCTAGATGCAATAACTCCTTACCAGGCAGTGAAGTGGCGTAGGCTCTGGAGCCAGGCTGCCCTGGGCT
CCAATGCCAGCTCTGCCACTTGTAGCTGTGAGACTGTGGACAAACCACTCAGCCTCTGTGTGCCTCAGTTTCC
TATTTGTAAATAGAGACCATAGTGGTACCTATTTTGAAGACTAAGTAAAGAATTCAAATAAAGAGACTTGGCA
CAGAGTAAGTGCTCAGTAAAAA

494/615

FIGURE 490

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96860
><subunit 1 of 1, 528 aa, 1 stop
><MW: 59000, pI: 8.73, NX(S/T): 9
MDHCGALFLCCLLTQONATTETWEELLSYEMNQVSRGRSSVFSSRQLHQLEQMLLNTS
FPGYNLTQTPTIQSLAFKLSCDFSGLSLTSATLKRVPQAGGQHARGQHMQFPaelTRD
ACKTRPRELRLICIYFSNTHFFKDENNSSLNNYVLGAQLSHGHVNNLRDPVNISFWHNQ
SLEGYTLTCVFWKEGARKQPWGGWSPGCRTEQPSHSQVLCRCNHLTYFAVLMQLSPALV
PAELLAPLTYISLVGCSISIVASLITVLLHFHFRKQSDSLTRIHMNLHASVLLLNIaFLL
SPAFAMSPVPGSACTALAAALHYALLSCLTWMAIEGFNLYLLLGRVYNIYIRRYVFKLGV
LGWGAPELLVLLSLSVKSSVYGPTIPVFDSWENGTFQNM SICWVRSPVHSLVMGYG
GLTSLFNLVLAALWTLRLRLRERADAPSVRACHDTVTVLGLTVLLGTTWALAFFSFGVF
LLPQLFLFTILNSLYGFFLFLWFCSQRCRSEAEAKAQIEAFSSSQTTQ
```

Important features of the protein:**Signal peptide:**

Amino acids 1-21

Transmembrane domains:

Amino acids 244-264;290-309;316-344;358-376;411-431;468-491

N-glycosylation sites:Amino acids 18-22;58-62;65-69;146-150;147-151;173-177;
179-183;394-398;400-404**cAMP- and cGMP-dependent protein kinase phosphorylation site:**

Amino acids 274-278

N-myristoylation sites:86 GLSLTS
101 GGQHAR
157 GAQLSH
255 GCSISI
311 GSACTA
420 GGLTSL
467 GTTWAL**Prokaryotic membrane lipoprotein lipid attachment sites:**

Amino acids 246-257;318-329

Eukaryotic thiol (cysteine) proteases histidine active site:

Amino acids 410-421

G-protein coupled receptors family 2 proteins:

Amino acids 273-302;314-343

495/615

FIGURE 491

CTTGGCTGCCCGACAACAAGCTCGCCACCTGCGCTGGGCGCATCCACCATCCAAGGCCAGCT
GAGGGGCACCAGACAGAGGATGAGGAGAGAGAGTCGCACACGGGCTGCCCTGAGAGACATTTT
CATGGACATCCTCATGCTGCTTCTGCTTTTGTGTGTAATATATGGGAGATTTTCCCAAGATGA
ATACTCCCTCAATCAAGCTATCCGGAAAGAATTTACAAGAAATGCCAGAACTGCTTGGGTGG
CCTGAGAAACATCGCTGACTGGTGGGACTGGAGTCTGACCACACTTCTGGATGGCCTGTACCC
GGGAGGCACCCCGTCAGCCCGTGTGCCGGGGGCTCAGCCTGGAGCTCTTGGAGGAAAATGCTA
CCTAATAGGCAGTTCCGTAATTAGGCAGCTAAAAGTTTTTCTAGGCATTTATGCAAGCCTCC
CAGGCCATTTTCAGCACTCATCGAAGACTCTATTCTACATGTAGTCCCGAAGTTGGAGGCC
TGAGAACCCCTACCTGATAGACCCAGAGAACC AAAACGTGACCCTGAATGGTCCTGGGGGCTG
TGGGACAAGGGAGGACTGTGTGCTCAGCCTGGGCAGAACAAAGGACTGAAGCCACACAGCCCT
GTCCCGACTCAGGGCCAGCATGTGGATTGACCGCAGCACCAGGGCTGTGTCTGTGCACTTCAC
TCTCTATAACCCCTCCAACCCAACTCTTCACCAGCGTGTCCCTGAGAGTGGAGATCCTCCCTAC
GGGGAGTCTCGTCCCCTCATCCCTGGTGGAGTCATTCAGCATCTTCCGCAGCGACTCAGCCCT
GCAGTACCACCTCATGCTTCCCCAGCTGGTCTTCTGGCACTCAGCCTGATCCACCTCTGTGT
TCAACTCTACCGTATGATGGACAAGGGCGTCTCAGCTACTGGCGAAAGCCAAGGAACTGGCT
GGAGGTAGCCTCTCTTGTGTCATTTTCTTTTGAAAAATAAACAATAAACTGTTTATATCTTGAA
AAAATAATTTAAATAAGAAATTGATTATGCACTAGCTACTGCCAACATTATTGCAGTTTTCTC
CCTCTGTAGTGTTAATCTCAAAACAGCATTGTGAGATCAGGTATCATTTAGTGTTGTTACAGTT
ACCGTCATGTACCACACGAATTTAGCCAAAGGTGGTGGTCCCATAAGATCATATGGTGCTAAG
AAATTTCTGTACCTAATGACATCTTGATTCTGACCTTGTATGTAGGCCTAGGCTAAATATGT
CTGTTTGTATCTTAGCTTTTAATAAAGAAGTTTAAAAATAAAAAA

496/615

FIGURE 492

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96861
><subunit 1 of 1, 300 aa, 1 stop
><MW: 33649, pI: 9.26, NX(S/T): 1
MRRESRTRAALRDISMDILMLLLLCVIYGRFSQDEYSLNQAIRKEFTRNARNCLGGLRN
IADWWDWSLTTLTDGLYPGGTPSARVPGAQPGALGGKCYLIGSSVIRQLKVFPRLCKPP
RPFSAIEDSIPTCSPEVGGPENPYLIDPENQNVTLNPGGCGTREDCVLSLGRTRTEAH
TALSRLRASMWIDRSTRAVSVHFTLYNPPTQLFTSVSLRVEILPTGSLVPSSLVESFSIF
RSDSALQYHLMLPQLVFLALSLIHLVCVQLYRMMDKGVLSYWRKPRNWLEVASLVSFSEK
```

Important features of the protein:**Signal peptide:**

Amino acids 1-30

Transmembrane domain:

Amino acids 250-267

N-glycosylation site:

Amino acids 153-157

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 2-6

N-myristoylation sites:

Amino acids 56-62;75-81;79-85;80-86;88-94;92-98;160-166

497/615

FIGURE 493

TCTCAGGGCTTCATACAGGAAATCTATTGCTGTGTCAAGTTCCAGAGAAAAGCTTCTGTTCGT
CCAAGTTACTAACCAGGCTAAACCACATAGACGTGAAGGAAGGGGCTAGAAGGAAGGGAGTGC
CCCCTGTTGATGGGGTAAGAGGATCCTGTACTGAGAAGTTGACCAGAGAGGGTCTCACCATG
CGCACAGTTCCTTCTGTACCTGTGTGGAGGAAAAGTACTGAGTGAAGGGCAGAAAAAGAGAAA
ACAGAAATGCTCTGCCCTTGGAGAACTGCTAACCTAGGGCTACTGTTGATTTTGACTATCTTC
TTAGTGGCCGAAGCGGAGGGTGCTGCTCAACCAACAACCTCATTAACTGCTGCAAACTAGCAAG
GAGAATCATGCTTTAGCTTCAAGCAGTTTATGTATGGATGAAAAACAGATTACACAGAACTAC
TCGAAAGTACTCGCAGAAGTTAACACTTCATGGCCTGTAAAGATGGCTACAAATGCTGTGCTT
TGTTGCCCTCCTATCGCATTAAGAAATTTGATCATAATAACATGGGAAATAATCCTGAGAGGC
CAGCCTTCCTGCACAAAAGCCTACAGGAAAGAAACAAATGAGACCAAGGAAACCAACTGTACT
GATGAGAGAATAAACCCTGGGTCTCCAGACCTGATCAGAATTCGGACCTTCAGATTCGTCCAGTG
GCCATCACTCATGACGGGTATTACAGATGCATAATGGTAACACCTGATGGGAATTTCCATCGT
GGATATCACCTCCAAGTGTTAGTTACACCTGAACTGACCCTGTTTCAAAACAGGAATAGAACT
GCAGTATGCAAGGCAGTTGCAGGGAAGCCAGCTGCGCAGATCTCCTGGATCCCAGAGGGCGAT
TGTGCCACTAAGCAAGAATACTGGAGCAATGGCACAGTGAAGTTAAGAGTACATGCCACTGG
GAGGTCCACAATGTGTCTACCGTGACCTGCCACGTCTCCCATTTGACTGGCAACAAGAGTCTG
TACATAGAGCTACTTCCTGTTCCAGGTGCCAAAAAATCAGCAAAATTATATATTCATATATC
ATCCTTACTATTATTATTTTGACCATCGTGGGATTCATTTGGTTGTTGAAAGTCAATGGCTGC
AGAAAAATATAAATTGAATAAAACAGAATCTACTCCAGTTGTTGAGGAGGATGAAATGCAGCCC
TATGCCAGCTACACAGAGAAGAACAATCCTCTCTATGATACTACAAACAAGGTGAAGGCATCT
CAGGCATTACAAAGTGAAGTTGACACAGACCTCCATACTTTATAAGTTGTTGGACTCTAGTAC
CAAGAAACAACAACAAACGAGATACATTATAATTACTGTCTGATTTTCTTACAGTTCTAGAAT
GAAGACTTATATTGAAATTAGGTTTCCAAGGTCTTAGAAGACATTTTAATGGATTCTCATT
CATACCCTTGATATAATTGGAATTTTGTATTCTTAGCTGCTACCAGCTAGTTCTCTGAAGAACT
GATGTTATTACAAAGAAAATACATGCCCATGACCAAATATTCAAATTGTGCAGGACAGTAAAT
AATGAAAACCAATTTCCCTCAAGAAATAACTGAAGAAGGAGCAAGTGTGAACAGTTTCTTGTG
TATCCTTTCAGAATATTTTAATGTACATATGACATGTGTATATGCCTATGGTATATGTGTCAA
TTTATGTGTCCCCTTACATATACATGCACATATCTTTGTCAAGGCACCAGTGGGAACAATACA
CTGCATTACTGTTCTATACATATGAAAACCTAATAATATAAGTCTTAGAGATCATTTTATATC
ATGACAAGTAGAGCTACCTCATTCTTTTAAATGGTTATATAAAATTCCATTGTATAGTTATAT
CATTATTTAATTAATAAACAACCCTAATGATGGATATTTAGATTCTTTTAAGTTTTGTTTATTT
CTTTTAAGTTTTGTTGTGGTATAAACAATACCACATAGAATGTTTCTTGTTCATATATCTCT
TTGTTTTTGTAGTATATCTGTAGGATAACTTTCTTGAGTGGAATTGTCAGGTCAAAGGGTTTGT
GCATTTTACTATTGATATATATGTTAAATTGTGTCAAATATATATGTCAAATTCCTCCAACA
TTGTTTAAATGTGCCTTTCCCTAAATTTCTATTTTAATAACTGTACTATTCCTGCTTCTACAG
TTGCCACTTCTCTTTTAAATCAACCAGATTAAATATGATGTGAGATTATAATAAGAATTATA
CTATTTAATAAAAATGGATTTATA

498/615

FIGURE 494

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96866
><subunit 1 of 1, 348 aa, 1 stop
><MW: 39069, pI: 8.13, NX(S/T): 10
MLCPWRTANLGLLLILTIFLVAAEAGAAQPNNSMLQTSKENHALASSSLCMDEKQITQN
YSKVLAEVNTSWPVKMATNAVLCCPPIALRNLIITWEIILRGQPSCTKAYRKETNETKE
TNCTDERITWVSRPDQNSDLQIRPVAITHDGYRCIMVTPDGNFHRGYHLQVLVTPELTL
FQNRNRTAVCKAVAGKPAAQISWIPEGDCATKQEYWSNGTVTVKSTCHWEVHNVSTVCH
VSHLTGNKSLYIELLPVPGAKKSAKLYIPYIILTIILTIIVGFIWLLKVNCRKYKLNKT
ESTPVVEEDEMOPYASYTEKNNPLYDTTNKVKASQALQSEVDTDLHTL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-24

Transmembrane domains:

Amino acids 78-98;267-286

N-glycosylation sites:Amino acids 31-35;60-64;69-73;116-120;122-126;185-189;
218-222;233-237;247-251;298-302**cAMP- and cGMP-dependent protein kinase phosphorylation site:**

Amino acids 112-116

N-myristoylation sites:

Amino acids 103-109;259-265

499/615

FIGURE 495

CCAGGTGCACAGCGCATCGCCCCGAGGCTGTACCGCCCTGCCCGCCACCCAGCTGTCCTG
GACCCAGGGGCAGGGAGAGGCTGGACGCCAGGTGCGCGGACACAGAAGCGTCTAAGCACAGCT
TCCTCCTTGCCGCTCCGGGAAGTGGGCAGCCAGCCAGGAACCAGTACCACCTGCACCAATGGG
GCTGTCCCGGAAGGAGCAGGTCTTCTTGGCCCTGCTGGGGCCCTCGGGGTCTCAGGCCTCAC
GGCACTCATTCCTCCTGGTGGAGGCCACCAGCGTGCTCCTGCCACAGACATCAAGTTTGG
GATCGTGTGTGATGCGGGCTCCTCCACACGTCCCTCTTCTGTATCAGTGGCCGGCGAACA
GGAGAATGGCACGGGTGTGGTCAGCCAGGCCCTGGCCTGCCAGGTGGAAGGGCCTGGAATCTC
CTCCTACACTTCTAATGCTGCACAGGCTGGTGAGAGCCTGCAGGGCTGCTTGGAGGAGGCGCT
GGTGCTGATCCAGAGGCCAGCATCGAAAACACCCACGTTCTTGGGGGCCACGGCTGGCAT
GAGGTTGCTCAGCCGGAAGAACAGCTCTCAGGCCAGGGACATCTTTGCAGCAGTCAACCAGGT
CCTGGGGCCGGTCTCCCGTGGACTTTTGGGGTGGCGAGCTCCTGGCCGGGCAGGCCGAAGGTGC
CTTTGGTTGGATCACTGTCAACTACGGCTTGGGGACGCTGGTCAAGTACTCCTTCACTGGAGA
ATGGATCCAGCCTCCGGAGGAGATGCTGGTGGGTGCCCTGGACATGGGAGGGGCCTCCACCCA
GATCACGTTTCGTGCCTGGGGGCCCCATCTTGGACAAGAGCACCCAGGCCGATTTTTCGCCTCTA
CGGCTCCGACTACAGCGTCTACACTCACAGCTACCTGTGCTTTGGACGGGACCAGATGCTGAG
CAGGCTCCTCGTGGGGCTGGTGCAGAGCCGCCGGCTGCCCTGCTCCGTACCCCGTGTACCT
CAGCGGCTACCAGACCACACTGGCCCTGGGCCCGCTGTATGAGTACCCTGTGTCCACGCCAC
GCCCCCGCTGAGCCTCCCCCAGAACCTCACAGTTGAAGGGACAGGCAACCCTGGAGCCTGCGT
CTCAGCCATCCGGGAACTTTCAACTTCTCCAGCTGCCAGGGCCAGGAGGACTGCGCCTTTGA
CGGGGTCTACCAGCCCCGCTGCGGGGCCAGTTCTATGTGGAGGCCAGTACCCTGGGCAGGA
CCGCTGGCTGCGGGACTACTGTGCCTCAGGCCTGTACATCCTCACCTCCTGCACGAGGGCTAC
GGTTTCAGCGAGGAGACCTGGCCCAGCCTCGAGTTCCGAAAGCAGGCGGGCGGTGTGGACATT
GGCTGGACACTGGGCTACATGCTGAACCTGACCGGGATGATCCCGGCCGATGCGCCGGCTCAG
TGGCGGGCAGAGAGCTACGGCGTCTGGGTGGCCAAAGTGGTGTTTCATGGTGCTGGCCCTGGTG
GCGGTGGTGGGGGCTGCCTTGGTCCAGCTCTTCTGGTTGCAGGACTTAGTGGGAAGGCGGAGGT
GGGCCCCCACAGAGCCCACAGGCAGCTGCGTCCCGGATGCTGGAGGCTTCTTGAAGCCTGAGC
GCCGTGGGGCCTTGCTCTGTGGCTCTGCCACGGTCAGGTGACAGCCACCTCCAGGGCACCGT
CAGGGTGGTGCTGGCCACAGAGGCTGCATGACCTCCCCTCCCGGCGTCCCTCCCCAACCTCC
TTCCGCAACTGGGCTTCCAGGGCCGTAGGTGCCTTTCTGCACACAGGCCGCCAGGACTCGTGG
TGTCTCCAGGCTGTGTGACTGCAGGGCCACATGCTGCCTGCAAACAGGGCAAGACCACGGAGG
CACAGGGGTCCTGCTCCTGATGGGGCCTCAGGAGGGGCGGAGAGGGGTGGAAGGGAGGGAGCT
GCCCCACCTGGACCCCCGCTCTCCCTGCTGTTGTCTGAGCAGATGGATGGAGTCCAGGCCTGG
GGGCTTCTGCTGGGCCAGCCGGCCTCCACACCCACTTGGAGGGTGAGACTGCAGTGGGGGT
TGTTTTTATTAAAAGCATCATGGACACAGCAAAAAAAAAAAAAAAAAA

500/615

FIGURE 496

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96870
><subunit 1 of 1, 458 aa, 1 stop
><MW: 49377, pI: 4.98, NX(S/T): 5
MGLSRKEQVFLALLGASGVSGLTALILLVEATSVLLPTDIKFGIVFDAGSSHTSLFLYQ
WPANKENGTGVVSQALACQVEGPGISSYTSNAAQAGESLQGCLEEALVLIPEAQHRKTPT
FLGATAGMRLLSRKNSSQARDIFAAVTQVLGRSPVDFWGAELLAGQAEGAFGWITVNYGL
GTLVKYSFTGEWIQPPEEMLVGALDMGGASTQITFVPGGPILDKSTQADFRLYGSDYSVY
THSYLCFGRDQMLSRLLVGLVQSRPAALLRHPCYLSGYQTTLALGPLYESPCVHATPPLS
LPQNLTVEGTGNPGACVSAIRELFNFSSCQGQEDCAFDGVYQPPLRGQFYVEASYPGQDR
WLRDYCASGLYILTLLHEGYGFSEETWPSLEFRKQAGGVDIGWTLGYMLNLTGMIPADAP
AQWRAESYGVVWAKVVFVVLALVAVVGAALVQLFWLQD
```

Important features of the protein:**Signal peptide:**

Amino acids 1-21

Transmembrane domain:

Amino acids 428-449

N-glycosylation sites:

Amino acids 67-71;135-139;304-308;325-329;410-414

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 133-137

N-myristoylation sites:Amino acids 50-56;123-127;165-171;207-213;234-240;
259-265;311-317;314-320;331-337;398-404;
413-419;429-435**GDA1/CD39 family of nucleoside phosphatases proteins:**

Amino acids 43-59;202-215

501/615

FIGURE 497

GCCTTATAAAGTAGCCTCTGCATCTGCCTGCCTCGGGCAGAGGAGGGCTACCCTGGGGCTGAG
AGTTACCTGTCTCAGGAACCACTGAGCCACAGATCCTGTGGGCAGCGGCCAGGGCAGCCA
TGGCCTTGGGCAAGTAGGCTGGGCCTGCTGCTGGCACTGCTGCTGCCCCGTGGTCGGTGCCTCCA
CGCCAGGCACCGTGGTCCGACTCAACAAGGCAGCATTGAGCTACGTGTCTGAAATTGGGAAAG
CCCCCTCTCAGCGGGCCCTGCAGGTCACTGTCCCTCATTTCTGGACTGGAGTGGAGAGGGCGC
TTCAGCCCCACCAGGATCCGGATTCTGAATGTCCATGTGCCCCGCCTCCACCTGAAATTCATTG
CTGGTTTCGGAGTGCGCCTGCTGGCAGCAGCTAATTTTACTTTCAAGGTCTTTCGCGCCCCAG
AGCCCCCTGGAGCTGACGCTGCCTGTGGAACCTGCTGGCTGACACCCGCGTGACCCAGAGCTCCA
TCAGGACCCCTGTGGTCAGCATCTCTGCCTGCTCTTTATTCTCGGGCCACGCCAACGAGTTTG
ATGGCAGTAACAGCACCTCCACGCGCTGCTGGTCCTGGTGCAGAAGCACATTAAAGCTGTCT
TGAGTAACAAGCTGTGCCTGAGCATCTCCAACCTGGTGCAGGGTGTCAATGTCCACCTGGGCA
CCTTAATTGGCCTCAACCCCGTGGGTCTGAGTCCCAGATCCGCTATTCCATGGTCAGTGTGC
CCACTGTCACCAGTGACTACATTTCCCTGGAAGTCAATGCTGTTCTCTTCTGCTGGGCAACC
CCATCATCCTGCCCACGGATGCCACCCCTTTTGTGTTGCCAAGGCATGTGGGTACCGAGGGCT
CCATGGCCACCCTGGGCCTCTCCCAGCAGCTGTTTGACTCTGCGCTCCTGCTGCTGCAGAAGG
CCGGTGCCCTCAACCTGGACATCACAGGGCAGCTGAGGTGCGATGACAACCTGCTGAACACCT
CTGCTCTGGGCCGGCTCATCCCGGAGGTGGCCCGCCAGTTTCCCGAGCCCATGCCTGTGGTGC
TCAAGGTGCGGCTGGGTGCCACACCTGTGGCCATGCTCCACACAAACAACGCCACCCTGCGGC
TGCAGCCCTTCGTGGAGGTCCTGGCCACAGCCTCCAACCTCGGCTTTCCAGTCCCTCTTCTCCC
TGGATGTGGTAGTGAACCTGAGACTCCAGCTCTCTGTGTCCAAGGTGAAGCTTCAGGGGACCA
CGTCTGTGCTGGGGGATGTCCAGCTCACGGTGGCCTCCTCCAACGTGGGCTTCATTGATACAGAT
CAGGTGCGCACACTGATGGGCACCGTTTTTTGAGAAGCCCCCTGCTGGACCATCTCAATGCTCTC
TTGGCCATGGGAATTGCCCTCCCTGGTGTGGTCAACCTCCACTATGTTGCCCTGAGATCTTT
GTCTATGAGGGCTACGTGGTGATATCCAGTGGACTCTTCTACCAGAGCTGAGGCAAGACCACT
GGGAGGCCTGAGAGTGGGCCAGCTCGCTGCTCAGGCGAATTTCTCATTTCAAGCCACTGGGGA
AACTGAGGCAAAACCATACTTAGTCATCACCAACAAGCTGGACTGCTTAGCTGGGCTGTTTTTA
TCTTCCCTGAGTGCCTGGGTCTCCCTCCCTCACTTCTGCCCTTTCCCTTCTCCTCCTCTTCT
CCTCCCTCTTCCCTCATCTCCCCCTCCTTCTGCCCCACCCAGGGGGGAGCAGACTGCT
CCTCCAGGCTGTATAGACCTGCCCTCTTGCAATAACAACCTTCTCTTGAGCTGC

502/615

FIGURE 498

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96872
><subunit 1 of 1, 458 aa, 1 stop
><MW: 49158, pI: 8.72, NX(S/T): 4
MAWASRLGLLLALLLPVVGASTPGTVVRLNKAALSYVSEIGKAPLQRALQVTPHFLDWS
GEALQPTRIRILNVHVPRLHLKFIAGFGVRLAAANFTFKVFRAPEPLELTPVELLADT
RVTQSSIRTPVVSISACSLFSGHANEFDGSNSTSHALLVLVQKHIKAVLSNKLCLISISNL
VQGVNVHLGTLIGLNPVGPESQIRYSMVSVPTVTSYISLEVNAVLFLLGNPIILPTDAT
PFVLPRHVGTEGSMATVGLSQQLFDSALLLLQKAGALNLDITGQLRSDDNLLNTSALGRL
IPEVARQFPEPMPVVLKVR LGATPVAMLHTNNATLRLQPFVEVLATASNSAFQSLFSLDV
VVNLRLQLSVSKVKLQGTTSVLGDVQLTVASSNVGFIDTDQVRTLMGTVFEEKPLLDHLNA
LLAMGIALPGVVNLHYVAPEIFVYEGYVVISSGLFYQS
```

Important features of the protein:**Signal peptide:**

Amino acids 1-20

Transmembrane domain:

Amino acids 217-236

N-glycosylation sites:

Amino acids 96-100;151-155;293-297;332-336

N-myristoylation sites:

Amino acids 8-14;149-155;189-195;249-255;252-258;283-289

LBP / BPI / CETP family proteins:

Amino acids 22-50; 251-287

503/615

FIGURE 499

TTGAAAATCTACTCTATCAGCTGCTGTGGTTGCCACCATTCTCAGGACCCTCGCCATGAAGC
CCTTATGCTGCTCACCCTGTCTGTTCTGCTCTGCTGGGTCTCAGCTGACATTCGCTGTCACTC
CTGCTACAAGGTCCCTGTGCTGGGCTGTGTGGACCGGCAGTCCTGCCGCCTGGAGCCAGGACA
GCAATGCCTGACAACACATGCATACCTTGGTAAGATGTGGGTTTTCTCCAATCTGCGCTGTGG
CACACCAGAAGAGCCCTGTCAGGAGGCCTTCAACCAACCAACCGCAAGCTGGGTCTGACATA
TAACACCACCTGCTGCAACAAGGACAACCTGCAACAGCGCAGGACCCCGGCCCACTCCAGCCCT
GGGCCTTGTCTTCCTTACCTCCTTGGCTGGCCTTGGCCTCTGGCTGCTGCACTGAGACTCATT
CCATTGGCTGCCCCCTCCTCCACCTGCCTTGGCCTGAGCCTCTCTCCCTGTGTCTCTGTATCC
CCTGGCTTTACAGAATCGTCTCTCCCTAGCTCCATTTCTTTAATTAAACACTGTTCCGAGTG
GTCTCCTCATCCATCCTTCCACCTCACACCCTTCACTCTCCTTTTTCTGGGTCCCTTCCAC
TTCCTTCCAGGACCTCCATTGGCTCCTAGAAGGGCTCCCCACTTTGCTTCCTATACTCTGCTG
TCCCCTACTTGAGGAGGGATTGGGATCTGGGCCTGAAATGGGGCTTCTGTGTTGTCCCCAGTG
AAGGCTCCCAACAAGGACCTGATGACCTCACTGTACAGAGCTGACTCCCCAAACCCAGGCTCCC
ATATGTACCCCATCCCCATACTCACCTCTTTCCATTTTGAGTAATAAATGTCTGAGTCTGGA
AAAAAAAAAAAAAAAAAAAA

504/615

FIGURE 500

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96878
><subunit 1 of 1, 125 aa, 1 stop
><MW: 13821, pI: 8.60, NX(S/T): 2
MKALMLLTLSVLLCWVSADIRCHSCYKVPVLGCVDRQSCRLEPGQQCLTTHAYLGKMWVFSNL
RCGTPEEPCQEAFNQTNRKLGLTYNTTCCNKDNCNSAGPRPTPALGLVFLTSLAGLGLWLLH

Important features of the protein:**Signal peptide:**

amino acids 1-18

N-glycosylation sites.

amino acids 77-81, 88-92

N-myristoylation site.

amino acids 84-90

Ly-6 / u-PAR domain protein signature.

amino acids 85-98

505/615

FIGURE 501

GGAGCCTCCTAATGCAGTCTTCTGCACAGTCCTGGGGACTGACTGACTGAATCACACCTCTGG
GGCTGGGGGCTGCTGACATGTGTGCCTTTCTTGGCTGCTTCTTCTCCTGCTGCTCCAGGAGG
GCAGCCAAAGGAGACTCTGGAGATGGTGTGGATCCGAGGAAGTGGTTGCGGTCTTCAGGAGT
CCATCAGCCTCCCCCTGGAAATACCACCAGATGAAGAGGTTGAGAACATCATCTGGTCCTCTCAC
AAAAGTCTTGCCACTGTGGTGCCAGGGAAAGAGGGACATCCAGCTACCATCATGGTGACCAAT
CCACACTACCAGGGCCAAGTGAGCTTCCTGGACCCCAGCTATTCCCTGCATATCAGCAATCTG
AGCTGGGAGGATTCAGGGCTTTACCAAGCTCAAGTCAACCTGAGAACATCCCAGATCTCTACC
ATGCAGCAGTACAATCTATGTGTCTACCATCCTAACTATGCTTCTGAGAAGCCTTCAACAGCC
TTCTGCCTCCTGGCCAAGGGATTGCTCATCTTCTTGCTCTTGGTAATTCTGGCCATGGGACTC
TGGGTCATCCGAGTCCAGAAAAGACACAAAATGCCAAGGATGAAGAACTCATGAGAAACAGA
ATGAAATTGAGGAAGGAGGCAAAGCCTGGCTCCAGCCCTGCCTTGACTGCTCCTTGGGAACCCC
AGTCCTGAGCTTGGTTTCTTCCCAGCACCCAGAGAATCCTTCCTCAGCTCTCTTCTTTCCAGG
GGAAGGAGGTGCTCAGGGGTGGGTATCCAGAGAGCCATACTTCTGAGGGAAGACTGGCTGGCA
ATAAAGTCAAATTAAGTGACCACA

506/615

FIGURE 502

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96879
><subunit 1 of 1, 198 aa, 1 stop
><MW: 22584, pI: 9.40, NX(S/T): 1
MCAFPWLLLLLLLLLQEGSQRRLLWRWCGSEEVVAVLQESISLPLEIPPDEEVENIIWSSHKS
LATVVPGKEGHPATIMVTNPHYQGQVSFLDPSYSLHISNLSWEDSGLYQAQVNLRTSQIS
TMOQYNLCVYHPNYASEKPSTAFCLLAKGLLI FLLLVLAMGLWVIRVQKRHKMPRMKKL
MRNRMKLRKEAKPGSSPA
```

Important features of the protein:**Signal peptide:**

Amino acids 1-18

Transmembrane domain:

Amino acids 144-165

N-glycosylation site:

Amino acids 99-103

N-myristoylation site:

Amino acids 106-112

507/615

FIGURE 503

ACGGGCCGCGAGCGGCAGTGACGTAGGGTTGGCGCACGGATCCGTTGCGGCTGCAGCTCTGCAG
TCGGGCCGTTTCCTTCGCCGCCGCCAGGGGTAGCGGTGTAGCTGCGCAGCGTCGCGCGCGCTAC
CGCACCCAGGTTTCGGCCCGTAGGCGTCTGGCAGCCCGGCCCATCTTCATCGAGCGCCATGGC
CGCAGCCTGCGGGCCGGGAGCGGCCGGGTACTGCTTGCTCCTCGGCTTGCAATTTGTTCTGCT
GACCGCGGGCCCTGCCCTGGGCTGGAACGACCCTGACAGAAATGTTGCTGCGGGATGTAAAAGC
TCTTACCCTCCACTATGACCGCTATACCACCTCCCGCAGGCTGGATCCCATCCCACAGTTGAA
ATGTGTTGGAGGCACAGCTGGTTGTGATTCTTATACCCAAAAGTCATACAGTGTGAGAACA
AGGCTGGGATGGGTATGATGTACAGTGGGAATGTAAGACGGACTTAGATATTGCATACAAATT
TGGAAAACGTGTGGTGAGCTGTGAAGGCTATGAGTCCTCTGAAGACCAGTATGTACTAAGAGG
TTCTTGTGGCTTGGAGTATAATTTAGATTATACAGAACTTGGCCTGCAGAACTGAAGGAGTC
TGGAAAGCAGCAGCGCTTTGCCTCTTCTCTGATTATTATTATAAGTGGTCCCTCGGCGGATT
CTGTAACATGAGTGGATTGATTACCATCGTGGTACTCCTTGGGATCGCCTTTGTAGTCTATAA
GCTGTTCCCTGAGTGACGGGCAGTATTCTCCTCCACCGTACTCTGAGTATCCTCCATTTTCCCA
CCGTTACCAGAGATTACCAACTCAGCAGGACCTCCTCCCCCAGGCTTTAAGTCTGAGTTTAC
AGGACCACAGAATACTGGCCATGGTGCAACTCTGGTTTTGGCAGTGCTTTTACAGGACAACA
AGGATATGAAAATTGAGGACAGGGTTCTGGACAGGCTTGGGAAGTGGTGAATACTAGGATA
TTTGTGTTGGCAGCAATAGAGCGGCAACACCTTCTCAGACTCGTGGTACTACCCGTCCTATCC
TCCCTCCTACCCTGGCACGTGGAATAGGGCTTACTCACCCCTTCATGGAGGCTCGGGCAGCTA
TTCGGTATGTTCAAACCTCAGACACGAAAACCAGAACTGCATCAGGATATGGTGGTACCAGGAG
ACGATTAAGTAGAAAGTTGGAGTCAAACACTGGATGCAGAAATTTTGGATTTTTCATCACTTT
CTCTTTAGAAAAAAGTACTACCTGTTAACAATTGGGAAAAGGGGATATTCAAAGTTCTGTG
GTGTTATGTCCAGTGTAGCTTTTTGTATTCTATTATTTGAGGCTAAAAGTTGATGTGTGACAA
AATACTTATGTGTTGTATGTCAGTGTAAATGCAGATGTATATTGCAGTTTTTGAAGTGATC
ATTACTGTGGAATGCTAAAAATACATTAATTTCTAAAACCTGTGATGCCCTAAGAAGCATTA
GAATGAAGGTGTTGTACTAATAGAACTAAGTACAGAAAATTTAGTTTTAGGTGGTTGTAGC
TGATGAGTTATTACCTCATAGAGACTATAATATTCTATTTGGTATTATATTATTTGATGTTT
CTGTTCTTCAAACATTTAAATCAAGCTTTGGACTAATTATGCTAATTTGTGAGTTCTGATCAC
TTTTGAGCTCTGAAGCTTTGAATCATTCAGTGGTGGAGATGGCCTTCTGGTAACTGAATATTA
CCTTCTGTAGGAAAAGGTGGAAAATAAGCATCTAGAAGGTTGTTGTGAATGACTCTGTGCTGG
CAAAAATGCTTGAAACCTCTATATTTCTTTTCGTTTCATAAGAGGTAAAGGTCAAATTTTCAAC
AAAAGTCTTTTAATAACAAAAGCATGCAGTTCTCTGTGAAATCTCAAATATTGTTGTAATAGT
CTGTTTCAATCTTAAAAAGAATCA

508/615

FIGURE 504

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96889
><subunit 1 of 1, 339 aa, 1 stop
><MW: 36975, pI: 7.85, NX(S/T): 1
MAAACGPGAAGYCLLLGLHLFLLTAGPALGWNDPDRMLLRDVKALTLHYDRYTTSRRLDPIQ
LKCVGGTAGCDSYTPKVIQCQNGWDGYDVQWECKTDLDIAYKFGKTVVSCEGYESSEDQYVL
RGSCGLEYNLDYTELGLOKLKESGKQHGFASFSDYYKWSSADSCNMSGELITIVVLLGIAFVV
YKLFLSDGQYSPPPYSEYPPFSHRYQRFTNSAGPPPPGFKSEFTGPQNTGHGATSGFGSAFTG
QQGYENSGPGFWTGLGTGGILGYLFGSNRAATPFSDSWYYPSPPSYPGTWNRAYSPLHGGSG
SYSVCSNSDTKTRTASGYGGTRRR
```

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 171-190

N-glycosylation site.

amino acids 172-176

Glycosaminoglycan attachment sites.

amino acids 244-248, 259-263, 331-335

Tyrosine kinase phosphorylation site.

amino acids 98-106

N-myristoylation sites.amino acids 68-74, 69-75, 131-137, 241-247, 247-253, 266-272,
270-276, 278-284, 312-318

509/615

FIGURE 505

GCAAAAGGAAGGGAGGGGAAGCACTCCATCATCTCACTGGGAAGAACGGGCACGGGCATACCTGC
AGCTACTGGGGTTCCACTGGGCTTGAGGGTCGATTTTTTACCTTTTGAAGGACAAGATGCATT
GGAAGATGTTGCTGCTTCTGCTGTTGTATTACAATGCTGAGGCTTCTATGTGCCACAGGTGGA
GCAGGGCTGTGCTCTTCCCTGCCGCCACCGGCCAAAGAGGTCCTCATCACTGCCATTGAACC
CAGTCTTGCAGACCTCCCTGGAGGAGGTGGAGCTGCTCTACGAGTTCCTGCTGGCCGAACCTTG
AGATCAGCCCTGACCTGCAGATCTCCATCAAGGACGAGGAGCTGGCCTCCTTGCGGAAGGCCT
CAGACTTCCGCACCGTCTGCAACAACGTATCCCCAAGAGCATCCAGACATCCGCCGGCTCA
GCGCCAGCCTCTCCAGCCACCTGGCATCCTCAAGAAAAGAACTTTGAAAGGACAGTGCTGA
CCCTGGCCTACACAGCCTACCGCACAGCCCTGTCCCACGGCCATCAGAAGGACATCTGGGCGC
AGTCCCTCGTTAGCCTCTTCCAGGCCCTGAGGCACGACTTGATGCGCTCCTCACAGCCGGGAG
TACCTCCCTGAGAGACTGGCCCCACACCAGGACCTCAGAGCAGGGACCAGCACAGTAATCCAGA
AAGTCTTCATTCTCTACTCCATTTACAGAGACCAGCAACAAAACACTTACCGCTGACACAGAG
CAGCAGAGATCAAACAGTAACCCCGATGCTCTTTTCTCCTTGATAGTTTCCTGGAAGACACATC
TGATTTCATGCCATCATGTGACCTGGGCTGGAAGAAAGGGCTGGAATGGTCATTCAAGACGCCT
CCATGGGCAGAATGGTTTGCCTATGGCAGGCAGAATTCTGATATGCTTCAACCCAGAGCAGTG
GCCACACACTCAAGAGTGAGAACAGGCGTGAGCCACCGTGCCTGGCCCAGGATCTAAAAACTT
TCTAAGTTTCCTCCATCGTTGGCATCCTCACAGCTATCTCCAATGTCACTCAAGAGACATCAA
CAGACATTTAACTGCTGCAGACTTCATTGCTCTGTACCTCACCTTGAATCTAACAAATCAAA
GTATTTCTGCAGGTCCAATGGTCTAAAATCAAATGCTTGTTAAATGACTTTTTTACAACACCCCTT
ACTTTCCTAATCCATTTCAATCTTATTTTTTTTTATTGTGGTAAAAAACACATCACGTAAAATG
TACCATCTTAACCATTTTTTAAGCATATGGTACAGCAGTGTTAACTCCATGCATGTTGTGAAAC
AGACCCCCGGAACCTTCTCATCTTGTAATTCTGAAGTTCTATACCCACCGAACAACCTCCTCTT
TTCCCTTCCCCCTGCCTGCCCCAGCTCTTGGCACCATTATTCTGCTTTCTGTTTTTGAGAGT
CTGACTACTTAAGATACCTCATACAAGCGGGATCTGGCTTACATTTCTTGAGCATTGTATTCT
GGAAAAGTGTTTCCTTCCTCTGAAAAATGGGTAGAGTTCTGAAGGAGAACTACTGGTCTTATT
GTACACTTGCTGTACCTATTTTTTATTTAACAAATATTCATCTATGGTATAATAAAGATGTCAT
GGTTGGAAAAAAAAAAAAAAAAAAAAAAAAA

510/615

FIGURE 506

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96893
><subunit 1 of 1, 173 aa, 1 stop
><MW: 19733, pI: 8.78, NX(S/T): 0
MHWKMLLLLLLYNAEASMCHRWSRAVLFPAAHRPKRSSSLPLNPVLQTSLEEVELLYEF
LLAELEISPDQLQISIKDEELASLRKASDFRTVCNNVIPKSIPDIRRLSASLSSHPGILKK
EDFERTVLTLAYTAYRTALSHGHQKDIWAQSLVSLFQALRHDLMRSSQPGVPP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-17

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 36-40;84-88;105-109

511/615

FIGURE 507

GGCGGCGGGCTGCGCGGAGCGGCGTCCCCTGCAGCCGCGGACCGAGGCAGCGGCGGCACCTGC
CGGCCGAGCAATGCCAAGTGAGTACACCTATGTGAACTGAGAAGTGATTGCTCGAGGCCTTC
CCTGCAATGGTACACCCGAGCTCAAAGCAAGATGAGAAGGCCAGCTTGTTATTAAGACAT
CCTCAAATGTACATTGCTTGTGTTTGGAGTGTGGATCCTTTATATCCTCAAGTTAAATTATAC
TACTGAAGAATGTGACATGAAAAAATGCATTATGTGGACCCTGACCATGTAAAGAGAGCTCA
GAAATATGCTCAGCAAGTCTTGCGAAGGAATGTCGTCCCAAGTTTGCCAAGACATCAATGGC
GCTGTTATTTGAGCACAGGTATAGCGTGGACTTACTCCCTTTTGTGCAGAAGGCCCCCAAAGA
CAGTGAAGCTGAGTCCAAGTACGATCCTCCTTTTGGGTTCGGAAGTTCTCCAGTAAAGTCCA
GACCCTCTTGGAACCTCTTGCCAGAGCACGACCTCCCTGAACACTTGAAAGCCAAGACCTGTGCG
GCGCTGTGTGGTTATTGGAAGCGGAGGAATACTGCACGGATTAGAAGTGGGCCACACCCTGAA
CCAGTTCGATGTTGTGATAAGGTTAAACAGTGCACCAGTTGAGGGATATTCAGAACATGTTGG
AAATAAAACTACTATAAGGATGACTTATCCAGAGGGCGCACCCTGTCTGACCTTGAATATTAT
TCCAATGACTTATTTGTTGCTGTTTATTTAAGAGTGTTGATTTCAACTGGCTTCAAGCAATG
GTAAAAAAGGAAACCCTGCCATTCTGGGTACGACTCTTCTTTTGGAAAGCAGGTGGCAGAAAAA
ATCCCACTGCAGCCAAAACATTTTCAAGATTTTGAATCCAGTTATCATCAAAGAGACTGCCTTT
GACATCCTTCAGTACTCAGAGCCTCAGTCAAGGTTCTGGGGCCGAGATAAGAACGTCCCCACA
ATCGGTGTCATTGCCGTTGTCTTAGCCACACATCTGTGCGATGAAGTCAGTTTGGCGGGTTTT
GGATATGACCTCAATCAACCCAGAACACCTTTGCACTACTTCGACAGTCAATGCATGGCTGCT
ATGAACCTTCAGACCATGCATAATGTGACAACGGAAACCAAGTTCCTCTTAAAGCTGGTCAAA
GAGGGAGTGTTGAAAGATCTCAGTGGAGGCATTGATCGTGAATTTTGAACACAGAAAACCTCA
GTTGAAAAATGCAACTCTAACTCTGAGAGCTGTTTTTGGACAGCCTTCTTGATGTATTTCTCCAT
CCTGCAGATACTTTGAAGTGCAGCTCATGTTTTTAACCTTTTAATTTAAAAACACAAAAAAAT
TTTAGCTCTTCCCCTTTTTTTTTTCTATTTATTTGAGGTCAGTGTTTGTGTTTGCACACCAT
TTTGTAATGAACTTAAGAATTGAATTGGAAAGACTTCTCAAAGAGAATTGTATGTAACGAT
GTTGTATTGATTTTTTAAGAAAGTAATTTAATTTGTAACCTTCTGCTCGTTTACACTGCACAT
TGAATACAGGTAACATAATTGGAAGGAGAGGGGAGGTCACTCTTTTGATGGTGGCCCTGAACCT
CATTCTGGTTCCTGCTGCGCTGCTTGGTGTGACCCACGGAGGATCCACTCCCAGGATGACGT
GCTCCGTAGCTCTGCTGCTGATACTGGGTCTGCGATGCAGCGGCGTGAGGCCTGGGCTGGTTG
GAGAAGGTCACAACCCTTCTCTGTTGGTCTGCCCTTCTGCTGAAAGACTCGAGAACCAACCAGG
GAAGCTGTCCTGGAGGTCCCTGGTCGGAGAGGGACATAGAATCTGTGACCTCTGACAACCTGTG
AAGCCACCCTGGGCTACAGAAACCACAGTCTTCCCAGCAATTATTACAATTCTTGAATTCCTT
GGGGATTTTTTACTGCCCTTTCAAAGCACTTAAGTGTTAGATCTAACGTGTTCCAGTGTCTGT
CTGAGGTGACTTAAAAAATCAGAACAAACTTCTATTATCCAGAGTCATGGGAGAGTACACCC
TTTCCAGGAATAATGTTTTGGGAAACACTGAAATGAAATCTTCCCAGTATTATAAATTTGTGTA
TTTAA

512/615

FIGURE 508

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96897
><subunit 1 of 1, 362 aa, 1 stop
><MW: 41736, pI: 8.80, NX(S/T): 3
MRRPSLLLKDILKCTLLVFGVWILYILKLNYTTEECMDMKMHYVDPDHVKRAQKYAQQVL
QKECRPKFAKTSMA LLFEHRYSDLLPFVQKAPKDSEAESKYDPPFGFRKFSSKVQTLLE
LLPEHDLPEHLKAKTCRRCVVIGSGGILHGLELGH TLNQFDVVIRLNSAPVEGYSEHVGN
KTTIRMTYPEGAPLS DLEYYSNDLFVAVLFKSVDFNWLQAMVKKETLPFWVRLFFWKQVA
EKIPLQPKHFRILNPV IIKETAFDILQYSEPQSRFWGRDKNVPTIGVIAVVLATHLCDEV
SLAGFGYDLNQPRTP LHYFDSQCMAAMNFQTMHNVTTETKFLKLKLVKEGVVKDLSSGIDR
EF
```

Important features of the protein:**Transmembrane domains:**

Amino acids 11-27;281-297

N-glycosylation sites:

Amino acids 30-34;180-184;334-338

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 2-6;109-113;223-227

N-myristoylation sites:

Amino acids 146-152;150-156;179-185;191-197

513/615

FIGURE 509

GGGCGGACGCAGTGCAGTAAGAGCAGATGGGCGGACCCAAATTTCTTCGGCTTCACGATTTTG
CCGAGGTCTAGCCCTGCATCCAGCCTTGAAACAGGGTGGGGAGGAGGCAGAAAGGGGAGGGAC
TGCACTCCCTCTGAGCGTGCTAGCTCCGACTGCCTGACGGATCACCCCTTCCGCTCCAACATGG
CTAGTTCTCTCAACGCCGTGACTCAAGCCTGTTGTGCCAGGCAGGGCGCACTCAGCAGCGCAGC
CCCACAGGTGGCGAAGGCTCCGCGAGAGGGTTCCCGCCAGGCTAGACAGTGGAGTGCCGCACA
GCGCGCCTTCCAGCCTCGCAGCCGCCACCCTAGCGGTTCCGACCCGGCGCCAGCAGGCCTGCT
TGGTCGATCTTCGAGCCAAAGATGCGGCGAGGCTGGAAGATGGCTCTGTCTGGGGGGCTGCGG
TGCTGCCGCCGGGTACTGTCCTGGGTGCCAGTGCTCGTTATTGTCCTCGTCGTGCTCTGGTCC
TACTATGCCTACGTCTTTGAACTCTGCCTGGTTATTTACCTCATACTCTACCATGCCATCTTT
GTGTTCTTTACCTGGACCTACTGGAAGTCTATCTTTACACTCCCACAGCAGCCAAACCAGAAG
TTCCACTTGTCCTACACAGACAAGGAGCGCTATGAAAATGAAGAAAGACCTGAGGTCCAGAAG
CAGATGCTTGTTGATATGGCCAAAAAGCTACCGGTTTACACAAGAACTGGAAGTGGAGGTCAG
TTCATCCAAAGGCAGCTAGAGAGGCAGCTCAGCAAGTATCTCAGAAAGGCTAAGTCATATATG
TTCTCAAACTAGCCCTTTTTTTTTTCCCTCCCATCTTCTGAAAACCACTATGGAGATTTTTCTCCA
CATTTTTATTTCTAAAAAATTTTAAACACATATCAAAGCTGGAAGAATTGTATAGTAAACAAAC
TGTATACCCCAAACCTGGATTCTTCTGCTAACATTTTTCTGTGTTGCTATATCACATATCTATC
CACATATGCATACCTCTATTTATCTTTCGTCAAGCCATCTTATGTTTCTGATGCATTTCAAAG
TAAATAGCTGACATCAGTAAGACATCTACCTAAATATTTTATTCTGTTTTGTTAAAATTTACA
TACAAAAACATGCATAATCTTAAGGGTACCATTCCATGTATTTTGAAAAGTGACACATCTGT
GTAATAAACCCCAATAAAATTGCCATCACCTCAG

514/615

FIGURE 510

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA98564
><subunit 1 of 1, 143 aa, 1 stop
><MW: 17255, pI: 9.99, NX(S/T): 0
MRRGWKMALSGGLRCCRRVLSWVPVLVIVLVVLWSYYAYVFELCLVIYLILYHAIFVFFT
WTYWKSIFTLPQQPNQKFHLSYTDKERYENEERPEVQKQMLVDMAKKLPVYTRTGSGGQF
IQRQLERQLSKYLRLKAKSYMFSN
```

Important features of the protein:**Transmembrane domain:**

Amino acids 24-45

N-myristoylation sites:

Amino acids 11-17;12-18

515/615

FIGURE 511

CAGCCGGGGCGATGGCGGGGCTCTGGCTGGGGCTCGTGTGGCAGAAGCTGCTGCTGTGGGGCG
CGGCGAGTGCCCTTTCCCTGGCCGGCGCCAGTCTGGTCCTGAGCCTGCTGCAGAGGGTGCGGA
GCTACGCGCGGAAATGGCAGCAGATGCGGCCCATCCCCACGGTGGCCCGCGCCTACCCACTGGTG
GGCCACGCGCTGCTGATGAAGCCGGACGGGCGAGGTAAGGGCCGGCGCTCCTCCTGGAGCGCA
ACGGGGTCCGCAGCCCCGTTCCACCCTCCGATCAGCCAGGAACCCGCTGCTTGTGGCGCTGG
CCGCAGGAGAGAGGAGCCTGTCACCCTGTGGAGAATGCACTCCAGTTCTAGTCGTTGCCCT
TGGCACCCGCCGACACTGCTAGTGCCCCATCCCAAAGTGAGCATTTTCTTTGTGTGTAGCACA
GGATGCGGTATTTCCAAACCCCTGCCCTCGGTCTTTTCCACCTCACCGCTGCTCAGCTCTCA
AAGCCCTGCCGTTTCCCTCCTGCCTTGGCTTGGGAAGCCTTAGGAACAGAAGCTCCCTGGGAGC
ACAGAGCGGTTTTAAACTGGCCAACACCTTAACGCCCAGAGCCGCCCTCCTCTCGCTGCCACT
TTGGAAAATAAGAGACTAGAGATTCACTGGACGCTTCTCCCGGCATCACAAGACTTGACTGC
TGCTTCAGTTCCCGCTTGACCTTCATACTTTAGCCCTTTAAAGGATGTTACATAATAACAATT
AAGAGACGGCAGGGCCTTCAGGCAGACTTCTTTGGAGGGTGTCAAACGCCCTTGTTTATTAAAG
AGTGAATTTTTTAATTAAATCATGTTTTAAACAGAGATGGACATTTTATTGATGGAAAAA
ATCACGTTAAGTTAGAAAGCTCTCAAAGTACCTGGTATTTACAACCTCCCTGTCAGGGAGGGC
GAACTCGATCTCAGAGTTTTATTTTCATCAGGGATTACGTTGAGGTACCCAGAAATGAGAAGA
TTTGCCCAAATGGCATATTTTAAATTTGGCCAGACCAGAACCCAGTTTCTCTGGGATTAT
TTGTTAGTAATCGTTTTACAGGCTGAGCATTAACCTCAAGCTTGAAGGACTTTTTCTC
ATTTTCACTTGTTTTCTCTAATAAAAAATAATGCTGTAATTTCAACTTCACAAGATGAGGCCTC
ATGGAAGAGTGTTTACCAAATATTTAAATACTTTGACAGAAAAAATCAAGCGAACTCTTT
GCCAACCAAATATCATCATGACTGATGTAACAAGTAATCCAACACAGATATGAAAATCACTGG
TAAAAATCATCTCAGTTAATTCTAAAAGCAGAGCTAACCACCCCTTTTGTCCTAAGGCTTTAT
GGTATTAAAAAATAAACTGTACAAAAATATAGATTTTCCCCTATCCCCTACCCCTGGAAAGTA
ATATACTGAAGTCTCATCATACTGTTTTGGGGATTCCAGTAATTTAAATCTCTAGTGAACAAA
GACCTGTTTCAAAACAACCTGTGAGCTGACTGGACTATTTAAAGTAATTCTCCTTGAGTCAC
TTTCAGAGTGAAGACAATGACGAATACTGTCTTTTACAAAGGGACTTTTTATTCCACCAACAA
ATTCTGGATTTTGGCATCAGGAAAACCACTGTTCAATTTCCAACACTATATCCAAGTTGTTTG
AGAAATTATTTAAACTCTTTAACTTAGAGGGTTTTCTTTCTCCTTTACTTGTTAAAGTGACT
ATATTACAGAGTCACTTTAAGGATTAAATTTATGTCATGCAAAGTTTCTAGATCACTGTCTAG
AAGTCAGTTAGAGTAAGTTCTTTAGTTGTCAATCAAGCATTTAGTAAGGCCCTGCTTTGTGCC
CAGTGTTGACCTCAACAAAGTTGGGGATATCAGAATATTCTAAGATACAGTCGTTGTTCCCAA
GAATCTTGCTTTTACATACAAGAGGTGTTGCGTTTCATTTGCGGCTAATGTCCAAACGCTG
GCCTCAGCCATTTACCTTGAAGATTGCAGTTGGCTTCCAACCTGGCCTCTAAACTCTAATCTA
GCATTTTCCAGTCCATTGTGACAAAGTCTGCCTTCCCCAGCTACTCCAGCTGTTGGACCTGC
TGCCTTAGAACCACAGATTGGTACCTCGTGCC

516/615

FIGURE 512

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA107443
><subunit 1 of 1, 178 aa, 1 stop
><MW: 19353, pI: 10.97, NX(S/T): 0
MAGLWLGLVWQKLLWGAASALSLAGASLVLSLLQRVASYARKWQQMRPIPTVARAYPLV
GHALLMKPDGRGKGRRSSWSATGSAAPFPPSDQPGRCLWRWPQERGACHPVENALPVLV
VAPWHPPTLLVPHPKVSIFVVCSTGCGISKPLPSVFSLTAAQLSKPCRFLLPWLGKP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-25

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 75-79

N-myristoylation sites:

Amino acids 3-9;17-23;145-151

Amidation site:

Amino acids 73-77

Leucine zipper pattern:

Amino acids 8-30

517/615

FIGURE 513

GGCGGCTGGACGAGGACGCTCAGAGCCCAGCTCTCGAGAGTTCAAGCAACCGACGGTTCC
CCACTGCTCCCAGGAGCGGTTACCTGGGCACTCTGTGCCCCCTCCTTCTGTTCGGGCCCCA
GGCCGAGGACCTGCCAGTAGGGCTCAGTTGCCTGGAGCCCGTTTCAGCCCCATCCCCCAGTT
CACTTTGCTTGTGGGATCTCCCCGTTGCTCCTGCCCCGTGGACTGAGTGGCAGGCCATCCT
ACAAGCACCCGGACACTTGACATCAGTGGTGTCAAGACAACCTCTAAGAAGGTTTTCCGTG
ATCCTGCAAGCCCTGCCTTCTTCTGCGGATCCTGCCTTCAATTTGATTGCACAGGTACC
ACAGCAAGCCAGTGCTGTGTGCTCCGAGTTCCAGGGCGTCTCCAGCTCAGCCACTGCAC
TGAGAACAATGGACTCTCTGTGGGGGCCAGGAGCCGGGAGTCACCCCTTTGGGGTCCACAA
CACCCGGCTGTCCCCAGACTTGTGTCCAGGGAAGATAGTGTTGAGGGCCCTCAAGGAGAG
CGGGGCAGGGATGCCTGAGCAGGACAAGGACCCCTAGAGTCCAAGAGAATCCTGGTGATCA
GAGAAGGGTCCCCGAGGTCAACGGGGATGCACGGTCTGCATTTCGGCCCCCTGCGGGACAA
TGGAGGCCCTCTCTCCCTTTGTGCCCGGGGCCCGGCCCTCTGCAGACAGACCTCCATGCCCA
GAGGTGAGAAATCAGATATAACCAGACATCCCAGACCTCCTGGACGAGCTCCTGCACCAA
CCGAAATGCCATCTCCAGCTCCTACAGCTCCACGGGAGGCTTGCTGGGGCTAAAGCGGAG
GAGGGGGCCAGCCTCATCCCCTGCCAGCTGACCCCTCAGTTCTTCAAAGACAGTGAGTGA
GGACAGGCCTCAGGCTGTCTCTTTCAGGTACACCCAGTGTGAAAAGGCAGCAGATATAGC
ACCAGGGCAGACACTCACCCCTCAGGAATGACTCCTCCACATCCGAGGCCTCTAGGCCCAG
TACACACAAGTTTTCCCTGCTGCCACGCAGGCGAGGGGAGCCTTTGATGCTGCCACCTCC
CTTAGAGCTGGGGTACCGGGTCACTGTTGAAGACCTGGACCGGGAGAAGGAGGCGGCCCTT
CCAGCGCATCAACAGTGCCTGAGGTTGAGGACAAGGCCATCTCGGACTGCAGACCCCTC
ACGGCCTTCCCACACTTTGTCTCACTTGCAACAGGGGCTTCTGGTCTGCCTGCCGTTTC
TAAAGCACCCAGTATGGATGCACAGCAGGAGACACACAAGTCCCAAGACTGCCTGGGCCT
ACTGGACCCCTTAGCATCTGCTGCAGGGGTCCCCCTCTACAGCTCCCATGTCTGGGAAGAA
GCACAGACCACCAGGCCCCCTGTTCTCCTCCTCAGATCCCCCTTCTGCCACCTCTTCTGA
TTCCCAGGACTCAGCCCAGGTACCTCGCTGATTCTTCTGCCCCCTTCCCAGCTGCAAGCAT
GGATGCGGGCATGAGAAGAACAAGGCATGGCACTTCTGCTCCTGCAGCTGCCGCAGCAGC
CCCTCCCCGCTCCACATTGAACCCACGTTGGGGTCACTACTGGAGTGGATGGAGGCCCT
TCACATTTCTGGGCCTCAGCCACAGCTGCAGCAGGTGCCAGAGGTGAGAACCAGAGATC
CCAGACCTCCTGGACCAGCTCGTGCCCCAAATTGAAATGCCATCTCGAGCCCCCTACAGCTC
TACGGGAGGCCTCCCGGAACAAAAGCGGAAGAGGGGCCAGCCTCATCCCCTGCCAGCTG
ACCCTCAGTTCTTCAAACACAGTGAGTGAGGACGGACCTCAGGCTGTCTCTTCGGGTAC
ACCCAGTGTGAAAAGACGGCAGATACAGCACCAGGGCAGACACTCGCCTCCAGGGGTGGC
TCCCCCAGATCCCAGGCCTCTAGGCCCCGTATATGCAAGTTTCCCTGCTGCCACGCAGG
CGAGGGGAGCCTTTGATGCTGCCACCTCCCTTAGAGATGGGGTACCGGGTCACTGCTGAA
GACCTGGACCGGGAGAAGGAGGAGGCATTCCAGCGCATCAACAGTGCCTGCAGGTTGAG
GACCAGGCATCTAGGACTGCAGACCCCTCACGGCCTTCCCACACTTTGTCTCACTTGCA
ACAGGGGCTTCTGGTCTGCCTGCCGTTTCTAAAGCACCCAGTATGGATGCACAGCAGGAG
ACACACAAGTCCCAAGACTGCCTGGGCCTAGTGGCCCCCTGCATCTGCTGCACAGGCCT
GTAGTCCCAGCTACTTGGGAGGCTGAGGCAGGAGAACGGCATAAACCCGGGAGGCAGAGC
TTGCAGTGAGCTGAGATCGCGCCACTGCACTCCAGCCTGGGTGACAGAGCGAGACTCCGT
CTC

518/615

FIGURE 514

```
></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA107786
><subunit 1 of 1, 428 aa, 1 stop
><MW: 45450, pI: 9.28, NX(S/T): 3
MDSLWGPAGSHFPGVHNTRLSPDLCPGKIVLRALKESGAGMPEQDKDPRVQENPGDQRR
VPEVTGDARSAFRPLRDNGGLSPFVPGPGPLQTDLHAQRSEIRYNQTSQTSWTSSCTNRN
AISSSYSTGGLLGLKRRRGPASSHCQLTLSSSKTVSEDRPQAVSSGHTQCEKAADIAPG
QTLTLRNDSSSTSEASRPSTHKFPLLPRRRGEPLMLPPPLELGYRVTVEDLDREKEAAFQR
INSALQVEDKAISDCRPSRPSHTLSSLATGASGLPAVSKAPSMDAQQETHKSQDCLGLLD
PLASAAGVPSTAPMSGKKHRPPGPLEFSSSDPLPATSSSDSAQVTSILIPAPFPAASMDA
GMRRTRHGTSAPAAAAAAPPRTLNPTLGSLLEWMEALHISGPQPQLQOVPRGQNQRSQT
SWTSSCPK
```

Important features of the protein:**N-glycosylation sites:**

Amino acids 105-109;187-191

Glycosaminoglycan attachment site:

Amino acids 38-42

N-myristoylation sites:

Amino acids 15-21;130-136;180-186;307-313;361-367

Amidation site:

Amino acids 315-319

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 106-117

519/615

FIGURE 515

GTCAGGGCCAGGGTGAGCGCCCGACTCCGAGCTGTCCCCGCTCCCGGCGCGGCGCTCCGCTCT
CAGCCACCTCACGGCTGCCAGGAGTGCGCGGGAGTTTGCCCCGGAGCGCGGGGAAGTTTCCTC
CGAAGCTGCGCTCCTGGAACAGCAGCACCTGCAAGCGCCCGGCAGCGGCCCCGCGAGGTTACTT
TATGGAATTGGGCTCTTAGAGAACAAGAAAAGACTGAAGTTTTACGGGAAAACAAATCATGTG
GTCTTCAGATTCTGAAATAAGGAGAAATGCAGCCATCTGAAATGGTCATGAACCCCCAAACAAG
TCTTCCTCTCTGTGCTGATATTTGGAGTAGCTGGGCTACTCCTCTTCATGTATTTGCAAGTCTGG
ATTGAAGAACAACATACAGGGAGAGTGGAGAAGAGAAGAGAACAAAAAGTAAGTTTTCAGGATGG
GGACCAGTGAAGTACTTGCGGCCTGTACCCAGAATCATGAGTACAGAAAAAATCCAGGAACAT
ATCACCAACCAGAACCCCCAAGTTTCACATGCCTGAGGATGTACGAGAAAAAAGGAAAATCTT
CTACTCAATTCTGAGAGATCTACTAGGCTCTTAACAAAAGACCAGTCATTACAAAGGAGGGGAT
CAAGCTTTAAGTAAGTCCACAGGGTCACCAACAGAGAAGTTGATTGAAAAACGTCAAGGAGCT
AAGACTGTTTTTAAACAAGTTCAGCAACATGAATTGGCCAGTGGACATTACCCCTTTAAACAAA
AGTTTAGTCAAAGATAATAAATGGAAGAAAAGTGGAGAGACCAAGAGAAACGAAGGTCTTTC
CTTCAGGAGTTTTTGCAAGAAATACGGTGGGGTGAGTCATCATCAGTCACATCTTTTTTCATACA
GTATCCAGAATCTATGTAGAAGATAAACACAAAATCTTATATTGTGAGGTACCTAAGGCTGGC
TGTTCCAATTGGAAGAAGATTCTGATGGTACTAAATGGATTGGCTTCCTCTGCATACAACATC
TCCCACAATGCTGTCCACTACGGGAAGCATTTGAAGAAGCTAGATAGCTTTGACCTAAAAGGG
ATATATACCCGCTTAAATACTTACACCAAAGCTGTGTTTGTTCGTGATCCCATGGAAAGATTA
GTATCAGCCTTTAGGGACAAATTTGAACACCCCAATAGTTATTACCATCCAGTATTCGGAAAG
GCAATTATCAAGAAATATCGACCAAATGCCTGTGAAGAAGCATTAAATTAATGGATCTGGAGTC
AAGTTCAAAGAGTTTATCCACTACTTGCTGGATTCCCACCGTCCAGTAGGAATGGACATTAC
TGGGAAAAGGTCAGCAAACCTCTGCTATCCGTGTTTGATCAACTATGATTTTGTAGGGAAATTT
GAGACTTTGGAAGAAGATGCCAATTACTTTTTTACAGATGATCGGTGCTCCAAAGGAGCTGAAA
TTTCCCAACTTTAAGGATAGGCACCTCTCCGATGAAAGAACCAATGCTCAAGTCGTGAGACAG
TATTTAAAGGATCTGACTAGAACTGAGAGACAATTAATCTATGACTTTTATTACTTGGACTAT
TTAATGTTTAATTATACAACCTCCACTTTTTGTAGTTTTGCATTCATTTTCTAAAACCCGTGTATAT
ACTTAATGATGATAAGTTCAAATCAGCTGTAATTTTTCTATAATTCTCTGTATGACAGAAATT
TAACCAAGTGCAGTTGTCTTGATTTAATGTAGATTTTTTACCAAATAGTATGACACCAATTGGC
ACAAAGTTATAGGAAAATCACCTACAGGAGATGTAAACAACTTGAGTTGCTCTAAAATGTTTG
GAAAAGAGCTGCTTTTGCATTATGAATTATATTGTTGAAGCAATAACCTAGCCAGCTGTTGCA
TTAGCTAAAGCAGCCTCTTGCAATGGTAGGAAAAAAGGATCTCAAATAGCATGAGTGTATGTC
TATATCCTGAAATTTATTGTCTAAAATGCATGAATATATTTTGTAGCAGTCTGTGGCATATTAA
TCAAACCTGTTGAATTGTTTTCTTACACCCTGGAAATCTTCTATCAACTATAATGATAAATCC
ATTTTGAAGTGATATTTTGGACTTAGGCATTTTACTTTAGATTGGAAGGCATTATGTGATTTACA
ATATGAGAATATAGCAGAAAAACCA

520/615

FIGURE 516

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108682
><subunit 1 of 1, 443 aa, 1 stop
><MW: 52021, pI: 9.63, NX(S/T): 4
MQPSEMVMNPKQVFLSVLIFGVAGLLLFMYLQVWIEEQHTGRVEKRREQKVTSGWGPVKY
LRPVPRIMSTEKIQEHITNQNPKEHMPEDVREKKENLLLNSESTRLTSTSHSQGGDQA
LSKSTGSPTEKLIKROGAKTVFNKFSNMNWPVDIHPLNKS LVKDNKWKKTETQEKRRS
FLQEFCKKYGGVSHHQSHLFHTVSRIYVEDKHKILYCEVPKAGCSNWKRLMVLNGLASS
AYNISHNAVHYGKHLKKLDSFDLKGITYTRLNTYTKAVFVRDPMERLVSAFRDKFEHPNSY
YHPVFGKAIKKYRPNACEEALINGSGVKFKEFIHYLLDSHRPVGMDIHWEKVS KLCPYPC
LINYDFVGKFETLEEDANYFLQMIGAPKELKFPNFKDRHSSDERTNAQVVRQY LKDLTRT
ERQLIYDFYYLDYLMFNYYTPLL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-24

N-glycosylation sites:

Amino acids 159-163;243-247;324-328;437-441

Glycosaminoglycan attachment site:

Amino acids 53-57

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 177-181

Tyrosine kinase phosphorylation site:

Amino acids 329-337

N-myristoylation sites:

Amino acids 116-122;236-242

521/615

FIGURE 517

GGAACCTTCCCAGGCACCCCTGTGTGGCCGCACTGCTCCCTCTGGCCCAACCATGCCTCTGTCCAGCCACCTGCTGC
CCGCCTTGGTCCCTGTTCCCTGGCAGGGTCCTCAGGCTGGGCCTGGGTCCCCAACCACTGCAGGAGCCCTGGCCAGG
CCGTGTGCAACTTCGTGTGTGACTGCAGGGACTGCTCAGATGAGGCCAGTGTGGTTACCACGGGGCCCTCGCCCA
CCCTGGGGCGCCCCCTTCGCCTGTGACTTCGAGCAGGACCCCTGCGGCTGGCGGGACATTAGTACCTCAGGCTACA
GCTGGCTCCGAGACAGGGCAGGGGCGGCACTGGAGGGTCCTGGGCTCACTCAGACCACACACTGGGCACCGACT
TGGGCTGGTACATGGCCGTGGAAACCCACCGAGGGAAAGAGGCATCCACCGCAGCCCTGCGCTCGCCAACCCCTGC
GAGAGGCAGCCCTCCTCTTGAAGCTGAGGCTCTGGTACCACGCGGCCCTCTGGAGATGTGGCTGAAGTGCAGGCTGG
AGCTGACCCATGGCGCAGAGACCCCTGACCCCTGTGGCAGAGCACAGGGCCCTGGGGCCCTGGCTGGCAGGAGTTGG
CAGTGACCACAGGCCGCATCCGGGGTGACTTCCGAGTGACCTTCTCTGCCACCCGAAATGCCACCCACAGGGGCG
CTGTGGCTCTAGATGACCTAGAGTTCTGGGACTGTGGTCTGCCACCCCCAGGCCAACTGTCCCCGGGACACC
ACCACTGCCAGAACAAGGTCTGCGTGGAGCCCCAGCAGCTGTGCGACGGGGAAGACAACCTGCGGGGACCTGTCTG
ATGAGAACCCACTCACCTGTGGCGGCCACATAGCCACCGACTTTGAGACAGGCTGGGGCCATGGAACCGCTCGG
AAGGCTGGTCCCGGAACACCGTGTGGTGGTCTGAGCGCCCCCTCCTGGCCACGCCGTGACCACAGCCGGAACA
GTGCACAGGGCTCCTTCCTGGTCTCCGTGGCGGAGCCTGGCACCCTGCTATACTCTCCAGCCCCGAATTCGAAG
CCTCAGGCACCTCCAACCTGCTCGTGGTCTTCTATCAGTACCTGAGTGGGTCTGAGGCTGGCTGCCTCCAGCTGT
TCTGTGAGACTCTGGGGCCCGGCGCCCCCGGGCCCCCGTCTGCTGCGGAGGCGCGAGGGGAGCTGGGGACCG
CTTGGGTCCGAGACCGTGTGACATCCAGAGCGCTACCCCTTCCAGATCCTCCTGGCCGGGCAGACAGGCCCGG
GGGGCGTCTGGGTCTGGACGACCTCATCCTGTCTGACCACTGCAGACCACTCTCGGAGGTGTCCACCCCTGCAGC
CGCTGCCTCCTGGGGCCCGGGCCCCAGCCCCCAGCCCTGCGGCCAGCTCGCGGCTCCAGGATTCCTGCAAGC
AGGGGCATCTTGCCCTGCGGGGACCTGTGTGTGCCCCCGGAACAACCTGTGTGACTTCGAGGAGCAGTGCCGAGGGG
GCGAGGACGAGCAGGCCTGTGGCACCACAGACTTTGAGTCCCCGAGGCTGGGGGTGGGAGGACGCCAGCGTGG
GGCGGCTGCAGTGGCGGCTGTCTCAGCCAGGAGAGCCAGGGGTCCAGTGCAGTCTGCTGGGCACCTTCCTGT
CTCTGCAGCGGGCCTGGGGGCAGCTAGGCGCTGAGGCCCGGGTCTCACACCCCTCCTTGGCCCTTCTGGCCCCA
GCTGTGAAGTCCACCTGGCTTATTATTTACAGAGCCAGCCCCGAGAGGTCTCCTGTAACCTTTGAGCGGGACACAT
GCAGCTGGTACCCAGGCCACCTCTCAGACACACACTGGCGCTGGGTGGAGAGCCGCGGCCCTGACCACGACCACA
CCACAGGCCAAGGCCACTTTGTGCTCCTGGACCCACAGACCCCTGGCCTGGGGCCACAGTGCCACCTGCTCT
CCAGGCCCCAGGTGCCAGCAGCACCACGGAGTGTCTCAGCTTCTGGTACCACCTCCATGGGGCCAGATTGGGA
CTCTGCGCCTAGCCATGAGACGGGAAGGGGAGGAGACACACCTGTGGTTCGCGGTGAGGCACCCAGGGCAACCGCT
GGCAGGAGGCTGGGGCACCCCTTTCCACAGCCTGGCTCCCATGCCCAGTACCAGCTGCTGTTCGAGGGCCTCC
GGGACGGATACACGGCACCATGGCGCTGGACGATGTGGCGGTGCGGCCGGGGCCCTGCTGGGCCCTAATTACT
GCTCCTTTGAGGACTCAGACTGCGGCTTCTCCCTGGAGCCAAGGTCTCTGGAGGCGGCAGGCCAATGCCTCGG
GCCATGCTGCCTGGGGCCCCCAACAGACCATACCACTGAGACAGCCCAAGGGCACTACATGGTGGTGGACACAA
GCCAGACGCACTACCCGGGGCCAGACGGCTCCTGACCTCCAAGGAGCACAGGCCCTTGGCCAGCCTGCTT
GTCTGACCTTCTGGTACCACGGGAGCCTCCGAGCCAGGCACCCCTGCGGCTTACCTGGAGGAGCGCGGGAGGC
ACCAGGTGCTCAGCCTCAGTGGCCACGGCGGGCTTGCCTGGCGCTGGGCAGCATGGACGTGCAGGCCGAGCGAG
CCTGGAGGGTGGTGTGTTGAGGAGTGGCCGAGGCGTGGCACACTCCTACGTGGCTCTGGATGATCTGCTCCTCC
AGGACGGGCCCTGCCCTCAGCCAGGTTCTGTGATTTTGTGCTGGCCTGTGTGGCTGGAGCCACCTGGCCGGGC
CCGGCCTGGGCGGATACAGCTGGGACTGGGGCGGGGAGCCACCCCTCTCGTTACCCCAAGCCCCCTGTGGACC
ACACCTTGGGCACAGAGGCAGGCCACTTTGCCTTCTTTGAAACTGGCGTGTGGGCCCGGGGGCGGGGCCGCT
GGCTGCGCAGCGAGCCTCTGCCGGCCACCCAGCCTCCTGCCTCCGCTTCTGGTACCACATGGGTTTTCCTGAGC
ACTTCTACAAGGGGGAGCTGAAGGTACTGCTGCACAGTGTCTAGGGCCAGCTGGCTGTGTGGGGCGCAGGCGGGC
ATCGGCGGCACCAAGTGGCTGGAGGCCAGGTGGAGGTAGCCAGTGCCAAGGAGTTCCAGATCGTGTGTAAGCCA
CTCTGGGCGGCCAGCCAGCCCTGGGGCCCATTGCCCTGGATGACGTGGAGTATCTGGCTGGGCAGCATTTGCCAGC
AGCCTGCCCCCAGCCCGGGGAACACAGCCGACCCGGGTCTGTGCCAGCTGTGGTTGGCAGTGCCCTCCTATTGC
TCATGCTCCTGGTGTGCTGGGACTTGGGGGACGGCGCTGGCTGCAGAAGAAGGGGAGCTGCCCTTCCAGAGCA
ACACAGAGGCCACAGCCCTGGCTTTGACAACATCCTTTTCAATGCGGATGGTGTACCCCTCCCGGCATCTGTCA
CCAGTGATCCGTAGACCACCCAGACAAGGCCCGCTTCTCAGTGACATCCAGCACTTGGTCAGACCCTAGCC
AGGGACCGGACACCTGCCCCGCCAGGCTGGGACAGGCTGCAGGTCTCAGGATATGCTGAGGCCTGGGCGTTCCC
TGCCCTGTGCTGACTCTGTTGCTCTGTGAATAAACACCTGGCCCATGAGGGCCGCCCCAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAA

522/615

FIGURE 518

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108684
><subunit 1 of 1, 1137 aa, 1 stop
><MW: 122776, pI: 6.00, NX(S/T): 4
MPLSSHLLPALVLFLLAGSSGWAVPNHCRSPGQAVCNFVCDRCDSDEAQCQYHGASPTL
GAPFACDFEQDPCGWRDISTSGYSWLDRAGAALEGPGPHSDHTLTGLGWYMAVGTHRG
KEASTAALRSPTLREAASSCKLRLWYHAASGDVAELRVELTHGAETLTWQSTGPGWPGW
QELAVTTGRIRGDFRVTFSSATRNATHRGAVALLDLEFWDCGLPTPQANCPPGHHHCQNKV
CVEPQQLCDGEDNCGDLSDENPLTCGRHIATDFETGLGFWNRSEGSNRNHRAGGPERPSW
PRRDHSRNSAQGSFLVSVAEFGTPAILSSPEFQASGTSNCSLVFYQYLSGSEAGCLQLFL
QTLGPGAPRAPVLLRRRRGELGTAWVRDRVDIQSAYPFQILLAGQTGPGGVVGLDDLLLS
DHCPRVSEVSTLQPLPPGPRAPAPQPLPPSSRLQDSCKQGHLAGDLCVPPEQLCDFEEQ
CAGGEDEQACGTTDFESPAGGWEDASVGRLLQWRRVSAQESQGSSAAAAGHFLSLQRAWG
QLGAEARVLTPLLGPSPGSCLEHLAYYLSQSPREVSCNFERDTCWYPGHLSDTHWRWVE
SRGPDHDHTTGQGHFVLLDPTDPLAWGHSALHLSRPQVPAAPTECLSFYHLHGPGQIGTL
RLAMRREGEETHLWSRSGTQGNRWHEAWATLSHQPGSHAQYQLLFEGLRDGYHGTALDD
VAVRPGPCWAPNYCSFEDSDCGFSPPGQGLWRRQANASGHAAGPPTDHTTETAQGHYMV
VDTSPDALPRGQTASLTSKEHRPLAQPACLTFWYHGSLSRSPGTLRVYLEERGRHQVLSLS
AHGGIARWLGSMVDQAERAWRVVFEAVAAGVAHSYVALDDLLQDGPQPQPGSCDFESGL
CGWSHLAGPGLGGYSWDWGGGATPSRYPQPPVDHTLGTGTEAGHFAFFETGVLGPGGRAAWL
RSEPLPATPASCRLFWYHMGFPPEHFKYKELKVLHLSAQGLAVWGAGGHRRHQWLEAQVE
VASAKEFQIVFEATLGGQPALGPIALDDVEYLAGQHCQQPAPSPGNTAAPGSVPVAVGSA
LLLLMLLVLLGLGRRWLQKKGSCPFQSNTEATAPGFDNILFNADGVTLPASVTSDP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-20

Transmembrane domain:

Amino acids 1075-1092

N-glycosylation sites:

Amino acids 203-207;281-285;339-343;756-760

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 514-518;1100-1104

N-myristoylation sites:

Amino acids 32-38;55-61;61-67;106-112;116-122;336-342;350-356;409-415;
523-529;540-546;678-684;707-713;791-797;870-876;921-927;
937-943;954-960;1036-1042;1071-1077

Amidation site:

Amino acids 1093-1097

Cell attachment sequence:

Amino acids 191-194

523/615

FIGURE 519

GCAGGGGAGCTCCGAGTGTCCACAGGAAGGGAACATATCAGCTCCTGGCATCTGTAAGGATGCT
GTCCATGCTGAGGACAATGACCAGACTCTGCTTCCTGTTATTCTTCTCTGTGGCCACCAGTGG
GTGCAGTGCAGCAGCAGCCTCTTCTCTTGAGATGCTCTCGAGGGAATTCGAAACCTGTGCCTT
CTCCTTTTCTTCCCTGCCTAGAAAGCTGCAAAGAAATCAAGGAACGCTGCCATAGTGCAGGTGA
TGGCCTGTATTTTCTCCGCACCAAGAATGGTGTGTCTACCAGACCTTCTGTGACATGACTTC
TGGGGGTGGCGGCTGGACCCTGGTGGCCAGCGTGCACGAGAATGACATGCGTGGGAAGTGCAC
GGTGGGTGATCGCTGGTCCAGTCAGCAGGGCAACAAAGCAGACTACCCAGAGGGGGATGGCAA
CTGGGCCAACTACAACACCTTTGGATCTGCAGAGGCGGCCACGAGCGATGACTACAAGAACCC
TGGCTACTACGACATCCAGGCCAAGGACCTGGGCATCTGGCATGTGCCCAACAAGTCCCCCAT
GCAGCATTGGAGAAACAGCGCCCTGCTGAGGTACCGCACCAACACTGGCTTCCTCCAGAGACT
GGGACATAATCTGTTTGGCATCTACCAGAAATACCCAGTGAAATACAGATCAGGGAAATGTTG
GAATGACAATGGCCCAGCCATACCTGTGGTCTATGACTTTGGTGATGCTAAGAAGACTGCATC
TTATTACTCACCGTATGGTCAACGGGAATTTGTTGCAGGATTCGTTTCAGTTCGGGGTGTAA
TAACGAGAGAGCAGCCAACGCCCTTTGTGCTGGGATAAAAGTTACTGGCTGTAACACTGAGCA
TCACTGCATCGGTGGAGGAGGGTTCTTCCACAGGGCAAACCCCGTCAGTGTGGGGACTTCTC
CGCCTTTGACTGGGATGGATATGGAACCTCACGTTAAGAGCAGCTGCAGTCGGGAGATAACGGA
GGCGGCTGTACTCTTGTTCTATAGATTGAGACAGAGCTCTGCGGTGTCAGGGCGAGAACCCATC
TTCCAACCCCGGCTATTTGGAGACGGAAAACTGGAATTCTAACAAGGAGGAGAGGAGACTAA
ATCACATCAATTGCA

524/615

FIGURE 520

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108701
><subunit 1 of 1, 325 aa, 1 stop
><MW: 36212, pI: 8.68, NX(S/T): 1
MLSMLRTMTRLCLLFFSVATSGCSAAAASSLEMLSREFETCAFSFSSLPRSCKEIKERC
HSAGDGLYFLRTKNGVVYQTFCDMTSGGGGWTIVASVHENDMRGKCTVGDWSSQOGNKA
DYPEGDGNWANYNTFGSAEAATSDDYKNPGYYDIQAKDLGIWHVPNKSPMQHWRNSALLR
YRTNTGFLQRLGHNLFGIYQKYPVKYRSGKWCNDNGPAIPVVYDFGDAKKTASYYSFYGQ
REFVAGFVQFRVFNNERAANALCAGIKVTGCNTEHHCIGGGGFFPQGKPRQCGDFSAFDW
DGYGTHVKSSCSREITEAAVLLFYR
```

Important features of the protein:**Signal peptide:**

Amino acids 1-26

Glycosaminoglycan attachment site:

Amino acids 86-90

N-myristoylation sites:

Amino acids 23-29;88-94;127-133;136-142;265-271

525/615

FIGURE 521

GATCAGTGTGTGAGGGAACTGCCATCATGAGGTCTGACAAGTCAGCTTTGGTATTTCTGCTCCTGCAGCTCTTCT
GTGTTGGCTGTGGATTCTGTGGGAAAGTCCTGGTGTGGCCCTGTGACATGAGCCATTGGCTTAATGTCAAGGTCA
TTCTAGAAGAGCTCATAGTGAGAGGCCATGAGGTAACAGTATTGACTCACTCAAAGCCTTCGTTAATTGACTACA
GGAAGCCTTCTGCATTGAAATTTGAGGTGGTCCATATGCCACAGGACAGAACAGAAGAAAATGAAATATTTGTTG
ACCTAGCTCTGAATGTCTTGCCAGGCTTATCAACCTGGCAATCAGTTATATAAATTAATGATTTTTTGTGAAA
TAAGAGGAACTTTAAAAATGATGTGTGAGAGCTTTATCTACAATCAGACGCTTATGAAGAAGCTACAGGAAACCA
ACTACGATGTAATGCTTATAGACCCTGTGATTCCCTGTGGAGACCTGATGGCTGAGTTGCTTGCAGTCCCTTTTG
TGCTCACACTTAGAATTTCTGTAGGAGGCAATATGGAGCGAAGCTGTGGGAACTTCCAGCTCCACTTTCCTATG
TACCTGTGCCTATGACAGGACTAACAGACAGATGACCTTTCTGGAAAGAGTAAAAAATTCATGCTTTCAGTTT
TGTTCCACTTCTGGATTACAGGATTACGACTATCATTTTTGGGAAGAGTTTATAGTAAGGCATTAGGAAGGCCCA
CTACATTATGTGAGACTGTGGGAAAAGCTGAGATATGGCTAATACGAACATATTGGGATTTTGAATTCCTCAAC
CATACCAACCTAACTTTGAGTTTGTGGAGGATTGCACTGTAAACCTGCCAAAGCTTTGCCTAAGGAAATGGAAA
ATTTTGTCCAGAGTTCAGGGGAAGATGGTATTGTGGTGTCTCTGGGGTCACTGTTTCAAATGTTACAGAAG
AAAAGGCTAATATCATTTGCTTCAGCCCTTGCCAGATCCACAGAAGGTGTTATGGAGGTACAAAGGAAAAAAC
CATCCACATTAGGAGCCAATACTCGGCTGTATGATTGGATACCCAGAAATGATCTTCTTGGTCATCCCAAACCA
AAGCTTTTATCACTCATGGTGGAAATGAATGGGATCTATGAAGCTATTTACCATGGGGTCCCTATGGTGGGAGTTC
CCATATTTGGTGATCAGCTTGATAACATAGCTCACATGAAGGCCAAAGGAGCAGCTGTAGAAATAAACTTCAAAA
CTATGACAAGCGAAGATTTACTGAGGGCTTTGAGAACAGTCATTACCGATTCTCTTATAAAGAGAATGCTATGA
GATTATCAAGAATTCACCATGATCAACCTGTAAAGCCCCTAGATCGAGCAGTCTTCTGGATCGAGTTTGTATGC
GCCACAAAGGAGCCAAGCACCTGCGATCAGCTGCCATGACCTCACCTGGTTCAGCAGTACTCTATAGATGTGA
TTGGGTTCTCTGCTGACCTGTGTGGCAACTGCTATATCTTGTTCACAAAATGTTTTTTATTTCTCTGCAAAAAT
TTAATAAACTAGAAAGATAGAAAAGAGGGAATAGATCTTTCCAAATTCAAGAAAGACCTGATGGGGTAATCCTG
TTAATTCAGCCACATAGAAATTTGGTGAAAACCTTGCTATTTTCAATTATCTATTCTGTTATTTTATCTTAGCT
ATATAGCCTAGAAATTCATGATCATGAGGTTGTGAGTATATCTCATTCTTTCTGTTGATTTTTCTAGGTGTCTTT
ACTCTCTTCTCTCACTTTGTGACACAAGGACATGAATACATCTAAATTTTCTATTTCTGATATGACTGTTTTGA
TGATGTCAATTACTTCTATAACCTTAAGTGATAGGGTGACATGCAATATGATTATTCCTGGTGTGCGCCCAAACAC
ATGGATATAAAGAGGTAAAAAATTAATTCACAAAATTCAGTAAACCACACAAATCAGGTAAGTGTTCTATGA
GATTAGCTGGCTATGAGAAACATAATGATGTTTCTTTTCAATTTAAATAAGCCTTTCTACATAGCCAGCATCAG
TGATCTCAGAAAATAAATGCTAATAATGATGACATGGCATTATGCTTAGAAAAGTTTGCTGTATTTCCATAGAC
CTCATCTAGATGTGATGGCCTACATTTCTGCCATCACTCAACCAATACTTTTTTCTGTTTTCTTGATGATAAAAA
GACCTTTCTCATGATTGCCATCAAATAACAAAAGAACTATTTTTTTCTCACATAGAGAACATGTCAGTAAGAT
ATTCAAGGTGAACAGATATTTTGGGATTAGTAACATTTGAAATATGTGGTGATAATTACTGAGTTTATAAAAT
TTATTTGATAGTACACTTAAAGAAGATTTATATGTTTATTCTTTAAAAATGATGAATACTCATAATTCCTATCTC
TATAATCAAAGTATAATTTACTGTAGAAAATAAAGAGATGCTTGTCTGAAAGTAAGATCAGTGAAGTGTCTT
TCAGTCTCAATCTTTGAGAATTGTAATTCATCAATAATTGCTTACATAGTAAAAATTAAGGTATTAGAAAAC
CTGCATAACAAATAGTATTATATATTAATATTTTGATATGTAAAGCTCTACACAAAGCTAAATATAGTGTAATA
ATGTTTACACTAGTAAGCAAATATGTTAATCTTCTCATTTTTTTACTGTATATAATCTTAGTGATATGCCTATT
AATAGTTTTAAATAAATAAATTTGGCTTATCTGGCTTTTGAAAATTTTGAAATTCCTACAGATGTTGATTAGGTA
TATCTACAAATTAATTTCAATTTTAAATGATGATATAAAAAATAAAGTATTTTTCTGTGTATGTATACA
ATAAATATAAATAAATTTGTTTACTGTTTTGAAAGTTTCTTAAGTTTTA

526/615

FIGURE 522

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108720
><subunit 1 of 1, 527 aa, 1 stop
><MW: 60284, pI: 8.31, NX(S/T): 3
MRSDKSALVFLLQLFCVGCFCGKVLVWPCDMSHWLNVKVILEELIVRGHEVTVLTHSK
PSLIDYRKPSALKFEVVHMPQDRTEENEIFVDLALNVLPGLSTWQSVIKLNDFVEIRGT
LKMMCESFIYNQTLMKKLQETNYDVMLIDPVI PCGDLMAELLAVPFVLT LRISVGGNMER
SCGKLPAPLSYVPVPM TGLTDRMTFLERVKNSMLSVLFHFWIQDYDYHFWEEFYSKALGR
PTTLCETVGKAEIWLIRTYWDFEFPQPYQPNFEFVGGLHCKPAKALPKEMENFVQSSGED
GIVVFSLSLGFQNVTEEKANI IASALAQIPQKVLWRYKGKKPSTLGANTRLYDWIPQNDL
LGHPKTKAFITHGGMNGIYEAIYHGVP MVGVPIFGDQLDNIAHMKAKGA AVEINFKTMTS
EDLLRALRTVITDSSYKENAMRLSRIHHDQPVKPLDRAVFWIEFVMRHKGAKHLRSA AHD
LTWFQHYSIDVIGFLLTCVATAIFLFTKCF LFSCQKFNKTRKIEKRE
```

Important features of the protein:**Signal peptide:**

Amino acids 1-21

Transmembrane domain:

Amino acids 489-510

N-glycosylation sites:

Amino acids 131-135;313-317;518-522

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 67-71;340-344

Tyrosine kinase phosphorylation sites:

Amino acids 122-131;136-144

N-myristoylation sites:

Amino acids 19-25;276-282;373-379;377-383

Amidation site:

Amino acids 338-342

527/615

FIGURE 523

GGCTGCGGGGTGCGGCACGGAAGATGCACGCGAGGCTCCTGGGGCTCTCGGCCCTGCTGCAGGC
GGCCGAACAGAGCGCGCGCCTTTACACCGTGGCTTACTACTTCACCACAGGACGGCTTCTGTG
GGGGTGGCTGGCCCTTGTGTCTCCTGCCCCGGTTCTTGGTCCAGGCCCTGAGCTACCTGTG
GTTCCGAGCAGACGGGCATCCAGGGCATTGCTCCTTGGTGATGCTGCACCTCCTACAGCTTGG
TGTTTGAAGCGGCACCTGGGACGCTGCACTGACCAGTCTGCAGAAGGAACCTGGAGGCTCCCCA
CCGAGGCTGGCTGCAGCTGCAGGAGGCCGACCTGTGCGCCCTTCGACTCTTGGAGGCCCTGCT
GCAGACTGGGCCCCACCTGCTGCTTCAGACATATGTTTTTCTAGCCTCAGACTTCACAGATATT
GTGCCAGGGGTGAGCACCTGTTCCTGGTCCTCACTCTCCTGGGCACCTGGTGTCTTACACT
CGTTTCATGGGCTTCATGAAGCCAGGCCACCTGGCCATGCCATGGGCCGCCCTCTTCTGCCAG
CAGCTCTGGAGGATGGGCATGTTGGGAACCCGCGTGCTGAGTCTGGTTCTGTTCTACAAAGCC
TACCACTTTTGGGTTTTTGTGGTTCAGGTGCCACTGGCTGGTGATGACATTCTGGCTTGTG
GCCCAGCAGAGTGACATCATCGACAGCACCTGCCACTGGAGGCTGTTCAACCTGCTCGTGGGG
GCCGTGTACATCCTCTGTACCTCAGCTTCTGGGACAGCCCTTCTAGAAATAGGATGGTCACG
TTCTACATGGTCATGCTGTTGGAGAACATCATCCTGTTGCTGTTGGCCACCGACTTCTCCAG
GGGGCATCGTGGACCAGCCTGCAGACCATAGCTGGGGTCTGTCTGGATTTCTGATTGGCAGT
GTCTCACTGGTAATTTATTACAGCCTGCTGCATCCAAAATCCACAGACATCTGGCAGGGCTGC
CTAAGGAAGTCCTGTGGCATTGCAGGAGGTGATAAAACAGAGAGAAGAGATTCTCCCCGGGCC
ACAGATCTAGCTGGGAAGAGAACCAGAGAGCTCAGGCTCATGCCAAGGGGCAAGTTATGAACCA
ACCATTTTtagggAAGCCCCCTACCCCTGAGCAGGTCCCCCAGAGGCTGGGCTGGGGACCCAG
GTTGCTGTGGAGGACTCTTTCCTCAGTCATCACCCTGGCTGTGGGTGAACTTGCCCTAAAA
ACAGGAAATGTGTCTAAGATCAATGCCGCCTTTGGAGATAACAGTCCTGCCTATTGTCCACCT
GCATGGGGGTTGAGTCAACAGGACTACCTGCAGAGAAAGGCCTTGTCTGCCAGCAAGAGCTC
CCATCCTCATCCCGTGACCCCTCAACCTTAGAGAACAGCTCTGCGTTTGAAGGTGTCCCTAAA
GCAGAGGCCGACCCATTGGAAACCTCAAGTTACGTATCTTTTGCCAGCGATCAGCAGGATGAA
GCACCTACCCAGAACCCAGCAGCCACGCAGGGGGAGGGCACCCCAAAGGAAGGAGCTGACGCT
GTTTCTGGGACACAGGGGAAGGGGACAGGTGGGCAGCAGAGAGGAGGGGAAGGACAGCAGAGT
TCCACGTTGTACTTCAGCGCCACTGCAGAAGTGGCCACATCCTCACAACAAGAAGGCAGCCCA
GCTACTCTGCAAACGGCCCACTCTGGAAGGAGGCTGGGAAAGAGCAGCCCTGCCAGCCTGCA
TCGCCCCACCCAGTGGGCTTGGCGCCCTTCCCCGACACCATGGCCGACATTAGCCCCATCCTA
GGCACAGGCCCATGTAGAGGCTTCTGCCCCAGTGCAGGCTTCCCTGGAAGAACCCTCAGTATC
TCAGAGCTAGAGGAGCCGCTGGAGCCCCAAAGGGAGCTAAGTCACCATGCAGCTGTTGGTGTG
TGGGTGTCATTGCCACAGCTGAGGACTGCCCATGAGCCCTGCCTCACGTCCACCCCTAAGTCT
GAGTCTATCCAAACGGACTGCAGCTGCAGGGAACAGATGAAGCAAGAGCCGAGTTTTTTCATC
TGACCACAGTCATGGTGGGATAAGACAACAGGCTGACAAACCAAGCTGGCCATTTGGTACCGT
GAGAAAGGAAATCCCCTTCTGACACCTGTGTCCTTGGGCACATCACTGTCACCTCTGAATCT
CCATCTGCATCCCTGAAAAATGAAGAAACAGGGCTGGATGATTTTGCAGGTCCAATGCAACA
TCACAGACCCACCCATGCATAGGAGAGACTCTAACATACTTTAGAGGAGGAGAAAGAGATTC
CAGTCAAAATTGTCTGCTACCTTTTATGAGCTGTAGGTTCCCTTATTTTATCTTTTGTGTG
GCTTCTAGGAAACACAAAGGTAAAACCCAGATTCCCTATTTTATTTGAGGTTCTTGTTACAATT
AGCTTTGCCTCACATTTAGCGGTTATGAATCTCATTTTAATATATTCTAACTGTATTATGTTA
TGAAATCTCTTGGTAAGATAATTGCATGCTTCTGGGAGTAGGTAAGGCCTGTGTGCTTGTA
ATAACTAACATAACTGAAAGTGCAAATGTCA

528/615

FIGURE 524

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108726
><subunit 1 of 1, 686 aa, 1 stop
><MW: 74981, pI: 6.60, NX(S/T): 2
MHARLLGLSALLQAAEQSARLYTVAYYFTTGRLLWGWLALAVLLPGFLVQALSYLWFRAD
GHPGHCSLVMHLHLQLGVWKRHWDAALTSLOKELEAPHRGWLQLQEADLSALRLLEALLQ
TGPHELLQTYVFLASDFTDIVPGVSTLFSWSSLSWALVSYTRFMGFMKPGHLAMPWAALF
CQQLWRMGMLGTRVLSLVLFYKAYHFWVFFVAGAHWLVMTFWLVAQQSDIIDSTCHWRLF
NLLVGAVYILCYLSFWDSPSRNRMVTFYVMLENIILLLLATDFLQASWTSLOTIAGV
LSGFLIGSVSLVIYYSLHLPKSTDIWQGLRKSCGIAGGDKTERRDSPRATDLAGKRTE
SGSCQGASYEPTILGKPPTPEQVPPEAGLGTQVAVEDSFLSHHHWLWVKLALKTGNSKI
NAAFQDNPAFCPPAWGLSQQDYLRKALSAQQELPSSSRDPSTLENSSAFEGVPAEAD
PLETSSYVSFASDQQDEAPTQNPAAQTQGGTPKEGADAVSGTQKGKGQQRGGEGQQSS
TLYFSATAEVATSSQQEGSPATLQTAHSGRRLGKSSPAQPASPHVGLAPFPDTMADISP
ILGTGPCRGCPSAGFPGRTLSISELEEPLEPKRELSHHAAVGWVSLPQLRTAHEPCLT
STPKSESIQTDCSCREQMKQEPSFFI
```

Important features of the protein:**Signal peptide:**

Amino acids 1-17

Transmembrane domains:

Amino acids 35-50;269-287;293-313

N-glycosylation sites:

Amino acids 416-420;467-471

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 344-348

N-myristoylation sites:Amino acids 188-194;288-294;299-305;335-341;338-344;362-368;
390-396;473-479;529-535;536-542;558-564;603-609;
643-649**Amidation sites:**

Amino acids 354-358;568-572

Leucine zipper pattern:

Amino acids 112-134

529/615

FIGURE 525A

AGTGCCCTCTGTCATTTAATCTCCACGGAGTCCTGAAGGTGCTTCCAGGTTTGTCCCATCACACAGATGAGGC
AATCGTTCTGTTAAGACTGTCCTTGGGTCAATATGTCAGCAATGAAATCGGTGCTGCCATTACTAAACCTTACT
GTGTGCTGGCATTTGTGTATGCATGTCATGTGTGTGCGTGACACGTCGTGTGTTGCGTGTACATGTGCATGTGTGTG
TTGTGTGCCTGTGTGTGCACATGTAGAAAGAAAGTGATGTGTGGGAATGGAGAATTCACACCCAGGAGGAGACTG
TGCCTGGGGCTGCCACGAGAAGTGGTGACACTTCGAGAAACGGGTTCCAAATGCAGGTTGCCTTCCAGTTCTCTG
TGTGACCTTGGGCAAGTCACTTCAGCTCCCTGAGCTTTGTTTTTAAAAATATTTTTTAAATGTATAAAACCATGG
ACCATTACATATGAAGAGAAATGTGTGTGCAAAACATTAGTTAATAATCACAAGGTGGAGGAGTGCTGCTCAGA
CCCAGAGCTGACACAGGGAACCTCTCCAGAAAGGCTGCAGGGCTTCCCTCCCAACCTCCACGGCCCACTTGCTG
AGCCCGTGCTTATCTGTTCACTGGAAATGCCATGTGCCACGTTCCCTCAGAAGTAAAGCCACTAGGTAAGTGTGAC
ACTCTGTGCCAGCTTGGTGCAAAAGCCCTTGTGTGTGCTATCTTATTGACCTCCCAAATAGCATGGTAAGGTCA
GTACTGTCACTTCCCCCACTTTGAAGATGAGGAGAGCACAAATCTAGATGGAAATGGAGGTACGCAGTGAGAAA
TAGGATCCAGACAGATTAATCCAATCTCAAGCCTGAATTCCTCCATTCCACGCTACGCTTGAAGCTCAATCTCTC
TTCCTGGTTGATTCTCCCCCACTTCCCCACCCCCAGATATATCCCATCGCTGCTTGGTGGACAGTAGCCATGACTG
GGTTTTGGTAAAGGTTGCTGAATAATCAGGCTGCTGGTTAGTTTTTACATTTACCTTTCCAGTGAAATGGGGC
CCCATGAAAAAGGCAGCTCAAGTTGTAAATTACTCAAAGGAAGGACAGAAAGGTCTTCTGTTTGACCTACCCCTA
AGGATTTGGGGTAGACACTGGGAATTTACTAATTATGAATTCAGTGCTTTCCTTGCTGAAAGAGAGGCGTGGAA
TCAACGCTGAGTGAAGGCATCAAGTTTAAAGCTGCTAATTACTTCTGATCATGCAGAATAAAAGCTACGTCCCTT
GAAATACACCAGGCAGCTAAACATAATCTTTCGCTTTCCGTAGTGTGGTTAAGGAATCCAGATGTTACTGCAAT
AACCCTCCATAAACAAGGAACACCCAGCTGTGAGAACTGGCTTCTCAGCATTTCGTCCAGCAGAGGCTCTTC
CGGGGCCAGCCCTGGAAGAACCCTATCAGGGTTCTGATGGTTGCCCTGTTTCAGCACAGCCCTTATTGGCAGGCAG
ACGGCTACGGGCACAGCCACAGGCTGAAGGTGAGTCCAGCACACAACCTTCTGACAGTGAACAGGAGTAAACATG
GGACCCACCCGAAACCTTTGTCTGTTGACTTCTTAGCAATGGAGGCAGCTCTAGGCTCTGGAGAGTTCGGGTAT
AGGAGACCATGACTGAGCAGACTGATATAAGTGAATGCAAAACATATTTAGATGGCACAACCTAATTTAGATTT
ATCAGTGCTAATATGAAAAAGCTAGTATTTATTGGGGCTTATTAGATTTTTTAGTCTGAATCCTCACAACTTACG
AGGGGGTTTCGTTTTACAGACTATGATCTTGCTGATGATTTCCCCAAGATGCTCATTAAAGTATATGGTGAAGTAGA
ATTTGAATACAGAAGACCTGGTTCTGCTACTTTCTGTGTTTCTATTTGGTTCAAACCAGCCTTTCTCTTTCAA
ACAACCTTCAGTGCAATTCATGGTTTTGGAAAATAAATCTGATTTTGAGATTTCAGACAATAAGTGCATTTTAAATG
TTTATTCTTTTATCTTGA AAAACTGATATATTTATGAAATGATATGTGCTCACTCAGTGTCAACACTTCAAACAA
CAGACAGTACAATGACAAATTTGGAGATCAGCTCTAATCTCGGCCCAATTTAATGCAATGCTGTAATATTTCTT
CTGAACATAGTCCATCCCACTGTCCCATGACACAAGACGCTCCAAGGGGCTGAAGATAGAGGGACTTCTGCAG
TCAAGAGAGCTGGGAACTCTTGGACAGTCACAATGTGCATTTGGGTATTAAAGGCTCTGCAAGTTCTGCACCA
AATAAACCTTGGATTGGCTTGATCCAATGCCATGTTTCCAAAACCTACTTGCCCGTGGGACACCTTAGTCCATA
ACACAGGTTGGCATTCTTCTAGAGAGTGTGCTGTGAAAAACACTGGTCTCAGACACCGTGCATTCTATCCAGCA
GGTATTTACCAAGCAGGGACTTTGGGCCAGGTCCGTGCTAGGCTCTGCAGGTGGACAGCCAGCCCTGACCTCCA
TGGTGTCTCTTCTCATGGGAGAGGCTGCACAGCAGTCATTGAGAAAACGAAGAAACACACAGGTACTTTCAGATG
CTGATAATGACTACCATGTGCTAAAAGAGCTCCAGGTGTTGTCTGTTTTGAGACAATCTTCTCGACAATGAGATA
GAATGAACCATGCAAACTTTGGGGCTACGATGGTTTTAGGAAAGAGCTAGAGTGA AAAATCCTTTGACATATAT
ACATACAAATAAAGATACATGTGTATAATTTTATGTAATTGACATCACATTATATGCTGGCACCTGCCTTTTTTG
CTTAATGAAATGTCAAAGGTAATATTACCAATCAATCAATATATTTACCATCGTGTTAATTTCTGCAGAGCA
CTTATTCAAGCACATACTGCATTTTCTTAGTCACCTCAATCTGGGGAATAGAAAAGTTTTCTCAGGCATGCATTTT
TCCCACTTCTGAAATGATCTCCTTAGAATAAATTTCCCAATTTGTATTGCTGGGTTCAAAGGCATGAACATTTTA
CATTTTTATACAATAATGTCAAACCTACCTTCCGGAATGATGCTCACTTTACTTTCCCTCCAAGACTGTGTGAAA
ATGCCCATTTCCTAAATGCTTACTATGACTGGTTTTCCAACTACATTTTAAATCTTGTTCATCTGATAGGCAAA
AAATGATATTTAATTTTTATTGATTGATAATGACCTTGAACGTGCCATTAGCCTTTTGATGTATTCTTTTAT
GAAACATCTGTTCCATCCTTCGTCAATGTTCTCTCATATGTTAACTTTTCTTATTGATTGTTAGAGCACTT
TGTATATTGTGAATATTAGCTTTTGTGATCAGAATTATGGAATTGTTGTTGCTTTTAGTTTTGCTTATCAAGTTT
AAAGCCATTTCAGAGATGTTGTAATGTGTATGTTGTTAAATTTATGCTTATTGTTGTTTTCTGATGCTCATAT
GTTTAGAATGGTCAAGCAATCCCACTTATGATTACATAAATATTCTCCCATATTTGCTCTTAGCATTTTTTTTC
TTTTCATGTAACCTTTGTTCTTTTCAGGAATTTACTTTGCGGTAAGAAATGGGCTGGCTTCCAGTTTTATGTTTC
CCAAATGGTGATTGAGCTGTTCCATTTCCATATTCTCCCTTATTAGAAATGACCACTATATTATGTTCTAAAATA
TCTGCGTACTTGTGTCCCTTCCATATAATCTCAGTTCATCTCTTTGAGCTATCTTTTGATTCCTTTTCAAACCAC
ACTGCTTTACTGAACGTGCATCATCTTATACATTTTAAATCTCAGCAAGACAAGTTTTCTCAATGCCACTCTTTT
TCAGAGTTTTTCTGGTGGTTGTAAGATGTTTATCTTCTGGATAAACTTTAGAATCACTCTTTTTGTCCAAGGTA
AAATATATCCACATTGAGATCATACTGAATATACAGACTAATTCAGGAAAAATGTATGCTTTTATGCATTGA
GTCTTCTTATCCAATAAAAAAGATATGAATTTCCATGTATTGAAATCTTCACTGAGACTTATTTTTGGCTTTTCA

530/615

FIGURE 525B

CATGTCCTGCAAATGTATTGTTAAATTTATTTTATAGGTATTTAGGGGAAATGATTTTCTAAAGTTTGTATTTTC
TAGCTTGTTATAATTTACATATGAGATAGTCATTGTTGTATATTATTTATAACTGATCATATTACTGTATTTGTA
TTGTTTTAATAGTTTTTCTATTATTTTGGGTTTTCTGGGAATACAACCTTATTATCTACAAATTATGATTGTTTT
GCCTTTTCCAATGTTCACTGTTTTATATTCTTGTCTGATTGCTTTGTTTCAGCACTTCTAGAATAAAGTCAT
GCAATACTAATGA

531/615

FIGURE 526

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108728
<subunit 1 of 1, 100 aa, 1 stop
<MW: 10922, pI: 8.81, NX(S/T): 0
MSAMKSVLP LLNPYCVLAFVYACMCVRAHVVCVYMCMCVLCACVCTCRKKVMCGNGEFQ
PRRRLCLGLPREVVTLRETGSKCTLPSSSLCDLGQVTSAP

Important features of the protein:**Signal peptide:**

Amino acids 1-28

N-myristoylation sites:

Amino acids 80-86;94-100

Prokaryotic membrane lipoprotein lipid attachment sites:

Amino acids 13-24;34-45

532/615

FIGURE 527

GTGAGACTTCTTTCTTCATTGTGGCTAGCTTTGAAAAGACCCTCTGAACTTCCTAAAGATATC
AAGATGATATCACCAGACTTGCCCTTTTTGACAATTGTCTTGATCATAGTTAGTTGGACAACT
TGTGGAGCACTAGCCATACTTCTTTCTTATCTTTACTATGTGTTTAAGGTTGTTTCATCTGCAA
GCCAGCTTAACAACCTTTTAAGAATAGCCAGCCTGTGAATCCCAAACACTCTAGAAGAAGTGAA
AAGAAATCCAATCATCATAAAGACTCCTCAATACACCATCTTCGTTTATCTGCCAACGATGCT
GAAGATAGCCTTCGCATGCACAGTACTGTGATTAACCTTACTAACATGGATTGTATTACTCAGC
ATGCCTTCTCTAATTTATTGGCTAAAGAATCTTAGGTATTATTTTAAACTTAATCCTGATCCA
TGTAACCTTTGGCATTATCCTTATTCCGACTATGGCAATTCTTGGAATACTTACACTGTT
TCAATAAAATCAAGTAAATTGTTGAAGACTACTTCACAATTCCACTTCCTCTGGCTGTTGGT
GTGATTGCTTTTGGGTCAGCACATTTATATAGGCTTCCATGCTTTGTCTTCATTCTCTTTTA
CTCCATGCATTATGCAACTTTATGTAAGATTGGACTTAAGGAATGATGAAGATAATTTATGTG
TTTAGGGCCAGTGATAAGAGGGAACACACAGATCCATCAGTATGGACAGCAAGATCCTTTGGA
GAAGACAAGTCTATTTTACAATATTGAAAATAGGAAATTAGTTTTGTAATGTTTGAGGGAAG
TAGTTGAAGCATGGTTTTGTTTTGTGGTGTGGAATCCATGTACTAATCATTTTTGAAAAATTC
ATGAAGGGATATATGGTGATCACTATCATTGAGGACTCCTGTGCATATAAAATAGTCTGTTTT
ATCAACTGTAAA

533/615

FIGURE 528

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108738
><subunit 1 of 1, 196 aa, 1 stop
><MW: 22225, pI: 9.90, NX(S/T): 0
MISPDLPFLTIVLIIVSWTTCGALAILLSYLYYVFKVVHLQASLTTFKNSQPVNPKHSRR
SEKKSNNHHKDSSIHHRLRSANDAEDSLRMHSTVINLLTWIVLLSMPSLIYWLKNLRYFFK
LNPDPCKPLAFILIPMAILGNTYTVSIKSSKLLKTTSQFPLPLAVGVIAFGSAHLYRLP
CFVFIPLLLHALCNFM
```

Important features of the protein:**Signal peptide:**

Amino acids 1-25

Transmembrane domains:

Amino acids 91-108;128-143;167-186

N-myristoylation site:

Amino acids 141-147

534/615

FIGURE 529

GCGAGCCGGGTCCCACCATGGCCGCGAATTATTCCAGTACCAGTACCCGGAGAGAACATGTCA
AAGTTAAAACCAGCTCCCAGCCAGGCTTCCTGGAACGGCTGAGCGAGACCTCGGGTGGGATGT
TTGTGGGGCTCATGGCCTTCCTGCTCTCCTTCTACCTAATTTTACCAATGAGGGCCGCGCAT
TGAAGACGGCAACCTCATTGGCTGAGGGGCTCTCGCTTGTGGTGTCTCCCGACAGCATCCACA
GTGTGGCTCCGGAGAATGAAGGAAGGCTGGTGCACATCATTGGCGCCTTACGGACATCCAAGCTT
TTGTCTGATCCAACTATGGGGTCCATCTTCCGGCTGTGAAACTGCGGAGGCACGTGGAGATG
TACCAATGGGTAGAACTGAGGAGTCCAGGGAGTACACCGAGGATGGGCAGGTGAAGAAGGAG
ACGAGGTATTCTACAACACTGAATGGAGGTCAGAAATCATCAACAGCAAAAACCTTCGACCGA
GAGATTGGCCACAAAAACCCAGTGCCATGGCAGTGGAGTCATTATGGCAACAGCCCCCTTT
GTCCAAATTGGCAGGTTTTTCTCTCGTCAGGCCTCATCGACAAAGTCGACAACCTTCAAGTCC
CTGAGCCTATCCAAGCTGGAGGACCCTCATGTGGACATCATTGCGCGTGGAGACTTTTTCTAC
CACAGCGAAAATCCCAAGTATCCAGAGGTGGGAGACTTGCGTGTCTCCTTTTCTATGCTGGA
CTGAGCGGCGATGACCCTGACCTGGGCCCAGCTCACGTGGTCACTGTGATTGCCCGGCAGCGG
GGTGACCAGCTAGTCCCATTCTCCACCAAGTCTGGGGATACCTTACTGCTCCTGCACCACGGG
GACTTCTCAGCAGAGGAGGTGTTTCATAGAGAACTAAGGAGCAACTCCATGAAGACCTGGGGC
CTGCGGGCAGCTGGCTGGATGGCCATGTTTCATGGGCCTCAACCTTATGACACGGATCCTCTAC
ACCTTGGTGGACTGGTTTTCTGTCTTCCGAGACCTGGTCAACATTGGCCTGAAAGCCTTTGCC
TTCTGTGTGGCCACCTCGCTGACCCTGCTGACCGTGGCGGCTGGCTGGCTCTTCTACCGACCC
CTGTGGGCCCTCCTCATTGCCGGCCTGGCCCTTGTGCCCATCCTTGTTGCTCGGACACGGGTG
CCAGCCAAAAAGTTGGAGTGA~~AA~~AAAGACCCTGGCACCCGCCGACACCTGCGTGAGCCCTGAGG
CTGGTTGTACAATGCCCACGCCTGCCTGGCTGCTTTACCTGGGAGTGCTTTGATGTGGGCA
CCTGGGCTTCCTAGGGCTGCTTCTGAGTGGTCTTTTACGTGTTGTGTCCATAGCTTTAGTCT
TCCTAAATAAGATCCACCCACACCTAAGTCACAGAATTTCTAAGTTCCCCAACTACTCTCACA
CCTTTTTAAAGATAAAGTATGTTGTAACCAGGACGTCTTAAATGATTCTTTGTGTACCTTTTC
TGTCATATTAGAAACCGTTCTGTGCCTGCTGGGAGTAATTCCTTTAGCAATTAAGTATTTGG
TAGCTGAATAAGGGGTCAGAACTTCTGAAACCAGAGATCTGTAATCATCTCTATTGGCCTGGG
GTGCCTGTGCTATAAATGAGTTTCTTACATGAAAACACAGCCAGCCCAAGATGACTTATCT
GGGTTTAGGATTCAATAGTATTCTAATACTGCTTATTACATGAGCAATTTTCATCAAATCTCCA
AACTCTTAAAGGATGCTTTTCGGAAAACACGCTGTATACCTAGATGATGACTAAATGCAAAATC
CTTGGGCTTTGGTTTTTTCTAGTAAGGATTTTAAATAACTGCCGACTTCAAAGTGTTCTTA
AAACGAAAGATAATGTTAAGAAAAATTTGAAAGCTTTGGAAAACCAAATTTGTAATATCATTG
TATTTTTTTATTAAAAGTTTTGTAATAAATTTCTAAATTATCA

535/615

FIGURE 530

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108743
><subunit 1 of 1, 400 aa, 1 stop
><MW: 44876, pI: 8.32, NX(S/T): 2
MAANYSSSTSTRREHVVKVTSSQPGFLERLSETSGGMFVGLMAFLLSFYLIIFTNEGRALKT
ATSLAEGLSLVSPDSIHSVAPENEGRLVHIIGALRTSKLLSDPNYGVHLPAVKLRRHVE
MYQWVETEEESREYTEDGQVKKETRYSYNTEWRSEIINSKNFDREIGHKNPSAMAVESFMA
TAPFVQIGRFFLSSGLIDKVDNFKSLSLSKLEDPHVDIIRRGDFFYHSENPKYPEVGDLR
VSFSYAGLSGDDPDLGPAHVVTVIARQRGDQLVPFSTKSGDTLLLLHHGDFSAAEEVFHRE
LRNSNMKTWGLRAAGWMAMFMGLNLMTRILYTLVDWFPVFRDLVNIGLKAFACVATSLT
LLTVAAGWLFYRPLWALLIAGLALVPILVARTRVPAKKLE

Important features of the protein:**Transmembrane domains:**

Amino acids 34-53;365-388

N-glycosylation site:

Amino acids 4-8

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 140-144

Tyrosine kinase phosphorylation sites:

Amino acids 99-107;220-227

N-myristoylation sites:

Amino acids 35-41;93-99;310-316

Cell attachment sequences:

Amino acids 221-224;268-271

536/615

FIGURE 531

AAAAAAAAAAAAAAAAAGAAGCTCTTATGCCAGGAACCTGGAATGGAGACCAAATATATATTG
GTTATATCATAGTATCACAGGGTTACTTTGGCATTGAGAGAAATGGGCAATAA
CTGTTACTTTAAAAGCTTGGGTGCTGTGATTCTGCCTTCAGCCTCAGCCACTTTTGTGGTGCT
TTGCGTGGCATCAGTACCTCCACTGATTCTTCTGTCTTCTCCTCTCTCTCTCCCCCCTCTT
CCCTTCTGTTTTTCTCAGATCTAAGGGTTATAATGGAGGGGCAAACCTGCCTGGCTATTTCAGA
TAAGACTTCACTGAGTGACTGTTTCAAGCCATGATTTACCCTGCAGTTTAAACAGGCTCAGGAAT
TAGGTTCGCATCAGTTGAGCGGGTCACTTAGGCCTATAATCATCATCAGACGGCAATTAAAG
GACCATTTCTGCCTTTTCACTATTACATCCCCGCCTGTAGCCAGCCTGCCATACAGTAGA
TACTCAATAAATATTTGCTGAATGATAACCAATAA

537/615

FIGURE 532

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108758
<subunit 1 of 1, 100 aa, 1 stop
<MW: 10316, pI: 8.52, NX(S/T): 0
MGNNCYFKSLGAVILPSASATFVVLCDVASVPPLILLSFSLFPPSFPSVFLRSKGYNGGA
NCLAISDKTSLSDCSAHDLPCLTGTSGIRSHQLSAGHLGL

Important features of the protein:**Signal peptide:**

Amino acids 1-47

N-myristoylation site:

Amino acids 58-64

538/615

FIGURE 533

CGGGGTGTACGAAAGAGAAACCCGGAGGGCGCCGGGGACTGGGCCGGGGTCTGCAGGGCTCAG
CTGAGCCCATGAGCTCCCAGAGCTAACCCTGAACACCCAGGCGGGCAAAGGGCTGATGTCTGG
TAGTCCCCATCCTGGAGGGGCAGGCTCTGCGCATCTGCTCCTGGC**ATG**GCGCTGCGGCACCTC
GCCCTCCTGGCTGGCCTTCTCGTGGGAGTCGCCAGCAAGTCCATGGAGAACACGGCCCAGCTG
CCCGAGTGCTGTGTGGATGTGGTGGGCGTCAACGCCAGCTGCCAGGCGCAAGTCTGTGTGGT
CCAGGCTGTTACAGGCGCTGGAACGCGGACGGGAGCGCCAGCTGCGTCCGCTGTGGGAACGGA
ACCCTCCCAGCCTACAACGGCTCCGAGTGTAGAAGCTTTGCTGGCCCCGGGTGCGCCATTCCCC
ATGAACAGAAGCTCAGGGACCCCCGGGCGGCCACATCCTGGGGCTCCGCGCGTGGCCGCCTCC
CTCTTCCTGGGCACGTTCTTCATTAGCTCCGGCCTCATCCTCTCCGTAGCTGGGTCTTTCTAC
CTCAAGCGCTCCAGTAAACTCCCCAGGGCCTGCTACAGAAGAAACAAAGCTCCGGCCCTGCAG
CCTGGCGAAGCCGCTGCAATGATCCCCCGCCACAGTCCTCAGACGTGGGGTCTGCAGGAAAG
GAGGACCCACCACGACAGGGCAGACCCCCAATACCTGCTCCTCCT**TGA**AGTCCAGCTCCACCC
GAGGACAGACGCAGCCGGCCTCCGCCAGGGCCTCCTGAGCAGCCATCGCTTCAGTGGTGTCTGG
GTCAGGCGGACCCAAGAGTCAGCCCGTACGGAAGCCGCGCTACGTCAGGCGGGAGCGGCCCT
GGACAGGGCCACGGATCCCGCTGCCTTCCCGGGGGAGGCCCGTATCAGCAATGTCTGACCTGG
AGGCCGAGACCACGCCACGCACTTGGCGGCAGGGACCCGGAGGCCGACCCCTTGGCGGGAACC
AGCACAAAGTGTTGGCATCGCCCGCGCCCGGGACAGTCCTGGGCACAGCCTCGGCTCTGGGT
CCCTCCGCCTCCCAGCGACGGACGCCAAAGGGTCCCGGGCCGCCTGAGGCTCCTCCCCACCAC
AGCCATCTCGTTTATCGGACCAGGAGCAGGCATCCATGAGACCTCAGAGCTTCAGATCGAGGC
CTTGGGGGGTCCGGGCCCCCCCCAGGAAACACGGTGAGGGCCCCAGCGCCTGCAGCCAAAGCTGG
CACGATCTATGGGGCAGGTGCCGCTCTGCCTAGAAAAGCCAGGGGCTCTGCTGCCGTGCCCTC
CAGAGCCCACAGCGGGCAGGACTCCTCCAGCACCACCACACCCAGTGGCCCGAGACCCCTCTG
AGAACAGTGAGGCTGGTCCTCGTGCCGTTCCAGCCGGTGCCCGGCCAGTGGGGAGGACACAGC
CTAGGAACCAGCTGCCTGAGACCAGGGTGCTCTGGGCTGTCCTCCCGCGTGGCGGAGACCCC
AAGCACGCAGCCACCCATTTCCGGAGCTGCAGGATAGAGCTTCCTCTTGATCTCTGTTTTTAAG
CAGAAATTCATTGTGCAGAAAAGTCCTCCAGAGCTCTGTGGCCCCGCTCGGATCCGCTGGACC
CCCATGCCTGGCTGATCCCTGCCACGTGGGGCAGGCCCACATCTAACCCCCACAAGTCACTG
CCTCACTGCACCTGCCAAGGCTGCCCTGGCGCTGAGTCCTGGGGTCCCTCCCGGAGTTCCTGG
GAGAAAGGCGCCGTGCTGGCCGCTCCCGCACGCCAGGCCCGGGCTCCACCGTGGGTCTCAGA
CGCCCTGCCGCACCGGCACCGTCTGCTTTAGCATGGGACCCCATCTGAGGGGTGGCCTGGCC
TTCGGGGTCCCCACGCTCCTTTGCGAAGTCCACTGTGGGTGCCATCATGGTCTCCGGGACCTG
GGCCAGCGGGAACGTGGGGGCACTGGGTGTGCTGATATAAAGTCGGCATTACTCAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAA

539/615

FIGURE 534

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108765
><subunit 1 of 1, 189 aa, 1 stop
><MW: 19464, pI: 9.60, NX(S/T): 4
MALRHLALLAGLLVGVASKSMNTAQLPECCVDVVGVNASCPGASLCGPGCYRRWNADGS
ASCVRCNGTLPAYNGSECRSFAGPGAPFPMNRSSGTPGRPHPGAPRVAASLFLGTFFIS
SGLILSVAGFFYLKRSSKLPRACYRRNKAPALQPGAAAAMIPPPQSSDVGSAGKEDPPRQ
GRPPIPPAPP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-18

Transmembrane domain:

Amino acids 111-129

N-glycosylation sites:

Amino acids 38-42;68-72;75-79;92-96

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 134-138

N-myristoylation sites:

Amino acids 11-17;36-42;43-49;59-65;69-75;122-128

540/615

FIGURE 535

TGGATCTGCGGGAATGTGGGCTGGAGAGGTCCTGCCGTGGTACCAGCCTCCAGCCTGCCCCCA
GGACTGCCCCCTGACCCAGGCGCGCCCGCTGCTCGGTGGCAGGAGGGCCGGCGGAGCGCC**ATGG**
CCTGCATCCTGAAGAGAAAAGTCTGTGATTGCTGTGAGCTTCATAGCAGCGTTCCTTTTCCTGC
TGGTTGTGCGTCTTGTAATGAAGTGAATTTCCCATTTGCTACTAACTGCTTTGGACAACCTG
GTACAAAGTGGATAACCATTTCTCCTACACATACAGGCGGCCCTTCGAACTCACTATGGATACA
TAAATGTGAAGACACAAGAGCCTTTGCAACTGGACTGTGACCTTTGTGCCATAGTGTCAAACCT
CAGGTCAGATGGTTGGCCAGAAGGTGGGAAATGAGATAGATCGATCCTCCTGCATTTGGAGAA
TGAACAATGCCCCACCAAAGGTTATGAAGAAGATGTCGGCCGCATGACCATGATTCGAGTTG
TGTCCCATACCAGCGTTCCTCTTTTGCTAAAAAACCTGATTATTTTTTCAAGGAAGCGAATA
CTACTATTTATGTTATTTGGGGACCTTTCCGCAATATGAGGAAAGATGGCAATGGCATCGTTT
ACAACATGTTGAAAAAGACAGTTGGTATCTATCCGAATGCCCAAATATACGTGACCACAGAGA
AGCGCATGAGTTACTGTGATGGAGTTTTTAAGAAGGAACTGGGAAGGACAGTACAGAG**TGAC**
CATGCAGTGTTGATTGATCGAACAGCAACCACCACATACATGTCCTGCCCCACCACAAAAGGA
AGGAAGGAATAAAAGAAAGAAAGAAAGAAACAAACAAACAAACAAACAAACTAAGCAAGACA
AAACAAATACCCATGTCAGTGGTTCAAAGATTAAGATTGTGGCTTTGTGTAAAGTTCTTTCCC
TTTGTAGACTTGCTGCATAATTATTCAGGTATGATGGTTACAGTTTTTAAAAAGGAAGGGAAA
TTGTGGTATGTGGTATGTAAATATTTTAAATGTTGTCTCTCTGTTTTGATCAGTTTTTGTTT
TATTCAATTTGTCTTTATTAAATCTTATCAAAGCA

541/615

FIGURE 536

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108783
><subunit 1 of 1, 210 aa, 1 stop
><MW: 24022, pI: 9.51, NX(S/T): 1
MACILKRKSVIAVSFIAAFLLVRLVNEVNFPLLLNCFGQPGTKWIPFSYTYRRPLRT
HYGYINVKTQEPLQLDCDLCAIVSNSGQMVGQKVGNEIDRSSCIWRMNNAPTKEYEEDVG
RMTMIRVVSHTSVPLLLKNPDYFFKEANTTIYVIWGPFNRMRKDGNGIVYNMLKKTVGIIY
PNAQIYVTTEKRMSYCDGVFKKETGKDSTE
```

Important features of the protein:**Signal peptide:**

Amino acids 1-27

N-glycosylation sites:

Amino acids 148-152

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 6-10;191-195;201-205

N-myristoylation sites:

Amino acids 41-47;87-93;91-97;167-173;178-184

542/615

FIGURE 537

GT TTTAT TGA CAATA CATGC ATCATATCTTTTGACTTTGAAGGATATCTCATGTCAAAGGAAT
CAAGTTATGATTTATAGAGGATTCAGCTGGAATACCTTGTGGGTGCTGGCTGAGGGTGGCAAA
ACGCCTACCGAGACATGAAGGTTTTAGCCACTAGTTTTGTCCTTGGGAGCCTGGGGTTGGCCT
TCTACCTGCCTTTGGTGGTGACTACACCTAAAACACTGGCCATCCCTGAGAAGCTGCAAGAAG
CTGTGGGGAAAGTTATCATCAATGCCACAACCTGTACTGTACCTGTGGCCTTGGCTATAAGG
AGGAGACCGTCTGTGAGGTGGGCCCTGATGGAGTGAGAAGGAAATGTCAGACTCAGCGCTTAGAA
TGTCTGACCAACTGGATCTGTGGGATGCTCCATTTACCATTCTCATTGGCAAGGAATTTGAG
CTTAGCTGTCTGAGTTCAGACATCTTGGAGTTTGGACAGGAAGCTTTCCGGTTCACCTGGAGA
CTTGCTCGAGGTGTCATCTCCACTGACGATGAGGTCTTCAAACCCTTTCAAGCCAACTCCCAC
TTTGTGAAGTTTAAATATGCTCAGGAGTATGACTCTGGGACATATCGCTGTGATGTGCAGCTG
GTAAAAAACTTGAGACTTGTCAAGAGGCTCTATTTTGGGTTGAGGGTCCTTCCTCCTAACTTG
GTGAATCTGAATTTCCATCAGTCACTTACTGAGGATCAGAAGTTAATAGATGAGGGATTGGAA
GTTAATCTGGACAGCTACTCCAAGCCTCACCACCCAAAGTGGAAAAAGAAGGTGGCGTCAGCC
TTGGGAATAGGAATTGCCATTGGAGTGGTGGTGGCGTGTTGGTGAGGATTGTCCTCTGTGCG
CTAAGGGGGGGCCTGCAGCAGTGACAGCTTCAAGAACTTAACAGCCTTGCTCCTGAAGAACTG
GCTGCCCAGGAAGCCAAGCTAGCTTTTTAGGGGAGTGTTCCAGCTGCTGGTAGTGGATCAGCT
TAGAGGGAACACTCCCACAGCCAAAAGAATGAGTGGGAGAAATGGAGGGGACAATCTCCTGGG
AGCTATGCGCAGTAACCTAACTTCCTTATGTCCCATGGATCTCTCCTGATCTTCCCTGCCCA
TTGGGTACCCAGGAACTGCAAGCATTGCCTGTGTTCTGGGAAGAGTTCTAAGAAGCTTGCA
TTCATTTTCTACCCTTTATGACTTGGATGCCTCCCCACCTCCATTTCCCCTCTTCTGAGCTGT
GTATTCATGTAGAGGGATGTATTCAGCCTTTTTAGTGAACATTTTTTTTCAATAAAAGTAATT
CACAGTAA

543/615

FIGURE 538

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108789
><subunit 1 of 1, 255 aa, 1 stop
><MW: 28440, pI: 8.92, NX(S/T): 1
MKVLATSFVLGSLGLAFYLPLVVTTPKTLAIPEKLQEAVGKVIINATTCTVTCGLGYKEE
TVCEVGPDGVRRKCQTORLECLTNWICGMLHFTILIGKEFELSCLSSDILEFGQEAFFRT
WRLARGVISTDDEVFKPFQANSHFVKFYAQEYDSGTYRCDVQLVKNLRLVKRLYFGLRV
LPPNLVNLNFHQSLTEDQKLIDEGLEVNLDSSKPHHPKWKKKVASALGIGIAIGVVGGV
LVRIVLCALRGGLQQ
```

Important features of the protein:**Signal peptide:**

Amino acids 1-30

Transmembrane domain:

Amino acids 225-244

N-glycosylation site:

Amino acids 45-49

N-myristoylation sites:

Amino acids 126-132;156-162;204-210;229-235;231-237;235-241

544/615

FIGURE 539

GCGCTCATCACTGGCTGGGGACAGAGCCGGGCACCAAGGAGCGACAGGATCCCGAAGAGAGAG
AGAGAAGGCAGCGAGGGAAGGAGGACCCCGGCAGGCAGCAGC**ATG**AAATTCAGCCCAGCGCAC
TACCTGCTGCCTCTCCTGCCTGCGCTGGTCCTCAGCACCAGACAGGACTATGAAGAGCTAGAA
AAGCAGCTGAAAGAAGTCTTTAAGGAGCGAAGCACCATTCTTCGTCAGCTGACAAAGACATCA
AGAGAACTTGATGGAATTAAAGTCAATCTTCAGTCCTTAAAAAACGATGAGCAGTCTGCCAAA
ACTGATGTTTCAGAACTTCTGGAATTAGGACAGAAACAAAGAGAAGAAATGAAGTCTCTTCAG
GAGGCCCTGCAAAATCAGCTTAAGGAGACATCAGAGAAAGCAGAAAAACACCAGGCTACTATT
AATTTTTTAAAGACTGAAGTTGAAAGAAAGAGCAAAATGATCCGAGACCTCCAGAATGAGGAT
TCAAGGAAGAGACCAAGAGATCTCCAGTGGAAGATAGTCTCCATGAGGACCATGTCAATATAC
TTATTGATGTATCTC**TAG**TACCTAGAATAGTGGAGATTTATATTAGATACAAAATAAATATGT
GTGGAATTAATTAATAA

545/615

FIGURE 540

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108806
><subunit 1 of 1, 159 aa, 1 stop
><MW: 18865, pI: 9.76, NX(S/T): 0
MKFSPAHYLLPLLPAVLSTRQDYEELEKQLKEVFKERSTILRQLTKTSRELDGIKVNLO
SLKNDEQSAKTDVQKLLELGQKQREEMKSLQEALQNQLKETSEKAEKHQATINFLKTEVE
RKSKMIRDLQNEDSRKRPRDLQWKIVSMRTMSIYLLMYL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-22

N-myristoylation site:

Amino acids 54-60

FIGURE 541

[illegible]

547/615

FIGURE 542

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA108936
><subunit 1 of 1, 178 aa, 1 stop
><MW: 19472, pI: 5.71, NX(S/T): 0
MSPSGRLCLLTIVGLILPTRGQTLKDTTSSSSADSTIMDIQVPTRAPDAVYTELQPTSPT
PTWPADETPQPQTQTQOLEGTDGPLVTDPEETHKSTKAAHPTDDTTTLSERPSPSTDVQTD
PQTLKPSGFHEDDPFFYDEHTLRKRGLLVAAVLFITGIIILTS GKCRQLSRLCRNRCR
```

Important features of the protein:**Signal peptide:**

Amino acids 1-21

Transmembrane domain:

Amino acids 147-162

Tyrosine kinase phosphorylation site:

Amino acids 45-52

N-myristoylation site:

Amino acids 146-152

548/615

FIGURE 543

CGGCTCGAGGTGAGAAGGAACTGCAAGAGTGGGGCAGAGAACCAGAGTGTGAGAGCAAAACC
TCCTCTATCTGCACATCCTGGGGACGAACCGGGCAGCCGGAGAGCTGCGGCCGGCCCAGTCCC
GCTCCGCCTTTGAAGGGTAAAACCCAAGGCGGGGCCTTGGTTCTGGCAGAAGGGACGCT**ATGA**
CCGCAGAAATTCCTCTCCCTGCTTTGCCTCGGGCTGTGTCTGGGCTACGAAGATGAGAAAAAGA
ATGAGAAACCGCCCAAGCCCTCCCTCCACGCCTGGCCCAGCTCGGTGGTTGAAGCCGAGAGCA
ATGTGACCCTGAAGTGTGAGGCTCATTCCCAGAATGTGACATTTGTGCTGCGCAAGGTGAACG
ACTCTGGGTACAAGCAGGAACAGAGCTCGGCAGAAAACGAAGCTGAATTCCTTCACGGACC
TGAAGCCTAAGGATGCTGGGAGGTACTTTTGTGCCTACAAGACAACAGCCTCCCATGAGTGGT
CAGAAAGCAGTGAACACTTGCAGCTGGTGGTCACAGATAAACACGATGAACTTGAAGCTCCCT
CAATGAAAACAGACACCAGAACCATCTTTGTGCGCCATCTTCAGCTGCATCTCCATCCTTCTCC
TCTTCCTCTCAGTCTTCATCATCTACAGATGCAGCCAGCACGGTTCATCATCTGAGGAATCCA
CCAAGAGAACCAGCCATTCCAACTTCCGGAGCARGAGGCTGCCGAGGCAGATTTATCCAATA
TGGAAAGGGTATCTCTCTCGACGGCAGACCCCCAAGGAGTGACCTATGCTGAGCTAAGCACCA
GCGCCCTGTCTGAGGCAGCTTCAGACACCACCCAGGAGCCCCCAGGATCTCATGAATATGCGG
CACTGAAAGTGT**TAG**CAAGAAGACAGCCCTGGCCACTAAAGGAGGGGGGATCGTGCTGGCCAAG
GTTATCGGAAATCTGGAGATGCAGATACTGTGTTTCCTTGCTCTTCGTCCATATCAATAAAAT
TAAGTTTCTCGTCTTA

549/615

FIGURE 544

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119510
><subunit 1 of 1, 236 aa, 1 stop
><MW: 26079, pI: 5.05, NX(S/T): 3
MTAEFLSLLCLGLCLGYEDEKKNEKPPKPSLHAWPSSVVEAESNVTCLKQAHSQNVTFVL
RKVNDSGYKQEQSSAENAEFPFTDLKPKDAGRYFCAYKTTASHEWSESSEHLQLVVTDK
HDELEAPSMKTDTRTIFVAIFSCISILLFLSVFIIYRCSQHGSSSEESTKRTSHSKLPE
QEAAEADLSNMERVSLSTADPQGVTYAELSTSALSEAASDTTQEPPGSHEYAALKV
```

Important features of the protein:**Signal peptide:**

Amino acids 1-16

Transmembrane domain:

Amino acids 135-153

N-glycosylation sites:

Amino acids 44-48;55-59;64-68

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 171-175

Tyrosine kinase phosphorylation sites:

Amino acids 61-69;87-95

N-myristoylation sites:

Amino acids 12-18;203-209

550/615

FIGURE 545

GGCGGCCCGGAGCTGGGAGCGCGGGGAAGGCGGTTGGGGTTCTGACAGCTGCGCGCGATCCTG
CTCTCTCTCAGCCGCTGTGGACATGCGCAAAGGGCCCTCTCCTGAGTCCAGATGATGCTCAT
ACCAATGGCTTCAGTGATGGCGGTGACTGAACCGAAATGGGTCTCGGTCTGGAGCCGCTTCCT
CTGGGTGACGCTGCTGAGCATGGTGCTGGGGTCCCTGCTGGCCCTGCTGCTGCCGCTGGGGGC
TGTGGAGGAGCAGTGCTTGGCTGTGCTCAAAGGCCTCTACCTGCTCAGGAGCAAACCGGACAG
GGCGCAGCATGCCGCCACCAAGTGACACGAGCCCGTCCACGGAGCTCAGCATCACCTCCAGGGG
CGCGACGCTGCTGGTGGCCAAGACCAAGGCCTCTCCAGCGGGTAAGTTGGAAGCCAGAGCTGC
CCTGAACCAGGCCCTGGAGATGAAGCGCCAGGGCAAGCGGGAAAAAGCCCAAAGCTCTTCAT
GCACGCCCTCAAGATGGACCCGGACTTCGTGGACGCGCTCACCGAGTTTGGCATCTTCTCGGA
AGAAGACAAGGACATCATCCAGGCGGACTACTTGTACACCAGAGCATTGACCATCTCACCTTA
CCATGAGAAAAGCACTGGTCAACCGCGATCGGACACTGCCTCTTGTGGAAGAGATCGACCAGAG
GTATTTTCAGCATCATCGACAGCAAAGTGAAGAAGGTCATGTCCATCCCCAAGGGGAACCTCAGC
TCTGCGCAGGGTCATGGAGGAGACCTACTACCATCACATCTACCACACAGTGGCCATCGAGGG
CAACACCCTCACCTCTCGGAAATCAGGCACATCCTGGAGACCCGCTACGCCGTGCCCGGGAA
GAGCCTGGAGGAGCAGAACGAGGTCATAGGCATGCATGCAGCCATGAAGTACATCAACACGAC
TCTGGTTTCGCGCATCGGCTCCGTACCATCAGCGACGTGCTGGAGATCCACAGGCGGGTGCT
GGGCTACGTGGACCCCGTGGAAGCCGGCAGGTTTCGGACAACACAGGTCCTGGTCCGACACCA
CATCCCTCCCCATCCGCAGGATGTGGAAGAGCAGATGCAGGAGTTTGTACAGTGGCTCAACTCC
GAGGAAGCCATGAACCTGCACCCAGTGGAGTTTGCAGCCTTAGCCATTATAAACTCGTTTAC
ATCCACCCTTTTCAATTGATGGCAACGGGAGGACCTCCCGTCTGCTCATGAACCTCATCCTCATG
CAGGCGGGCTACCCGCCCATCACCATCCGCAAGGAGCAGCGGTCCGACTACTACCACGTGTTG
GAAGCTGCCAACGAGGGCGACGTGAGGCCTTTCATTCGCTTCATCGCCAAGTGTACTGAGACC
ACCCTGGACACCCTGCTTTTTGCCACAACCTGAGTACTCGGTGGCACTGCCAGAAGCCCAACCC
AACCCTCTGGGTTCAAGGAGACGCTTCCTGTGAAGCCCTAACCCTAGAAATCCTCAGTGACA
AAGGCTGTCCTGAGGTAGGAAA

551/615

FIGURE 546

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119517
><subunit 1 of 1, 458 aa, 1 stop
><MW: 51778, pI: 7.81; NX(S/T): 2
MMLIPMASVMAVTEPKWVSVWSRFLWVTLLSMVLGSL LALLLPLGAVEEQCLAVLKGLYL
LRSKPDRAQHAATKCTSPSTEL SITSRGATLLVAKTKASPAGKLEARAALNQALEMKRQG
KREKAQKLFMHALKMDPDFVDALTEFGIFSEEDKDIIQADYLYTRALTISPYHEKALVNR
DRTLPLVEEIDQRYFSIIDSKVKVMSIPKGNSALRRVMEETYHHIYHTVAIEGNTLTL
SEIRHILETRYAVPGKSLEEQNEVIGMHAAMKYINTTLVSRIGSVTISDVLEIHRRVLGY
VDPVEAGRFRRTTQVLVGHHIPHPQDVEKQMQUEFVQWLNSEEAMNLHPVEFAALAHYKLV
YIHPFIDGNGRTSRLLMNLILMQAGYPPI TIRKEQRSDDYYHVLEAANEGDVRPFIRFIK
CTETTLDTLLFATTEYSVALPEAQPNHSGFKETLPVKP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-46

N-glycosylation sites:

Amino acids 275-279;446-450

Tyrosine kinase phosphorylation sites:

Amino acids 216-225;217-225;244-232

N-myristoylation sites:

Amino acids 35-41;235-241;266-272;368-374

Amidation site:

Amino acids 119-123

552/615

FIGURE 547

CCTCTGTCTGTGCTCCCATCCCAGGGAGTATAGGTGGAGCCTCCAGAGCCCATGGACAGGGCA
TGCTGGGGCTGGGCCAGCCCCAGCGGTGTCTCTAAGGCACCCCTGGGATCCCCACTGAGCTGG
CCTACTTCAGACAGCCAGGGCCACCCCTCTGGCCCCCTTAGTGTCCAGCTCGTGGCCCCCTTG
GCATTTCCACAAGACGCCAAG**ATG**GAGATTCCCATGGGGACCCAGGGCTGCTTCTCAAAGAGC
CTCCTGCTCTCAGCCTCAATCCTGGTCCTCTGGATGCTCCAAGGCTCCCAGGCAGCTCTCTAC
ATCCAGAAGATTCCAGAGCAGCCTCAAAAGAACCAGGACCTTCTCCTGTGAGTCCAGGGTGTG
CCAGACACCTTCAGGACTTCAACTGGTACCTGGGGGAGGAGACGTACGGAGGCACGAGGCTA
TTTACCTACATCCCTGGGATACAACGGCCTCAGAGGGATGGCAGTGCCATGGGACAGCGAGAC
ATCGTGGGCTTCCCCAATGGTTCCATGCTGCTGCGCCGCGCCAGCCTACAGACAGTGGCACC
TACCAAGTAGCCATTACCATCAACTCTGAATGGACTATGAAGGCCAAGACTGAGGTCCAGGTA
GCTGAAAAGAATAAGGAGCTGCCAGTACACACCTGCCACCAACGCTGGGATCCTGGCGGCC
ACCATCATTGGATCTCTTGCTGCCGGGGCCCTTCTCATCAGCTGCATTGCCTATCTCCTGGTG
ACAAGGAAGTGGAGGGGGCCAGAGCCACAGACTGCCTGCTCCGAGGGGGCCAGGGATCTCTGTCC
ATCTTGTGCTCGGCTGTATCCCCAGTGCCTTCAGTGACGCCCAGCACATGGATGGCGACCACA
GAGAAGCCAGAATTGGGCCCTGCTCATGATGCTGGTGACAACAACATCTATGAAGTGATGCCC
TCTCCAGTCTCCTGGTGTCCCCCATCAGTGACACAAGGTCCATAAACCCAGCCCGGCCCTG
CCCACACCCCCACACCTGCAGGCGGAGCCAGAGAACCACCAGTACCAGCAGGACCTGCTAAAC
CCCGACCCTGCCCCCTACTGCCAGCTGGTGCCAACCTTCT**TGA**TGGGTCTGGGCCAGGCCAGC
CAGGGAGAAGACAAGGCCCCAGCCCTCCTCTGGGAGCCTCACACCTGAGACCAGCAGGACAAG
GCCATTGGGGGCTGTGGGGCCGATGAGGTGGACTCAGCCAAAGACTCAGCAGCACATGGGGCA
GGTGTCTTGGCAGGGGGACAGGAGACTGTAACAGGCCCAGGTCTTGTGACGCCCTGAATGC
ACGCCCGCCTTCGGTCTGTTCCTTCAAGCAAGCTGGCCTGGGCCATGTGCCTGTGAAAGGCAG
GCTCTGGCCCCCTTCCATGCCAAAGTCCCCAAGATCTGGATATCTGGGGACAAGATGGTGGC
CTCAGGCCTGCCTCCCAGGCAGTTGGCTGGGCTCCCAACTGTCTGTCCTCAATGCCCTACCCC
AACTCCACTAGTGACCCTCAGAGTCTTCTCCCCTTAGGACAAGGCAGACACCCACCATGCGG
GCCTCAGGTGGCAGAGAGGCCAGCCTCACAGGCCTGTGGCCCCACACACCAGTCCCAGCAAG
GTGACCACGGCTGCTGGACCCCTTCCCTGTTAGGCAGGCCCAGCCCCTCTCAGAACCTGCTG
CCAGCTGCTGGTCTTGGCCCCCACCCTGAATCTTACTGAGTCCCTCTGGGCAGCAGCTCCCTT
CTCCACCCACCCCCAGCACCCGTCCCAAATGTGGCCTCAGCTTGTCTCTCCCTTCCCCAACT
ATGCATTTCATTAGCAATAAATGAGCCTTTGCTGCA

553/615

FIGURE 548

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119535
><subunit 1 of 1, 300 aa, 1 stop
><MW: 32638, pI: 6.02, NX(S/T): 1
MEIPMGTTQGCFSKSLILLSASILVLWMLQGSQAALYIQKIPEQPQKNQDILLSVQGVDPDTF
QDFNWYLGEEITYGGTRLFTYIPGIQRPQRDGSAMGQRDIVGFPNGSMLLRRAQPTDSGT
QVAITINSEWTMKAKTEVQVAEKNKELPSTHLPSTNAGILAATIIGSLAAGALLISCIAYL
LVTRNWRGQSHRLPAPRGQGSLSILCSAVSPVPSVTPSTWMATTEKPELGPAGHDAGDNNI
YEVMPSPVLLVSPISDTRSINPARPLPTPPHLQAEPENHQYQQDLLNPDAPYCYQLVPTS

Important features of the protein:**Signal peptide:**

Amino acids 1-32

Transmembrane domain:

Amino acids 159-178

N-glycosylation site:

Amino acids 104-108

N-myristoylation sites:

Amino acids 6-12;29-35;55-61;91-97;157-163;165-171

554/615

FIGURE 549

GCCACTCACACCATCTGCTAATGGGACAGCTCACTCTTCCCTCCAAACCATGGCCTTGGCTCA
AGAGCTTCCTTGTTTCTGGAATGTTCTTTCCCTCCAGCTCCAGGTGTTGAAATTCTGCCTGGTC
TGGGTCTCCTGTTGAAGGACGCCCTCCACTGGGAAGGATCCTCTTGCCTTCACCACTTGTCTT
CACCAGCCCCCTGCTCCCCCTCTTCTCTTGGGGCTGTTGTCGTTGTTGATACTTTTTTTTTTGT
GTGTTTGACACACATCTTCTCTCACCCCTCTAACACAGTTCTCAACCACAGCACTTTTGTCCC
TGGAGATGTTGGCAGTGTCCAGAGGCGTGTGATGGTCCCCTGGGGTGGGGGTGCTGCTGGCA
CCAGATGGTAGGGAGATGCCAGGGGTGCTGCTCCACACCCTATGGGACACTGCACAGTACACC
TGGCCTGTGTCCCCACAGCGAGAGCTGGCCCTGGGCAGGCGTGGTCCCTGCGGTGTGTGTTG
GTTGGGATCCTCCACAGTGACAGACGGTGCGCTCTGCCACGTTTCCACACAGCTCTTTTGTCT
TGTGGAGCTCACCCCTTTGCAGAGAGCTCATTTCCCTGCGGTCTTTGGCCTGCAGAAGTAAAA
TGAGGGGGTGGTGAATTACACCCCTGCTGGTTACACATGGAAACTCAGGAGTGAGAATTTTGT
GGAGAGCAAGAGAGGTGAGACTGGGGTGTGGCTGCCAGCCAGGCGGTCCCTCAGCCCCCTGGA
GAAGCGGGGTGGGGCCTGCACACCGAGTCTTCCAGTGAGTCCAGTGATGCTCTCTCTCTTC
CTCCAGTCACCTTTCTCTCCAGTGCCACTACTGCGCTTTTCGATGCAGAATAATTCAGTATTT
GGCGACTTGAAGTCGGACGAGATGGAGCTGCTCTACTCAGCCTACGGAGATGAGACAGGCGTG
CAGTGTGCGCTGAGCCTGCAGGAGTTTGTGAAGGATGCTGGGAGCTACAGCAAGAAAGTGGTG
GACGACCTCCTGGACCAGATCACAGGCGGAGACCACTCTAGGACGCTCTTCCAGCTGAAGCAG
AGAAGAAATGTTCCCATGAAGCCTCCAGATGAAGCCAAGGTTGGGGACACCCTAGGAGACAGC
AGCAGCTCTGTTCTGGAGTTCATGTCTGATGAAGTCTATCCCGACGTTTCTGTGGATATCTCC
ATGCTCAGCTCTCTGGGGAAGGTGAAGAAGGAGCTGGACCCTGACGACAGCCATTTGAACTTG
GATGAGACGACGAAGCTCCTGCAGGACCTGCACGAAGCACAGGCGGAGCGCGGCGGCTCTCGG
CCGTCGTCCAACCTCAGCTCCCTGTCCAACGCCTCCGAGAGGGACCAGCACCACTGGGAAGC
CCTTCTCGCCTGAGTGTGCGGGAGCAGCCAGACGTCACCCACGACCCCTATGAGTTTCTTCAG
TCTCCAGAGCCTGCGGCCTCTGCCAAGACCTAACTCTAGACCACCTTCAGCTCTTTTATTTTA
TTTTTTTAGTTTTATTTTGCACGTGTAGAGTTTTTGTCTATCAGACAAGGACTTTGATCCTGTC
CCCTTTGGCATGCGGGAAGCAGCCGCGGGGAGGTAATGAATTGTCTGTGGTATCATGTACAGCA
GAGTCTCCAAGCCCCACGAACCCTGAGGAGTGGAGTCATACGCGAAGGCCATATGGCCATCGT
GTCAGCAGAGAGAGTCTCTGTACACAGCCCCGTGAACCCTGAGGAGTGGAGTCATACACGAAG
GGCGTGTGGCCATCGTGTCTCAGCAGAGAGAGTCTCTGTACACAGCCCCGTGAACCCTGAGGAGTGG
AGTCATACGCGAAGGGTGTGTGGCCAGGCTGCAGAGCTGCGTGCCGTTTGTGTCCGAGCATCA
CGTGTGGCTCCAGCCCTTGTTTCTGCCAGTGTAGACACCTCTGTCTGCCCCACTGTCTGGGG
TCGCTCTTGGGAGGCACAGGCATGGGTGTGTCTGGCCTCATTTCTGTATCAGTCCAGTGTGTTC
CTGTATAGTTTTGTGTCTCCAGGCAGGCCATGGTAGGGGCCTCGCAGGGGCCATTGGGGAGC
ACAGGGCCAGGCTGGGGTGAAGAGAGCTCCCCTGTTTTCTGTTTAATTGATGAGCCTGGGAAA
GGAGTGTGTTCTGCCTGCCCCGTACAGTGAGCGTTCCGTGTCCATAAAACGTTTCTAACTG
GGAA

555/615

FIGURE 550

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119537
><subunit 1 of 1, 104 aa, 1 stop
><MW: 11136, pI: 8.20, NX(S/T): 0
MLAVSRGVLMVPLGLGVLLAPDGREMPGVLLHTLWDTAQYTWPVSPPTARAGPGQAWSLRC
VLVGILHSDRRCALPTFPHSSFACGAHPFAESSFPCGLWPAEVK
```

Important features of the protein:**Signal peptide:**

Amino acids 1-20

N-myristoylation sites:

Amino acids 53-59;64-70;97-103

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 74-85

556/615

FIGURE 551

CGCCCTTAGCATGGGTTTCTGCCGAGCGCCCTGCACCCGCTGTCTCTCCTGGTGCAGGCCATCATGCTGGCCAT
GACCTTGGCCCTGGGTACCTTGCCCTGCCTTCTACCCCTGTGAGCTCCAGCCCCACGGCCTGGTGAAGTGAAGTGA
GCTGTTCTGAAGTCTGTGCCCCACTTCTCCATGGCAGCAGCCCGTGGCAATGTACCAGCCTTTCTTGTCTCTC
CAACCGCATCCACCACCTCCATGATTTCTGACTTTGCCACCTGCCAGCCTGCCGATCTCAACCTCAAGTGGAA
CTGCCCGCCGGTTGGCCTCAGCCCCATGCACCTTCCCCTGCCACATGACCATCGAGCCAGCACCTTCTTGGCTGT
GCCACCCCTGGAAGAGCTAAACCTGAGCTACAACAACATCATGACTGTGCCTGCGCTGCCAAATCCCTCATATC
CCTGTCCCTCAGCCATACCAACATCCTGATGCTAGACTCTGCCAGCCTCGCCGGCCTGCATGCCCTGCGCTTCTCT
ATTCATGGACGGCAACTGTTATTACAAGAACCCCTGCAGGCAGGCACTGGAGGTGGCCCCGGGTGCCCTCCTTGG
CCTGGGCAGCCTCACCACCTGTCACTCAAGTACAACAACCTCACTGTGGTGGCCCGCAACCTGCCTTCCAGCCT
GGAGTATCTGCTGTTGTCTTACAACCGCATCGTCAAACCTGGCGCCTGAGGACCTGGCCAATCTGACCGCCCTGCG
TGTGCTCGATGTGGGCGGAAATGGCCCGCTGCGACCAGCCTCCCAACCCCTGCATGGAGTGCCCTCGTCACTT
CCCCAGCTACATCCCGATACCTTCAAGCCCTGAGCCGTCTTGAAGGCCTGGTGTGAAGGACAGTTCTCTCTC
CTGGCTGAATGCCAGTTGGTTCCTGCGTGGGCTGGGAAACCTCCGAGTGTGAGCCTGAGTGAGAACTTCTCTACAA
ATGCATCACTAAAACCAAGGCCCTCCAGGGCCTAACACAGCTGCGCAAGCTTAACCTGTCTTCAATTACCAAAA
GAGGGTGTCTTTGCCACCTGTCTTGGCCCTTCTTTCGGGAGCCTGGTGGCCCTGAAGGAGCTGGACATGCA
CGGCATCTTCTTCCGCTCACTCGATGAGACCAAGCTCCGGCCACTGGCCCGCTGCCATGCTCCAGACTCTGCG
TCTGCAGATGAAGTTCATCAACCAGGCCAGCTCGGCATCTTCAAGGCCTTCCCTGGCCTGCGCTACGTGGACCT
GTGCGACAACCGCATCAGCGGAGCTTTCGGAGCTGACAGCCACCATGGGGGAGGCAGATGGAGGGGAGAAGGTCTG
GCTGCAGCCTGGGGACCTTGTCTCCGGCCCCAGTGGACACTCCAGCTCTGAAGACTTCAAGGCCAACTGCAGCAC
CCTCAACTTCACCTTGGATCTGTACGGAACAACCTGGTGAACGTGCAGCCGGAGATGTTTGGCCAGCTCTCGCA
CCTGCAGTGCCTGCGCCTGAGCCACAACCTGCATCTCGAGGCAGTCAATGGCTCCAGTTCCTGCGCCTGACCGG
TCTGCAGGTGCTAGACCTGTCCCAACAATAAGCTGGACCTTACCACGAGCACTATTACGGAGCTACCAGCT
GGAGGCCCTGGACCTCAGCTACAACAGCCAGCCCTTTCGGCATGCAGGGCGTGGGCCACAACCTTCACTTCTGCG
TCACCTGCGCACCCCTGCGCCACCTCAGCCTGGCCACAACAACATCCACAGCCAAGTGTCCAGCAGCTCTGCAG
TACGTGCTGCGGGCCCTGGACTTCAAGCGGCAATGCACTGGGCCATATGTGGCCGAGGGAGACCTCTATCTGCA
CTTCTTCCAAGGCCTGAGCGGTTTGATCTGGCTGGACTTGTCCCAAGACCGCTGCACACCCTCCTGCCCCAAC
CCTGCGCAACCTCCCCAAGAGCCTACAGGTGCTGCGTCTCCGTGACAATTACCTGGCCTTCTTTAAGTGGTGGAG
CCTCCACTTCTTGGCCAACTGGAAGTCTCGACCTGGCAGGAAACAGCTGAAGGCCCTGACCAATGGCAGCCT
GCCTGCTGGCACCCGGCTCCGGAGGCTGGATGTCACTGCAACAGCATCAGCTTCTGTCGCCCCGGCTTCTTTTC
CAAGGCCAAGGAGCTGCGAGAGCTCAACCTTAGCGCCAACGCCCTCAAGACAGTGGACCACTCCTGGTTTGGGCC
CCTGGCGAGTGGCCTGCAAAATACTAGATGTAAGGCCAACCCCTCTGCACTGCGCCTGTGGGGCGGCCTTTATGGA
CTTCTGCTGGAGGTGCAGGCTGCCGTGCCCGGTCTGCCAGCCGGGTGAAGTGTGGCAGTCCGGGCCAGCTCCA
GGCCCTCAGCATCTTTGCACAGGACCTGCGCCTCTGCCTGGATGAGGCCCTCTCCTGGGACTGTTTCGCCCTCTC
GCTGCTGGCTGTGGCTCTGGCCTGGGTGTGCCATGCTGCATCACCTCTGTGGCTGGGACCTCTGGTACTGCTT
CCACCTGTGCTGGCTGGCTTCCCTGGCGGGGGCGGCAAGTGGGCGAGATGAGGATGCCCTGCCCTACGATGC
CTTCGTGGTCTTCGACAAAACGAGAGCGCAGTGGCAGACTGGGTGTACAACGAGCTTCGGGGGAGCTGGAGGA
GTGCCGTGGGCGCTGGGCACTCCGCTGTGCCTGGAGGAACGCGACTGGCTGCCTGGCAAAACCCCTCTTTGAGAA
CCTGTGGGCTCGGTCTATGGCAGCCGCAAGACGCTGTTTGTGCTGGCCACACGACCGGCTCAGTGGTCTCTT
GCGCGCCAGCTTCTGCTGGCCAGCAGCGCCTGTGGAGGACCGCAAGGACGTCGTGGTGTGCTGATCCTGAG
CCCTGACGGCCCGCCTCCGCTACGTGCGGCTGCGCCAGCGCCTCTGCGCCAGAGTGTCTCTCTGGCCCCA
CCAGCCAGTGGTCAAGCAGCTTCTGGGCCAGCTGGGCATGGCCCTGACCAGGGACAACCACTTCTATATAA
CCGGAACCTCTGCCAGGGACCCACGGCCGAATAGCCGTGAGCCGAATCCTGCACGGTGCCACCTC

557/615

FIGURE 552

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA119714
><subunit 1 of 1, 1032 aa, 1 stop
><MW: 115799, pI: 8.61, NX(S/T): 12
MGFCRSALHPLSLLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWFLKSVPHFSMAA
PRGNVTSLSLSSNRIHHLHSDFAHLPSLRHLNLKWNCPVGLSPMHFPCMTIEPSTFL
AVPTLEELNLSYNNIMTVPALPKSLISLSLSHTNILMLDSASLAGLHALRFLFMDGNCY
KNPCRQALEVAPGALLGLGSLTHLSLKYNNTVVPRLPSSLEYLLLSYNRIVKLAPEDL
ANLTALRVLDVGGNCRCDHAPNPCMECPRHFPQLHPDTFSHLSRLEGLVLKDSSLSWL
ASWFRGLGNLRVLDLSENFYKCIKTAKALQGLTQLRKLNLNFYQKRVSAHLSLAPSF
GSLVALKELDMHGIFFRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYV
DLSDNRISGASELTATMGEADGGEKVLQPGDLAPAPVDTPSSEDFRPNCSLTNFTLDLS
RNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQVLDLSHNKLDLYHEHS
FTELPRLEALDLSYNSQPFQMVGHNFSFVAHLRTRLRHLSLAHNNIHSQVSQQLCSTSL
RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNRHLTLPLQTLRLNPKSLQVLR
RDNYLAFFKWWSLHFLPKLEVLDLAGNQLKALTNGSLPAGTRLRRLDVSCNSISFVAPGF
FSKAKELRELNLSANALKTVDSWFGPLASALQILDVSANPLHCACGAAMDFLLEVQAA
VPGPLPSRVKCGSPGQLOGLSIFAQDLRLCLDEALSWDCFALSLLAVALGLGVPMLHHLCG
WDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVDKTSQAVADWVYNELRGQLEECRG
RWALRLCLEERDWLPGKTLFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQQRLL
DRKDVVVLVILSPDGRRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGMALTRDNHHF
YNRNFCQGPTAE

Important features of the protein:**Signal peptide:**

Amino acids 1-30

Transmembrane domain:

Amino acids 818-835

N-glycosylation sites:Amino acids 64-68;129-133;210-214;242-246;300-304;340-344;
469-473;474-477;513-517;567-571;694-698;731-735**cAMP- and cGMP-dependent protein kinase phosphorylation site:**

Amino acids 347-351

Tyrosine kinase phosphorylation site:

Amino acids 863-871

N-myristoylation sites:Amino acids 27-33;41-47;63-69;193-199;361-367;409-415;
563-569;607-613;695-701;794-800;929-935;945-951;
1010-1016**Amidation site:**

Amino Acids 974-978

Leucine zipper patterns:

Amino acids 204-226;644-666;814-836

558/615

FIGURE 553

GGCGTGGGACGTGCTGCGGCGTCCTAGCTGGCTTACAGGGCGGCGGCGGGGTGTGTGTCCTCT
GTTAAGAGTGCTACTCGCCCGGGGTTGATCTGTGCATGCCACTCCTGGGTGACACGGTGAGGT
CGGCGTCTGCGAGGACGCGGCGGTGGAGTAGAAGGGCAGCCGGAGACAGGCCCCGCGCCCCCTT
CCGAGGCTAGACGGCCCCAGCTTCGCGGGGATC**ATGG**CATTGCTGGTGGACCGAGTGCGGGGC
CACTGGCGAATCGCCGCCGGGCTCCTGTTCAACCTGCTGGTGTCCATCTGCATTGTGTTCCCTC
AACAAATGGATTTATGTGTACCACGGCTTCCCCAACATGAGCCTGACCCTGGTGCACCTTCGTG
GTCACCTGGCTGGGCTTGTATATCTGCCAGAAGCTGGACATCTTTGCCCCAAAAGTCTGCCG
CCCTCCAGGCTCCTCCTCCTGGCCCTCAGCTTCTGTGGCTTTGTGGTCTTCACTAACCTTTCT
CTGCAGAACAAACACCATAGGCACCTATCAGCTGGCCAAGGCCATGACCACGCCGGTGATCATA
GCCATCCAGACCTTCTGCTACCAGAAAACCTTCTCCACCAGAATCCAGCTCACGCTGATTCCCT
ATAACTTTAGGTGTAATCCTAAATTCTTATTACGATGTGAAGTTTAATTTCTTGGAATGGTG
TTTGCTGCTCTTGGTGTTTTAGTTACATCCCTTTATCAAGTGTGGGTAGGAGCCAAACAGCAT
GAATTACAAGTGAACCAATGCAGCTGCTGTACTACCAGGCTCCGATGTCATCTGCCATGTTG
CTGGTTGCTGTGCCCTTCTTTGAGCCAGTGTGGGAGAAGGAGGAATATTTGGTCCCTGGTCA
GTTTCTGCTTTGCTTATGGTGTGCTATCTGGAGTAATAGCTTTCATGGTGAACCTATCAATT
TATTGGATCATTGGGAACACTTCACCTGTCACCTATAACATGTTCCGACACTTCAAGTTCTGC
ATTACTTTATTCGGAGGATATGTTTTATTTAAGGATCCACTGTCCATTAATCAGGCCCTTGGC
ATTTTATGTACATTATTTGGCATTCTCGCCTATACCCACTTTAAGCTCAGTGAACAGGAAGGA
AGTAGGAGTAAACTGGCACAACGTCCT**TAA**TGGGTTTTTGTGGAGAAAAGAATGTTGTCCCA
AGAAGATAAAAAATATTGTTAAGTGTGCAAGTTATTA

559/615

FIGURE 554

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA125170
><subunit 1 of 1, 313 aa, 1 stop
><MW: 35066, pI: 9.39, NX(S/T): 5
MALLVDRVRGHWRIAAGLLFNLLVSICIVFLNKWIYVYHGFPNMSLTLVHFVVTWLGLYI
CQKLDIFAPKSLPPSRLLLLALSFCGFVVFTNLSLQNNITIGTYQLAKAMTTPVIIAIQTF
CYQKTFSTRIQLTLIPITLGVIILNSYYDVKFNFLGMVFAALGVLVTSLYQVWVGAKQHEL
QVNSMQLLYYQAPMSSAMLLVAVPFFEPVFEGGGIFGPWSVSALLMVLLSGVIAFMVNLS
IYWIIGNTSPVTYNMFGHFKFCITLFGGYVLFKDPLSINQALGILCTLFGILAYTHFKLS
EQEGSRSKLAQRP
```

Important features of the protein:**Signal peptide:**

Amino acids 1-27

Transmembrane domains:

Amino acids 46-60;75-90;153-167;192-208;221-237

N-glycosylation sites:

Amino acids 43-47;92-96;97-101;238-242

N-myristoylation sites:

Amino acids 17-23;57-63;140-146;155-161;162-168;283-289

560/615

FIGURE 555

GTTAGGCAGAGCCAAGGTGGTTGCAGACCTGGAATCAGAACAGCTTTTAGACCAACCTGAAAG
CAGGAATGTAAGCACTGTTACAGAGATTTTCGTCTTTGGCTTATTGTGCCTGCAGAGTCTAG
TGCTTCTTTGCCAGCTGTGCTGACTCAGCACTCC**ATG**CCTGTTTTCTGGAACCAGTCCCTGGA
GCTGGGCCATGTTTTGATTGACAGTGTGGAGCTAGCCCAGCAAGTACTCTACATGCAACCCCC
CACCCAGGCACTACCTCTGCTCCTCCTCCATGGCCTCCTGCTACACCGGCAGCTCTATGGAAC
AAGGCTGCAGGCACACAGGGGGCGCTGGAGTCAAGTGAAGTCTAATCCAGGTTCTTCAGACCCA
AGACCAGCTGTGGGCAAGTCTTAGCAATCCCCGTGCTGCCATGCAAGAGCTGGCTGCTTCAGT
TTTCTACGGGGGTCTCTGGGGGACACTGAGGACAGGGAGGCCCTGATTAGCCTCACACAAGC
CTGCCTGAGCCCCAGTAGTGGGAGCTGGGTCCAGCCACACACACCTCAGTCTTTGCTGGCCAC
GCTCATGCCCCCTCCCAGCTAAGGGAGCTGGATGCAATGGCAGAGTGCAAGGCCCAGATGCACC
TACTGCCCTCACCACC**TGA**ACCCCGGCTCTGCGGACTGAGTGAGGGCCCCCAAGCCTGGCTGT
TGCGACGCCAGAGTCGCGCTCTCTTGAGTGCCTGCAGCGGAGTTCACCCGTGTGGGTTCTCTG
AGTCTCGAAGAGGCGCCAGCTTGCAGAAAGGCGACTGCGGCAACGCCTAGTGCAAGTCAACCG
GAGGCTGGAGTCACTGCAGGATCTGCTGACCCACGTGATTGCGCAAGACGAGTCCGACGCCCC
GTGGTCAGTGCTGGGGCCAAATGCACGGCGGCCCTCTGGAGGGCGTCTTAGAGACCGAGGCTCT
AGAAGTGAAGCAGTTGGTGGGCACGCTACAACGCGACCTTGATTGCCTGTTGCAGCAGCTGAA
GGGCGCACCCCCGTGCCCCCTCCCGCCGCTGTGCTGCGGTGGCCACGCTCTCTGGACTGGCCG
CCTACCCTTGCCTTGGCGACCTCATGCGCCGGCCGGTCCGCAGCCGCCCTGGCACTGGCTGCG
ACAGTTGTGCGCCCGTGGGCAACTGTTGGTTTCGTTACTTGGGCGTGGGCGCGGACGCGAGCAG
TGATGTACCAGAGCGCGTCTTCCACCTGTCAGCCTTTCGCCACCCGCGCCGCTGCTGCTGGC
ATTGCGTGGGGAAGCTGCCCTGGACCAGAATGTGCCAGCTCGAATTTCCCTGGTAGCCGAGG
CTCGGTCTCCAGTCAGCTCCAGTATAAACGTCTGGAGATGAACAGCAACCCTCTGCACTTCAG
GGTGGAGAATGGTCCAAATCCCACGGTTCCAGAGAGAGGGCTGCTGCTGATCGGGCTACAGGT
CCTACATGCGGAGTGGGACCCAATAGCTGGAGCCTTGCAGGACAGTCCTTCCAGCCAACCCAG
CCCTCTGCCTCCCGTCAGCATCAGCACACAGGCCCCGGGCACCAGTGACCTGCCAGCCCCAGC
CGACCTGACTGTGTACTCGTGTCTGTGTACATGGGAGGGCCCCTTGGCACCGCTAAGCTGCA
GAGCAGGAACATCGTGATGCATCTGCCTTTACCCACCAAGCTCACCCCCAACACCTGTGTCCA
AAGGAGGGTCCATGTGTGCAGCCCCACCCCTGTCTTGAGCCCGTCTACCAAATAAAGTTGTAG
TGATTCCA

561/615

FIGURE 556

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA129594
><subunit 1 of 1, 162 aa, 1 stop
><MW: 17598, pI: 6.58, NX(S/T): 1
MPVFWNQSLELGHVLIDSVELAQQVLYMQPPTQALPLLLHGLLLHRQLYGTRLQHRGR
WSQVTLTQVLQTQDQLWASLSNPRAAMQELAASVFYGGPLGDTEDREALISLTQACLSPS
SGSWVQPHTPQSLLATLMPLPAKGAGCNGRVQGPDAPTALTT
```

Important features of the protein:**Signal peptide:**

Amino acids 1-45

N-glycosylation site:

Amino acids 6-10

N-myristoylation sites:

Amino acids 97-103;144-150

562/615

FIGURE 557

GACCTTGAGCCCTCGAAAGCGACATGGCGGTTCTCTTAAAGCTGGGCGTTCTCTGCAGTGGCC
AAGGAGCTCGAGCTCTCCTACTCCGAAGCCGGGTGGTCAGACCCGCTTATGTGTCAGCATTTC
TCCAGGACCAGCCTACCCAAGGACGGTGTGGTACCCAGCACATTACCTGTCACCAAGCCACC
ACTCTGGTTCCAAGGCTGCATCTCTCCACTGGACCAGTGAGAGGGTTGTCAGTGTCTGCTCT
TGGGGCTGATCCCTGCTGGGTACTTGAATCCCTGCTCTGTGGTGGACTACTCTCTGGCTGCAG
CCCTCACCTGCACAGTCACTGGGGCCTTGGACAAGTGGTTACCGACTACGTTTCATGGGGACA
CCCTGCCGAAGGCTGCCAGGGCAGGCCTCTTGGCACTCTCAGCTTTGACCTTTGCTGGGCTTTGC
TACTTCAATTACCACGATGTCGGCATCTGCAGAGCGGTTGCCATGCTGTGGAAGCTCTGACCT
GGGTGCAGCACTTTGATTGTGTGCCTCCTTGCCCTCTGCTTTACCAATGCCGTTTCACCTCGCAG
TGAGGGGGGATGAAGGATAAGCCCATTGGTGGGCAGAATGTCTTCTAATTACATGGTTATTTT
CAGAATTTATTTGTTGAGGAAGAGGTTTGAGGAGTTAGGTTTCGACCATTCGTGAGTCTGTGTT
CCATACTCCACTGAGTGTGGGCACTAGCTCACAGCCTCGCGGTGAGACTGAACATTTTCATGAG
CTCATGTTGCCTTTGACCACCATTTCCTAAGGAGAGCCAGCTGATTGCTGTCAGGATAAGAGC
ATCTCTTCAGCCAGGAGGGAGGCCTGTTCCCTCCTGAGTTAGACTTTGCATGAAGCTCGAAAG
TATTCCTTTGGAACCTCCCATTCTTGTTTCAGGTGACACCAGCTCTGTTGATGGCTCTGCTTC
TAGGGAACATTTAATCAGGAGATGCTCTCAATGACTAATTTGTCTAAGTCTTAGGAAGGAGGT
TGAGGAAAGCTGGATTTAGACAAGTTCAATTTAGGGAGTTCTCCTTGTTTGTGGATTAAATA
TGACAGATTGCAAACAGACTACTCTTCAAATGTATCTCAATTGTGCAGAAGTGAGCTGTCCAA
AAGTATAAGACTAAGTGATAAACTGTCTTCCCACCGTGGGAGTTGTTAATGAGAAAGAAAGTG
TACTCTGAAAAACAAGGGGG

563/615

FIGURE 558

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA129793
><subunit 1 of 1, 159 aa, 1 stop
><MW: 17014, pI: 9.38, NX(S/T): 0
MAVLLKLGVLCSGQGARALLRSRVVRPAYVSAFLQDQPTQGRCGTQHIHLSPSHHSGSK
AASLHWTSERVSVLLLGLIPAGYLNPCSVVDYSLAAALTLHSHWGLGQVVTDYVHGDTL
PKAARAGLLALSALTFAGLCYFNYHVDVGICRAVAMLWKL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-15

Transmembrane domains:

Amino acids 71-88;126-140

Glycosaminoglycan attachment site:

Amino acids 12-16

N-myristoylation sites

Amino acids 8-14;58-64;78-84;108-114;148-154

564/615

FIGURE 559

CCCAGCCCCGCGTTTCGGCTGCTCTCGAGGAGGCCGGAGTCCCCGGAGACGATGCGCCCCGCGC
AGCCGCCTGCGCCTGCGGGAGCCGGCTGCCCTTGAGATGGAGTTGCTGCCTCTTTGGCTCTGC
CTGGGTTTTCACTTCCTGACCGTGGGCTGGAGGAACAGAAGCGGAACAGCCACAGCAGCCTCC
CAAGGAGTCTGCAAGTTGGTGGGTGGAGCCGCTGACTGCCGAGGGCAGAGCCTCGCTTCGGTG
CCCAGCAGCCTCCCGCCCCACGCCCGGATGCTCACCCCTGGATGCCAACCCCTCTCAAGACCCTG
TGGAATCACTCCCTCCAGCCTTACCCTCTCCTGGAGAGCCTCAGCCTGCACAGCTGCCACCTG
GAGCGCATCAGCCGCGGCGCCTTCCAGGAGCAAGGTCACCTGCGCAGCCTGGTCTTGGGGGAC
AACTGCCTCTCAGAGAACTACGAAGAGACGGCAGCCGCCCTCCACGCCCTGCCGGGCTGCGG
AGGCTGGACTTGTGAGGAAACGCCCTGACGGAGGACATGGCAGCGCTCATGCTCCAGAACCCTC
TCCTCGCTGCGGTCCGTGTCCCTGGCGGGGAACACCATCATGCGGCTGGACGACTCCGTCTTC
GAGGGCCTGGAGCGTCTCCGGGAGCTGGATCTGCAGAGGAACTACATCTTCGAGATCGAGGGC
GGCGCTTTCGACGGCCTGGCTGAGCTGAGGCACCTCAACCTGGCCTTCAACAACCTCCCCTGC
ATCGTGGACTTCGGGCTCACGCGGCTGCGGGTCTCAACGTGAGCTACAACGTCTGGAGTGG
TTCCTCGCGACCGGGGAGAGGCTGCCTTCGAGCTGGAGACGCTGGACCTGTCTCACAACCAG
CTGCTGTTCTTCCCGCTGCTGCCCCAGTACAGCAAGTTGCGGACCCTCCTGCTGCGCGACAAC
AACATGGGCTTCTACCGGGACCTGTACAACACCTCGTCGCCGAGGGAGATGGTGGCCAGTTC
CTCCTCGTGGACGGCAACGTGACCAACATCACCACCGTCAGCCTCTGGGAAGAATTCTCCTCC
AGCGACCTCGCAGATCTCCGCTTCTGGACATGAGCCAGAACCAGTTCAGTACCTGCCAGAC
GGCTTCCTGAGGAAAATGCCTTCCCTCTCCACCTGAACCTCCACCAGAATTGCCTGATGACG
CTTCACATTCGGGAGCACGAGCCCCCGGAGCGCTCACCGAGCTGGACCTGAGCCACAACCAG
CTGTGCGAGCTGCACCTGGCTCCGGGGCTGGCCAGCTGCCTGGGCAGCCTGCGCTTGTTCAAC
CTGAGCTCCAACCAGCTCCTGGGCGTCCCCCTGGCCTCTTCGCCAATGCTAGGAACATCACTAC
ACTTGACATGAGCCACAATCAGATCTCACTTTGTCCCCTGCCAGCTGCCTCGGACCGGGTGGG
CCCCCTAGCTGTGTGGATTTTCAGGAATATGGCATCTTTAAGGAGCCTGTCTCTGGAGGGCTG
TGGCCTGGGGGCATTGCCAGACTGCCCATTTCAAGGGACCTCCCTGACCTACTTAGACCTCTC
AAGCAACTGGGGGGTTCTGAATGGGAGCCTCGCCCCACTCCAGGATGTTGCCCCCATGTTACA
GGTCTGTCTCTCAGGAACATGGGCCTCCACTCCAGCTTTATGGCGTTGGACTTCTCTGGGTT
TGGGAATCTCAGGGACTTAGATCTGTGCGGGAATTGCTTGACCACCTTCCCAAGGTTTGGGGG
CAGCCTGGCCCTGGAGACCCTGGATCTCCGTAGAAACTCGCTCACAGCCCTTCCCAGAAGGC
TGTGTCTGAGCAGCTCTCGAGAGGTCTGCGGACCATCTACCTCAGTCAGAATCCATATGACTG
CTGTGGGGTGGATGGCTGGGGGGCCCTGCAGCATGGGCAGACGGTGGCCGACTGGGCCATGGT
CACCTGCAACCTCTCCTCCAAGATCATCCGCGTGACGGAGCTGCCCGGAGGTGTGCCTCGGGA
CTGCAAGTGGGAGCGGCTGGACCTGGGCCTGCTCTACCTCGTGCTCATCCTCCCCAGCTGCCT
CACCTGCTGGTGGCCTGCACTGTCTCGTCTCACTTTTAAGAAGCCTCTGCTTCAGGTCAT
CAAGAGCCGCTGCCACTGGTCTCCGTTTACTTGACCCTGGCTGTGTGCCAAGACTCGAAATTCG
GTCCGCACACAACAGGACACTTTCTCTGCCAGCTTTCAAGATGTGATGCAGAGGCCAAGTCTG
ACGAATTGAAGTTTCAATTAAAATTTAATATGTTTCCATTCTCATCGCCACCCACCCCCG
CCCCACCACCGCCCAAGTTCTTTTCCATCATTATAATTATCCTTATTATCTTGGTAAAAT
ATTTATTAAGTGACTTTTTCAGAAATAAAAGGCAACGTGTCTCATAAATATTTTTTAAAAAA
AAAAAAAAAAAAAA

565/615

FIGURE 560

><subunit 1 of 1, 692 aa, 1 stop
><MW: 76366, pI: 6.07, NX(S/T): 11
MELLPLWLCLGFHFLTVGWRNRSGTATAASQGVCKLVGGAADCRGQSLASVPSSLPPHAR
MLTLDANPLKTLWNHSLQYPPLLESLSLHSCHLERISRGAFQEQGHLRSLVLGDNCLSEN
YEETAALHALPGLRRLDLSGNALTEDMAALMLQNLSSLRSVSLAGNTIMRLDDSVFEG
ERLRELDLQARNYIFEIEGGAFDGLAELRHLNLAFFNNLPCIVDFGLTRLRLVNLVSYNVLEW
FLATGGEEAAFELETLDLSHNQLLFFPLLPQYSKLRRTLLLRDNNMGFYRDLYNTSSPREMV
AQFLLVDGNVTNITTIVSLWEEFSSSDLADLRFLDMSQNQFQYLPDGFRLKMPSLSHLNLH
QNCLMTLHIREHEPPGALTELDLSHNQLSELHLAPGLASCLGSLRRLFNLSNQLLGVP
LFFANARNITTLDMSHNQISLCPLPAASDRVGPSCVDFRNMASLRSLSLEGCGLGALPDC
PFQGTSLTYLDLSSNWGVNLGSLAPLQDVAPMLQVLSLRNMGLHSSFMALDFSGFGNLRD
LDLSGNCLTTTFPRFGGSLALETDLRRLNSLTALPQKAVSEQLSRGLRTIYLSQNPYDCCG
VDGWGALQHGQTVADWAMVTCNLSSKIIRVTELPGGVPRDCKWERLDLGLLYLVLIIPSC
LTLLVACTVIVLTFKKPLLQVIKSRCHWSSVY

Important features of the protein:**Signal peptide:**

Amino acids 1-18

Transmembrane domain:

Amino acids 651-672

N-glycosylation sites:Amino acids 21-25;74-78;155-159;232-236;292-296;309-313;
312-316;408-414;427-431;500-504;622-626**Glycosaminoglycan attachment site:**

Amino acids 533-537

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 566-570

N-myristoylation sites:Amino acids 24-30;39-45;45-51;141-147;199-205;245-251;
308-314;396-402;416-422;420-426;471-477;
484-490;497-503;522-528;545-551;555-561;610-616**Prokaryotic membrane lipoprotein lipid attachment site:**

Amino acids 657-668

Leucine zipper patterns:

Amino acids 48-70;492-514

566/615

FIGURE 561

TGGCCTACTGGAAAAAAAAAAAAAAAAAAAAAAAAAGTCACCCGGGCCCCGCGGTGGCCACAACAT
GGCTGCGGCGCCGGGGCTGCTCTTCTGGCTGTTTCGTGCTGGGGGCGCTCTGGTGGGTCCCGGG
CCAGTCGGATCTCAGCCACGGACGGCGTTTCTCGGACCTCAAAGTGTGCGGGGACGAAGAGTG
CAGCATGTTAATGTACCGTGGGAAAGCTCTTGAAGACTTCACGGGCCCTGATTGTCGTTTTGT
GAATTTTAAAAAAGGTGACGATGTATATGTCTACTACAACTGGCAGGGGGATCCCTTGAAGT
TTGGGCTGGAAGTGTTGAACACAGTTTTGGATATTTTCCAAAAGATTGATCAAGGTACTTCA
TAAATACACGGAAGAAGAGCTACATATTCCAGCAGATGAGACAGACTTTGTCTGCTTTGAAGG
AGGAAGAGATGATTTTAATAGTTATAATGTAGAAGAGCTTTTAGGATCTTTGGAAGTGGAGGA
CTCTGTACCTGAAGAGTCGAAGAAAGCTGAAGAAGTTTCTCAGCACAGAGAGAAATCTCCTGA
GGAGTCTCGGGGGCGTGAACCTTGACCCTGTGCCTGAGCCCGAGGCATTCAGAGCTGATTCAGA
GGATGGAGAAGGTGCTTTCTCAGAGAGCACCGAGGGGCTGCAGGGACAGCCCTCAGCTCAGGA
GAGCCACCCTCACACCAGCGGTCTGCGGCTAACGCTCAGGGAGTGCAGTCTTCGTTGGACAC
TTTTGAAGAAATTCTGCACGATAAATTGAAAGTGCCGGGAAGCGAAAGCAGAACTGGCAATAG
TTCTCCTGCCTCGGTGGAGCGGGAGAAGACAGATGCTTACAAAGTCCTGAAAACAGAAATGAG
TCAGAGAGGAAGTGGACAGTGC GTTATTATTACAGCAAAGGATTTTCGTTGGCATCAAATCT
AAGTTTGT TTTTACAAAGATTGTTTTTAGTACTAAGCTGCCTTGGCAGTTTGCATTTTGTAGCC
AAACAAAATATATTATTTTCCCTTCTAAGTAAAAAAAAAAAAAAAAAAAAA

567/615

FIGURE 562

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA131639
><subunit 1 of 1, 303 aa, 1 stop
><MW: 33900, pI: 4.81, NX(S/T): 2
MAAAPGLLEFWLFLVVGALWWVPGQSDLSHGRRFSDLKVCGDEEC SMLMYRGKALEDFTGPD
CRFVNFKKGDDVYVYYKLAGGSLELWAGSVEHSFGYFPKDLIKVLHKYTEEELHIPADET
DFVCFEGGRDDFNSYNVEELLGSLELEDSVPEESKKAEEVSQHREKSPEESRGRELD PVP
EPEAFRADSEDEGEGAFSESTEGLQGQPSAQESH PHTSGPAANAQGVQSSLDTFEEILHDK
LKVPGESERTGNSSPASVEREKTDAYKVLKTEMSQ RSGGQCVIHYSKGFRWHQNLSLFYK
DCF
```

Important features of the protein:**Signal peptide:**

Amino acids 1-22

N-glycosylation site:

Amino acids 294-298

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 30-34

Tyrosine kinase phosphorylation site:

Amino acids 67-76

N-myristoylation sites:

Amino acids 205-211;225-231;277-283

Amidation site:

Amino acids 28-32

568/615

FIGURE 563

GCCAGCCGTGGGATTAGGCTTCGCCGGCTACGATTGCGGCCCCCATCTTCTGACTTTTCCTCG
TGTGACCCATCTTTTCAAATTCCCTTACCTGAGGAAGGAGCCCGATTACAAGGATATTTACCT
GCTCCTACCCCTGATCTAGGGACGAGGATGGGAAGACCGCCTGTGGCCATGAGCCCTCCCCGGT
GCTCCTGGGGCTAAGGCTGGGGCTGCAGCCATGGGGCTGGGTGAGCCCCAGGCCTGGTTGCTG
GGTCTGCCACAGCTGTGGTCTATGGCTCCCTGGCTCTCTTCACCACCATCCTGCACAATGTC
TTCCTGCTCTACTATGTGGACACCTTTGTCTCAGTGTACAAGATCAACAAAATGGCCTTCTGG
GTCGGAGAGACAGTGTTTCTCCTCTGGAACAGCCTCAATGACCCTCTCTTCGGTTGGCTCAGT
GACCGGCAGTTCCTCAGCTCCCAGCCCCGCCTGTGTGGAGAGGAGCTGCTTGTGGGCAGTGAG
GAGGCGGACAGCATCACCTTGGGCCGGTATCTCCGGCAGCTGGCACGCCATCGGAACCTTCCTG
TGGTTCGTGAGCATGGACCTGGTGCAGGTGCAGTGGCTCACGCCTGTAATCCCAGCACTTCGG
GACGCCAAGGTGGAAAGACCGCTTGAGCCCAGGAGTTCGAGGCTGCAATTGAGTTATGATTGCA
CCACTGCACTCCAGCCTGGGCGGCAGAGAAAGGCTCCATCTCTAAAAAAGAAGAGCTAAGTG
CTGTACCTAAAACATGCAGTATATAAACTGGCTGAACTTAGAAATAAACTGTTTTTCATGTTAT
GAAAA

569/615

FIGURE 564

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA131649
><subunit 1 of 1, 153 aa, 1 stop
><MW: 17603, pI: 7.42, NX(S/T): 0
MGLGQPQAWLLGLPTAVVYGSLALFTTILHNVFLLYYVDTFVSVYKINKMAFWVGETVFL
LWNSLNDPLFGWLSDRQFLSSQPRLCGEELLVGSEEADSTITLGRYLRQLARHRNFLWFVS
MDLVQVQWLTPVIPALRDAKVERPLEPRSSRLQ

Important features of the protein:**Signal peptide:**

Amino acids 1-20

N-myristoylation sites:

Amino acids 4-10;12-18;93-99

Leucine zipper pattern:

Amino acids 102-124

570/615

FIGURE 565

CGGCACGAGTAAAATGGAGATAATATCACCA**ATG**CACTCAGCCCTAGCCACTGCATTGCTGTTA
CTGATACCATTACTGCTGCTACGTCGTTTTTTTGGATGGCTCAGCCCTTAGGGAAGGGGGATCA
AGGGAGAAGCCCGGACCTTCCCGCAGGAGGTGGGCTGGGCACAGCCCTGAACCATGGAGGTCA
CCCACCCTGAGGTCGGGACCTGGGTTCCTTCCCTATCCACTGGGGGTCCCAGCCTTGTCTTC
ATCTCTCCAGGTCCCAGCCCTTCACAGTGGGCACTTCCCTGCCTG**TGA**CGGAGGCCCCAGCCA
TCTCC

571/615

FIGURE 566

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA131652
><subunit 1 of 1, 89 aa, 1 stop
><MW: 9688, pI: 11.49, NX(S/T): 0
MHSALATALLLLIPLLLLRFFDGSALREGGSREKPGPSRRRWAGHSPEPWRSPTLRSGP
GFPSYPLGVPAFVFISPGSPSQWALPCL
```

Important features of the protein:

Signal peptide:

Amino acids 1-18

Glycosaminoglycan attachment site:

Amino acids 58-62

572/615

FIGURE 567

AGTCTAGCAGGAAAGGAGAGGGAGCTTTCCCCGAAGACCCTCCTGGACCAGCCCCAGGCTCCT
GTGCTGGTTGCACGCCAGGGCCTGTACTGACCACCTCCACGTGCCACTGGGGCTGTAAGGAGGA
ATGGCGGCCGTGGGCAGCCTGCTTGGCCTGGCAGCCTCTTCCTGGCTAGGGGGCCAGAACGCC
TCTGACCACAGCCTGTGGCTCCTGAGGAAGCCCCGAGGCTCATCCTGCCCCGGCACGGGTAC
CAGCTCTGCCGGCTGAGGCAGAGCACCGTGAAGGCCACCGGACCTGCACTCCGCCGCCTGCAC
ACATCCTCCTGGCGAGCTGACAGCAGCAGGGCCTCACTCACTCGTGTGCACCGCCAGGCTTAT
GCACGACTCTACCCCGTGCTGCTGGTGAAGCAGGATGGCTCCACCATCCACATCCGCTACAGG
GAGCCACGGCGCATGCTGGCGATGCCATAGATCTGGACACCCTGTCTCCTGAGGAGCGCCGG
GCCAGGCTGCGGAAGCGTGAGGCTCAGCTCCAGTCGAGGAAGGAGTACGAGCAGGAGCTCAGT
GATGACTTGCATGTGGAGCGCTACCGACAGTTCTGGACCAGGACCAAGAAG**TGA**CCGTGGCTC
CAGCCACCCCGGGACATTGCTAAGATGGGAGGGCTGTTCTTAAATCACTCGTTCTTGAAGCTGC

573/615

FIGURE 568

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA131658
><subunit 1 of 1, 164 aa, 1 stop
><MW: 18903, pI: 11.08, NX(S/T): 1
MAAVGSLLGLAASSWLGGQNASDHSLLRKPRGSSCPGTGHQLCRLRQSTVKATGPALR
RLHTSSWRADSSRASLTRVHRQAYARLYPVLLVKQDGSTIHIRYREPRRMLAMPIDLDTL
SPEERRARLRKREAQLQSRKEYEQELSDDLHVERYRQFWTRTKK
```

Important features of the protein:**Signal peptide:**

Amino acids 1-18

N-glycosylation site:

Amino acids 20-24

N-myristoylation sites:

Amino acids 5-11;9-15;17-23;18-24

574/615

FIGURE 569

GGTGCCAAGGGTTTCGGGGGGGAGCACTGAGGCTTTAGCAGCTCTCCTGTATCCTCATTTGTCAT
CCTCCTGTAGCAGCTGGAAAATTCAGATTACAGGTGAAATTCCTGGCTGGCAATCTTCTGTAT
TATGGACACAGTGATGTGCCAGAAGGGCTTTGCATCCCTGAGACTGAAGGAAGCTCCATTTTT
GGAGCCCTCCCACACCTTGCTCTGTGTGCCTCTCATTCTGATTTGAATTCTTATTTTGCTATA
TGATGAAGCTGTAATCCTAAGTTTAAAAAGGGGAGTAGGTATTGACATCATGGTAGAAATAGG
CTGTCTTATGGAAGCTGTAGTTAGGGATCACAGCCTATTGGACCAGCCCCAGCCTTAGCAGCAG
TTCTGTACACTGATTCTTCCAGATTAGTCTACGTTCCCTCGAACAGACCTATGCCATGGGTTA
CAACTACAATTTGTTGTCGATTAGAGTTAACTTACAGACTCTCAAACCCCATTCCTTGGGTT
TAGGCAACTTCCAGAAGTAGTCATTTATTTGAATTTTAGTCTAAGATCAACTGAATTAGGGAG
GTTTGAAAGTGTAAGCAAATCGTACATTCCCAAACACTTTGTAAAGAAGGAATGGGTAGTG
TCAACTAAAGGAAATGGTGTGCATCCAGCAAAGAAAGAGACCGAAAGCAAAGTCATAAACC
ATGCCACGAGCTCAGCTGTCTGCTCCGTGTCTCTCCATACCCTTGTTGACTGTGCTCATA
TTAGCCAGAGACCTAAGTGCTCTTGAGGATGTCCCTGGGGCCCCCTCCCCCTCCGCTGTCAC
TGTCTACTTCTGATCCTCTCTTCTGTGCAGGAGAGGTCCAGGCCTTCTATGAGGACCTGAGT
GGCCGGCAGTACGTGAATGAAGTCTTCAACTTCAGCGTGGACAAGCTCTATGACCTCCTCTTC
ACCAACTCGCCCTTCCAGCGGGATTTTCATGGAGCAGCGGCGCTTCTCTGATATCATCTTCCAT
CCATGGAAAAAGGAGGAGAATGGAAACCAGAGCCGAGTGATTCTTTACACCATCACCTTACC
AACCTCTGGCTCCCAAACCTGCCACTGTCAGGGAGACACAGACCATGTACAAGGCGAGCCAG
GAGAGTGAATGTTACGTGATAGATGCCGAAGTCTCACCCACGACGTGCCCTACCACGACTAC
TTCTACACAATCAATCGCTACACGCTCACCCGTGTGGCTCGGAACAAGAGCCGACTCAGGGTC
TCCACAGAGCTGCGCTATCGAAAACAGCCCTGGGGGTTAGTGAAAACGTTTCATCGAGAAGAAC
TTCTGGAGTGGGCTGGAGGACTACTTCCGCCATTTAGAGAGCGAGCTGGCCAAAACGGAGAGC
ACTTATTTGGCTGAGATGCACAGACAATCTCCCAAAGAGAAGGCCAGCAAGACTACAACGGTG
CGGAGGAGGAAGCGTCCCCATGCCACCTGCGAGTCCCTCACCTGGAAGAGGTGATGAGCCCG
GTCACCACGCCCACAGATGAGGATGTGGGCCACAGGATCAAACATGTGGCAGGTTCCACACAG
ACGCGGCATATCCCGGAGGACACCCCCAACGGTTTCCACCTGCAGAGCGTGTCCAAGCTGCTG
CTGGTTATCAGCTGTGTTCTGGTGCTGCTGGTCATCCTTAACATGATGCTCTTCTACAACTC
TGGATGTTGGAATACACCACGCAGACCCTCACTGCCTGGCAGGGTCTAAGGCTCCAAGAAAGG
TTACCCAGTCTCAGACAGAATGGGCCAGCTCTTAGAGTCCCAACAAAAGTACCACGATACT
GAGCTCCAAAAATGGAGGGAAATCATCAAATCCTCAGTGATGCTCCTTGACCAGATGAAGGAC
TCGCTCATCAACCTTCAGAACGGCATCAGGTCCCGCGACTACACGTGGAAAGTGAAGAAAAG
AGGAATCGCTATCAT**TGACA**AGGCAGGAACAGGGTGGCTGCAAGAGGCCTGTGCAATACATGT
ACATAGACCATATAAATATATATATATAAATATATATATATACAGAATATAAATATATATATT
ATATACAGATTTTAAAAAAGAGATAATGCCTATGTACCAGGAGAAAGGAGCGGGCCCTCCCGC
GCCCTGTGCTGGCCGGAGCAGCGTTTTCTTATGGTGGAGCAGCTGAGGAGGGCAGGAACCGCC
TCTCAGCACCGACCTCCCCTGATCTCCCTCCTCCACCCCTCTGTTCCCCACCCCTTCCCTTGC
TGGCCATTCTTGGCTTTTAGAAGGGAAATGTTGAGCCAAAGTTATGCCTGCGAAGACCCTAAG
GTCTCAAAAAGAAGTCTTAAGACGGCATTGCTTAAGGTGCTTCATTCCCTAATCCCCTTTTGA
TTTGTTCCTCAAAAATAAAAGAGAATCTTTCTCCCTAAAAA

575/615

FIGURE 570

><subunit 1 of 1, 425 aa, 1 stop
><MW: 49786, pI: 8.84, NX(S/T): 3
MPTSSAVLLRVLSIPLLTVLILARDLSALGGCPWGPLPLRCHCLLPDPLFCAGEVQAFYE
DLSGRQYVNEVFNFSDKLYDLLFTNSPFQRFMEQRRFSDIIFHPWKKEENGNSRVIL
YTITLTNPLAPKTATVRETQTMKASQSECECYVIDAEVLTHDVPYHDYFYTTINRYTLTRV
ARNKSRLRVSTELRYRKQPWGLVKTFIEKNFWSGLEDFRHLSESELAKTESTYLAEMHRQ
SPKEKASKTTTVRRRKRPFAHLRVPHLEEVMSPVTTPTDEDVGHRIKHVAGSTQTRHIPE
DTPNGFHLQSVSKLLLVISCVLVLVILNMMLFYKLWMLEYTTQTLTAWQGLRLQERLPQ
SQTEWAQLLESQQKYHDTLQKWREIIKSSVMLLDQMKDSLINLQNGIRSRDYTSESEEK
RNRYH

Important features of the protein:**Signal peptide:**

Amino acids 1-28

Transmembrane domain:

Amino acids 312-334

N-glycosylation sites:

Amino acids 73-77;114-118;183-187

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 97-101

Tyrosine kinase phosphorylation sites:

Amino acids 144-153;188-196

N-myristoylation sites:

Amino acids 201-207;291-297

Leucine zipper pattern:

325-347

576/615

FIGURE 571

GTAGAGAGTGAAGCAGCAAGACTGCAGAGCCTCATCAAGAAGTGTGGAGTGAAGGGAAGGCTTCAGATGGACAAT
TTGTGTGCTGGGGAAAAAATGGAATGTGCTGCAAATCCCCTGTGGATAAGGGTGGACGGCTGCTCTGTCAACTT
TGACCATTTTCAGATTCTGCGGGCCATTGGTAAAGGGAGTTTGGAAAGGTATGCATCGTGCAGAAAGCGAGACAC
TAAGAAAAATGTATGCAATGAAGTACATGAACAAGCAGAAGTGCATCGAGAGGGATGAGGTTCCGGAATGTTTTCCG
GGAGCTGCAGATCATGCAAGGGCTGGAGCACCCCTTCTGGTCAATCTGTGGTACTCCTTCCAGGATGAGGAGGA
CATGTTTCATGGTGGTGGACCTGCTCCTGGGAGGCGACCTGCGCTACCATCTGCAGCAGAATGTGCATTTTCACAGA
GGGACTGTGAAACTCTACATCTGTGAGCTGGCACTGGCCCTGGAGTATCTTCAGAGGTACCACATCATCCACAG
AGACATCAAGCCAGACAATATCCTGCTGGATGAACACGGACATGTTTACATTACAGACTTCAACATAGCCGACGGT
AGTGAAAGGAGCAGAAAGGGCTTCTCCATGGCTGGCACCAAGCCCTACATGGCTCCAGAAGTATTCCAGGTGTA
CATGGACAGAGGCCCCGGATACCTCGTACCCTGTGCACTGGTGGTCCCCTGGGCATCACAGCCTATGAGCTGCTGCG
GGGCTGGAGGCGGTACGAAATCCACTCGGTACGCCCCATCGATGAAATCCTTAACATGTTCAAGGTGGAGCGTGT
CCACTACTCCTCCACGTGGTGAAGGGGATGGTGGCCCTGCTGAGGAAGCTCCTGACCAAGGATCCTGAGAGCCG
CGTGTCCAGCCTTCATGACATACAGAGCGTGCCCTACTTGGCCGACATGAACTGGGACGCGGTGTTCAAGAAGGC
ACTGATGCCCGGCTTGTGCCCAATAAAGGGAGGTTGAACTGCGATCCCACATTTGAGCTTGAAGAGATGATTCT
AGAATCCAAGCCATTCAAAAAAGAAGCGATTGGCAAAGAACAGATCCAGGGATGGCACAAAGGACAGCTG
CCCGCTGAATGGACACCTGCAGCACTGTTTGGAGACTGTCCGGGAGGAATTCATCATATTCAACAGAGAGAAGCT
CAGGAGGCAGCAGGGACAGGGCAGCCAGCTCTGGACACCGACAGCCGAGGGGGAGGCCAGGCCCAAAGCAAGCT
CCAGGACGGGTGCAACAACAACCTCCTCACCCACACCTGCACCCGTGGCTGCAGCAGCTGAGGCCACACTTGTG
CTGCTCAACAGGACTGCACTCGTCTCTGCCCTGCCACCCAGAGCCCCCTTTGTGCCCTGATGGTCCCTGTCTC
ACCCCTGAAAACATCAGATGCAGAAAAAGCCCTGGACTTGGAGCTGGGAAGCCTGGGTTCTGGTCCCATCTCCAT
GACTGATTCACGTGTGACCTCAGACAAGTCAGCCCTCTCTGTGCCCTCCGTTTTCTGCATCTGCCAAAGGGGTAA
AACACTTCTGCCCACTTCAAATTACAAGATTATGGGGAGAACCAATTAGGTAGGAAACATGAAAAACCTTTGA
TATTTATAAAATCATTTTTACGTGCAAAATATAACCTTAATATTTGAAGTGACCCCCATTCCCCAAAGCAATCAA
ACCGTCATGACTTTTCAATTTGGCACATCCTAGCTTGTAGAGGGCACTTCGAAAAACACAGCCCTGACAGCAA
AATAAAGGTCTGATATGTTGGCCCCCTTCTATGGAACAACGCTGCCAAATCCTGGAGCAAAACCTGAAGTGCTT
CATGTGCATTCTCTGGCAGGCCACAGTCTTCTGAGCTTGAAGATGGTGCAGCATGCAGACCAGACTTGTCCCC
AAGGTCTCAGCGCTGCGGTCTCACTCCTCCCCCTCATTTAAGAAGACTATCCTTACCTTTTAGTTTCAGCAGTCTT
CACCACCACCATATCCCCAGTGCTGGGATGGCACACAGGTGTCCATTAGATGAGAGTTGGGTGCTGAGCATTG
GTTACTCCTGCAGAGTGAATCAGCACCCCATCCAATGGCCCCGAAAGCCCAGACCTGCAGCAGAACTCTCCAAC
TCTCTATCAGCTTTCAGGGTTTTCTCTCCTGGGAAGGGTGTAAATCAGCTTGTGATGATTCTTCTTACAGAGAGT
ATCCAATCGGTATTGGTGGAGCGGCTCCCTATTTATACAATAGGAAGCATGGGTGCTTAGAAAGTTTATTTCAGG
AGGAAAATGGGTTACACAAAAAGCAAACCTACATTCTGATCTGCTCAGGGAGAAGCTTGCCTTTGAAGTGAAGA
TGTTGGGATGAGCAGGGGAAGCTTAGACTTTGGAGTCAGGTTTGTGTTTCAAGATCCAGCCCTGCTGGCTACTAAC
TAACTGGGAGACCTTAGGCAAGCATGCAATCGCTCTGAATGGCAGTTTCTTCATTTTTAAACAGGGATAATAAA
ACTAATATTGCAGGGGAGTTACAGGGTTAAATAAGATCCTGTGTGTAACCCCAAGCATTGGATGACTCATAGAAT
GGCCTTTTTTGTGAGCATAATCGTCATCATTATTTAGATACTTTCTTCTTCACTCACCCAGCAGGTGAGTTTTT
TGTGCAACAAACCTGTTTAGGATTCTTCCAAATGTTCTTCTGGGGTCTTTGATATTTGTTTGTACATCCTGC
TGAAGTTCGACTGTGTTTTTATTTTTTTCATCCAACCTTCCATTTTTTACATGATTACTCAATCCTTGGG
GCTGTCCATGTCTCTTAGATTTCTTAAAGACATTTTAAATGTATGGTTAGGTTTTATATTTTTTATTTTTTAA
AAAAGAAATAGTCAGTGTTCCTCCTTTCAACCGAGACTATTTCTGGATTGTGTGCTCCTCGTCAGTTGACTTGT
TTTGACACTTTTTCTTTACTTCATGTCCCATCAACAACCGTCTGCTCCCCACCTCCCCAGGAAATAAGGGGC
CTGCTCCTCTCCCTACTGTGACCTGGAGGCTCTTAAGATGATGATGGTTTTTTTTTATTGGGCTGAGTTCACGAA
TTAGGGGCAGGAGCTGGAAGTCGCCCTAGGAACACCAGATTTCTGGTCTGTTCAAGTTGGCATTCTTGTGTTG
GAATAAACTATTTCTTGG

577/615

FIGURE 572

```
</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA136110
<subunit 1 of 1, 364 aa, 1 stop
<MW: 42195, pI: 7.40, NX(S/T): 1
MKYMNKQKCIERDEVNRNVFRELQIMQGLEHPFLVNLWYSFQDEEDMFMVVDLLLGGDLRY
HLQQNVHFTEGTVKLYICELALALEYLQRYHIIHRDIKPDNILLDEHGHVHITDFNIATV
VKGAERASSMAGTKPYMAPEVFQVYMDRGPYSPVDWWSLGITAYELLRGWRPYEIHVS
TPIDEILNMFKVERVHYSSTWCKGMVALLRKLLTKDPESRVSSLHDIQSVPYLADMNWD
VFKKALMPGFVPNKGRLNCDPTFELEEMILESPLHKKKKRLAKNRSRDGTDSCPLNGH
LQHCLETVREEFIIFNREKLRRQQGQSQLLDTSRGGGQAQSKLQDGCNNLLTHTCTR
GCSS
```

Important features of the protein:**N-glycosylation site:**

Amino acids 285-289

N-myristoylation sites:

Amino acids 123-129;290-296;337-343;339-345;348-354

Serine/Threonine protein kinases active-site signature:

Amino acids 92-105

578/615

FIGURE 573

CTCCAGTTTCGCCGACTGTAACATGTTTCATCCAGTTCAGTATGTTTTGTATGCAAGTTGGAAATAAATAAACGTC
CTGAAGTGGATGAAACATGTTACAGTCGGCCGAAACATGAGAGGCTGTGTGAGAAGCTGCAGCCGCCGGCAGAGG
AGACCTCAGCATCATCTAGAGCCCAGCGCTGGCCCTGCCTCCGCCCTGCGCCGCCGCCGCGCTGCCGTTCTGT
CCTGCTACTGTCCCACCTAAACAACCTCCGTTACACGGACAAGTGAACATCTGTGGCTGTCTCTCCTTTTCTTT
CTCCTCTTCCAACCTCCTTCTCCTCCTCCACTTCCCAGCCGAGCAGAAAGCCCCCAACCCAACCTGACGCTGGCA
CAACTGCAAACGGTGTCTCCGCACAACCTTTATCTCGCTCCTCGGGCTCCCCTAAGGCATTGGACCCATCGCCGC
GTCTTTTATTTTTGCAAAGTTGCATCGCTGTACATATTTTTGTCCCCGCCACCTCCCTCTGTCTCTGGAGTGCCC
TACAGCCCCGCAAACCTCCTCCTGGAGCTGCGCCCTAGTGCCCTGTGGGCAGTGGCGTTCCCCCCCATCTCCC
CGCCCCAGCCCCCTGCTGCTCTGGGCAGACGATGCTGAAGATGCTCTCCTTTAAGCTGCTGCTGCTGGCCGTGGCT
CTGGGCTTCTTTGAAGGAGATGCTAAGTTTGGGGAAAGAAACGAAGGGAGCGGAGCAAGGAGGAGAAGGTGCCTG
AATGGGAACCCCCGAAGCGCCTGAAAAGGAGAGACAGGAGGATGATGTCCAGCTGGAGCTGCTGAGTGGGGGA
GAGATGCTGTGCGGTGGCTTCTACCTCGGCTGTCTGCTGCTGCGGAGTGACAGCCCGGGGCTAGGGCGCCTG
GAGAATAAGATATTTCTGTTACCAACAACACAGAATGTGGGAAGTTACTGGAGGAAATCAAATGTGCATTTGC
TCTCCACATTCTCAAAGCCTGTTCCACTCACCTGAGAGAGAAGTCTTGAAAGAGACCTAGTACTTCTCTGCTC
TGCAAAGACTATTGCAAAGAATTCTTTTACACTGCGGAGGCCATATTCAGGTTTCTTCAAACAACCTGCGGAT
GAGTTTGTCTTTTACTATGCAAGAAAAGATGGTGGGTGTGCTTTCCAGATTTTCCAAGAAAACAAGTCAGAGGA
CCAGCATCTAACTACTTGGACCAGATGGAAGAATATGACAAAGTGGAAGAGATCAGCAGAAAGCACAAACACAAC
TGCTTCTGTATTTCAGGAGTTGTGAGTGGGCTGCGGCAGCCCCGTTGGTGCCTGCATAGTGGGGATGGCTCGCAA
CGTCTCTTCATTCTGGAAAAAGAGGTTATGTGAAGATACTTACCCCTGAAGGAGAAATTTTCAAGGAGCCTTAT
TTGGACATTACAAACTTGTCAAAGTGGAATAAAGGGAGGAGATGAAAGAGGACTGCTAAGCCTCGCATTCAT
CCCAATTACAAGAAAAATGGAAAGTTGTATGTGCTCTATACCACCAACGAACGGTGGGCTATCGGGCCTCAT
GACCACATTCTTAGGGTTGTGGAATACACAGTATCCAGAAAAATCCACACCAAGTTGATTTGAGAACAGCCAGA
GTCTTTCTTGAAGTTGCAGAACTCCACAGAAAGCATCTGGGAGGACAACCTGCTCTTTGGCCCTGACGGCTTTTGT
TACATCATTCTTGGTGATGGGATGATTACACTGGATGATATGGAAGAAATGGATGGGTTAAGTGATTTACAGGC
TCAGTGCTACGGCTGGATGTGGACACAGACATGTGCAACGTGCCTTATTCATACCAAGGAGCAACCCACACTTC
AACAGCACCAACAGCCCCCGAAGTGTTTGTCTATGGGCTCCACGATCCAGGCAGATGTGCTGTGGATAGACAT
CCCACTGATATAAACATCAATTTAACGATACTGTGTTTCAGACTCCAATGGAAAAACAGATCATCAGCCAGAATT
CTACAGATAATAAAGGGGAAAGATTATGAAAGTGAGCCATCACTTTTAGAATTCAAGCCATTAGTAATGGTCCT
TTGGTTGGTGGATTGTATACCGGGGCTGCCAGTCAGAAAGATTGTATGGAAGCTACGTGTTTGGAGATCGTAAT
GGGAATTTCTAATCTCCAGCAAAGTCCTGTGACAAAGCAGTGGCAAGAAAAACCACTCTGTCTCGGCACTAGT
GGGTCTGTAGAGGCTACTTTTCCGGTCACATCTTGGGATTTGGAGAAGATGAACTAGGTGAAGTTTACATTTTA
TCAAGCAGTAAAGATATGACCCAGACTCACAATGGAAACTCTACAAAATGTAGATCCCAAAAGACCTTAAATG
CCTGAGGAATGCAGAGCCACGGTACAACCTGCACAGACACTGACTTCAGAGTGCTCCAGGCTCTGTGCAACGGC
TACTGCACCCCCACGGGAAAGTGCTGCTGCAGTCCAGGCTGGGAGGGGACTTCTGCAGAACTGCAAAATGTGAG
CCAGCATGTCTGATGAGGTTGTCTGTGTTAGACCGAACAAGTGCCTCTGTAAGAAAGGATATCTTGGTCTCAA
TGTGAACAAGTGGACAGAAACATCCGAGAGTGACAGGGCAGGTATTCTTGATCAGATCATTGACATGACATCT
TACTTGCTGGATCTAACAAGTTACATTGTATAGTTTCTGGGACTGTTTGAATATTCTATTCCAATGGGCATTTAT
TTTTTACTCTGTCAATAAAAAAGACTGTTATCCTGCTACACACTCCTGTGATTTCATTCTCTTTTATTAA
TTTAAAAATAATTTCCAGAAATGTGCAGATCCTCTGTGTGTATGTGAGCATGTTTGTTCACATATGCACATACAC
ATACTCATAACCCCTATATGCGTTGTGCAACAGATGATTTTTTAAAAATATATACTTCTTATGCAAAAGTAAT
TTACACAGAAATTCATTGTAAATTGATAATGATTTTTTATGTTACTAGAAGAGATTATTTGACTTCCAGGAA
TTTTCTGTCTGTAATCACTAAAGTCAACTTTAATAGAGTTTTTGAACAGTACTGTGCAATCCGATGGATCTAATT
AAAAAAAGGCAATATTTTTATATTAAAGTACTATACTAGGAGAGAATGTTTCAGAACTCCCTGATGAATTTCTA
AGTGAGCAACTTGATATAAAATTGTAATCTTCTATTTTGTGTCAGTGATCCAGTTACAGAAATGACACACTTACC
TTTTTATTGGCTGAGAAATCTGGTTATTTTCATCTTAATCTCAAGATTGTTTTCAAGTGTTTTATAATTAAATCAT
AATAGCATATTTTAAATCAAAA

579/615

FIGURE 574

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA139592
><subunit 1 of 1, 882 aa, 1 stop
><MW: 98428, pI: 8.89, NX(S/T): 5
MKHVTVGRNMRGCVSRSCSRQRRPQHHLPEPSAGPASACAAA VAVSVPATVPPKQLPLHG
QVNICGCPLLFFLLFQLLLLLPLPSRSRKPPQTTLAQLQTVSSAQLYLAPRAPLRHWTH
RRVFYFCKVASLYIFLSPPPPSVSGVPYSPANSSWSCALVPLLGSVPPHPPAPSPCCSG
QTMLKMLSFKLLLLAVALGFFEGDAKFGERNEGSGARRRRCLNGNPPKRLKRRDRRMSQ
LELLSGGEMLCGGFYPRLSCLLSDSPGLGRLENKIFSVTNNTTECGKLLLEEIKCALCSPH
SQSLFHSPEREVLERDLVLP LLCKDYCKEFFYTCRGHIPGFLQT TADEFCFYARKDGGL
CFPDFPRKQVRGPASNYLDQME EYDKVEEISRKHKHNCFCIQEVVSGLRQPVGALHSGDG
SQRLFILEKEGYVKILTPEGEIFKEPYLDIHKLVQSGIKGGDERGLLSLAFHPNYKKNGK
LYVSYTTNQERWAIGPHDHILRVVEYTVSRKNPHQVDLRTARVFLEVAELHRKHLGGQLL
FGPDGFLYIILGDGMITLDDMEEMDGLSDFTGSVLR LDDVDTMCNVPYSIPRSNPHFNST
NQPPPEVFAHGLHDPGRCAVDRHPTDININLTILCSDSNGKNRSSARILQIIKGKDYSESE
SLLEFKPFSNGPLVGGFVYRGCQSERLYGSYVFGDRNGNFLT LQQSPVTKQWQEKPLCLG
TSGSCRGYFSGHILGFGEDELGEVYILSSSKSMTQTHNGKLYKIVDPKRPLMPEECRATV
QPAQTLTSECSRLCRNGYCTPTGKCCCPGWEGDFCRTAKCEPACRHGGVCVRPNKCLCK
KGYLGPQCEQVDRNIRRVTRAGILDQIIDMTSYLLDLTSYIV
```

Important features of the protein:**Transmembrane domains:**

Amino acids 63-80;186-201

N-glycosylation sites:

Amino acids 152-156;281-285;598-602;629-633;641-645

Glycosaminoglycan attachment site:

Amino acids 417-421

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 856-860

N-myristoylation sites:

Amino acids 12-18;413-419;457-463;698-695;720-726;723-729

EGF-like domain cysteine pattern signatures:

Amino acids 805-817;837-849

580/615

FIGURE 575

CGGCTCGAGAGCGGGGCAAACCTGCTTGGCACCTCTTCAATAGGTGACATTCAATGATAGATCT
CTGGCTTCCTGCTCTGTTTGTCTGGTTGCCCTGGAAAGCCTGCTGCTCAGCCCATGCCCCGG
GACTTCCTCCACCCTCACCAGGACATTCTTTCCATCTCTTGTCTCCTGTGTGCAAGTCCCTTT
CTCCTGGATTCCATGTCTTGAATGTTTCTTAATTTACTTCCTCATTCTTGGCAGAGGATGTCCT
CCAGTTGTTTTCTGGGAATGCTAATATGCAAGTGAACCAGTGACCTGCAGTTCTGCCCACACA
GGGTTAATAACCAATCAGATTCTCTCTTTTCAAGATGGTTAACATAACAGACACCAAGAAAGG
GAAGAGGAGCCGACAGCAGAGGGGGAAGCTGAAAAGACGCACAAAGAATGGCCATAAAAGATA
TGAGCAACCCAGCTTTCCAGACAGTCACTTTTCCCAGTGGTCATACCTGGTCTGGAAGATTCT
CCCATCATCTCGAATAAAGCTGTTGTTGCTTTTAACTCCATGGAGAGACCGAATGGAGTGAGC
CCAGCAGGGCATGCTGGGCAAGAGAGGTCCCCGAGTCCCAAATAAGAATTTCAACTAGTATA
AAACGAGGCAGCGAACCCACACGTGGAAGTCTGATACCGCTTGCAAGGGGAATTGAATAGAT
GTCTCCCTATTGGTAAGGATGTGGTTTTATTGACTTGAAATAACAAAGCCCGCAAGCAACAAC
TGATCATCCGCGGGATGCTGCCACAAGGAATAATTGAGCACTCATTGAGACACAGGGGAAACC
ACTGCCTCTTTCAGTCTTCTCCCAGATTCCAACAGTCACTGTTACAGCATTTCACCTTGTTCT
ACCTCCCTGAGAAGACGTTGCAGCTCACTCACCCAGTGGGCACTGGGAGCCTCTGCTCAGGT
GGGAGACAGATGCCCCCCACATGCACATCTGGTGTATGAAGCAGATACTGGGGCTTCATAA
ACACAGAAGGGGCAGGGAAGTAGCCCCAGGGCATAGTGTGGGGCCTCCTGACTAAAAGTAGCTT
GCAAACCCCTGCCTATAACAGCCACTTCTGGCAGTCATTGTGCCACTTAGGAGCCCTCCTCA
CCGCTCTTCTTTAGTTCCTTCACTCTGTATAGACCCTGCCAGAGCAGCTCAGGGTGGAGCAG
CTGCAGCCATGGGACCTGCTCCAGGCAAGGCCCTATGCTACACAGTCCCTGGGGGTGAGGATT
CCAGAGGAGTCAATTCCCTACCCGCCCTTCCAGGGGATGGCCGAGATGAGCGTTCCACAGGG
AAAGTGAAAGTTGCAAGGCTGTTGCGGAAACACCAGGGGTTCCATTTAGGTCTTGCTGCTCAT
CTCACAGAAAGCCAGTCACTGAGACAAGTATTGTCAGGGAAGAAGGCTTTATCCAGGTGCTAC
AGACAGGGTGAACAAGAGATCAGTCTCAAATCCATCATCACTGACTAAAATTAGGGGTT
TATATAGCAGGGAAGAAATGTAACATGTGGGAAACAGGGATTAACGAGGGGCAAGGAAG
AGGAGTTGGCCAACAGGCAGCAGGTGGTACCTGGGGAATCATGATGGGTGAGGGGTCTGGCT
TCTCACTTTCCAGATGTGGGGATCTGGTAAATTTAGTCTTCTGATACCGTCTGGGAGGATTG
CTGGCTGGTTTCTGAGAAAGGAATTCAGATGACATAAATGTAAATTTCTCCTTGGGTTTCAA
GACTGAGAGGGTCAATTTCTAGGTTTATTCAAGAAAACCATAAACATCAGTTCTATGGGACA
ATTGGGCCCCATTTCAAGGCTCTGAGGATAAGGGTTAATGAGGGGACAGAGTCGCCTGGAGAAG
TTCAGTGGGGCCTACAAGAACTAGAGAGGCTTCTGGCAAAGCTCTATGCTGTCTATCCTCT
CTTCTCTCCTTGCAAGGAAGATTCCAGTATAATAGACCCGAGGTGAAAAGGCTTTTGTTCATA
AGTAGAAAACCTGAAGGGGGTGGGAGGCACATGGATTTGAACCAGAGACCGCTTGGCCTGCAG
GCAAATGCTGTACCTTCAGTTGCACCCCTCACTTGTTACAGCTGTTTCTGATAAGCACTTGTG
CAGCCCCATCAGCACCTCGATTTCTTCTTGGTGAGTCCATGGGAACAGCCCCACTGCAACAA
CCCATTCCCTGCTCTCCTCTTTCTCTAAACCTCAACCTCCTCCTACCTGGCAGTCCACAGGCC
TACAGCTTCTCCTCAGTGGGAAAGACATCAGCTTGGAAAACCACTTGGAAAGCCAACGTTATC
CTAGAAAAGCTTTTTTAAATGACCCAGCAGGACAAGTCTCCGGATGGCCTTGGCCAACCCGGTG
CTTCCCTCTTTTCTTGGTTGTAGTTCTCAGAATAACTAGAGAATGTACTGGGAGTGTGTCTCT
GAGATAAGGAGGAACTGTCCTAAACCTGGACTCTGTTCCCATCACACCTAGAACAGGATGTCC
TGCAACGCTTTAGCCCAATGATCCAAGTTGCCCTTGGGGTATAAACTTGACAGCAGAGGGCG
TTCAGGGTCCCTCAGCTGCAGTGTGAAGTGGGACACACAGGTGAGACTCCATCTGCCCTGGGC
AGGTTCCCTGAGCCTTGGGGGACCAGTTCACCTACATCCCAGGCTTCTGTTGTCCCTTGCCCTG
CCTGTAAGGAATAAAGTTGCTTTGCTTA

581/615

FIGURE 576

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA139608
><subunit 1 of 1, 80 aa, 1 stop
><MW: 8927, pI: 3.77, NX(S/T): 0
MIDLWLPALEFVLVALESLLLSPCPGTSSTLTRTFFPSLVSCVQVPFSWIPCLECFLIYFL
ILAEDVLQLFSGNANMQVNQ
```

Important features of the protein:**Signal peptide:**

Amino acids 1-29

Transmembrane domain:

Amino acids 47-62

N-myristoylation sites:

Amino acids 25-31

582/615

FIGURE 577

ATCGGTTAGCGCCTTGCCATGATTAATCCAGAGCTGCGGGATGGCAGAGCTGATGGCTTCATA
CATCGGATAGTTCCCAAGTTGATACAAAACCTGGAAGATTGGCCTTATGTGCTTCCTGAGTATT
ATTATTACTACAGTTTGCATTATTATGATAGCCACATGGTCCAAGCATGCTAAACCTGTGGCA
TGTTTCAGGGGACTGGCTTGGAGTGAGAGATAAGTGTTTCTATTTTTCTGATGATACCAGAAAT
TGGACAGCCAGTAAAATATTTTGTAGTTTGCAGAAAGCAGAACTTGCTCAGATTGATACACAA
GAAGACATGGAATTTTGAAGAGGTACGCAGGAACCTGATATGCACTGGATTGGACTAAGCAGG
AAACAAGGAGATTCTTGGAATGGACAAATGGCACCACATTCAATGGTTGGCCATCAAACCTCC
AAATGGTCTTGCAACTGGAGCCTCCGACAATGGCTTCTTCTGCTGGGACCCCTTAGATTAGGCC
TCTGAGGGAGCTCTGACTGCCGTTTCCCCAAAACAATGTCCCCTGTCAGCAGGAAGCAGTTAA
ATCAGTCTTCATCCTTATCCTTAATATAACGGCAGTTAGATGTACTTCTTTAGAGGGAGTAAA
TTTATCAATTCAGAGCAATTCATCCTCCTTTCCATCTTTGATTCACAGTTAATAGGCTATA
AATTTTGATAATGTAGAATAAACTACAGAAAACCTTCTTG

583/615

FIGURE 578

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA143292
><subunit 1 of 1, 160 aa, 1 stop
><MW: 18576, pI: 9.29, NX(S/T): 3
MINPELRDGRADGFIHRIVPKLIQNWKIGLMCFLSIIITTVCIIIMIATWSKHAKPVACSG
DWLGVRDKCFYFSDDTRNWTASKIFCSLQKAELAQIDTQEDMEFLKRYAGTDMHWIGLSR
KQGDSWKWTNGTTFNGWPSNSKWSCNWSLRQWLLLLGPLR
```

Important features of the protein:**Signal peptide:**

Amino acids 1-42

N-glycosylation sites:

Amino acids 78-82;130-134;146-150

N-myristoylation site:

Amino acids 131-137

584/615

FIGURE 579

TGAAGGCCTGTGAGTGAGGAATGCCTCTCACCAGCTGTGCCTGAGCTGCAGCACTCCAGCCAC
TGCTGTCTCCTTAGCTGCTCACAT**ATG**GATACTTTACAGTTCAGGATTCCACTGCAATGAGC
TGGTGGAGGAATAATTTCTGGATCATCTTAGCTGTGGCCATCATTGTTGTCTCTGTGGGCCTG
GGCCTCATCCTGTACTGTGTCTGTAAGTGGCAGCTTAGACGAGGCAAGAAATGGGAAATTGCC
AAGCCCCTGAAACACAAGCAAGTAGATGAAGAAAAGATGTATGAGAATGTTCTTAATGAGTCG
CCAGTTCAATTACCGCCTCTGCCACCGAGGAATTGGCCTTCTCTAGAAGACTCTTCCCCACAG
GAAGCCCCAAGTCAGCCGCCCGCTACATACTCACTGGTAAATAAAGTTAAAAATAAGAAGACT
GTTTCCATCCCAAGCTACATTGAGCCTGAAGATGACTATGACGATGTTGAAATCCCTGCAAAT
ACTGAAAAAGCATCATTT**TGA**AACAGCCATTTCTTCTTTTGGCAAACTGAAGAGGGTTCAC
ACAACCTATTTTAAAACAATCAAGAATGGTTGAACTTCAGTAGGTCTCTGGGCCCTGAAAGCC
AGTGGTGATTTTATGAAGCTCTATAAGATAAAGCACTTCCCAAACCTTAGATGAAGACACCCC
TGCGATCGGATGACTGCAGCCAGAGGAGACACATGGGTGCTCGGCTCTGAGGACTTAGAGGGG
TCAGCCTTGTGCTGTTGAGGAACTTTCCATGGGAAGGACCACGGGGCTCCATGGCTCCCACC
TGTGGGAACTACTCATTTCTTGGCATTCTTCCCCCTTCATTCCCTTTGGTTTGCATGGTTC
TGAGTGATATTAAATCTCAGCATTTGGTTGTGCAAAAAAAAAA

585/615

FIGURE 580

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA144844
><subunit 1 of 1, 145 aa, 1 stop
><MW: 16618, pI: 5.26, NX(S/T): 1
MDTFTVQDSTAMSWWRNFWIILAVAIIVSVGLGLILYCVCKWQLRRGKKWEIAKPLKH
KQVDEEKMYENVLNESPVQLPPLPPRNWPSLEDSSPQEAPSQPPATYSLVNKVKNKKTVS
IPSYIEPEDDYDDVEIPANTEKASF
```

Important features of the protein:**Signal peptide:**

Amino acids 1-35

Tyrosine kinase phosphorylation site:

Amino acids 61-70

Amidation site:

Amino acids 48-52

586/615

FIGURE 581

GGCCGCCTCCGCGGGGCTGTGGGAAGCTTGGGCTGTCCCAGGACCGTCAGTCTCCTCCTCTGA
CCCTCCCTTTCCCTTGTGTGTAGGGCCGCGTCCCACCCACCTCGCCGGAGTCCGGGGCG
GCCCCGGTGTCCCTCCGAGCCTGCTGCACTCCACGTCCCCCTACCAGGGGCTCCAGCCCCCAG
GGAAATCTCCGACCAGGCCCCGCCAGGAGCCAGATCCAGGCTCCTGGAAGAACCATGTCCGGC
AGCTACTGGTCATGCCAGGCACACACTGCTGCCAAGAGGAGCTGCTGTTTGAATTATCTGTG
AATGTTGGGAAGAGGAATGCCAGAGCTGCCGGCTGAAAATTACCCAACCAAGAGAAATCTGCAGG
ATGGACTTTCTGGTCCTCTTCTTGTTCACCTGGCTTCGGTGCTGATGGGTCTTGTTCTTATC
TGCGTCTGCTCGAAAACCCATAGCTTGAAAGGCCTGGCCAGGGGAGGAGCACAGATATTTTCC
TGTATAATTCAGAATGTCTTCAGAGAGCCGTGCATGGATTGCTTCATTACCTTTTCCATACG
AGAAACCACACCTTCATTGTCTGCACCTGGTCTTGCAAGGGATGGTTTATACTGAGTACACC
TGGGAAGTATTTGGCTACTGTCAGGAGCTGGAGTTGTCCTTGCAATTACCTTCTTCTGCCCTAT
CTGCTGCTAGGTGTAAACCTGTTTTTTTTTACCCTGACTTGTGGAACCAATCCTGGCATTATA
ACAAAAGCAAATGAATTATTATTTCTTCATGTTTATGAATTTGATGAAGTGATGTTTCCAAAG
AACGTGAGGTGCTCTACTTGTGATTTAAGGAAACCAGCTCGATCCAAGCACTGCAGTGTGTGT
AACTGGTGTGTGCACCGTTTTCGACCATCACTGTGTTTGGGTGAACAACCTGCATCGGGGCCTGG
AACATCAGGTACTTCCTCATCTACGTCTTGACCTTGACGGCCTCGGCTGCCACCGTCGCCATT
GTGAGCACCCTTTTCTGGTCCACTTGGTGGTGATGTCAGATTTATACCAGGAGACTTACATC
GATGACCTTGGACACCTCCATGTTATGGACACGGTCTTTCTTATTTCAGTACCTGTTCTGACT
TTTCCACGGATTGTCTTCATGCTGGGCTTTGTCGTGGTTCTGAGCTTCCTCCTGGGTGGCTAC
CTGTTGTTTGTCTGTATCTGGCGGCCACCAACCAGACTACTAACGAGTGGTACAGAGGTGAC
TGGGCCTGGTGCCAGCGTTGTCCCCTTGTGGCCTGGCCTCCGTCAGCAGAGCCCCAAGTCCAC
CGGAACATTCACCTCCATGGGCTTCGGAGCAACCTTCAAGAGATCTTTCTACCTGCCTTTCCA
TGTCATGAGAGGAAGAAACAAGAATGACAAGTGATGACTGCCTTTG

587/615

FIGURE 582

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA144857
><subunit 1 of 1, 344 aa, 1 stop
><MW: 39787, pI: 7.44, NX(S/T): 2
MDFLVLFYFLASVLMGLVLICVCSKTHSLKGLARGGAQIFSCIPECLQRAVHGLLHYL
FHTRNHTFIVLHLVLQGMVYTEYTWEVFGYCQELELSLHYLLLPYLLLGVNLFFFTLCG
TNPGIITKANELLFLHVYEFDEVMFPPKNVRCSTCDLRKPARSKHCSVCNWCVHRFDHHCV
WVNNCIGAWNIRYFLIYVLTLTASAATVAIVSTTFLVHLVVMSDLYQETYIDDLGHLHVM
DTVFLIQYLFLLTFPRIVFMLGFVVVLSFLLGGYLLFVLYLAATNQTNEWYRGDWAWCQR
CPLVAWPPSAEPQVHRNIHSHGLRSNLQEIFLPAFPCHERKKQE
```

Important features of the protein:**Signal peptide:**

Amino acids 1-29

Transmembrane domains:

Amino acids 100-116;201-217;256-275

N-glycosylation sites:

Amino acids 65-69;284-290

N-myristoylation sites:

Amino acids 32-38;77-83;120-126;322-328

Cell attachment sequence:

Amino acids 292-298

DHHC zinc finger domain:

Amino acids 140-204

588/615

FIGURE 583

CCGCGGAAC TGGCAGGCGTTTCAGAGCGTCAGAGGCTGCGGATGAGCAGACTTGGAGGACTCCAGGCCAGAGACT
AGGCTGGGCGAAGAGTCGAGCGTGAAGGGGGCTCCGGGCCAGGGTGACAGGAGGCGTGCTTGAGAGGAAGAAGTT
GACGGGAAGGCCAGTGCGACGGCAAATCTCGTGAACCTTGGGGGACGAATGCTCAGGATGCGGGTCCCCGCCCTC
CTCGTCCCTCTTCTGCTTCAGAGGGAGAGCAGGCCCCGTGCCCCATTTCCTGCAACAGCCAGAGGACCTGGTG
GTGCTGTGGGGGAGGAAGCCCCGCTGCCGTGTGCTCTGGGCGCCTACTGGGGGCTAGTTTCAGTGGACTAAGAGTGGG
CTGGCCCTAGGGGGCCAAAGGGACCTACCAGGGTGGTCCCGTACTGGATATCAGGGAATGCAGCCAATGGCCAG
CATGACCTCCACATTAGGCCCCGTGGAGCTAGAGGATGAAGCATCATATGAATGTCAGGCTACACAAGCAGGCCCTC
CGCTCCAGACCAGCCCAACTGCACGTGCTGGTCCCCCAGAAGCCCCCAGGTGCTGGGCGGCCCTCTGTGTCT
CTGGTTGCTGGAGTTCTTGCGAACCTGACATGTGCGAGCCGTGGGGATGCCCGCCCTACCCCTGAATTGCTGTGG
TTCCGAGATGGGGTCTTGTGGATGGAGCCACCTTTCATCAGACCTGCTGAAGGAAGGGACCCCTGGGTGAGTG
GAGAGCACCTTAACCTGACCCCTTTCAGCCATGATGATGGAGCCACCTTTGTCTGCCGGGCCCGGAGCCAGGCC
CTGCCCCAGGAAGAGACACAGCTATCACACTGAGCCTGCAGTACCCCCAGAGGTGACTCTGTCTGCTTCGCCA
CACACTGTGCAGGAGGAGAGAAGGTCATTTTCTGTGCCAGGCCACAGCCAGCCTCCTGTACAGGCTACAGG
TGGGCAAAAGGGGGCTCTCCGGTGCTCGGGGCCCGCGGGCCAAGGTTAGAGGTGCTGGCAGACGCCCTCGTTCCTG
ACTGAGCCCGTGTCTTGCAGGTGTCAGCAACGCCGTGGGTAGCGCCAACCGCAGTACTGCGCTGGATGTGCTGTTT
GGCCCGATTCTGCAGGCAAGCCGAGCCCGTGTCCGTGGAGCTGGGGGAAGACGCTTCCTTCAGTGCSCCTGG
CGCGGGAACCCGCTTCCACGGGTAACCTGGACCCGCCGCGGTGGCGCGCAGGTGCTGGGCTCTGGAGCCACACTG
CGTCTTCCGTCCGTGGGGCCCCGAGGACGCAGGCGACTATGTGTGCAGAGCTGAGGCTGGGCTATCGGGCCTGCGG
GGCGGCGCCGCGGAGGCTCGGCTGACTGTGAACGCTCCCCAGTAGTGACCGCCCTGCACTCTGCGCCTGCCTTC
CTGAGGGGCCCTGCTCGCCTCCAGTGTCTGGTTTTCGCTCTCCCGCCCCAGATGCCGTGGTCTGGTCTTGGGAT
GAGGGCTTCCTGGAGGCGGGTTCGAGGGCCGCTTCTGGTGGAGACATTCCTTGCCCCAGAGAGCCGCGGGGGA
CTGGGTCCGGGCTGATCTCTGTGCTACACATTTCCGGGACCCAGGAGTCTGACTTTAGCAGGAGCTTTAACTGC
AGTGGCCGGAACCGGCTGGGCGAGGGAGGTGCCAGGCCAGCCTGGGCGGTAGAGACTTGCTGCCACTGTGCGG
ATAGTGGCCGAGTGGCCGCTGCCACCACAACCTCTCCTTATGGTCATCACTGGGGTGGCCCTCTGCTGCTGGCGC
CACAGCAAGGCCTCAGCCTCTTTCTCCGAGCAAAAGAACCTGATGCGAATCCCTGGCAGCAGCGACGGCTCCAGT
TCACGAGGTCTGAAGAAGAGGAGACAGGCAGCCGCGAGGACCGGGGCCCATTTGTGCACACTGACCACAGTGAT
CTGGTTCTGGAGGAGGAAGGACTCTGGAGACCAAGGACCAACCAACGGTTACTACAAGTCCGAGGAGTCAGT
GTGAGCCTGAGCCTTGCGGAAGCCCCCTGGAGGAGTCTCTTCTGCCACCACCTCCCCCTTGGGCCCCAGGG
ACCCCTACCTTCTATGACTTCAACCCACACCTGGGCATGGTCCCCCCTGCAGACTTTACAGAGCCAGGGCAGGC
TATCTCACACACCCACCCCTCGAGCTTTCACAGCTACATCAAACCCACATCCTTTGGGCCCCAGATCTGGCC
CCCGGGACTCCCCCTTCCCATATGCTGCCTTCCCCACACCTAGCCACCCGCGTCTCCAGACTCACGTGTGACAT
CTTCCAATGGAAGAGTCTTGGGATCTCCAACCTTGCCATAATGGATTGTTCTGATTCTGAGGAGCCAGGACAAG
TTGGCGACCTTACTCCTCCAAAACCTGAACACAAGGGGAGGGAAAGATCATTACATTTGTGAGGAGCATTGTATA
CAGTCAGCTCAGCCAAAGGAGATGCCCCAAGTGGGAGCAACATGGCCACCCAATATGCCACCTATTCCCCGGTG
TAAAGAGATTCAAGATGGCAGGTAGGCCCTTTGAGGAGAGATGGGGACAGGGCAGTGGGTGTTGGGAGTTGGG
GCCGGGATGGAAGTTGTTTCTAGCCACTGAAAGAAGATATTTCAAGATGACCATCTGCATTGAGAGGAAAGGTAG
CATAGGATAGATGAAGATGAAGAGCATACCAGGCCACCCCTGGCTCTCCCTGAGGGGAACCTTGTCTCGGCCAAT
GGAAATGCAGCCAAGATGGCCATATACTCCCTAGGAACCAAAATGGCCACCATCTTGATTTTACTTTCTTAAA
GACTCAGAAAGACTTGGACCAAGGAGTGGGGATACAGTGAGATACCAGTGTGGGGCAAAATATTGGGATAA
AAATATTTATGTTTAAATAATAAAAAAAGTCAAAGAGAAAAAAA

589/615

FIGURE 584

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA145841
><subunit 1 of 1, 708 aa, 1 stop
><MW: 75093, pI: 6.65, NX(S/T): 3
MLRMRVPALLVLLFCFRGRAGPSPHFLQQPEDLVVLLGEEEARLPCALGAYWGLVQWTKSG
IALGGQRDLPGWSRYWISGNAANGQHDHLIRPVELEDEASYECQATQAGLRSRPAQLHVL
VPPEAPQVLGGPSVSLVAGVPANLTCRSRGDARPTPELLWFRDGVLLDGATFHQTLLKEG
TPGSVESTLTLPFSHDDGATFVCRARSQALPTGRDTAITLSLQYPPEVTLSASPHTVQE
GEKVIFLCQATAQPPVTGYRWAKGGSPVLGARGPRLEVADASFLETPVSCEVSNVAVGSA
NRSTALDVLFGPILQAKPEPVSDVGEDASFSCAWRGNPLPRVTWTRRGAQVLGSGATL
RLPSVGPEDAGDYVCRAEAGLSGLRGGAEEARLTVNAPPVVTALHSAPAFRLRGPRLQCL
VFASPADAVVWSWDEGFLEAGSQGRFLVETFPAPESRGGLGGLISVLHISGTQESDFS
RSFNCSARNRLGEGGAQASLGRRDLLPTVRIVAGVAAATTTLLMVITGVALCCWRHASKAS
ASFSEQKNLMRIPGSSDGSSSRGPEEEEETGSREDRGPVHTDHSDLVLEEEGTLETKDPT
NGYYKVRGVSVSLSLGEAPGGGLFLPPPSPLGPPGTPTFYDFNPHLGMVPPCRLYRARAG
YLTPHPRAFTSYIKPTSFGPPDLAPGTPPFYAAFPTPSHPRLQTHV
```

Important features of the protein:**Signal peptide:**

Amino acids 1-20

Transmembrane domain:

Amino acids 511-531

N-glycosylation sites:

Amino acids 143-147;301-305;484-488

N-myristoylation sites:

Amino acids 48-54;60-66;79-85;139-145;180-186;183-189;355-361;383-389;
387-393;460-466;473-479;494-500;495-501;514-520;528-534;
554-560;592-598;608-614

Amidation site:

Amino acids 500-504

Cell attachment sequence:

Amino acids 149-152

Multicopper oxidases signature 1:

Amino acids 445-466

Immunoglobulin domain:

Amino acids 326-377

590/615

FIGURE 585

GCCCCCCTGAGGAAGCCGTGTGCCTGGGATGCCAAGAGCCAGAGAATGGATCTTCTCCGAGTG
GGGACATTGCTGACAATCCCGGCTTCCCGAGGCGGCTAAGAACAGGCAGTTTGTGTGCGGCTGG
CTGCAGATACCCAGAGGCACAAAGAGACCGAAGCCACCCGGAGGGACCCACGGACGGACAGAT
GGTAGGCGCGAACCCGAGAGGACCGGCGGAGGCTGAGCACCGAGAGCCGCCAAGGAAGAGAAA
CTAACACAGCCAAGTTACCCCGCCGGCTTTCTTCTGCTGCGCTAAGGAATGAAACCCTTCCA
GCTCGATCTGCTCTTCTGCTGCTTCTTCTTCTCAGTCAAGAGCTGGGCCTCCAGAAGAGAGG
ATGCTGTCTGGTGCTGGGCTACATGGCCAAGGACAAGTTTCGGAGAATGAATGAAGGCCAAGT
CTATTCTTTCAGCCAGCAGCCCCAGGACCAGGTGGTGGTGTGCGGACAGCCAGTGACGCTACT
TTGCGCCATCCCCGAATACGATGGCTTCGTTCTGTGGATCAAGGACGGCTTGGCTCTGGGTGT
GGGCAGGGACCTCTCAAGTTACCCACAGTACCTGGTGGTAGGGAACCACCTGTCAGGGGAGCA
CCACCTGAAGATCCTGAGGGCAGAGCTGCAAGACGATGCGGTGTACGAGTGCCAGGCCATCCA
GGCCGCCATCCGCTCCCGCCCCGCACGCCTCACAGTCTTGGTGCCGCCTGATGACCCCGTCAT
CCTGGGGGGCCCTGTGATCAGCCTGCGTGCGGGGGACCCCTCTCAACCTCACCTGCCACGCAGA
CAATGCCAAGCCTGCAGCCTCCATCATCTGGTTGCGAAAGGGAGAGGTCATCAATGGGGCCAC
CTACTCCAAGACCCTGCTTCCGGGACGGCAAGCGGGAGAGCATCGTCAGCACCCCTCTTCATCTC
CCCTGGTGACGTGGAGAATGGCCAGAGCATCGTGTGTGCTGCCACCAACAAAGCCATCCCCGG
AGGAAAGGAGACGTGCGTCAACATTGACATCCAGCACCCCTCCACTGGTCAACCTCTCGGTGGA
GCCACAGCCAGTGCTGGAGGACAACGTGCTCACTTTCCACTGCTCTGCAAAGGCCAACCACAGC
TGTCACCCAGTACAGGTGGGCCAAGCGGGGCCAGATCATCAAGGAGGCATCTGGAGAGGTGTA
CAGGACCACAGTGGACTACACGTACTTCTCAGAGCCCCGTCTCCTGTGAGGTGACCAACGCCCTG
GGCAGCACCAACCTCAGCCGCACGGTTGACGTCTACTTTGGGCCCCGGATGACCACAGAACCC
CAATCCTTGCTCGTGGATCTGGGCTCTGATGCCATCTTCAGCTGCGCCTGGACCGGCCAACC
TCCCTGACCATCGTCTGGATGAAGCGGGGCTCCGGAGTGGTCCTGAGCAATGAGAAGACCCTG
ACCCTCAAATCCGTGCGCCAGGAGGACGCGGGCAAGTACGTGTGCGGGGCTGTGGTGCCCCGT
GTGGGAGCCGGGGAGAGAGAGGTGACCCTGACCGTCAATGGACCCCCCATCATCTCCAGCACC
CAGACCCAGCACGCCCTCCACGGCGAGAAGGGCCAGATCAAGTGCTTCATCCGGAGCACGCCG
CCGCCGGACCGCATCGCCTGGTCTGGAAGGAGAACGTTCTGGAGTCGGGCACATCGGGGCGC
TATACGGTGGAGACCATCAGCACCGAGGAGGGCGTCATCTCCACCCTGACCATCAGCAACATC
GTGCGGGCCGACTTCCAGACCATCTACAAGTGCACGGCCTGGAACAGCTTCGGCTCCGACACT
GAGATCATCCGGCTCAAGGAGCAAGGTTTCGGAATGAAGTCGGGAGCCGGGCTGGAAGCAGAG
TCTGTGCCGATGGCCGTATCATTTGGGGTGGCCGTAGGAGCTGGTGTGGCCTTCTCGTCTCTT
ATGGCAACCATCGTGGCGTTCTGCTGTGCCCGTTCCAGAGAAGTACGGGAGGGAGATCCGGG
ATCTCAGGGAGGGGGACAGAGAAAAAGGCCAGGCTTAGGCTGCCCCGGAGAGCAAGTAAGCAG
GAGTGCAATGAACAGGGGTCTTAACAGTGTGTGAGCTCCTGGGGCAGGGAGTGGGTCTGATG
CATCGGTGTATGTGAGCCTGGGCAACATGGCGCCTGGCAGAGTGGGCGCTAGGCTGAGGTTGA
CCTGGACTAGACTGAACTTCATCTGCAGGGCAGCCAGCATTTTGGATTGAACACATAGCTCTT
TCAGTCAGGAACTGTACAGAAAGATAGGGGGAAAAGCGGTTTGTGGTTTGTATCCTTGCTCTAC
AAGAGCTGTAGTCTAGAGAGACCCCATCTCTACAACAAAATAAAATAAAGAGCTGCTAGTC
TCACCAGAAAAGCAGGTCACTCACACAGCTGTGGGGGAGTGGGTGGGGAAGCAATAAAGGAAT
TGCTTTGAGAAAACCTTAA

591/615

FIGURE 586

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA148004
><subunit 1 of 1, 600 aa, 1 stop
><MW: 65308, pI: 8.35, NX(S/T): 5
MKPFQLDLLFVCFLLFSQELGLQKRGCCVLVGYMAKDKFRRMNEGQVYSFSQQPQDQVVV
SGQPVTLLCAIPEYDGFVLWIKDGLALGVGRDLSSYPQYLVVGNHLSGEHHLKILRAELQ
DDAVYECQAIQAAIRSRPARLTVLVPPDDPVILGGPVISLRAGDPLNLTCHADNAKPAAS
IIWLRKGEVINGATYSKTLLRDGKRESIVSTLFI SPGDVENGQSIVCRATNKAIPGGKET
SVTIDIQHPPLVNLSVEPQPVLEDNVVTFHCSAKANPAVTQYRWAKRGQIIKEASGEVYR
TTVDYTYFSEPVSCVETNALGSTNLSRTVDVYFGPRMTTEPQSLLVLDLGSDAIFSCAWTG
NPSLTIVWMKRGSGVVL SNEKTLTLKSVRQEDAGKYVCRAVVP RVGAGEREVTTLTVNGPP
IISSTQTQHALHGEKGQIKCFIRSTPPPDRIAWSWKENVLES GTSGRYTVETISTEEGVI
STLTISNIVRADFQTIYNCTAWNSFGSDTEIIRLKEQGSEMKGAGLEAESVPM AVIIGV
AVGAGVAFLVLMATIVAFCCARSQRSTGGRSGISGRGTEKKARLRLPRRASKQECNEQGS
```

Important features of the protein:**Signal peptide:**

Amino acids 1-17

Transmembrane domain:

Amino acids 534-555

N-glycosylation sites:

Amino acids 167-171;253-257;324-328;498-502

Glycosaminoglycan attachment sites:

Amino acids 523-527;574-578

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 204-208;370-374;588-592

Tyrosine kinase phosphorylation sites:

Amino acids 40-49;300-308;389-397

N-myristoylation sites:Amino acids 45-51;62-68;84-90;103-109;192-198;236-242;
374-380;436-442;478-484;539-545;543-549;
568-574**Amidation site:**

Amino acids 202-206

Leucine zipper pattern:

Amino acids 8-30

592/615

FIGURE 587

CAAAAAAGGAGCATGTCTTCATCCATGAGAGGCCTCGAAAAATCAATGGTATTTGCATTTCTC
CCAAGAAGGTTGCTTGCCAAAACCTTTCGGCCATTTTCTGCTTTCAGAGTGAGACAAAGTTCA
AAATGACAGTCTGTCAGCTCATTGAAGGCACTAGATACCCTGCCTGCAGGTACCACTATTCCC
CCACAGAGGGGTTTGTCTTGTCACTTGTGATGACTTGAGGCCAGATAGTTTCCTTGGCTATG
TTAAATAACTCAAGATCAGCTACCGAGTCTGAGATCTCTTCTCTCATGGCATTGGAGCTGGCT
GTGCCTGAGGCAGACCTGGACCGTGGACATGGGGCAATGCCTTGAGCGGAAGGGGAAGCCACT
GAATTTTGGGTGTCACCAGGTAAACAGAGCCCTCAGCATCTGAATAGAACTGAACAGGAACA
GAAGAGATTACACTACATCTGAGATGGAGACCTTTCCTCTGCTGCTGCTCAGCCTGGGCCTGG
TTCTTGCAGAAGCATCAGAAAGCACAAATGAAGATAATTAAAGAAGAATTTACAGACGAAGAGA
TGCAATATGACATGGCAAAAAGTGGCCAAGAAAAACAGACCATTGAGATATTAATGAACCCGA
TCCTGTTAGTTAAAAATACCAGCCTCAGCATGTCCAAGGATGATATGTCTTCCACATTACTGA
CATTCAGAAGTTTACATTATAATGACCCCAAGGGAAACAGTTCGGGTAATGACAAAGAGTGTT
GCAATGACATGACAGTCTGGAGAAAAGTTTCAAGCAAAACGGATCGTGCAAGTGGAGCAATA
ACTTCATCCGCAGCTCCACAGAAGTGATGCGCAGGGTCCACAGGGCCCCCAGCTGCAAGTTTGTA
CAGAATCCTGGCATAAGCTGCTGTGAGAGCCTAGAACTGGAAAATACAGTGTGCCAGTTCACT
ACAGGCAAACAATTCCCCAGGTGCCAATACCATAGTGTTACCTCATTAGAGAAGATATTGACA
GTGCTGACAGGTCATTCTCTGATGAGCTGGTTAGTTTGTGGCTCTAAGTTGTAAATCCCACAG
AGCTTTAGGACTAGGGTCTTACTAAAGAAGGACCTCTTCTTGTTTATTCTTGTGTTAAACCTTT
CCTTAATATCTACTCTTTAGCACTATAGTGAATCCTGATTATTTATTCTAACTGGAGGAGTG
AAAAATCCAAAATTGTGGATAATTCAATTAAAAGTTATGACTGATACCG

593/615

FIGURE 588

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA149893
><subunit 1 of 1, 199 aa, 1 stop
><MW: 22427, pI: 6.46, NX(S/T): 3
METFPLLLLSLGLVLAEESESTMKIIKEEFTDEEMQYDMAKSGQEKQTIEILMNPILLVK
NTSLMSKDDMSSTLLTFRSLHYNDPKGNSSGNDKECCNDMTVWRKVSEANGSCKWSNNF
IRSSTEVMRRVHRAPSCKFVQNPGISCCESLELENTVCQFTTGKQFPRCQYHSVTSLEKI
LTVLTGHSLMSWLVCGSKL

Important features of the protein:**Signal peptide:**

Amino acids 1-16

N-glycosylation sites:

Amino acids 61-65;89-93;111-115

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 105-109

N-myristoylation sites:

Amino acids 12-18;88-94;144-150

Microbodies C-terminal targeting signal:

Amino acids 197-201

594/615

FIGURE 589

CAGTCCTGCCGGGACGGTGAGCGCATTTCAGCACCCCTGGACAGCACCGCGGTTGCGCTGCCTCC
AGGGCGGCCCCGGGCTGCTCCTGCTCCGCAGAGCTACGCCCTCCCCCGGGTGCCCCGGACCC
TGCACTTGCCGCCGCTTTCCTCGCGCTGCTCTGGACCTTGCTAGCCGGCTCTGCACCTCCCAG
AAGCCGTGGGCGCGCCGCTCAGCTGCTCCATCGCCTCACTTCCCAGGCTCGCGCCCGAAGCA
GAGCCATGAGAACCCAGGGTGCCTGGCGAGCCGCTAGCGCCATGGGGCCCCGGCGAGGCGCTG
CTGGCGGGTCTCCTGGTGATGGTACTGGCCGTGGCGCTGCTATCCAACGCACTGGTGCTGCTT
TGTTGCGCCTACAGCGCTGAGCTCCGCACTCGAGCCTCAGGCGTCTCCTGGTGAATCTGTCT
CTGGGCCACCTGCTGCTGGCGGCGCTGGACATGCCCTTCACGCTGCTCGGTGTGATGCGCGGG
CGGACACCGTCGGCGCCCCGGCGCATGCCAAGTCATTGGCTTCCTGGACACCTTCCTGGCGTCC
AACGCGGCGCTGAGCGTGGCGGCGCTGAGCGCAGACCAGTGGCTGGCAGTGGGCTTCCCACTG
CGCTACGCCGGACGCCTGCGACCGCGCTATGCCGGCCTGCTGCTGGGCTGTGCCTGGGGACAG
TCGCTGGCCTTCTCAGGCGCTGCACTTGGCTGCTCGTGGCTTGGCTACAGCAGCGCCTTCGCG
TCCTGTTGCTGCGCCTGCCGCCCCGAGCCTGAGCGTCCGCGCTTCGCAGCCTTCACCGCCACG
CTCCATGCCGTGGGCTTCGTGCTGCCGCTGGCGGTGCTCTGCCTCACCTCGCTCCAGGTGCAC
CGGGTGGCACGCAGACACTGCCAGCGCATGGACACCGTCACCATGAAGGCGCTCGCGCTGCTC
GCCGACCTGCACCCCAGTGTGCGGCAGCGCTGCCTCATCCAGCAGAAGCGGCGCCGCCACCGC
GCCACCAGGAAGATTGGCATTGCTATTGCGACCTTCCTCATCTGCTTTGCCCCGTATGTCATG
ACCAGGCTGGCGGAGCTCGTGCCCTTCGTACCGTGAACGCCAGTGGGGCATCCTCAGCAAG
TGCCTGACCTACAGCAAGGCGGTGGCCGACCCGTTACGTACTCTCTGCTCCGCCGGCCGTTT
CGCCAAGTCCTGGCCGGCATGGTGCACCGGTGCTGAAGAGAACCCCGCGCCAGCATCCACC
CATGACAGCTCTCTGGATGTGGCCGGCATGGTGCACCAGCTGCTGAAGAGAACCCCGCGCCCA
GCGTCCACCCACAACGGCTCTGTGGACACAGAGAATGATTCTGCCTGCAGCAGACACACTGA
GGGCCTGGCAGGGCTCATCGCCCCACCTTCTAAGAAGCCCTGTGGAAAGGGCACTGGCCCTG
CCACAGAGATGCCACTGGGGACCCCCAGACACCAGTGGCTTGACTTTGAGCTAAGGCTGAG

595/615

FIGURE 590

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA149930
><subunit 1 of 1, 363 aa, 1 stop
><MW: 39332, pI: 10.42, NX(S/T): 3
MGPGEALLAGLLVMVLAVALLSNALVLLCCAYSAELRTRASGVLLVNLSLGHLLLAALDM
PFTLLGVMRGRTPSAPGACQVIGFLDTFLASNAALSVAALSADQWLAVGFPLRYAGRLRP
RYAGLLLGCAWGQSLAFSGAALGCSWLGYSSAFASCSLRLPPEPERPRFAAFTATLHAVG
FVLPLAVLCLTSLQVHRVARRHCQRM DVTM KALALLADLHPSVRQRCLIQKRRRHRAT
RKIGIAIATFLICFAPYVMTRLAELVPFVTVNAQWGILSKCLTYSKAVADPFTYSLLRP
FRQVLAGMVHRLKRTPRPASTHDSSLDVAGMVHQLLKRTPRPASTHNGSVDTENDSCLQ
QTH
```

Important features of the protein:**Signal peptide:**

Amino acids 1-24

Transmembrane domains:

Amino acids 46-60;85-103;130-150;175-192;246-264

N-glycosylation sites:

Amino acids 47-51;348-352;355-359

Tyrosine kinase phosphorylation site:

Amino acids 286-295

N-myristoylation sites:Amino acids 66-72;124-130;128-134;132-138;139-145;244-250;
349-355**G-protein coupled receptor proteins:**

Amino acids 72-112

7 transmembrane receptor (rhodopsin family):

Amino acids 22-294

596/615

FIGURE 591

AAC**ATG**GCTGCGGCGCCTGGGCTGCTCGTCTGGCTGCTCGTGCTCCGGCTGCCCTGGCGGGTG
CCGGGCCAGCTGGACCCCAGCACTGGCCGGCGGTTCTCGGAGCACAACTCTGCGCGGACGAC
GAATGCAGCATGATGTACCGGGTGAGGCTCTTGAAGATTTACAGGCCCGGATTGTCGTTTT
GTGAATTTTAAAAAAGGTGATCCTGTATATGTTTACTATAAACTGGCAAGAGGATGGCCTGAA
GTTTGGGCTGGAAGTGTTGGACGCACTTTTGGATATTTTCCAAAAGATTTAATCCAGGTAGTT
CATGAATATACCAAAGAAGAGCTACAAGTTCCAACAGATGAGACGGATTTTGTGTTGTTTGAT
GGAGGAAGAGATGATTTTCATAATTATAATGTAGAAGAACTTTTAGGGTTTTTGGAAGTGTAC
AATTCTGCAGCTACAGATTCTGAGAAAGCTGTAGAAAAAACTTTACAGGATATGGAAAAAAAC
CCTGAATTATCTAAGGAAAGGGAACCTGAACCTGAACCAGTAGAAGCCAACCTCAGAGGAAAGT
GATAGTGTATTCTCAGAAAACACTGAGGATCTTCAGGAACAGTTTACAACCTCAGAAGCACCAC
TCCCATGCAAACAGCCAAGCAAATCATGCTCAGGGAGAGCAGGCTTCATTTGAATCTTTTGAA
GAAATGCTGCAAGATAAACTAAAAGTGCCAGAAAGTGAAAACAACAAAACCAGCAATAGTTCT
CAGGTCTCAAATGAACAGGATAAGATTGATGCCTATAAACTTTTGAAAAAGAAATGACTCTA
GACTTGAAAACCAAATTTGGCTCAACAGCTGATGCACCTGTATCTGATGATGAGACAACCAGA
CTCGTTACTTCATTAGAAGATGATTTTGATGAGGAATTGGATACTGAGTATTATGCAGTTGGA
AAGGAAGATGAGGAGAACCAAGAAGACTTTGATGAGTTGCCATTACTTACCTTTACAGATGGG
GAAGATATGAAAACCTCAGCAAAGTCTGGCGTTGAGAAATATCCAACAGATAAAGAGCAGAAT
TCAAATGAAGAGGACAAGGTTTCTGCTAAGTGTGCCCCCTGGCATCAAAAATGATGATAAAAT
ATACTAACAACCTGGGGGGACACTATCTTCTCTATTGTACAGGAGGTGAAGAAACAAGAGAT
ACGATGGATTTTAGAGAGCTCTAGTTCAGAGGAAGAAAAAGAGATGATGATGATGCATTAGTC
CCAGATAGCAAACAGGGGAAACCACAGTCAGCAACAGATTATAGTGACCCTGACAATGTAGAT
GATGGTCTTTTTATTGTAGACATTCCTAAAACAAATAATGACAAAGAAGTAAACGCAGAACAT
CACATTAAAGGAAAAGGGAGGGGAGTTTCAAGGAATCCAAGAGGGGCCTGGTACAAGATGAGACA
GAATTAGAGGATGAAAATCAAGAAGGCTTTAAAACAGAGCCCATAAACTAT**TGA**CCCTCTGAGG
TTTCATTGGAAAGAAAGTGTACTGTGCATTATCCATTACAGTAAAGGATTTTATTGGCTTCAA
AATCCAAAAGTTTATTTTAAAAGGTTTGTGTTAGAACTAAGCTGCCTTGGCAGTGTGCATTT
TTGAGCCAAACAATTCAAAAATGTCATTTCTTCCCTAAATAAAAATCACCTTTTAAAGCTAGAG
CGTCCTTACAACCTTTGAAATGTGCAATAAAGAATACCTGTGTTTTAGCTAATGTAGCATATGT
AATTGCAAAATGATTTAGAATGTGATGAAAAATATGAACATTTCTGTGGAAATGCTTTAAGA
ACATGTATTTCCATTATCCTATTTTTAGTGTACACCAGCTGAATACGGAGCAATGGTGTATTAT
AAGCGTTTTTTTTAACTATCTGGTCACAAAGACTGTTACGCTAAAAATGTTTACTAAAAGATC
ACTAACTATCTCCCTCTTGCTGAAGTTCTTTGTAGTAATAGCTCATAAAAATTTGTTTATT
AATATTTAAAAA

597/615

FIGURE 592

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA150157
><subunit 1 of 1, 499 aa, 1 stop
><MW: 56471, pI: 4.31, NX(S/T): 2
MAAAPGLLVWLLVLRPLPWRVPGQLDPSTGRRFSEHKLCADDECSMMYRGEALEDFTGPDC
RFVNFKKGDPVYVYYKLARGWPEVWAGSVGRTFGYFPKDLIQVVHEYTKHEELQVPTDETD
FVCFDGGRRDDFHNYNVEELLGFLELYNSAATDSEKAVEKTLQDMEKNPELSKEREPEPEP
VEANSEESDSVFSSENTEDLQEQTFTQKHHSHANSQANHAQQEQASFESFEEMLQDKLKVP
ESENKTSNSSQVSNEQDKIDAYKLLKKEMTLDLKTKEFGSTADALVSDDETTRLVTSLED
DFDEELDTEYYAVGKEDEENQEDFDELPLLTFTDGEDMKTPAKSGVEKYPTDKEQNSNEE
DKVQLTVPPGIKNDDKNILTTWGDITFSIVTGGEETRDTMDLESSSSEEEKEDDDDALVP
DSKQKGKQSATDYSDDPDNVDDGLFIVDIPKTNNKEVNAAEHKKGKGRGVQESKRGLVQD
ETELDENQEGFKTEPIKL
```

Important features of the protein:**Signal peptide:**

Amino acids 1-22

N-glycosylation sites:

Amino acids 245-249;249-253

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 30-34

Tyrosine kinase phosphorylation site:

Amino acids 66-72

N-myristoylation sites:

Amino acids 392-398;469-475

Amidation site:

Amino acids 28-32

Aminoacyl-transfer RNA synthetases class-II signature 1:

Amino acids 47-70

598/615

FIGURE 593

GGGCCAGTAGAGTGTGTCTGGGTCAGCTGAGTGACTACATCAAAGCTCCCAGCCTTGAAAAAC
ACATGCTGTTCCCAGGCCTCAAGATATTGAAACATTAATTAGATAATTTAAAGTAGCGTTTTTC
TTCTACAATGTCTGAAGAAGTGACCTACGCGACACTCACATTTTCAGGATTCTGCTGGAGCAAG
GAATAACCGAGATGGAAATAACCTAAGAAAAAGAGGGCATCCAGCTCCATCTCCCATTTGGCG
TCATGCTGCTCTGGGCTCTGGTAACTCTTTGCCTGATGTTGCTGATTGGGCTGGTGACGTTGGG
GATGATGTTTTTGCAGATATCTAATGACATTAACTCAGATTTCAGAGAAATTGAGTCAACTTCA
GAAAACCATCCAACAGCAGCAGGATAACTTATCCCAGCAACTGGGCAACTCCAACAACCTGTC
CATGGAGGAGGAATTTCTCAAGTCACAGATCTCCAGTCTACTGAAGAGGCAGGAACAAATGGC
CATCAAACCTGTGCCAAGAGCTAATCATTCATACTTCAGACCACAGATGTAATCCATGTCCTAA
GATGTGGCAATGGTACCAAAATAGTTGCTACTATTTTACAACAAATGAGGAGAAAACCTGGGC
TAACAGTAGAAAGGACTGCATAGACAAGAACTCCACCCTAGTGAAGATAGACAGTTTGGAAGA
AAAGGATTTTCTTATGTCACAGCCATTACTCATGTTTTTCGTTCTTTTGGCTGGGATTATCATG
GGACTCCTCTGGCAGAAGTTGGTTCTGGGAAGATGGCTCTGTCCCTCTCCATCCTTGTAACGT
CTCTAACTATTGAGGGTAAACACAAGCTTTCCATGGAATCCTGGGAAAATTAATAATGATTGT
GAGAATTATAAATACAGACATAAAAAGAGGAGTACAACATACTGAGAAAAGAGCTCCAGTAAC
AAATATTGAAAGGAGATTTAGTACTAAAGAACTTGACCAGATCAATGGATCCAAGGATGTGC
TTATTTTCAAAAAGGAAATATTTATATTTCTCGCTGTAGTGCTGAAATTTTTTGGATTGCGA
GAAGACAGCTGCCCCAGTGAAGACTGAGGATTTGGATTAGTATGCTTCTTCCAAATTCTCCAA
GAAGTAAGAGACTTGTGAGTAAGCTCATATGAGGAAAGAGGAACTACGGTACCAGAGCAAGG
CGAATTCTGCA

599/615

FIGURE 594

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA150163
><subunit 1 of 1, 232 aa, 1 stop
><MW: 26754, pI: 5.80; NX(S/T): 3
MSEEVTYATLTFQDSAGARNNRDGNLRLRGHPAPSPIWRHAALGLVTLCIMLLIGLVTL
GMMFLQISNDINSDEKLSQLQKTIQQQDNLSQQLGNSNNLSMEEEFLLKSQISSLLKRO
EQMAIKLCQELIIHTSDHRCNPCPKMWQWYQNSCYFFTTNEEKTWANSRKDCIDKNSTLV
KIDSLEEKDFLMSQPLLMFSFFWLGLSWDSSGRSWFWEDGSVPSPSLYVSNY
```

Important features of the protein:**Transmembrane domain:**

Amino acids 42-62

N-glycosylation sites:

Amino acids 91-95;101-105;176-180

N-myristoylation sites:

Amino acids 17-23;97-103

600/615

FIGURE 595

CGGACGCGTGGGGAAGAGGAGGAGGAGGAAGAAGACGTGGACAAGGACCCCCATCCTACCCAG
AACACCTGCCTGCGCTGCCGCCACTTCTCTTTAAGGGAGAGGAAAAGAGAGCCTAGGAGAACC
ATGGGGGGGCTGCGAAGTCCGGAATTTCTTTTGCAATTTGGTTTCTTCTTGCCATATGCTGACA
GCGTGGCCAGGCGACTGCAGTCACGTCTCCAACAACCAAGTTGTGTTGCTTGATACAACAAC
GTACTGGGAGAGCTAGGATGGAAAACATATCCATTAAATGGGTGGGATGCCATCACTGAAATG
GATGAACATAATAGGCCCATTCACACATAACAGGTATGTAATGTAATGGAACCAACCAAAAC
AACTGGCTTCGTACAAACTGGATCTCCCGTGATGCAGCTCAGAAAATTTATGTGGAAATGAAA
TTCACACTAAGGGATTGTAACAGCATCCCATGGGTCTTGGGGACTTGCAAAGAAACATTTAAT
CTGTTTTATATGGAATCAGATGAGTCCCACGGAATTAAATTCAAGCCAAACCAGTATACAAAG
ATCGACACAATTGCTGCTGATGAGAGTTTTACCCAGATGGATTGGGTGATCGCATCCTCAA
CTCAACACTGAAATTCGTGAGGTGGGGCCTATAGAAAGGAAAGGATTTTATCTGGCTTTTCAA
GACATTGGGGCGTGCATTGCCCTGGTTTCAGTCCGTGTTTTCTACAAGAAATGCCCCCTTCACT
GTTTCGTAACCTTGGCCATGTTTCCTGATACCATTCCAAGGGTTGATTCCTCCTCTTTGGTTGAA
GTACGGGGTTCTTGTGTGAAGAGTGCTGAAGAGCGTGACACTCCTAAACTGTATTGTGGAGCT
GATGGAGATTGGCTGGTTCCTCTTGGAAGGTGCATCTGCAGTACAGGATATGAAGAAATTGAG
GGTTCTTGCCATGGAGCCTCCAAGGCCGCTGCTT**CTAG**TTGGCCATCTTGGCCCCACCCGA
AACAGTAACCTTTGAAGAATAAAAGAAAAAGCAAAAGAGTAGCATTACTAAAATATTAAACGG
TTACATTTACAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

601/615

FIGURE 596

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA153579
><subunit 1 of 1, 285 aa, 1 stop
><MW: 32368, pI: 5.32, NX(S/T): 0
MGGCEVREFLLQFGFFLPMLTAWPGDCSHVSNNQVVLLDTTTLGELGWKTYPLNGWDAI
TEMDEHNRPIHTYQVCNVMEPNQNNWLRTNWISRDAAQKIYVEMKFTLRDCNSIPWVLGT
CKETFNLFYMESDESHGIKFKPNQYTKIDTIAADESFTQMDLGDRILKLNTEIREVGPIE
RKGFYLAQDQIGACIALVSVRVFYKKCPFTVRNLAMFPDTIPRVDSSSLVEVRGSCVKSA
EERDTPKLYCGADGDWLVPLGRCICSTGYEEIEGSCHGASKGRCF
```

Important features of the protein:**Signal peptide:**

Amino acids 1-22

N-myristoylation sites:

Amino acids 192-198;274-280;278-284

Receptor tyrosine kinase class V signature 1:

Amino acids 192-209

Ephrin receptor ligand binding domain:

Amino acids 34-207

602/615

FIGURE 597

ACACTGGCCAAACAAAAACGAAAGCACTCCGTGCTGGAAGTAGGAGGAGAGTCAGGACTCCCA
GGACAGAGAGTGCACAACTACCCAGCACAGCCCCCTCCGCCCCCTCTGGAGGCTGAAGAGGG
ATTCCAGCCCCTGCCACCCACAGACACGGGCTGACTGGGGTGTCTGCCCCCTTGGGGGGGG
CAGCACAGGGCCTCAGGCCTGGGTGCCACCTGGCACCTAGAAGATGCCTGTGCCCTGGTTCTT
GCTGTCTTGCACTGGGCGCAAGCCCAGTGGTCTTTCTCTGGAGAGGCTTGTGGGGCCTCA
GGACGCTACCCACTGCTCTCCGGGCCTCTCCTGCCGCCTCTGGGACAGTGACATACTCTGCCT
GCCTGGGGACATCGTGCTGCTCCGGGCCCCGTGCTGGCGCCTACGCACCTGCAGACAGAGCT
GGTGCTGAGGTGCCAGAAGGAGACCGACTGTGACCTCTGTCTGCGTGTGGCTGTCCACTTGGC
CGTGCAATGGGCACTGGGAAGAGCCTGAAGATGAGGAAAAGTTTGGAGGAGCAGCTGACTCAGG
GGTGGAGGAGCCTAGGAATGCCTCTCTCCAGGCCCAAGTCGTGCTCTCCTTCCAGGCCTACCC
TACTGCCCCGCTGCGTCTGCTGGAGGTGCAAGTGCCTGCTGCCCTTGTGCAGTTTGGTCAGTC
TGTGGGCTCTGTGGTATATGACTGCTTCGAGGCTGCCCTAGGGAGTGAGGTACGAATCTGGTC
CTATACTCAGCCCAGGTACGAGAAGGAACTCAACCACACACAGCAGCTGCCTGCCCTGCCCTG
GCTCAACGTGTGACGAGATGGTGACAACGTGCATCTGGTTCTGAATGTCTCTGAGGAGCAGCA
CTTCGGCCTCTCCCTGTACTGGAATCAGGTCCAGGGCCCCCAAACCCCGGTGGCACAATA
CCTGACTGGACCGCAGATCATTACCTTGAACCACACAGACCTGGTTCCCTGCCTCTGTATTCA
GGTGTGGCCTCTGGAACCTGACTCCGTTAGGACGAACATCTGCCCTTCAGGGAGGACCCCCG
CGCACACCAGAACCTCTGGCAAGCCGCCGACTGCGACTGCTGACCCTGCAGAGCTGGCTGCT
GGACGCACCGTGTCTGCTGCCCGCAGAAGCGGCACTGTGCTGGCGGGCTCCGGGTGGGGACCC
CTGCCAGCCACTGGTCCCACCGCTTTCCTGGGAGAACGTCACTGTGGACAAGGTTCTCGAGTT
CCCATTGCTGAAAGGCCACCCTAACCTCTGTGTTTCAGGTGAACAGCTCGGAGAAGCTGCAGCT
GCAGGAGTGCTTGTGGGCTGACTCCCTGGGGCCTCTCAAAGACGATGTGCTACTGTTGGAGAC
ACGAGGCCCCCAGGACAACAGATCCCTCTGTGCCTTGAACCCAGTGGCTGTACTTCACTACC
CAGCAAAGCCTCCACGAGGGCAGCTCGCCTTGGAGAGTACTTACTACAAGACCTGCAGTCAGG
CCAGTGTCTGCAGCTATGGGACGATGACTTGGGAGCGCTATGGGCCTGCCCCATGGACAAATA
CATCCACAAGCGCTGGGGCCCTCGTGTGGCTGGCCTGCCTACTCTTTGCCGCTGCGCTTTCCT
CATCCTCCTTCTCAAAAAGGATCACGCGAAAGGTGGCTGAGGCTCTTGAAACAGGACGTCCG
CTCGGGGGCGGGCCGAGGGCCGCGCGGCTCTGCTCCTCTACTCAGCCGATGACTCGGGTTT
CGAGCGCTTGGTGGGCGCCCTGGCGTCCGCCCTGTGCCAGCTGCCGCTGCGCGTGGCCGTAGA
CCTGTGGAGCCGTCTGTAAGTGAAGCGCGCAGGGGGCCGTTGGCTTGGTTTACGCGCAGCGGCG
CCAGACCTTGCAGGAGGGCGGCGTGGTGGTCTTGCTCTTCTCTCCCGGTGCGGTGGCGCTGTG
CAGCGAGTGGCTACAGGATGGGGTGTCCGGGCCCCGGGCGCACGGCCCCGACGACGCTTCCG
CGCCTCGCTCAGCTGCGTGTGCCCCGACTTCTTGCAGGGCCGGGCGCCCCGGCAGCTACGTGGG
GGCCTGCTTCGACAGGCTGCTCCACCCGGACGCGGTACCCGCCCTTTTCCGCACCGTGCCCGT
CTTACACTGCCCTCCCACTGCCAGACTTCTTGGGGGCCCTGCAGCAGCCTCGCGCCCCGCG
TTCCGGGCGGCTCCAAGAGAGAGCGGAGCAAGTGTCCCGGGCCCTTCAGCCAGCCCTGGATAG
CTACTTCCATCCCCCGGGGACTCCCGCGCCGGGACGCGGGGTGGGACCAGGGGCGGGACCTGG
GGCGGGGACGGGACTTAAATAAAGGCAGACGCTGTTTTTCTAAAAAA

603/615

FIGURE 598

```
></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA164625
><subunit 1 of 1, 705 aa, 1 stop
/><MW: 76970, pI: 6.00, NX(S/T): 9
MPVPWFLLSLALGRSPVVLRLVGPQDATHCSPGLSCRLWDSILCLPGDIVPAPGP
VLAPTHLQTELVLRCQKETDCDLCLRVAVHLAVHGHWEPEDEEKFGGAADSGVEEPRN
ASLQAQVVLSEFQAYPTARCVLLEVQVPAALVQFGQSVGQSVVYDCFEAALGSEVRIWSYT
QPRYEKELNHTQQLPALPWLNVADGDNVHLVLNVSEEQHFGLSLYWNQVQGPCKPRWH
KNLTGPGQIITLNHTDLVPCLCIQVWPLEPDSVRTNICPFREDPRAHQNLWQAARLRLLT
LQSWLLDAPCSLPAAEALCWRAPGGDPCQPLVPPLSWENVTVDKVLEFPPLKGHPNLCV
QVNSSEKLQLOECLWADSLGPLKDDVLLLETRGPQDNRSLEPSGCTSLPSKASTRA
ARLGEYLLQDLQSGQCLQWDDDLGALWACPMCKYIHKRWALVWLACLLFAAALSLILL
LKKDHAKGWLRLLLKQDVRSGAAARGRAALLLYSADDSGFERLVGALASALCQLPLRVAV
DLWSRRELSAQGPVAFWFAQRRQTLQEGGVVLLFSPGAVALCSEWLQDGVSGPGAHGP
HDAFRASLSCVLPDFLQGRAPGSYVGACFDRLHPDAVPALFRTVPVFTLPSQLPDFLG
ALQQPRAPRSGRLQERAEQVSRALQPALDSYFHPPGTPAPGRGVGPGAGPGAGDGT
```

Important features of the protein:**Signal peptide:**

Amino acids 1-20

Transmembrane domain:

Amino acids 453-473

N-glycosylation sites:Amino acids 118-122;186-190;198-202;211-215;238-242;
248-252;334-338;357-360;391-395;**Glycosaminoglycan attachment site:**

Amino acids 583-587

cAMP- and cGMP-dependent protein kinase phosphorylation site:

Amino acids 552-556

N-myristoylation sites:Amino acids 107-113;152-158;319-325;438-444;516-522;612-618;
692-698;696-702;700-706

604/615

FIGURE 599

GGTCCTTAATGGCAGCAGCCGCCGCTACCAAGATCCTTCTGTGCCTCCCGCTTCTGCTCCTGC
TGTCCGGCTGGTCCCGGGCTGGGCGAGCCGACCCTCACTCTCTTTGCTATGACATCACCGTCA
TCCCTAAGTTCAGACCTGGACCACGGTGGTGTGCGGTTCAAGGCCAGGTGGATGAAAAGACTT
TTCTTCACTATGACTGTGGCAACAAGACAGTCACACCTGTCAGTCCCCTGGGGAAGAACTAA
ATGTCACAACGGCCTGGAAAGCACAGAACCCAGTACTGAGAGAGGTGGTGGACATACTTACAG
AGCAACTGCGTGACATTCAGCTGGAGAATTACACACCCAAGGAACCCCTCACCTGCAGGCAA
GGATGTCTTGTGAGCAGAAAGCTGAAGGACACAGCAGTGGATCTTGGCAGTTCAGTTTCGATG
GGCAGATCTTCCTCCTCTTTGACTCAGAGAAGAGAATGTGGACAACGGTTCATCCTGGAGCCA
GAAAGATGAAAGAAAAGTGGGAGAATGACAAGGTTGTGGCCATGTCCTTCCATTACTTCTCAA
TGGGAGACTGTATAGGATGGCTTGAGGACTTCTTGATGGGCATGGACAGCACCTGGAGCCAA
GTGCAGGAGCACCACTCGCCATGTCCTCAGGCACAACCCAACCTCAGGGCCACAGCCACCACCC
TCATCCTTTGCTGCCTCCTCATCATCCTCCCCTGCTTCATCCTCCCTGGCATCTGAGAGGAGAGT
CCTTTAGAGTGACAGGTTAAAGCTGATACCAAAGGCTCCTGTGAGCACGGTCTTGATCAAAC
TCGCCCTTCTGTCTGGCCAGCTGCCCACGACCTACGGTGTATGTCCAGTGGCCTCCAGCAGAT
CATGATGACATCATGGACCAATAGCTCATTCACTGCCTTGATTCCTTTTGCCAACAATTTTA
CCAGCAGTTATACCTAACATATTATGCAATTTTCTCTTGGTGCTACCTGATGGAATTCCTGCA
CTTAAAGTTCTGGCTGACTAAACAAGATATATCATTTTCTTTCTTCTCTTTTGTGGAAAA
TCAAGTACTTCTTTGAATGATGATCTCTTTCTTGCAAATGATATTGTGAGTAAAATAATCACG
TTAGACTTCAGACCTCTGGGGATTCTTTCCGTGTCCTGAAAGAGAATTTTAAATTATTTAAT
AAGAAAAAATTTATATTAATGATTGTTTCCTTTAGTAATTTATTGTTCTGTACTGATATTTAA
ATAAAGAGTTCTATTTCCCAAAAAAAAAAAAAAAAAA

605/615

FIGURE 600

MAAAAATKILLCLPLLLLLSGWSRAGRADPHSLCYDITVIPKFRPGPRWCAVQGQVDEKTFH
YDCGNKTVTPVSPGLGKKLVTTAWKAQNPVLREVVDILTEQLRDIQLENYTPKEPLTLQARMS
CEQKAEGHSSGSWQFSFDGQIFLLFDSEKRMWTTVHPGARKMKEKWENDKVVAMSFHYFSMGD
CIGWLEDFLMGMDSTLEPSAGAPLAMSSGTTQLRATATTLILCCLLIILPCFILPGI

Important features:

Signal peptide:

amino acids 1-25

Transmembrane domain:

amino acids 224-246

N-glycosylation site.

amino acids 68-72, 82-86

N-myristoylation site.

amino acids 200-206, 210-216

Amidation site.

amino acids 77-81

606/615

FIGURE 601

GCAGTCAGAGACTTCCCCTGCCCCCTCGCTGGGAAAGAACATTAGGAATGCCTTTTAGTGCCTT
GCTTCCTGAAGTAGCTCACAGTAGCCCGGCGGCCAGGGCAATCCGACCACATTTCACTCTCA
CCGCTGTAGGAATCCAGATGCAGGCCAAGTACAGCAGCACGAGGGACATGCTGGATGATGATG
GGGACACCACCATGAGCCTGCATTCTCAAGCCTCTGCCACAACCTCGGCATCCAGAGCCCCGGC
GCACAGAGCACAGGGCTCCCTCTTCAACGTGGCGACCAGTGGCCCTGACCCTGCTGACTTTGT
GCTTGGTGCTGCTGATAGGGCTGGCAGCCCTGGGGCTTTTGTTTTTTTCAGTACTACCAGCTCT
CCAATACTGGTCAAGACACCATTTCTCAAATGGAAGAAAGATTAGGAAATACGTCCCAAGAGT
TGCAATCTCTTCAAGTCCAGAATATAAAGCTTGCAGGAAGTCTGCAGCATGTGGCTGAAAAAC
TCTGTCTGTGAGCTGTATAACAAAGCTGGAGCACACAGGTGCAGCCCTTGTACAGAACAATGGA
AATGGCATGGAGACAATTGCTACCAGTTCTATAAAGACAGCAAAAGTTGGGAGGACTGTAAAT
ATTTCTGCCTTAGTGAAGTCTACCAGTCTGAAGATAAACAACAAGAAGACCTGGAATTTG
CCGCGTCTCAGAGCTACTCTGAGTTTTTCTACTCTTATTGGACAGGGCTTTTGCGCCCTGACA
GTGGCAAGGCCTGGCTGTGGATGGATGGAACCCCTTTCACTTCTGAACTGTTCCATATTATAA
TAGATGTCACCAGCCCAAGAAGCAGAGACTGTGTGGCCATCCTCAATGGGATGATCTTCTCAA
AGGACTGCAAAGAATTGAAGCGTTGTGTCTGTGAGAGAAGGGCAGGAATGGTGAAGCCAGAGA
GCCTCCATGTCCCCCTGAAACATTAGGCGAAGGTGACTGATTCGCCCTCTGCAACTACAAAT
AGCAGAGTGAGCCAGGCGGTGCCAAAGCAAGGGCTAGTTGAGACATTGGGAAATGGAACATAA
TCAGGAAAGACTATCTCTGACTAGTACAAAATGGGTTCTCGTGTTCCTGTTTCAGGATCAC
CAGCATTTCTGAGCTTGGGTTTATGCACGTATTTAACAGTCACAAGAAGTCTTATTTACATGC
CACCAACCAACCTCAGAAACCCATAATGTCATCTGCCTTCTTGGCTTAGAGATAACTTTTAGC
TCTCTTTCTTCTCAATGTCTAATATCACCTCCCTGTTTTTCATGTCTTCCTTACACTTGGTGGA
ATAAGAACTTTTTGAAGTAGAGGAAATACATTGAGGTAACATCCTTTTCTCTGACAGTCAAG
TAGTCCATCAGAAATTGGCAGTCACTTCCCAGATTGTACCAGCAAATACACAAGGAATTCCTT
TTGTTTGTTCAGTTCATACTAGTCCCTTCCCAATCCATCAGTAAAGACCCCATCTGCCTTGT
CCATGCCGTTTCCCAACAGGGATGTCACCTGATATGAGAATCTCAAATCTCAATGCCTTATAA
GCATTCCTTCCTGTGTCCATTAAGACTCTGATAATTGTCTCCCCTCCATAGGAATTTCTCCCA
GGAAAGAAATATATCCCCATCTCCGTTTCATATCAGAACTACCGTCCCCGATATTCCCTTCAG
AGAGATTAAAGACCAGAAAAAAGTGAGCCTCTTCATCTGCACCTGTAATAGTTTCAGTTCCTA
TTTTCTTCCATTGACCCATATTTATACCTTTCAGGTACTGAAGATTTAATAATAATAAATGTA
AATACTGTGAAAAA

607/615

FIGURE 602

MQAKYSSTRDMLDDDGD'TTMSLHSQASATTRHPEPRRTEHRAPSSTWRPVALTLLTLCIVLLI
GLAALGLLFFQYYQLSNTGQDTISQMEERLGNTSQELQSLQVQNIKLAGSLQHVAEKLCRELY
NKAGAHRCSPCTEQWKWHGDNCYQFYKDSKSWEDCKYFCLSENSTMLKINKQEDLEFAASQSY
SEFFYSYWTGLLRPD SGKAWLWMDGTPFTSELFHIIIDVTSRSDCVAILNGMIFSKDCKEL
KRCVCERRAGMVKPESLHVPPETLGEGD

608/615

FIGURE 603

GGGAGAGAGGATAAAATAGCAGCGTGGCTTCCCTGGCTCCTCTCTGCATCCTTCCCGACCTTCC
CAGCAATATGCATCTTGCACGTCTGGTCGGCTCCTGCTCCCTCCTTCTGCTACTGGGGGCCCT
GTCTGGATGGGCGGCCAGCGATGACCCCAATTGAGAAGGTCATTGAAGGGATCAACCGAGGGCT
GAGCAATGCAGAGAGAGAGGTGGGCAAGGCCCTGGATGGCATCAACAGTGGAATCACGCATGC
CGGAAGGGAAGTGGAGAAGGTTTTCAACGGACTTAGCAACATGGGGAGCCACACCGGCAAGGA
GTTGGACAAAGGCGTCCAGGGGCTCAACCACGGCATGGACAAGGTTGCCCATGAGATCAACCA
TGGTATTGGACAAGCAGGAAAGGAAGCAGAGAAGCTTGGCCATGGGGTCAACAACGCTGCTGG
ACAGGCCGGGAAGGAAGCAGACAAAGCGGTCCAAGGGTTCCACACTGGGGTCCACCAGGCTGG
GAAGGAAGCAGAGAACTTGGCCAAGGGGTCAACCATGCTGCTGACACAGGCTGGAAAGGAAGT
GGAGAAGCTTGGCCAAGGTGCCCAACCATGCTGCTGGCCAGGCCGGGAAGGAGCTGCAGAATGC
TCATAATGGGGTCAACCAAGCCAGCAAGGAGGCCAACCAGCTGCTGAATGGCAACCATCAAAG
CGGATCTTCCAGCCATCAAGGAGGGGCCACAACCACGCCGTTAGCCTCTGGGGCCTCAGTCAA
CACGCCTTTCATCAACCTTCCCGCCCTGTGGAGGAGCGTCGCCAACATCATGCCCTTAAACTGG
CATCCGGCCTTGCTGGGAGAATAATGTCGCCGTTGTCACATCAGCTGACATGACCTGGAGGGG
TTGGGGGTGGGGGACAGGTTTCTGAAATCCCTGAAGGGGGTGTACTGGGATTTGTGAATAAA
CTTGATACACCA

609/615

FIGURE 604

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA66675

><subunit 1 of 1, 247 aa, 1 stop

><MW: 25335, pI: 7.00, NX(S/T): 0

MHLARLVGSCSLLLLLGGALSGWAASDDPIEKVIEGINRGLSNAEREVGKALDGINSGITHAGR
EVEKVFNGLSNMGSHTGKELDKGVQGLNHGMDKVAHEINHGIGQAGKEAEKLGHGVNNAAGQA
GKEADKAVQGFHTGVHQAGKEAEKLGQGVNHAADQAGKEVEKLGQGAHHAAGQAGKELQNAHN
GVNQASKEANQLLNGNHQSGSSSHQGGATTTPLASGASVNTPFINLPALWRSVANIMP

Important features of the protein:**Signal peptide:**

amino acids 1-25

Homologous region to circumsporozoite (CS) repeats:

amino acids 35-225

610/615

FIGURE 605

GCGACGCGCGGCGGGGCGGCGAGAGGAAACGCGGCGCCGGGCCGGGCCCCGGCCCTGGAG**ATGG**
TCCCCGGCGCCGCGGGCTGGTGTGTCTCGTGCTCTGGCTCCCCGCGTGCGTCGCGGGCCACG
GCTTCCGTATCCATGATTATTTGTACTTTCAAGTGCTGAGTCCTGGGGACATTCGATACATCT
TCACAGCCACACCTGCCAAGGACTTTGGTGGTATCTTTACACAAGGTATGAGCAGATTCACC
TTGTCCCCGCTGAACCTCCAGAGGCCTGCGGGGAACTCAGCAACGGTTTCTTCATCCAGGACC
AGATTGCTCTGGTGGAGAGGGGGGGCTGCTCCTTCCTCTCCAAGACTCGGGTGGTCCAGGAGC
ACGGCGGGCGGGCGGTGATCATCTCTGACAACGCAGTTGACAATGACAGCTTCTACGTGGAGA
TGATCCAGGACAGTACCCAGCGCACAGCTGACATCCCCGCCCTCTTCCTGCTCGGCCGAGACG
GCTACATGATCCGCCGCTCTCTGGAACAGCATGGGCTGCCATGGGCCATCATTTCCATCCCAG
TCAATGTCACCAGCATCCCCACCTTTGAGCTGCTGCAACCGCCCTGGACCTTCTGGT**AGA**AGA
GTTTGTCCCA**CA**TTCCAGCCATAAGTGACTCTGAGCTGGGAAGGGGAAACCCAGGAATTTTGC
TACTTGGAATTTGGAGATAGCATCTGGGGACAAGTGAGCCAGGTAGAGGAAAAGGGTTTGGG
CGTTGCTAGGCTGAAAGGGAAGCCACACCACTGGCCTTCCCTTCCCCAGGGCCCCCAAGGGTG
TCTCATGCTACAAGAAGAGGCAAGAGACAGGCCCCAGGGCTTCTGGCTAGAACCCGAAACAAA
AGGAGCTGAAGGCAGGTGGCCTGAGAGCCATCTGTGACCTGTCACACTCACCTGGCTCCAGCC
TCCCCTACCCAGGGTCTCTGCACAGTGACCTTCACAGCAGTTGTTGGAGTGGTTTAAAGAGCT
GGTGT**TTGGGG**ACTCAATAAACCCCTCACTGACTTTTTAGCAATAAAGCTTCTCATCAGGGTTG
CAAAAAAAAAAAAAAAAAAAAAAAAAA

611/615

FIGURE 606

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76532

><subunit 1 of 1, 188 aa, 1 stop

><MW: 21042, pI: 5.36, NX(S/T): 2

MVPGAAGWCCLVLWLPACVAAHGFRIDYLYFQVLSPGDIRYIFTATPAKDFGGIFHTRYEQI
HLVPAEPPEACGELSNGFFIQDQIALVERGGCSFLSKTRVVQEHGGRAVIISDNAVDNDSFYV
EMIQDSTQRTADIPALFLLGRDGYMIRRSLEQHGLPWAIISIPVNVTSIPTFELLQPPWTFW**Signal peptide:**

amino acids 1-20

612/615

FIGURE 607

GCATTTGCCACTGGTTGCAGATCAGGCGGACGAGGAGCCGGGAAGGCAGAGCC**ATG**TGGCTGC
CCCCTGCTCTGCTCCTTCTCAGCCTCTCAGGCTGTTTCTCCATCCAAGGCCAGAGTCTGTGA
GAGCCCCAGAGCAGGGGTCCCTGACGGTTCAATGCCACTATAAGCAAGGATGGGAGACCTACA
TTAAGTGGTGGTGCCGAGGGGTGCGCTGGGATACATGCAAGATCCTCATTGAAACCAGAGGGT
CGGAGCAAGGAGAGAAGAGTGACCGTGTGTCCATCAAGGACAATCAGAAAGACCGCACGTTCA
CTGTGACCATGGAGGGGCTCAGGCGAGATGACGCAGATGTTTACTGGTGTGGGATTGAAAGAA
GAGGACCTGACCTTGGGACTCAAGTGAAAGTGATCGTTGACCCAGAGGGAGCGGCTTCCACAA
CAGCAAGCTCACCTACCAACAGCAATATGGCAGTGTTTCATCGGCTCCCACAAGAGGAACCACT
ACATGCTCCTGGTATTTGTGAAGGTGCCCATCTTGCTCATCTTGGTCACTGCCATCCTCTGGT
TGAAGGGGTCTCAGAGGGTCCCTGAGGAGCCAGGGGAACAGCCTATCTACATGAACTTCTCCG
AACCTCTGACTAAAGACATGGCCACT**TAG**AGAGATGGATCTGCAGAGCCTTCCTGCCCTGGCC
ACGTTTCCAGAAGAGACTCGGGCTGTGGAAGGAACATCTACGAGTCCTCGGGATGCAGTGACT
GAGATAGGGGGCCCTGGGCCCTCCGCCCTGGCCTTGGAGCTGGTGGGCACCTCCCTGTTCTGCAC
AGCTCAGGGACTTAGCCAGGTCCTCTCCTGAGCCACCATCACCTCCTGGGGTGCCAGCACCTG
TTCTCTTGGTCAGGAGCTGTAGAGATGGAGCTCAAGCACTGGACGACTCTGTCCCCACTGCTG
GAATAACTCGGGCACAGAGCATGGGACCAAGTACAGAAAGAGGTTGGGGGAGACCCCCCAG
CCCTAGACTTCCATCATTCCGGAGACCAACTCAACACCGTCTTTGCCTGAGAACCTGATATATCC
GTGTTTTTAAATTTTTTTTTTTCTAGCAAAGTTGGGTTTTAATGACTTATGTTTCATAGGAAAC
CTCTCTGATCCACACACAAGGAGGGTGATTCTGGGATGAGTTCCTGGTTCTAGGGCATGAGG
GGCTGGATGGACCCTGTCCCCAGGGAGGACATGGCTCTGAGTCCACAGGGCTGAGGAGGCAAT
GGGAACCTCCCTGGCCCCGGCCCGGTGCTTGTCTCCCCCTCCACCTCTTCCTCCTCCTAGCT
CCCCAAGCTCCCTGCCTATTCCCCCACCTCCGAGGGGCTGCAGCTTGGGAGCCTCCTCAGCAT
GACAGCTTGGGTCTCCTCCCCAAAAGAGCCTGTGAGGCCTCAAGAACCACCTCCAGGTGGGGA
GGGCAGTAACGAAAACCATCGCAGGAAATGGCACCTCCCTTTTCGGTGATGTTGAAATCATG
TTACTAATGAAAACCTGTCCTAGGGAAGTGGTTCTGTCTCCTCACAGGCTTCACCCACGGCGAT
GAGGCCCTTGAATGTGGTCACTTTGTGCTGTATGGTTGAGGGACCCTCACACCAAGGGACCT
TCCCATGTGAGATGTGCTCCCGCCCCACCTGCCACAAAGCAAACACACCACACATGTTCCGGC
ATGTTGCCCTTTGAACACCCATGAGGACGCCTCCAACCTGCTCTTGGTTCTAATAGGGAGTAC
TGACTGTCAGCAGTGGATAAAGGAGAGGGGACCCTCTGGTCCCTAGCATGGCACCAGAGCCT
CCCCTCTTCTTGTCCTTCAGCCAAAGAGAACTTTCTCTGACTTTGAACTGAATTTAGGTCTC
TGGCCAATGATGGGCCTGAAAATTCCATAATGGCCAGAGAGGAGAGTTTCGAGCCCGGCTAAGA
TCCCCTGAGTCATTCTGTGAGGGACCAAGACCCACAGTCCACCAGCCCCAGGGCCCTACCTCC
TGGAATGCTTTCCTGGATCCAGCTTCCCGAAGATCCGACCAGACCCAGGGAGGACGGCACCGC
TCCGCGGGAGGGAAAGCCAAAGCATGGTGCTTACCAGCTGGACTCAGGGGCGAGGGGACATG
GGCGCTTGTCAACGTGATGTCATTCTTTTCCACCGTTTCTTCCTGTTGATATTCAATGAATC
CGTCAATCTCTTGGGAAA

613/615

FIGURE 608

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA105849
><subunit 1 of 1, 201 aa, 1 stop
><MW: 22689, pI: 7.41, NX(S/T): 1
MWLPPALLLLSLSGCFSIQGPESVRAPEQGS�TVQCHYKQGWETIYIKWWCRGVRWDTCKI
LIETRGSEQGEKSDRVSIKDNQKDRTFTVTMEGLRRDDADVWCGIERRGPDŁGTQVKVI
VDPEGAASTTASSPTNSNMAVFIGSHKRNHYMLLVFVKVPILLILVTAILWLKGSQRVPE
EPGEQPIYMNFFSEPLTKDMAT
```

Important features of the protein:**Signal peptide:**

Amino acids 1-17

Transmembrane domain:

Amino acids 151-170

N-glycosylation site:

Amino acids 190-194

Tyrosine kinase phosphorylation site:

Amino acids 95-103

N-myristoylation sites:

Amino acids 66-72;125-131

Prokaryotic membrane lipoprotein lipid attachment site:

Amino acids 5-16

614/615

FIGURE 609

GATGGCGCAGCCACAGCTTCTGTGAGATTGATTTCTCCCCAGTTCCCCTGTGGGTCTGAGGG
GACCAGAAGGGTGAGCTACGTTGGCTTTCTGGAAGGGGAGGCTATATGCGTCAATTCCCCAAA
ACAAGTTTTGACATTTCCCCTGAAATGTCATTCTCTATCTATTCACTGCAAGTGCCTGCTGTT
CCAGGCCTTACCTGCTGGGCACTAACGGCGGAGCCAGGATGGGGACAGAATAAAGGAGCCACG
ACCTGTGCCACCAACTCGCACTCAGACTCTGAACTCAGACCTGAAATCTTCTCTTACGGGAG
GCTTGGCAGTTTTTCTTACTCCTGTGGTCTCCAGATTTAGGCCTAAGATGAAAGCCTCTAGT
CTTGCCTTCAGCCTTCTCTCTGCTGCGTTTTATCTCCTATGGACTCCTTCCACTGGACTGAAG
ACACTCAATTTGGGAAGCTGTGTGATCGCCACAAACCTTCAGGAAATACGAAATGGATTTTCT
GAGATACGGGGCAGTGTGCAAGCCAAAGATGGAAACATTGACATCAGAATCTTAAGGAGGACT
GAGTCTTTGCAAGACACAAAGCCTGCGAATCGATGCTGCCTCCTGCGCCATTTGCTAAGACTC
TATCTGGACAGGGTATTTAAAACTACCAGACCCCTGACCATTATACTCTCCGGAAGATCAGC
AGCCTCGCCAATTCCTTTCTTACCATCAAGAAGGACCTCCGGCTCTCTCATGCCACATGACA
TGCCATTGTGGGGAGGAAGCAATGAAGAAATAÇAGCCAGATTCTGAGTCACTTTGAAAAGCTG
GAACCTCAGGCAGCAGTTGTGAAGGCTTTGGGGGAAGTAGACATTCTTCTGCAATGGATGGAG
GAGACAGAAATAGGAGGAAAGTGATGCTGCTGCTAAGAATATTCGAGGTCAAGAGCTCCAGTCT
TCAATACCTGCAGAGGAGGCATGACCCCAAACCACCATCTCTTACTGTACTAGTCTTGTGCT
GGTCACAGTGTATCTTATTTATGCATTACTTGCTTCCTTGCAATGATTGTCTTTATGCATCCCC
AATCTTAATTGAGACCATACTTGTATAAGATTTTGTAAATATCTTTCTGCTATTGGATATATT
TATTAGTTAATATATTTATTTATTTTTTGCTATTTAATGTATTTATTTTTTTACTTGGACATG
AACTTTAAAAAAATTCACAGATTATATTTATAACCTGACTAGAGCAGGTGATGTATTTTTAT
ACAGTAAAAAATAACCTTGTAATTCTAGAAGAGTGGCTAGGGGGGTTATTCATTTGTAT
TCAACTAAGGACATATTTACTCATGCTGATGCTCTGTGAGATATTTGAAATTGAACCAATGAC
TACTTAGGATGGGTTGTGGAATAAGTTTTGATGTGGAATTGCACATCTACCTTACAATTACTG
ACCATCCCCAGTAGACTCCCCAGTCCCATAATTGTGTATCTTCCAGCCAGGAATCCTACACGG
CCAGCATGTATTTCTACAAATAAAGTTTTCTTTGCATACCAAAAAAAAAAAAAAAAAAAAA

615/615

FIGURE 610

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA83500
><subunit 1 of 1, 261 aa, 1 stop
><MW: 29667, pI: 8.76, NX(S/T): 0
MRQFPKTSFDISPEMSFSIYSLQVPAVPG LTCWALTAEPGWGQNKGATTCATNSHSDSEL
RPEIFSSREAWQFFLLLWSPDFRPKMKASSLAFSLLSAAFYLLWTPSTGLKTLNLGSCVI
ATNLQEIRNGFSEIRGSVQAKDGNIDIRILRRTESLQDTKPANRCCLLRHLLRLYLDRVF
KNYQTPDHYTLRKISSLANSLFTIKKDLRLSHAHMTCHCGEAMKKYSQILSHFEKLEPQ
AAVVKALGELDILLQWMEETE

Important features of the protein:**Signal peptide:**

Amino acids 1-42

cAMP- and cGMP-dependent protein kinase phosphorylation sites:

Amino acids 192-196;225-229

N-myristoylation sites:

Amino acids 42-48;46-52;136-142

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
20 September 2001 (20.09.2001)

PCT

(10) International Publication Number
WO 01/068848 A3

- (51) International Patent Classification⁷: **C12N 15/12**, 60/000,000 15 September 2000 (15.09.2000) US
15/62, C07K 14/47, 14/705, 16/18, G01N 33/53, C12Q PCT/US00/30952
1/68 8 November 2000 (08.11.2000) US
PCT/US00/32678
(21) International Application Number: PCT/US01/06520 1 December 2000 (01.12.2000) US
(22) International Filing Date: 28 February 2001 (28.02.2001) PCT/US00/34956
20 December 2000 (20.12.2000) US
(25) Filing Language: English
(26) Publication Language: English
(71) Applicant (for all designated States except US): **GENENTECH, INC.** [US/US]; 1 DNA Way, South San Francisco, CA 94080-4990 (US).
(30) Priority Data:
PCT/US00/05601 1 March 2000 (01.03.2000) US
PCT/US00/05841 2 March 2000 (02.03.2000) US
60/187,202 3 March 2000 (03.03.2000) US
60/186,968 6 March 2000 (06.03.2000) US
60/189,328 14 March 2000 (14.03.2000) US
60/189,320 14 March 2000 (14.03.2000) US
PCT/US00/06884 15 March 2000 (15.03.2000) US
60/191,048 21 March 2000 (21.03.2000) US
60/190,828 21 March 2000 (21.03.2000) US
60/191,314 21 March 2000 (21.03.2000) US
60/191,007 21 March 2000 (21.03.2000) US
60/192,655 28 March 2000 (28.03.2000) US
60/193,032 29 March 2000 (29.03.2000) US
60/193,053 29 March 2000 (29.03.2000) US
PCT/US00/08439 30 March 2000 (30.03.2000) US
60/194,647 4 April 2000 (04.04.2000) US
60/194,449 4 April 2000 (04.04.2000) US
60/196,820 11 April 2000 (11.04.2000) US
60/195,975 11 April 2000 (11.04.2000) US
60/196,000 11 April 2000 (11.04.2000) US
60/196,187 11 April 2000 (11.04.2000) US
60/196,690 11 April 2000 (11.04.2000) US
60/198,121 18 April 2000 (18.04.2000) US
60/198,585 18 April 2000 (18.04.2000) US
60/199,654 25 April 2000 (25.04.2000) US
60/199,397 25 April 2000 (25.04.2000) US
60/199,550 25 April 2000 (25.04.2000) US
60/201,516 3 May 2000 (03.05.2000) US
PCT/US00/13705 17 May 2000 (17.05.2000) US
PCT/US00/14042 22 May 2000 (22.05.2000) US
PCT/US00/14941 30 May 2000 (30.05.2000) US
PCT/US00/15264 2 June 2000 (02.06.2000) US
60/209,832 5 June 2000 (05.06.2000) US
PCT/US00/20710 28 July 2000 (28.07.2000) US
09/644,848 22 August 2000 (22.08.2000) US
PCT/US00/23328 24 August 2000 (24.08.2000) US
(72) Inventors; and
(75) Inventors/Applicants (for US only): **BAKER, Kevin**, P. [GB/US]; 14006 Indian Run Drive, Darnestown, MD 20878 (US). **CHEN, Jian** [US/US]; 121 York Drive, Princeton, NJ 08540 (US). **DESNOYERS, Luc** [CA/US]; 2050 Stockton Street, San Francisco, CA 94133 (US). **GODDARD, Audrey** [CA/US]; 110 Congo Street, San Francisco, CA 94131 (US). **GODOWSKI, Paul, J.** [US/US]; 2627 Easton Drive, Burlingame, CA 94010 (US). **GURNEY, Austin, L.** [US/US]; 1 Debbie Lane, Belmont, CA 94002 (US). **PAN, James** [CA/US]; 2705 Coronet Boulevard, Belmont, CA 94002 (US). **SMITH, Victoria** [AU/US]; 19 Dwight Road, Burlingame, CA 94010 (US). **WATANABE, Colin, K.** [US/US]; 128 Corliss Drive, Moraga, CA 94556 (US). **WOOD, William, I.** [US/US]; 35 Southdown Court, Hillsborough, CA 94010 (US). **ZHANG, Zemin** [CN/US]; 876 Taurus Drive, Foster City, CA 94404 (US).
(74) Agents: **BARNES, Elizabeth, M.** et al.; c/o Genentech, Inc., MS49, 1 DNA Way, South San Francisco, CA 94080-4990 (US).
(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME

(57) Abstract: The present invention is directed to novel polypeptides and to nucleic acid molecules encoding those polypeptides. Also provided herein are vectors and host cells comprising those nucleic acid sequences, chimeric polypeptide molecules comprising the polypeptides of the present invention fused to heterologous polypeptide sequences, antibodies which bind to the polypeptides of the present invention and to methods for producing the polypeptides of the present invention.

WO 01/068848 A3

WO 01/068848 A3



Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(88) Date of publication of the international search report:

29 August 2002

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/06520

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12N15/12 C12N15/62 C07K14/47 C07K14/705 C07K16/18
 G01N33/53 C12Q1/68

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N C07K C12Q G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, BIOSIS, SEQUENCE SEARCH

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 99 63088 A (BAKER KEVIN ;CHEN JIAN (US); GENENTECH INC (US); YUAN JEAN (US); G) 9 December 1999 (1999-12-09) page 1 -page 2; claims 1-26; figures 3,4; examples 1-3,5,139-147 page 281 -page 284 page 305 -page 314 page 345 -page 373 ---	1-24
X	WO 99 54461 A (SCHMITT ARMIN ;SPECHT THOMAS (DE); DAHL EDGAR (DE); HINZMANN BERND) 28 October 1999 (1999-10-28) page 1 -page 7; claims 1-38; figures 1-5; examples 1-4 see SEQ ID NO: 53 (pp.215 and 216), SEQ ID NO: 300 (pp. 350 and 351) page 163 --- -/-	1-24

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

28 February 2002

Date of mailing of the international search report

06. 06. 2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

Oderwald, H

INTERNATIONAL SEARCH REPORT

Internatic..... Application No

PCT/US 01/06520

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X, L	WO 00 73454 A (GENENTECH INC) 7 December 2000 (2000-12-07) page 1 -page 2; claims 1-118; figures 3,4; examples 1-3,5,139-172 page 43 -page 44 page 283 -page 288 page 304 -page 316 page 338 page 371 -page 398 ---	1-24
P,X	WO 00 58473 A (CURAGEN CORP ;LEACH MARTIN (US); SHINKETS RICHARD A (US)) 5 October 2000 (2000-10-05) see SEQ ID NOs: 3231 and 3232 (pp. 2436 and 2437) page 1 -page 4; claims 1-32 ---	1-24
E	WO 01 57190 A (CAO YICHENG ;CHEN RUI HONG (US); GOODRICH RYLE (US); HYSEQ INC (US) 9 August 2001 (2001-08-09) page 1 -page 97; claims 1-28; examples 1-9 -& DATABASE EM GSN [Online] EBI, Hinxton, UK; AC/ID AAK52618, "SEQ ID NO: 2147" XP002191775 abstract -& DATABASE EM GSP [Online] EBI, Hinxton, UK; AC/ID AAM78501, "SEQ ID NO: 1163" XP002191776 abstract -----	1-24

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US 01/06520

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

Although claims 20 and 21 are directed to a method of treatment of the human/animal body (in so far as in vivo methods are concerned), the search has been carried out and based on the alleged effects of the compound/composition.
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

1-24 (all partially)

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

Invention 1: claims 1-24 partially

An isolated nucleic acid SEQ ID NO: 1 which encodes amino acid sequence SEQ ID NO: 2. A vector, a host cell, a process for producing a polypeptide, an isolated polypeptide encoded by said nucleic acid. A chimeric molecule, an antibody, methods for stimulating the release of TNF-alpha, for stimulating the proliferation or differentiation, for detecting the presence of tumor, an oligonucleotide probe.

Inventions 2-305: claims 1-24 partially

same as invention 1 but comprising the polynucleotide and amino acid sequence in the order given in claims 1 and 2 (invention 2 is limited to SEQ ID NO: 3 and 4 and invention 305 is limited to SEQ ID NO: 609 and 610).

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/06520

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0058473	A	05-10-2000	AU 3774500 A	16-10-2000
			EP 1165784 A2	02-01-2002
			WO 0058473 A2	05-10-2000

WO 0157190	A	09-08-2001	AU 2591801 A	31-07-2001
			AU 3128801 A	14-08-2001
			AU 3297101 A	07-08-2001
			AU 3300301 A	07-08-2001
			AU 3329301 A	14-08-2001
			AU 3484701 A	14-08-2001
			AU 3484801 A	14-08-2001
			AU 3486501 A	14-08-2001
			AU 3494401 A	14-08-2001
			AU 3665801 A	14-08-2001
			AU 3666001 A	14-08-2001
			AU 3666301 A	14-08-2001
			AU 3672101 A	14-08-2001
			AU 4314201 A	14-08-2001
			WO 0153326 A1	26-07-2001
			WO 0155334 A2	02-08-2001
			WO 0155335 A2	02-08-2001
			WO 0157255 A1	09-08-2001
			WO 0157260 A1	09-08-2001
			WO 0157175 A2	09-08-2001
			WO 0157261 A1	09-08-2001
			WO 0157262 A1	09-08-2001
			WO 0157187 A2	09-08-2001
			WO 0157265 A1	09-08-2001
			WO 0157188 A2	09-08-2001
			WO 0157266 A1	09-08-2001
			WO 0157267 A1	09-08-2001
			WO 0157190 A2	09-08-2001

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/06520

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9963088	A	09-12-1999	AU 4328699 A	20-12-1999
			CA 2328895 A1	09-12-1999
			WO 9963088 A2	09-12-1999
			AU 2212299 A	26-07-1999
			WO 9935170 A2	15-07-1999
WO 9954461	A	28-10-1999	DE 19817948 A1	21-10-1999
			WO 9954461 A2	28-10-1999
			EP 1071775 A2	31-01-2001
WO 0073454	A	07-12-2000	AU 1748200 A	19-06-2000
			AU 1932000 A	03-07-2000
			AU 2192800 A	12-07-2000
			AU 2215300 A	28-12-2000
			AU 2495200 A	28-09-2000
			AU 2600800 A	28-09-2000
			AU 2879400 A	31-07-2001
			AU 3246100 A	28-12-2000
			AU 3381600 A	28-09-2000
			AU 3514400 A	28-09-2000
			AU 3774300 A	18-12-2000
			AU 4328699 A	20-12-1999
			AU 5441200 A	18-12-2000
			AU 5460100 A	18-12-2000
			AU 5591100 A	18-12-2000
			EP 1173563 A1	23-01-2002
			EP 1159419 A1	05-12-2001
			EP 1185648 A2	13-03-2002
			EP 1135485 A2	26-09-2001
			EP 1141285 A2	10-10-2001
			EP 1141289 A2	10-10-2001
			WO 0053753 A2	14-09-2000
			WO 0053755 A2	14-09-2000
			WO 0153486 A1	26-07-2001
			WO 0075327 A1	14-12-2000
			WO 0053757 A2	14-09-2000
			WO 0053758 A2	14-09-2000
			WO 0073454 A1	07-12-2000
			WO 0073445 A2	07-12-2000
			WO 0073348 A2	07-12-2000
			WO 0073452 A2	07-12-2000
			WO 0032221 A2	08-06-2000
			WO 0036102 A2	22-06-2000
			WO 0037640 A2	29-06-2000
			WO 0075316 A1	14-12-2000
			US 2002058309 A1	16-05-2002
			AU 2883600 A	28-09-2000
			AU 2883700 A	09-01-2001
			WO 0053756 A2	14-09-2000
			WO 0078961 A1	28-12-2000
			AU 2883900 A	30-01-2001
			WO 0104311 A1	18-01-2001
			AU 1749800 A	04-10-2000
			AU 1749900 A	12-07-2000
			AU 2390700 A	05-02-2001
			AU 2399300 A	28-09-2000
			AU 3107000 A	19-06-2000
			AU 4011300 A	05-02-2001